

Final Adult Interview Wave 9 Spanish Data Collection Instrument



PATH

Population Assessment
of Tobacco and Health

A collaboration between the NIH and FDA

Deliverable 13a
December 19, 2025

Contract Number: 75N95024C00003
Reference Number: N01DA-24-5582

Reporting Period:
January 20, 2026 - December 31, 2026

Prepared for

Heather Kimmel, PhD, PATH Study COR
Joshua Lazarus, NIDA Contracting
National Institute on Drug Abuse
National Institutes of Health
Office of Acquisitions
3WFN MSC 6012
301 N. Stonestreet Ave.
Bethesda, Maryland 20892

Prepared by

Westat
7501 Wisconsin Avenue
Suite 1000E
Bethesda, MD 20814-6527
301-251-1500

Table of Contents

INTRODUCTORY DEMOGRAPHICS	1
TOBACCO USE	9
Cigarette Use	10
ENP Use	19
IQOS Use	33
Cigar Use	39
Pipe Use	101
Hookah Use	110
Nicotine Pouch Use	124
Snus Use	136
Smokeless Tobacco Use	148
Other Tobacco and Nicotine Use	160
CIGARETTE	181
ELECTRONIC NICOTINE PRODUCTS (ENPs)	249
IQOS	320
CIGAR	360
PIPE	488
HOOKAH	529
NICOTINE POUCHES	578
SNUS	627
SMOKELESS TOBACCO	678
NEW PRODUCT - PLACEHOLDER	732
POLY-USE	738
NICOTINE DEPENDENCE	741
PACKAGING AND HEALTH WARNINGS	834
RISK PERCEPTIONS AND ATTITUDES	854
MODIFIED RISK TOBACCO PRODUCTS (MRTPs)	889
SECONDHAND EXPOSURE	895
SOCIAL NORMS, PEER AND FAMILY INFLUENCES	919
ACCESSIBILITY	929
HEALTH	934
General Health	935
Functional Limitations	948
General Medication	952

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Cardiovascular Health.....	955
Respiratory Health	982
COVID-19	1010
Oral Health.....	1015
Diabetes.....	1031
Gastrointestinal Health.....	1035
Cancer	1042
Bone Health	1063
Neurological Health.....	1070
Reproductive Health	1079
Psychosocial	1112
Family History	1123
SUBSTANCE USE	1127
MEDIA AND MARKETING	1176
ADDITIONAL DEMOGRAPHICS	1200
WEB NONRESPONSE DEBRIEF.....	1210
CONTACT INFORMATION	1215
APPENDIX – ADULT GENERIC IMAGES.....	1240
APPENDIX – ADULT USER GROUPS	1256

INTRODUCTORY DEMOGRAPHICS

BOX ID: R09_AMV02

PROGRAM - LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.

R08_CIG_USER_STATUS - Cigarette user status (current, recent former, long-term former) as of the last completed interview.

R08_EPROD_USER_STATUS - ENP user status (current, recent former, long-term former) as of the last completed interview.

R08_GTRAD_USER_STATUS - Traditional cigar user status (current, recent former, long-term former) as of the last completed interview.

R08_GRILLO_USER_STATUS - Cigarillo user status (current, recent former, long-term former) as of the last completed interview.

R08_GFILTR_USER_STATUS - Filtered cigar user status (current, recent former, long-term former) as of the last completed interview.

R08_PIPE_USER_STATUS - Pipe user status (current, recent former, long-term former) as of the last completed interview.

R08_HOOK_USER_STATUS - Hookah user status (current, recent former, long-term former) as of the last completed interview.

R08_NICPOUCH_USER_STATUS - Nicotine pouch user status (current, recent former, long-term former) as of the last completed interview.

R08_SNUS_USER_STATUS - Snus user status (current, recent former, long-term former) as of the last completed interview.

R08_SMKLS_USER_STATUS - Smokeless tobacco user status (current, recent former, long-term former) as of the last completed interview.

R08_EVER_NEVER_CIGS - Ever or never user of cigarettes as of the last completed interview.

R08_EVER_NEVER_EPRODS - Ever or never user of ENPs as of the last completed interview.

R08_EVER_NEVER_GTRAD - Ever or never user of traditional cigars as of the last completed interview.

R08_EVER_NEVER_GRILLO - Ever or never user of cigarillos as of the last completed interview.

R08_EVER_NEVER_GFILTR - Ever or never user of filtered cigars as of the last completed interview.

R08_EVER_NEVER_BTRAD - Ever or never user of traditional cigars as blunts as of the last completed interview.

R08_EVER_NEVER_BRILLO - Ever or never user of cigarillos as blunts as of the last completed interview.

R08_EVER_NEVER_BFILTR - Ever or never user of filtered cigars as blunts as of the last completed interview.

R08_EVER_NEVER_PIPE - Ever or never user of pipes as of the last completed interview.

R08_EVER_NEVER_HOOK - Ever or never user of hookah as of the last completed interview.

R08_EVER_NEVER_NICPOUCH - Ever or never user of nicotine pouches as of the last completed interview.

R08_EVER_NEVER_SNUS - Ever or never user of snus as of the last completed interview.

R08_EVER_NEVER_SMKLS - Ever or never user of smokeless tobacco as of the last completed interview.

R08_NUMLIFE_CIGS - The respondent reported smoking 100+ cigarettes in their lifetime as of their last completed interview.

R08_NUMLIFE_EPROD - The respondent reported using ENPs 100+ times in their lifetime as of their last completed interview.

R08_NUMLIFE_GTRAD - The respondent reported smoking 100+ traditional cigars in their lifetime as of their last completed interview.

R08_NUMLIFE_GRILLO - The respondent reported smoking 100+ cigarillos in their lifetime as of their last completed interview.

R08_NUMLIFE_GFILTR - The respondent reported smoking 100+ filtered cigars in their lifetime as of their last completed interview.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R08_NUMLIFE_PIPE - The respondent reported smoking a pipe 100+ times in their lifetime as of their last completed interview.

R08_NUMLIFE_HOOK - The respondent reported smoking hookah 100+ times in their lifetime as of their last completed interview.

R08_NUMLIFE_NICPOUCH - The respondent reported using 100+ nicotine pouches in their lifetime as of their last completed interview.

R08_NUMLIFE_SNUS - The respondent reported using 100+ snus pouches in their lifetime as of their last completed interview.

R08_NUMLIFE_SMKLS - The respondent reported using smokeless tobacco 100+ times as of their last completed interview.

R08_REGUSE_CIGS - The respondent reported smoking cigarettes fairly regularly as of their last completed interview.

R08_REGUSE_EPROD - The respondent reported using ENPs fairly regularly as of their last completed interview.

R08_REGUSE_GTRAD - The respondent reported smoking traditional cigars fairly regularly as of their last completed interview.

R08_REGUSE_GRILLO - The respondent reported smoking cigarillos fairly regularly as of their last completed interview.

R08_REGUSE_GFILTR - The respondent reported smoking filtered cigars fairly regularly as of their last completed interview.

R08_REGUSE_PIPE - The respondent reported smoking a pipe fairly regularly as of their last completed interview.

R08_REGUSE_HOOK - The respondent reported smoking hookah fairly regularly as of their last completed interview.

R08_REGUSE_NICPOUCH - The respondent reported using smokeless tobacco fairly regularly as of their last completed interview.

R08_REGUSE_SNUS - The respondent reported using snus fairly regularly as of their last completed interview.

R08_REGUSE_SMKLS - The respondent reported using smokeless tobacco fairly regularly as of their last completed interview.

R08 Everyday_Age_CIGS - The respondent reported the age when they first started smoking cigarettes every day as of their last completed interview.

R08 Everyday_Age_EPROD - The respondent reported the age when they first started using electronic nicotine products every day as of their last completed interview.

R08 Everyday_Age_GTRAD - The respondent reported the age when they first started smoking traditional cigars every day as of their last completed interview.

R08 Everyday_Age_GRILLO - The respondent reported the age when they first started smoking cigarillos every day as of their last completed interview.

R08 Everyday_Age_GFILTR - The respondent reported the age when they first started smoking filtered cigars every day as of their last completed interview.

R08 Everyday_Age_PIPE - The respondent reported the age when they first started smoking a pipe every day as of their last completed interview.

R08 Everyday_Age_HOOK - The respondent reported the age when they first started smoking hookah every day as of their last completed interview.

R08 Everyday_Age_NICPOUCH - The respondent reported the age when they first started using nicotine pouches every day as of their last completed interview.

R08 Everyday_Age_SNUS - The respondent reported the age when they first started using snus every day as of their last completed interview.

R08 Everyday_Age_SMKLS - The respondent reported the age when they first started using smokeless tobacco every day as of their last completed interview.

R08_PFORMER_CIG - The respondent reported not smoking cigarettes in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

R08_PFORMER_EPROD - The respondent reported not using ENPs in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

R08_PFORMER_GTRAD - The respondent reported not smoking traditional cigars in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R08_PFORMER_GRILLO - The respondent reported not smoking cigarillos in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

R08_PFORMER_GFILTR - The respondent reported not smoking filtered cigars in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

R08_PFORMER_PIPE - The respondent reported not smoking a pipe in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

R08_PFORMER_HOOK - The respondent reported not smoking hookah in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

R08_PFORMER_SNUS - The respondent reported not using snus in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

R08_PFORMER_SMKLS - The respondent reported not using smokeless tobacco in the past 12 months at the last two Adult interviews (W8.5 and W8 or W8 and W7).

R08_SEX - Respondent's reported sex.

R08_PREGNANT - Respondent reported being pregnant as of their last completed interview.

R08_ASTHMA - Respondent reported being diagnosed with asthma as of their last completed interview.

R08_HIGH_CHOLESTEROL - Respondent reported being diagnosed with high cholesterol as of their last completed interview.

R08_HIGH_BLOOD_PRESSURE - Respondent reported being diagnosed with high blood pressure as of their last completed interview.

R08_STROKE - Respondent reported having had a stroke as of their last completed interview.

R08_ANY_HEART_CONDITION - Respondent reported being diagnosed with any heart condition as of their last completed interview.

R08_CANCER - Respondent reported being diagnosed with cancer as of their last completed interview.

R08_ULCER - Respondent reported being diagnosed with an ulcer as of their last completed interview.

R08_LUNGCOND - Respondent reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview.

R08_DIABETES - Respondent reported being diagnosed with diabetes as of their last completed interview.

R08_ANGINA - Respondent reported ever having any chest pain, chest tightness, or angina as of their last completed interview (1 = ever; 2 = never; 3 = unknown).

R08_PADPVD - Respondent reported being diagnosed with PAD or PVD as of their last completed interview (1 = ever; 2 = never; 3 = unknown).

R08_PSYCH - Respondent reported ever being diagnosed with a psychotic illness or episode as of their last completed interview.

R08_SCHIZOPHRENIA - Respondent reported ever being diagnosed with schizophrenia, schizoaffective disorder, or psychosis as of their last completed interview.

R08_BONE_FRACTURE - Respondent reported ever being diagnosed with a bone fracture because they had fragile bones as of their last completed interview.

R08_OSTEOPOROSIS - Respondent reported ever being diagnosed with osteoporosis as of their last completed interview.

R08_CANCER[01../30] - The type(s) of cancer which the respondent has ever reported being diagnosed with as of their last completed interview. (Does not include "other cancer".)

R08_GASTRO - Respondent reported ever being diagnosed with stomach or other gastro-intestinal bleeding as of their last completed interview.

R08_ORAL_LESIONS - Respondent reported ever being diagnosed with pre-cancerous oral lesions as of their last completed interview.

R08_GUM_DISEASE - Respondent reported ever being diagnosed with gum disease as of their last completed interview.

R08_EMPHYSEMA - Respondent reported ever being diagnosed with emphysema as of their last completed interview.

R08_BRONCHITIS - Respondent reported ever being diagnosed with chronic bronchitis as of their last completed interview.

R08_COPD - Respondent reported ever being diagnosed with COPD as of their last completed interview.

R08_HEART_ATTACK - Respondent reported ever being diagnosed with a heart attack as of their last completed interview.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R08_CONGESTIVE_HF - Respondent reported ever being diagnosed with congestive heart failure as of their last completed interview.

R08_SEIZURE - Respondent reported ever having a seizure as of their last completed interview.

R08_EVER_USER_ALCOHOL - Respondent reported ever using alcohol as of their last completed interview.

R08_EVER_USER_MARIJUANA - Respondent reported ever using marijuana as of their last completed interview.

R08_EVER_VAPE_MARIJUANA - Respondent reported ever vaping marijuana liquids or oils in an ENP as of their last completed interview. (1 = ever; 2 = never; 3 = unknown.)

R08_EVER_USER_RITALIN - Respondent reported ever using ritalin as of their last completed interview.

R08_EVER_USER_PAINSEDTRANQ - Respondent reported ever using painkillers, sedatives, or tranquilizers not prescribed for them as of their last completed interview.

R08_EVER_USER_PAINKILLERS - Respondent reported ever using painkillers as of their last completed interview (1 = ever; 2 = never; 3 = unknown).

R08_EVER_USER_SEDATIVES - Respondent reported ever using sedatives or tranquilizers as of their last completed interview (1 = ever; 2 = never; 3 = unknown).

R08_EVER_USER_COCAINE - Respondent reported ever using cocaine as of their last completed interview.

R08_EVER_USER_STIMULANTS - Respondent reported ever using stimulants as of their last completed interview.

R08_EVER_USER_OTHERDRUG - Respondent reported ever using other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview.

R08_EVER_USER_HEROIN - Respondent reported ever using heroin as of their last completed interview (1 = ever; 2 = never; 3 = unknown).

R08_EVER_USER_INHALANTS - Respondent reported ever using inhalants or solvents as of their last completed interview (1 = ever; 2 = never; 3 = unknown).

R08_EVER_USER_HALLUCINOGENS - Respondent reported ever using hallucinogens as of their last completed interview (1 = ever; 2 = never; 3 = unknown).

R08_12M_ALCOHOL - Respondent reported using alcohol in the past 12 months as of their last completed interview.

R08_12M_MARIJUANA - Respondent reported using marijuana in the past 12 months as of their last completed interview.

R08_12M_RITALIN - Respondent reported using ritalin in the past 12 months as of their last completed interview.

R08_12M_PAINKILLERS - Respondent reported using painkillers in the past 12 months as of their last completed interview.

R08_12M_SEDATIVES - Respondent reported using sedatives or tranquilizers in the past 12 months as of their last completed interview.

R08_12M_COCAINE - Respondent reported using cocaine in the past 12 months as of their last completed interview.

R08_12M_STIMULANTS - Respondent reported using stimulants in the past 12 months as of their last completed interview.

R08_12M_HEROIN - Respondent reported using heroin in the past 12 months as of their last completed interview.

R08_12M_INHALANTS - Respondent reported using inhalants or solvents in the past 12 months as of their last completed interview.

R08_12M_HALLUCINOGENS - Respondent reported using hallucinogens in the past 12 months as of their last completed interview.

R08_COVID19_DX - Respondent reported testing positive for COVID-19 as of their last completed interview.

CONTACTFLAG_LD - Adult respondent or parent/guardian of youth respondent has provided contact information.

LinkedAddress1 - Best street address from IMS.

LinkedAddress2 - Best apartment/unit number from IMS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

LinkedCity - Best city from IMS.
LinkedState - Best state from IMS.
LinkedZip - Best zip code from IMS.
PHONE1 - Respondents' best phone number from IMS.
PHONE2 - Respondents' second phone number from IMS.
EMAIL - Respondents' email from IMS.
ContactName - Tracing contact first and last name from IMS.
ContactAddress - Tracing contact address from IMS.
ContactPhone - Tracing contact phone number from IMS.
ContactRelationship - Tracing contact relationship to respondent from IMS.
R09_PARENT_COMPLETE_LD - Adult respondent has completed a parent survey about a youth respondent.
R09_WNR - Respondents who are previous wave non-responders.
R09_HNBBRAND1 - Whether an additional heated tobacco brand is activated in the instrument.
R09_HNBBRAND2 - Whether a second additional heated tobacco brand is activated in the instrument.
R09_HNBBRAND3 - Whether a third additional heated tobacco brand is activated in the instrument.
R09_ADULT_MODE - Whether the adult interview is completed in-person or on the web. (1 = in-person; 3 = web.)
W9WebStatus_Adult - Adult respondent's Web status. (WNS = in the web sample and did not start the web interview; WNF = in the web sample and started the web interview without completing it; WCS = in the web sample and completed a web interview.)
WebIntProgress - Whether respondent in the web sample has reached the Health section threshold. (0 = threshold not reached; 1 = threshold reached.)

PROGRAM - LOAD THE FOLLOWING VARIABLES FROM CONSENT WRAPPER:
R09_ADULTTYPE
(1) Continuing Adult = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study.
(2) Aged-Up Adult = Adult respondent whose last completed interview in a previous wave was in the Youth cohort, and they have now aged-up into the Adult cohort. This is their first interview in the Adult cohort but not their first interview in the PATH Study.
(3) New Cohort Adult = Adult respondent who is new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.
"New baseline adult respondents" = Adult respondents where this is their first interview in the Adult cohort. This may not be their first interview in the PATH Study. Includes both Aged-Up Adult and New Cohort Adult respondents.

PROGRAM - FOR WEB INTERVIEWS, SET THE FOLLOWING VARIABLE:
WEBDEVICE
(1) Desktop = Respondent is completing a web interview on a desktop computer or device with similar screen dimensions.
(2) Mobile = Respondent is completing a web interview on a smartphone or mobile device with similar screen dimensions.

Program Note: In the following specifications, "!=" represents "not equal to".

BOX ID: R09_AMR39

New cohort adult respondents, go to R09_AM0004_RS.
Else, go to Box R09_AMR03.

IF R09_ADULTTYPE = 3, GO TO R09_AM0004_RS.
ELSE, GO TO BOX R09_AMR03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM0004_RS

¿Cuál es su sexo?

- 1 Masculino
- 2 Femenino
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

PATH ID: R09_AM0005_RS

¿Es usted de origen hispano, latino o español? Escoja todas las opciones que correspondan.

- 2 Sí. Mexicano, mexicano americano o chicano
- 3 Sí. Puertorriqueño
- 4 Sí. Cubano
- 6 Sí. Dominicano
- 7 Sí. Salvadoreño
- 8 Sí. Guatemalteco
- 5 Sí. De otro origen hispano, latino o español
- 1 No. De ningún origen hispano, latino ni español
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

DISPLAY: IF R09_AM0004_RS = 1, DISPLAY "" AND "".

ELSE, IF R09_AM0004_RS = 2, DISPLAY "" AND "".

ELSE, IF R09_AM0004_RS = -8, -7, DISPLAY "" AND "".

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM0006_RS

¿Cuál es su raza? Escoja todas las opciones que correspondan.

- 1 Blanca
- 2 Negra o africana americana
- 3 India americana o nativa de Alaska
- 4 Hindú
- 5 China
- 6 Filipina
- 7 Japonesa
- 8 Coreana
- 9 Vietnamita
- 10 Otra raza asiática
- 11 Nativa de Hawái
- 12 Guameña o chamorra
- 13 Samoana
- 14 De otra isla del Pacífico
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_AMR03

Adult respondents who did not already complete a parent interview, go to R09_AT0047.
Else, go to R09_AM0007.

IF R09_PARENT_COMPLETE_LD != 1, GO TO R09_AT0047.
ELSE, GO TO R09_AM0007.

PATH ID: R09_AT0047

¿Cuál es su estado civil?

- 1 Actualmente casado
- 2 Viudo
- 3 Divorciado
- 4 Separado
- 5 Nunca se ha casado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM0007

¿Ha prestado alguna vez servicio militar en las Fuerzas Armadas, la Reserva o la Guardia Nacional de Estados Unidos?

Nota: El servicio militar activo para la Reserva o la Guardia Nacional no incluye el entrenamiento regular para la Reserva o la Guardia. Sí incluye estar activo para misiones militares.

- 1 Sí. Actualmente está en servicio activo
- 2 Sí. Estuvo en servicio activo en el pasado pero no actualmente
- 3 No. Únicamente en entrenamiento para la Reserva o la Guardia Nacional
- 4 No. Nunca ha prestado el servicio militar
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AMR11

New baseline adult respondents who are now on active duty or have been on active duty in the past, go to R09_AM0011_NB.
Else, go to Box R09_ACT02.

IF (R09_ADULTTYPE = 2, 3 AND R09_AM0007 = 1, 2), GO TO R09_AM0011_NB.
ELSE, GO TO BOX R09_ACT02.

PATH ID: R09_AM0011_NB

¿En qué rama o ramas militares [presta/prestó] el servicio militar? Escoja todas las opciones que correspondan.

- 1 Ejército
- 2 Marina
- 3 Fuerza Aérea
- 4 Cuerpo de Marines
- 5 Guardia Costera
- 6 Fuerza Espacial
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are now on active duty, or have been on active duty in the past.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AM0007 = 1, 2).

DISPLAY: IF R09_AM0007 = 2, DISPLAY "prestó".

ELSE, DISPLAY "presta".

PROGRAM: Allow respondent to choose all that apply.

TOBACCO USE

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

Cigarette Use

BOX ID: R09_ACT02
Las siguientes preguntas son acerca de su experiencia con cigarrillos .
BOLD "cigarrillos".

BOX ID: R09_ACR50
Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview, or new cohort adult respondents, go to R09_AC1002. Else, go to R09_AC1004.
IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2) OR R09_ADULTTYPE = 3, GO TO R09_AC1002. ELSE, GO TO R09_AC1004.

PATH ID: R09_AC1002
¿Alguna vez ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R09_ACV04
GO TO BOX R09_ACV04
GO TO BOX R09_ACV04
ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview, or new cohort adult respondents.
ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2) OR R09_ADULTTYPE = 3.

PATH ID: R09_AC1004
En los últimos 30 días, ¿ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
GO TO BOX R09_ACR14
ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview, or Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette, or New cohort adult respondents who have ever smoked a cigarette.
ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1002_12M

En los últimos 12 meses, ¿ha fumado un cigarrillo, incluso si solo fueron una o dos probaditas?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or

New cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AC1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 1 AND R09_AC1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1004 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1004 = 2, -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR14

Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or new cohort adult respondents who have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months, go to R09_AC1003.

Else, continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not recent former or long-term former cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 12 months, or new cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 12 months, go to R09_AC1009.

Else, continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not long-term former cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, go to R09_AC1010.

Else, go to Box R09_ACV04.

IF R09_AC1004 = 1 OR R09_AC1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R09_AC1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7), GO TO R09_AC1003.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R08_CIG_USER_STATUS != 4, 5 AND R09_AC1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2), GO TO R09_AC1009.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R08_CIG_USER_STATUS != 5 AND R09_AC1002_12M = 2, GO TO R09_AC1010.

ELSE, GO TO BOX R09_ACV04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1003

¿Actualmente fuma cigarrillos...?

1	Todos los días	GO TO BOX R09_ACV04
2	Algunos días	GO TO BOX R09_ACV04
3	Nunca	
-8	DON'T KNOW	GO TO BOX R09_ACV04
-7	REFUSED	GO TO BOX R09_ACV04

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or

New cohort adult respondents who have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months.

ASK Specification: IF R09_AC1004 = 1 OR R09_AC1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R09_AC1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1009

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un cigarrillo? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO R09_AC1010

-7 REFUSED

GO TO R09_AC1010

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or

Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

New cohort adult respondents who have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not recent former or long-term former cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 12 months, or

New cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 12 months.

ASK Specification: IF ((R09_AC1004 = 1 OR R09_AC1002_12M = 1) AND R09_AC1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R08_CIG_USER_STATUS != 4, 5 AND R09_AC1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1009_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que fumó un cigarrillo.
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AC1009
2 NEXT	GO TO R09_AC1009_LC2

ASK: IF (((R09_AC1004 = 1 OR R09_AC1002_12M = 1) AND R09_AC1003 = 3) OR
(R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R09_AC1002_12M = -8, -7 AND
R09_AC1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS =
2 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3) OR
(R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3)
OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R08_CIG_USER_STATUS !=
4, 5 AND R09_AC1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND
R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2) OR
(R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2)) AND R09_AC1009_NN =
0.

DISPLAY: IF R09_AC1009_UN = 1, DISPLAY "días".

ELSE, IF R09_AC1009_UN = 2, DISPLAY "meses".

ELSE, IF R09_AC1009_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF R09_AC1009_NN = 0.

ELSE, GO TO R09_AC1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1009_LC2

Usted contestó que han pasado [R09_AC1009_NN] años desde la última vez que fumó un cigarrillo.
Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AC1009
2 NEXT	GO TO R09_AC1010

ASK: IF (((R09_AC1004 = 1 OR R09_AC1002_12M = 1) AND R09_AC1003 = 3) OR
(R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R09_AC1002_12M = -8, -7 AND
R09_AC1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS =
2 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3) OR
(R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3)
OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R08_CIG_USER_STATUS !=
4, 5 AND R09_AC1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND
R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2) OR
(R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2)) AND R09_AC1009_NN >
R09_ACHIEVEDAGE AND R09_AC1009_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AC1009_NN > R09_ACHIEVEDAGE AND R09_AC1009_UN =
3.

ELSE, GO TO R09_AC1010 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1010

¿Ha dejado de fumar cigarrillos por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he fumado un cigarrillo, ni siquiera una o dos probaditas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or

Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

New cohort adult respondents who have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or
Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not long-term former cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 12 months, or

New cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 12 months.

ASK Specification: IF ((R09_AC1004 = 1 OR R09_AC1002_12M = 1) AND R09_AC1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = -8, -7 AND R09_AC1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS = 1 AND R08_CIG_USER_STATUS != 5 AND R09_AC1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_CIGS = 2 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1 AND R09_AC1002_12M = 2).

DISPLAY: IF R08_CIG_USER_STATUS = 4, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACV04

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_CIGS = 1 (Ever user) Adult respondents who have ever smoked a cigarette and did not recant prior use.

R09_EVER_NEVER_CIGS = 2 (Never user) Adult respondents who have never smoked a cigarette.

R09_INIT_CIGS_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette.

R09_CIG_USER_STATUS = 1 (Current user) Adult respondents who currently smoke every day or some days or have smoked any cigarettes in the past 30 days.

R09_CIG_USER_STATUS = 4 (Recent former user) Continuing adult respondents who were current cigarette smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked cigarettes as of their last completed interview, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, and have not smoked in the past 12 months, or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked in the past 12 months and did not smoke in the past 30 days and currently smoke not at all.

R09_CIG_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who were recent former or long-term former cigarette smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a cigarette and have not smoked in the past 12 months.

R09_PERSISTENT_FORMER_CIGS = 1 (Persistent former user) Continuing adult respondents who were long-term former cigarette smokers as of their last completed interview and had not smoked a cigarette in the past 12 months at the last two Adult interviews and have not smoked a cigarette in the past 12 months and did not recant prior use.

BOX ID: R09_ACR10

Young adult respondents who have never smoked a cigarette, go to R09_AC1103.

Else, adult respondents who have never smoked a cigarette, or young adult respondents who have not smoked a cigarette in the past 12 months or did not know or refused to report whether they have smoked a cigarette in the past 12 months, go to R09_AC1206.

Else, go to Box R09_AVT01.

IF $18 \leq R09\_ACHIEVEDAGE < 25$ AND $R09\_EVER\_NEVER\_CIGS = 2$, GO TO R09_AC1103.

ELSE, IF $R09\_EVER\_NEVER\_CIGS = 2$ OR $(18 \leq R09\_ACHIEVEDAGE < 25$ AND $R09\_AC1002\_12M = 2, -8, -7)$, GO TO R09_AC1206.

ELSE, GO TO BOX R09_AVT01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1103

Alguna vez, ¿ha sentido curiosidad por fumar un cigarrillo?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_CIGS = 2.

PATH ID: R09_AC1206

¿Cree que fumará un cigarrillo el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette, or young adult respondents who have not smoked a cigarette in the past 12 months or did not know or refused to report whether they have smoked a cigarette in the past 12 months.

ASK Specification: IF R09_EVER_NEVER_CIGS = 2 OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_AC1002_12M = 2, -8, -7).

BOX ID: R09_ACR48

Young adult respondents who have never smoked a cigarette, go to R09_AC1205.
Else, go to Box R09_AVT01.

IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_CIGS = 2, GO TO R09_AC1205.
ELSE, GO TO BOX R09_AVT01.

PATH ID: R09_AC1205

¿Si uno de sus mejores amigos le ofreciera un cigarrillo, lo fumaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_CIGS = 2.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

ENP Use

BOX ID: R09_AVT01
Las siguientes preguntas son acerca de productos electrónicos con nicotina , tales como vapeadores, cigarrillos electrónicos, pods, cigarros electrónicos, sistemas de tanques, mods, hookahs electrónicas y plumas hookah.
El uso de estos aparatos se conoce normalmente como "vapeo." Estos aparatos funcionan con batería y producen vapor en vez de humo. Normalmente usan un líquido con nicotina llamado "líquido electrónico", aunque la cantidad de nicotina puede variar.
Algunas marcas conocidas son Elf Bar, Geek Bar, Raz, JUUL, Breeze, Vuse, Smok y NJOY, pero hay muchas otras.
Por favor, NO incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas acerca de los productos electrónicos con nicotina. Más adelante habrá otra sección acerca del consumo de marihuana o cannabis.
[SHOW GENERIC IMAGE OF E-PRODUCTS]
BOLD "productos electrónicos con nicotina" AND "Por favor, NO incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas acerca de los productos electrónicos con nicotina." IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AVR50
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AVT03. Else, go to Box R09_AVR49.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AVT03. ELSE, GO TO BOX R09_AVR49.

BOX ID: R09_AVT03
Piense ahora en los productos electrónicos con nicotina, como los que se muestran a continuación...
[SHOW GENERIC IMAGE OF E-PRODUCTS]

BOX ID: R09_AVR49
New cohort adult respondents, go to R09_AV1001_RS. Else, continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview, go to R09_AV1002. Else, go to R09_AV1004.
IF R09_ADULTTYPE = 3, GO TO R09_AV1001_RS. ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2, GO TO R09_AV1002. ELSE, GO TO R09_AV1004.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1001_RS

¿Alguna vez había visto u oído hablar de productos electrónicos con nicotina antes de este estudio?

(Los productos electrónicos con nicotina incluyen vapeadores, cigarrillos electrónicos, pods, cigarros electrónicos, sistemas de tanques, mods, hookahs electrónicas y plumas hookah.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1	Sí	
2	No	GO TO BOX R09_AVV02
-8	DON'T KNOW	GO TO BOX R09_AVV02
-7	REFUSED	GO TO BOX R09_AVV02

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AV1002

¿Alguna vez ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces?

(Los productos electrónicos con nicotina incluyen vapeadores, cigarrillos electrónicos, pods, cigarros electrónicos, sistemas de tanques, mods, hookahs electrónicas y plumas hookah.)

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas acerca de los productos electrónicos con nicotina. Más adelante habrá otra sección acerca del consumo de marihuana o cannabis.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1	Sí	
2	No	GO TO BOX R09_AVV02
-8	DON'T KNOW	GO TO BOX R09_AVV02
-7	REFUSED	GO TO BOX R09_AVV02

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview, or new cohort adult respondents who have ever seen or heard of ENPs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1004

En los últimos 30 días, ¿ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces?

(Los productos electrónicos con nicotina incluyen vapeadores, cigarrillos electrónicos, pods, cigarros electrónicos, sistemas de tanques, mods, hookahs electrónicas y plumas hookah.)

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas acerca de los productos electrónicos con nicotina. Más adelante habrá otra sección acerca del consumo de marihuana o cannabis.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Sí	GO TO BOX R09_AVR04
2 No	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or Continuing and aged-up adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP, or

New cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1002_12M

En los últimos 12 meses, ¿ha fumado un producto electrónico con nicotina, incluso si solo fueron una o dos veces?

(Los productos electrónicos con nicotina incluyen vapeadores, cigarrillos electrónicos, pods, cigarros electrónicos, sistemas de tanques, mods, hookahs electrónicas y plumas hookah.)

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas acerca de los productos electrónicos con nicotina. Más adelante habrá otra sección acerca del consumo de marihuana o cannabis.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days, or

New cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AV1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1004 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR04

Adult respondents who have used an ENP in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP did not know or refused to report whether they have used an ENP in the past 12 months, or new cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months, go to R09_AV1003.
Else, go to Box R09_AVR11.

IF R09_AV1004 = 1 OR R09_AV1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7), GO TO R09_AV1003.
ELSE, GO TO BOX R09_AVR11.

PATH ID: R09_AV1003

¿Actualmente fuma productos electrónicos con nicotina...?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used an ENP in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months, or

New cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months.

ASK Specification: IF R09_AV1004 = 1 OR R09_AV1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR11

Continuing adult respondents who are previous wave non-responders and were current ENP users as of their last completed interview and have not used an ENP in the past 12 months, or continuing adult respondents who are previous wave non-responders and were current ENP users as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, go to R09_AV9011.

Else, adult respondents who have used an ENP in the past 30 days or in the past 12 months and now use ENPs not at all, or continuing adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview and were not current ENP users as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or continuing adult respondents who are not previous wave non-responders and have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or aged-up adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or new cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or continuing adult respondents who are not previous wave non-responders and have ever used an ENP as of their last completed interview and were not recent former or long-term former ENP users as of their last completed interview and have not used an ENP in the past 12 months, or aged-up adult respondents who have ever used an ENP as of their last completed interview and have not used an ENP in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months, or new cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and have not used an ENP in the past 12 months, go to R09_AV1009.

Else, continuing adult respondents who are not previous wave non-responders and have not used an ENP in the past 12 months and have ever used an ENP as of their last completed interview and were not long-term former ENP users as of their last completed interview, go to R09_AV1010.

Else, go to Box R09_AVV02.

IF (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3), GO TO R09_AV9011.

ELSE, IF ((R09_AV1004 = 1 OR R09_AV1002_12M = 1) AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 4, 5 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2), GO TO R09_AV1009.

ELSE, IF R09_ADULTTYPE = 1 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 1, 5 AND R09_AV1002_12M = 2, GO TO R09_AV1010.

ELSE, GO TO BOX R09_AVV02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9011

Alrededor de esta época hace 12 meses, ¿fumaba **nicotina** en un producto electrónico, tal como un vapeador, un cigarrillo electrónico, un pod, un cigarro electrónico, un sistema de tanque, un mod, una hookah electrónica o una pluma hookah?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

1 Sí	
2 No	GO TO BOX R09_AVV02
-8 DON'T KNOW	GO TO BOX R09_AVV02
-7 REFUSED	GO TO BOX R09_AVV02

ASK: Continuing adult respondents who are previous wave non-responders and were current ENP users as of their last completed interview and have not used an ENP in the past 12 months, or continuing adult respondents who are previous wave non-responders and were current ENP users as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3).

DISPLAY: BOLD "nicotina".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1009

¿Aproximadamente cuánto tiempo hace desde la última probadita que le dio a un producto electrónico con nicotina? (Si fue más temprano hoy, anote un día).

Anote un número entero y seleccione una de las opciones a continuación.

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

1 |_|_| Días

2 |_|_| Meses

3 |_|_| Años

-8 DON'T KNOW

GO TO R09_AV1010

-7 REFUSED

GO TO R09_AV1010

ASK: Continuing adult respondents who are previous wave non-responders and were current ENP users as of their last completed interview and have not used an ENP in the past 12 months and used nicotine in an ENP 12 months ago, or

Continuing adult respondents who are previous wave non-responders and were current ENP users as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all and used nicotine in an ENP 12 months ago, or
Adult respondents who have used an ENP in the past 30 days or in the past 12 months and now use ENPs not at all, or

Continuing adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview and were not current ENP users as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Continuing adult respondents who are not previous wave non-responders and have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Aged-up adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or
New cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Continuing adult respondents who are not previous wave non-responders and have ever used an ENP as of their last completed interview and were not recent former or long-term former ENP users as of their last completed interview and have not used an ENP in the past 12 months, or

Aged-up adult respondents who have ever used an ENP as of their last completed interview and have not used an ENP in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months, or

New cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and have not used an ENP in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = 2 AND R09_AV9011 = 1) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3 AND R09_AV9011 = 1) OR ((R09_AV1004 = 1 OR R09_AV1002_12M = 1) AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

(R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 4, 5 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AV1009_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que le dio una probadita a un producto electrónico con nicotina. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AV1009
2 NEXT	GO TO R09_AV1009_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = 2 AND R09_AV9011 = 1) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3 AND R09_AV9011 = 1) OR ((R09_AV1004 = 1 OR R09_AV1002_12M = 1) AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 4, 5 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2)) AND R09_AV1009_NN = 0.

DISPLAY: IF R09_AV1009_UN = 1, DISPLAY "días".
ELSE, IF R09_AV1009_UN = 2, DISPLAY "meses".
ELSE, IF R09_AV1009_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF R09_AV1009_NN = 0.
ELSE, GO TO R09_AV1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1009_LC2

Usted contestó que han pasado [R09_AV1009_NN] años desde la última vez que le dio una probadita a un producto electrónico con nicotina. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1009

2 NEXT

GO TO R09_AV1010

ASK: IF ((R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = 2 AND R09_AV9011 = 1) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3 AND R09_AV9011 = 1) OR ((R09_AV1004 = 1 OR R09_AV1002_12M = 1) AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 4, 5 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2)) AND R09_AV1009_NN > R09_ACHIEVEDAGE AND R09_AV1009_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AV1009_NN > R09_ACHIEVEDAGE AND R09_AV1009_UN = 3.

ELSE, GO TO R09_AV1010 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1010

¿Ha dejado de fumar productos electrónicos con nicotina por completo?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he fumado un producto electrónico con nicotina, ni siquiera una o dos veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are previous wave non-responders and were current ENP users as of their last completed interview and have not used an ENP in the past 12 months and used nicotine in an ENP 12 months ago, or

Continuing adult respondents who are previous wave non-responders and were current ENP users as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all and used nicotine in an ENP 12 months ago, or
Adult respondents who have used an ENP in the past 30 days or in the past 12 months and now use ENPs not at all, or

Continuing adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview and were not current ENP users as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Continuing adult respondents who are not previous wave non-responders and have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Aged-up adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

New cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Continuing adult respondents who are not previous wave non-responders and have ever used an ENP as of their last completed interview and were not long-term former ENP users as of their last completed interview and have not used an ENP in the past 12 months, or

Continuing adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview and were not long-term former ENP users as of their last completed interview and have not used an ENP in the past 12 months and did not report that they did not use or did not know whether they used nicotine in an ENP 12 months ago and did not refuse to report whether they used nicotine in an ENP 12 months ago, or

Aged-up adult respondents who have ever used an ENP as of their last completed interview and have not used an ENPs in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months, or

New cohort adult respondents who have ever seen or heard of ENPs and have ever used an ENP and have not used an ENP in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = 2 AND R09_AV9011 = 1) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EPROD_USER_STATUS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3 AND

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R09_AV9011 = 1) OR ((R09_AV1004 = 1 OR R09_AV1002_12M = 1) AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = -8, -7 AND R09_AV1003 = 3) OR (R09_ADULTTYPE = 1 AND R09_WNR = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 5 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 1 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 1 AND R08_EPROD_USER_STATUS != 5 AND R09_AV1002_12M = 2 AND R09_AV9011 != 2, -8, -7) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_EPRODS = 2 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_AV1002 = 1 AND R09_AV1002_12M = 2).

DISPLAY: IF R08_EPROD_USER_STATUS = 4, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

BOX ID: R09_AVV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_EPRODS = 1 (Ever user) Adult respondents who have ever used any ENPs and did not recant prior use.

R09_EVER_NEVER_EPRODS = 2 (Never user) Adult respondents who have never used any ENPs.

R09_INIT_EPRODS_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated ENP use since their last completed interview, or new cohort adult respondents who have ever used an ENP.

R09_EPROD_USER_STATUS = 1 (Current user) Adult respondents who currently use every day or some days or have used ENPs at all in the past 30 days.

R09_EPROD_USER_STATUS = 4 (Recent former user) Continuing adult respondents who were current ENP users as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and aged-up adult respondents who have ever used ENPs as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and continuing and aged-up adult respondents who initiated ENP use since their last completed interview, and have not used in the past 12 months, or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have used an ENP in the past 12 months and did not use in the past 30 days and current use not at all.

R09_EPROD_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who were recent former or long-term former ENP users as of their last completed interview and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have ever used an ENP and have not used in the past 12 months.

R09_PERSISTENT_FORMER_EPRODS = 1 (Persistent former user) Continuing adult respondents who were long-term former ENP users as of their last completed interview and had not used an ENP in the past 12 months at the last two Adult interviews and have not used an ENP in the past 12 months and did not recant prior use.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR18

Continuing and aged-up young adult respondents who have never used an ENP, or new cohort young adult respondents who have ever seen or heard of ENPs and have never used an ENP, go to R09_AV1103.

Else, continuing and aged-up respondents who have never used an ENP, or new cohort adult respondents who have ever seen or heard of ENPs and have never used an ENP, or young adult respondents who have ever used an ENP and have not used an ENP in the past 12 months or did not know or refused to report whether they have used an ENP in the past 12 months, go to R09_AV1206. Else, go to Box R09_AQT01.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_EPRODS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AV1001_RS = 1 AND R09_EVER_NEVER_EPRODS = 2), GO TO R09_AV1103.
ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 2) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_EVER_NEVER_EPRODS = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = 2, -8, -7), GO TO R09_AV1206.
ELSE, GO TO BOX R09_AQT01.

PATH ID: R09_AV1103

¿Ha sentido curiosidad alguna vez por fumar un producto electrónico con nicotina?

(Los productos electrónicos con nicotina incluyen vapeadores, cigarrillos electrónicos, pods, cigarros electrónicos, sistemas de tanques, mods, hookahs electrónicas y plumas hookah.)

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who have never used an ENP, or new cohort young adult respondents who have ever seen or heard of ENPs and have never used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_EPRODS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AV1001_RS = 1 AND R09_EVER_NEVER_EPRODS = 2).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1206

¿Cree que fumará un producto electrónico con nicotina en el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up respondents who have never used an ENP, or new cohort adult respondents who have ever seen or heard of ENPs and have never used an ENP, or young adult respondents who have ever used an ENP and have not used an ENP in the past 12 months or did not know or refused to report whether they have used an ENP in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 2) OR (R09_ADULTTYPE = 3 AND R09_AV1001_RS = 1 AND R09_EVER_NEVER_EPRODS = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1002_12M = 2, -8, -7).

BOX ID: R09_AVR48

Continuing and aged-up young adult respondents who have never used an ENP, or new cohort young adult respondents who have ever seen or heard of ENPs and have never used an ENP, go to R09_AV1105.

Else, go to Box R09_AQT01.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_EPRODS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AV1001_RS = 1 AND R09_EVER_NEVER_EPRODS = 2), GO TO R09_AV1105.
ELSE, GO TO BOX R09_AQT01.

PATH ID: R09_AV1105

¿Si uno de sus mejores amigos le ofreciera un producto electrónico con nicotina, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who have never used an ENP, or new cohort young adult respondents who have ever seen or heard of ENPs and have never used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_EPRODS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AV1001_RS = 1 AND R09_EVER_NEVER_EPRODS = 2).

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

IQOS Use

BOX ID: R09_AQT01
Las siguientes preguntas son acerca de un nuevo producto de tabaco llamado IQOS . Es un dispositivo que funciona con batería que calienta el tabaco en lugar de quemarlo, produciéndose un vapor calentado de tabaco que se inhala.
El IQOS no contiene ningún líquido y no es un vapeador o producto electrónico con nicotina.
El IQOS usa un tipo especial de tabaco llamado HeatSticks, unas barras de tabaco que se parecen a los cigarrillos, pero son más pequeñas y solo se pueden usar en un IQOS. Estas HeatSticks también se conocen como Marlboro HeatSticks, HEETS, TERA, entre otros nombres. De ahora en adelante, usaremos la palabra "HeatSticks" para referirnos a las barras de tabaco que se usan en un IQOS.
[SHOW GENERIC IMAGE OF IQOS]
BOLD "IQOS". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AQR22
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AQT04. Else, go to R09_AQ1001.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AQT04. ELSE, GO TO R09_AQ1001.

BOX ID: R09_AQT04
Piense ahora en los IQOS, como el que se muestra a continuación...
[SHOW GENERIC IMAGE OF IQOS]

PATH ID: R09_AQ1001												
¿Alguna vez había visto u oído hablar de IQOS antes de este estudio?												
[SHOW GENERIC IMAGE OF IQOS]												
<table><tr><td>1</td><td>Sí</td><td></td></tr><tr><td>2</td><td>No</td><td>GO TO BOX R09_AQV04</td></tr><tr><td>-8</td><td>DON'T KNOW</td><td>GO TO BOX R09_AQV04</td></tr><tr><td>-7</td><td>REFUSED</td><td>GO TO BOX R09_AQV04</td></tr></table>	1	Sí		2	No	GO TO BOX R09_AQV04	-8	DON'T KNOW	GO TO BOX R09_AQV04	-7	REFUSED	GO TO BOX R09_AQV04
1	Sí											
2	No	GO TO BOX R09_AQV04										
-8	DON'T KNOW	GO TO BOX R09_AQV04										
-7	REFUSED	GO TO BOX R09_AQV04										
ASK: All adult respondents.												
IMAGE: SHOW GENERIC IMAGE OF IQOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.												

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1002

¿Alguna vez ha fumado IQOS, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF IQOS]

1	Sí	
2	No	GO TO BOX R09_AQV04
-8	DON'T KNOW	GO TO BOX R09_AQV04
-7	REFUSED	GO TO BOX R09_AQV04

ASK: Adult respondents who have ever seen or heard of IQOS.

ASK Specification: IF R09_AQ1001 = 1.

IMAGE: SHOW GENERIC IMAGE OF IQOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AQ1004

En los últimos 30 días, ¿ha fumado IQOS, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF IQOS]

1	Sí	GO TO R09_AQ1003
2	No	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who have ever seen or heard of IQOS and have ever used IQOS.

ASK Specification: IF R09_AQ1001 = 1 AND R09_AQ1002 = 1.

IMAGE: SHOW GENERIC IMAGE OF IQOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AQ1002_12M

En los últimos 12 meses, ¿ha fumado IQOS, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF IQOS]

1	Sí	
2	No	GO TO R09_AQ1009
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who have ever seen or heard of IQOS and have ever used IQOS and have not used IQOS in the past 30 days or did not know or refused to report whether they have used IQOS in the past 30 days.

ASK Specification: IF R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND R09_AQ1004 = 2, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF IQOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1003

¿Actualmente fuma IQOS...?

1	Todos los días	GO TO BOX R09_AQV04
2	Algunos días	GO TO BOX R09_AQV04
3	Nunca	
-8	DON'T KNOW	GO TO BOX R09_AQV04
-7	REFUSED	GO TO BOX R09_AQV04

ASK: Adult respondents who have ever seen or heard of IQOS and have ever used IQOS and have used IQOS in the past 30 days or in the past 12 months or did not know or refused to report whether they have used IQOS in the past 12 months.

ASK Specification: IF R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND (R09_AQ1004 = 1 OR R09_AQ1002_12M = 1, -8, -7).

PATH ID: R09_AQ1009

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó IQOS? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

1	_ _ Días	
2	_ _ Meses	
3	_ _ Años	
-8	DON'T KNOW	GO TO R09_AQ1010
-7	REFUSED	GO TO R09_AQ1010

ASK: Adult respondents who have ever seen or heard of IQOS and have ever used IQOS and have used IQOS in the past 30 days or in the past 12 months or did not know or refused to report whether they have used IQOS in the past 12 months and now use IQOS not at all, or Adult respondents who have ever seen or heard of IQOS and have ever used IQOS and did not use IQOS in the past 12 months.

ASK Specification: IF (R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND (R09_AQ1004 = 1 OR R09_AQ1002_12M = 1, -8, -7) AND R09_AQ1003 = 3) OR (R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND R09_AQ1004 = 2, -8, -7 AND R09_AQ1002_12M = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1009_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que fumó IQOS. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1009

2 NEXT

GO TO R09_AQ1009_LC2

ASK: IF ((R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND (R09_AQ1004 = 1 OR R09_AQ1002_12M = 1, -8, -7) AND R09_AQ1003 = 3) OR (R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND R09_AQ1004 = 2, -8, -7 AND R09_AQ1002_12M = 2)) AND R09_AQ1009_NN = 0.

DISPLAY: IF R09_AQ1009_UN = 1, DISPLAY "días".

ELSE, IF R09_AQ1009_UN = 2, DISPLAY "meses".

ELSE, IF R09_AQ1009_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF R09_AQ1009_NN = 0.

ELSE, GO TO R09_AQ1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1009_LC2

Usted contestó que han pasado [R09_AQ1009_NN] años desde la última vez que fumó IQOS. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1009

2 NEXT

GO TO R09_AQ1010

ASK: IF ((R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND (R09_AQ1004 = 1 OR R09_AQ1002_12M = 1, -8, -7) AND R09_AQ1003 = 3) OR (R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND R09_AQ1004 = 2, -8, -7 AND R09_AQ1002_12M = 2)) AND R09_AQ1009_NN > R09_ACHIEVEDAGE AND R09_AQ1009_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AQ1009_NN > R09_ACHIEVEDAGE AND R09_AQ1009_UN = 3.

ELSE, GO TO R09_AQ1010 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1010

¿Ha dejado de fumar IQOS por completo?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS and have ever used IQOS and have used IQOS in the past 30 days or in the past 12 months or did not know or refused to report whether they have used IQOS in the past 12 months and now use IQOS not at all, or Adult respondents who have ever seen or heard of IQOS and have ever used IQOS and did not use IQOS in the past 12 months.

ASK Specification: IF (R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND (R09_AQ1004 = 1 OR R09_AQ1002_12M = 1, -8, -7) AND R09_AQ1003 = 3) OR (R09_AQ1001 = 1 AND R09_AQ1002 = 1 AND R09_AQ1004 = 2, -8, -7 AND R09_AQ1002_12M = 2).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AQV04

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_IQOS = 1 (Ever user) Adult respondents who have ever used IQOS.

R09_EVER_NEVER_IQOS = 2 (Never user) Adult respondents who have never used IQOS.

R09_IQOS_USER_STATUS = 1 (Current user) Adult respondents who currently use every day or some days or have used IQOS in the past 30 days.

R09_IQOS_USER_STATUS = 4 (Recent former user) Adult respondents who have used in the past 12 months and did not use in the past 30 days and currently use not at all.

R09_IQOS_USER_STATUS = 5 (Long-term former user) Adult respondents who have ever used IQOS and have not used IQOS in the past 12 months.

BOX ID: R09_AQR04

Adult respondents who have ever seen or heard of IQOS and have never used IQOS or did not know or refused to report if they ever used IQOS, go to R09_AQ1103.

Else, go to Box R09_AGR52.

IF R09_AQ1001 = 1 AND R09_AQ1002 = 2, -8, -7, GO TO R09_AQ1103.

ELSE, GO TO BOX R09_AGR52.

PATH ID: R09_AQ1103

Alguna vez, ¿ha sentido curiosidad por fumar IQOS?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS and have never used IQOS or did not know or refused to report if they ever used IQOS.

ASK Specification: IF R09_AQ1001 = 1 AND R09_AQ1002 = 2, -8, -7.

PATH ID: R09_AQ1206

¿Cree que fumará IQOS el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS and have never used IQOS or did not know or refused to report if they ever used IQOS.

ASK Specification: IF R09_AQ1001 = 1 AND R09_AQ1002 = 2, -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1105

¿Si uno de sus mejores amigos le ofreciera IQOS, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS and have never used IQOS or did not know or refused to report if they ever used IQOS.

ASK Specification: IF R09_AQ1001 = 1 AND R09_AQ1002 = 2, -8, -7.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

Cigar Use

BOX ID: R09_AGR52
Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview, or new cohort adult respondents, go to Box R09_AGT06. Else, go to R09_AGR54.
IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GTRAD = 2 OR R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2)) OR R09_ADULTTYPE = 3, GO TO BOX R09_AGT06. ELSE, GO TO BOX R09_AGR54.

BOX ID: R09_AGT06
Las siguientes preguntas son acerca de puros tradicionales o "grandes", puritos y puros con filtro . Ya que a estos productos se les conoce por distintos nombres, use las siguientes descripciones y fotos para identificarlos. Por favor, NO incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas. Más adelante habrá otra sección acerca del consumo de marihuana o cannabis. Los puros tradicionales o "grandes" contienen tabaco envuelto en una hoja de tabaco. Algunas marcas conocidas de puros son Macanudo, Romeo y Julieta, Arturo Fuente y Cohiba, pero hay muchas más. [SHOW GENERIC IMAGE OF TRADITIONAL CIGARS] BOLD "puros tradicionales", "puritos", "puros con filtro", AND "Por favor, NO incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas", AND "puros tradicionales". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE. (This screen is only shown to continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview, and shown to new cohort adult respondents.)

BOX ID: R09_AGT05
Los puritos y los puros con filtro son más pequeños que los puros tradicionales. Normalmente son de color café. Algunos son del mismo tamaño que los cigarrillos y otros vienen con filtros o con boquillas de plástico o madera. Algunas marcas conocidas son Black & Mild, Swisher Sweets, Dutch Masters, White Owl, Backwoods y Cheyenne. [SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS] BOLD "puritos" AND "puros con filtro". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE. (This screen is only shown to continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview, and shown to new cohort adult respondents.)

BOX ID: R09_AGR63
New cohort adult respondents, go to R09_AG1001_RS. Else, go to box R09_AGR57.
IF R09_ADULTTYPE = 3, GO TO R09_AG1001_RS. ELSE, GO TO BOX R09_AGR57.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1001_RS

¿Alguna vez había visto u oído hablar de un puro tradicional, un purito o un puro con filtro antes de este estudio?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]

1	Sí	
2	No	GO TO BOX R09_AGR53
-8	DON'T KNOW	GO TO BOX R09_AGR53
-7	REFUSED	GO TO BOX R09_AGR53

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS.
IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AG9002_RS

Antes de este estudio, ¿de qué tipo de puro había oído hablar? [Escoja todas las opciones que correspondan.]

1	Puros tradicionales o "grandes" como Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba u otros
2	Puritos o puros con filtro como Black & Mild, Swisher Sweets, Dutch Masters, White Owl, Backwoods, Cheyenne u otros
-8	DON'T KNOW
-7	REFUSED

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Escoja todas las opciones que correspondan."
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR57

Continuing and aged-up adult respondents who are completing a web interview on a mobile device and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview, or new cohort adult respondents who are completing a web interview on a mobile device and have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of, go to Box R09_AGT16.

Else, continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of, go to R09_AG9003. Else, go to Box R09_AGR56.

IF (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7), GO TO BOX R09_AGT16.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7), GO TO R09_AG9003.

ELSE, GO TO BOX R09_AGR56.

BOX ID: R09_AGT16

Piense ahora en los puros tradicionales, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

PATH ID: R09_AG9003

¿Alguna vez ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR56

Continuing and aged-up adult respondents who are completing a web interview on a mobile device and are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview, or new cohort adult respondents who are completing a web interview on a mobile device and have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of, go to Box R09_AGT17.

Else, continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of, go to R09_AG9004.

Else, go to Box R09_AGR54.

IF (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2)) OR (R09_ADULTTYPE = 3 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7), GO TO BOX R09_AGT17.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7), GO TO R09_AG9004.

ELSE, GO TO BOX R09_AGR54.

BOX ID: R09_AGT17

Piense ahora en los puritos y puros con filtros como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

PATH ID: R09_AG9004

¿Alguna vez ha fumado un purito o puro con filtro, incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

1	Sí	
2	No	GO TO BOX R09_AGR54
-8	DON'T KNOW	GO TO BOX R09_AGR54
-7	REFUSED	GO TO BOX R09_AGR54

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9009

¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado alguna vez? Escoja todas las opciones que correspondan.

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

Los que ...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- 1 Tienen una boquilla de plástico o madera
- 2 Tienen un filtro (como un filtro de cigarrillo)
- 3 No tienen una boquilla ni un filtro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS.

BOX ID: R09_AGR54

Continuing and aged-up adult respondents who are not previous wave non-responders, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview, go to Box R09_AGT01.
Else, go to Box R09_AGR47.

IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 1), GO TO BOX R09_AGT01.
ELSE, GO TO BOX R09_AGR47.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGT01

Las siguientes preguntas son acerca de **puros tradicionales** o "grandes", **puritos** y **puros con filtro**. Ya que a estos productos se les conoce por distintos nombres, use las siguientes descripciones y fotos para identificarlos. **Por favor, NO incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas.** Más adelante habrá otra sección acerca del consumo de marihuana o cannabis.

Los **puros tradicionales** o "grandes" contienen tabaco envuelto en una hoja de tabaco. Algunas marcas conocidas de puros son Macanudo, Romeo y Julieta, Arturo Fuente y Cohiba, pero hay muchas más.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

BOLD "puros tradicionales", "puritos", "puros con filtro", AND " Por favor, NO incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas.", AND "puros tradicionales".
IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AGR47

Continuing and aged-up adult respondents who are completing a web interview on a mobile device and are not previous wave non-responders, or continuing and aged-up adult respondents who are completing a web interview on a mobile device and are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview, or continuing and aged-up adult respondents who are completing a web interview on a mobile device and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar, or new cohort adult respondents who are completing a web interview on a mobile device and have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar, go to Box R09_AGT18.

Else, continuing and aged-up adult respondents who are not previous wave non-responders, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar, go to R09_AG9030.

Else, go to Box R09_AGR55.

IF (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_WNR = 2)
OR (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_WNR = 1
AND R08_EVER_NEVER_GTRAD = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3
AND WEBDEVICE = 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 =
1) OR (R09_ADULTTYPE = 3 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 , AND
R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_AG9003 = 1), GO TO BOX
R09_AGT18.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR
= 1 AND R08_EVER_NEVER_GTRAD = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND
R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1) OR (R09_ADULTTYPE = 3 AND
R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_AG9003 = 1), GO TO
R09_AG9030.

ELSE, GO TO BOX R09_AGR55.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGT18

Piense ahora en los puros tradicionales, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

PATH ID: R09_AG9030

En los últimos 30 días, ¿ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

1	Sí	GO TO BOX R09_AGR55
2	No	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview, or Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_AG9003 = 1).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9003_12M

En los últimos 12 meses, ¿ha fumado un puro tradicional o "grande", incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9030 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9030 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR55

Continuing and aged-up adult respondents who are not previous wave non-responders, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, go to Box R09_AGT02.

Else, continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar, go to R09_AG9031.

Else, go to Box R09_AGR53.

IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GTRAD = 1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1)), GO TO BOX R09_AGT02.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1), GO TO R09_AG9031.

ELSE, GO TO BOX R09_AGR53.

BOX ID: R09_AGT02

Los **puritos** y los **puros con filtro** son más pequeños que los puros tradicionales. Normalmente son de color café. Algunos son del mismo tamaño que los cigarrillos y otros vienen con filtros o con boquillas de plástico o madera. Algunas marcas conocidas son Black & Mild, Swisher Sweets, Dutch Masters, White Owl, Backwoods y Cheyenne.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

BOLD "puritos" AND "puros con filtro".

IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR48

Continuing and aged-up adult respondents who are completing a web interview on a mobile device and are not previous wave non-responders, or continuing and aged-up adult respondents who are completing a web interview on a mobile device and are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, or continuing and aged-up adult respondents who are completing a web interview on a mobile device and are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar, or continuing and aged-up adult respondents who are completing a web interview on a mobile device and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar, go to Box R09_AGT19.

Else, continuing and aged-up adult respondents who are not previous wave non-responders, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar, go to R09_AG9031.

Else, go to Box R09_AGR53.

IF (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GTRAD = 1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1), GO TO BOX R09_AGT19.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GTRAD = 1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1), GO TO R09_AG9031.

ELSE, GO TO BOX R09_AGR53.

BOX ID: R09_AGT19

Piense ahora en los puritos y puros con filtros como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9031

En los últimos 30 días, ¿ha fumado un purito o un puro con filtro, incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

1	Sí	
2	No	GO TO R09_AG9004_12M
-8	DON'T KNOW	GO TO R09_AG9004_12M
-7	REFUSED	GO TO R09_AG9004_12M

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, or Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9049

¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

Los que ...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- 1 Tienen una boquilla de plástico o madera
- 2 Tienen un filtro (como un filtro de cigarrillo)
- 3 No tienen una boquilla ni un filtro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR18

Continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R09_AG9051.

Else, continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R09_AG9052.

Else, continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R09_AG9053.

Else, go to Box R09_AGR53.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

```

IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND R09_AG9049_01 =
2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1
AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND R09_AG9049_01 = 2, -8, -7) OR
(R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR
R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND
R09_AG9049_01 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND
R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_01 =
2, -8, -7), GO TO R09_AG9051.
ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND
R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND
(R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND
R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND
(R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND
R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS
= 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND
R09_AG9049_02 = 2, -8, -7), GO TO R09_AG9052.
ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND
R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND
(R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND
R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND
(R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND
R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS
= 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND
R09_AG9049_03 = 2, -8, -7), GO TO R09_AG9053.
ELSE, GO TO BOX R09_AGR53.

```

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9051

En los últimos 12 meses, ¿ha fumado de los que tienen una boquilla de plástico o de madera, incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND R09_AG9049_01 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND R09_AG9049_01 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_01 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_01 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR19

Continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R09_AG9052.

Else, continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R09_AG9053.

Else, go to Box R09_AGR53.

IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7), GO TO R09_AG9052.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7), GO TO R09_AG9053.

ELSE, GO TO BOX R09_AGR53.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9052

En los últimos 12 meses, ¿ha fumado de los que tienen filtro (como el filtro de un cigarillo), incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_02 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR20

Continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R09_AG9053.

Else, go to Box R09_AGR53.

IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7), GO TO R09_AG9053.
ELSE, GO TO BOX R09_AGR53.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9053

En los últimos 12 meses, ¿ha fumado de los que no tienen filtro, incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

1 Sí	GO TO BOX R09_AGR53
2 No	GO TO BOX R09_AGR53
-8 DON'T KNOW	GO TO BOX R09_AGR53
-7 REFUSED	GO TO BOX R09_AGR53

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 1 AND R09_AG9049_03 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9004_12M

En los últimos 12 meses, ¿ha fumado un purito o un puro con filtro, incluso si solo fueron una o dos probaditas?

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

1 Sí	
2 No	GO TO BOX R09_AGR53
-8 DON'T KNOW	GO TO BOX R09_AGR53
-7 REFUSED	GO TO BOX R09_AGR53

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9009_12M

¿Cuál de los siguientes tipos de puritos o puros con filtro ha fumado en los últimos 12 meses? Escoja todas las opciones que correspondan.

Por favor, no incluya el consumo de marihuana ni cannabis cuando conteste.

Los que ...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- 1 Tienen una boquilla de plástico o madera
- 2 Tienen un filtro (como un filtro de cigarillo)
- 3 No tienen una boquilla ni un filtro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AG9031 = 2, -8, -7 AND R09_AG9004_12M = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 AND R08_EVER_NEVER_GFILTR = 1) AND R09_AG9031 = 2, -8, -7 AND R09_AG9004_12M = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 2 OR R08_EVER_NEVER_GFILTR = 2) AND R09_AG9004 = 1 AND R09_AG9031 = 2, -8, -7 AND R09_AG9004_12M = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_02 = 1, -8, -7 AND R09_AG9004 = 1 AND R09_AG9031 = 2, -8, -7 AND R09_AG9004_12M = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS.

BOX ID: R09_AGR53

New cohort adult respondents, go to R09_AG9105_RS.
Else, go to R09_AG9107.

IF R09_ADULTTYPE = 3, GO TO R09_AG9105_RS.
ELSE, GO TO R09_AG9107.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9105_RS

A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt".

Alguna vez, ¿ha fumado parte o todo un puro tradicional, purito o puro con filtro de marihuana? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

1 Sí	
2 No	GO TO BOX R09_AGV01
-8 DON'T KNOW	GO TO BOX R09_AGV01
-7 REFUSED	GO TO BOX R09_AGV01

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

DISPLAY: BOLD "Alguna vez".

PATH ID: R09_AG9107

[A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt".

]En los últimos 12 meses, ¿ha fumado parte o todo un puro tradicional, purito o puro con filtro con marihuana? (Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.)

1 Sí	
2 No	GO TO BOX R09_AGV01
-8 DON'T KNOW	GO TO BOX R09_AGV01
-7 REFUSED	GO TO BOX R09_AGV01

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it.

ASK Specification: IF R09_ADULTTYPE = 1, 2 OR (R09_ADULTTYPE = 3 AND R09_AG9105_RS = 1).

DISPLAY: IF R09_ADULTTYPE = 1, 2, DISPLAY "A veces las personas sacan el tabaco de un puro tradicional, un purito o de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque" o "blunt"."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1095

¿Cuál de los siguientes se parecen al tipo de puro que normalmente fuma como si fuera un "toque o blunt"? Escoja todas las opciones que correspondan.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

1 Grupo 1

2 Grupo 2

3 Grupo 3

-8 DON'T KNOW

GO TO BOX R09_AGV01

-7 REFUSED

GO TO BOX R09_AGV01

ASK: Continuing and aged-up adult respondents who have smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or new cohort adult respondents who have ever smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_AG9107 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG9105_RS = 1 AND R09_AG9107 = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF 3 CIGAR GROUPS.

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips and cigarillos without tips; group 3 is filtered cigars.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9106

Ahora piense en los últimos 12 meses cuando fumó el tipo de puro que se muestra.

En los últimos 12 meses, ¿con qué frecuencia reemplazó el tabaco por marihuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Siempre
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/ cigarillos/filtered cigars as blunts, or new cohort adult respondents who have ever smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R09_AG9106_01: IF (R09_ADULTTYPE = 1, 2 AND R09_AG9107 = 1 AND R09_AG1095_01 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG9105_RS = 1 AND R09_AG9107 = 1 AND R09_AG1095_01 = 1).

FOR R09_AG9106_02: IF (R09_ADULTTYPE = 1, 2 AND R09_AG9107 = 1 AND R09_AG1095_02 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG9105_RS = 1 AND R09_AG9107 = 1 AND R09_AG1095_02 = 1).

FOR R09_AG9106_03: IF (R09_ADULTTYPE = 1, 2 AND R09_AG9107 = 1 AND R09_AG1095_03 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG9105_RS = 1 AND R09_AG9107 = 1 AND R09_AG1095_03 = 1).

PROGRAM: Repeat this question for every cigar type identified in R09_AG1095[_01/_02/_03].

If R09_AG1095_01 = 1, show image of traditional cigars.

If R09_AG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R09_AG1095_03 = 1, show image of filtered cigars.

IMAGE: SHOW GENERIC IMAGE OF [AG1095CIGARTYPE].

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_12MBLUNT_ONLY_BTRAD = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

R09_12MBLUNT_ONLY_BRILLO = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

R09_12MBLUNT_ONLY_BFILTR = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

R09_INIT_BLUNT_BTRAD_ADULT = 1 (Initiator - Blunt-only) Continuing and aged-up adult respondents who initiated smoking traditional cigars as blunts since their last completed interview, or new cohort adult respondents who have smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months.

R09_INIT_BLUNT_BRILLO_ADULT = 1 (Initiator - Blunt-only) Continuing and aged-up adult respondents who initiated smoking cigarillos as blunts since their last completed interview, or new cohort adult respondents who have smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months.

R09_INIT_BLUNT_BFILTR_ADULT = 1 (Initiator - Blunt-only) Continuing and aged-up adult respondents who initiated smoking filtered cigars as blunts since their last completed interview, or new cohort adult respondents who have smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months.

BOX ID: R09_AGD02

PROGRAM: CREATE [CIGARFILL]

If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "puro tradicional".

If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "purito".

If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "puro con filtro".

IF CIGARLOOP1 = GTRAD OR BTRAD, [CIGARFILL] = "puro tradicional".

IF CIGARLOOP1 = GRILLO OR BRILLO, [CIGARFILL] = "purito".

IF CIGARLOOP1 = GFILTR OR BFILTR, [CIGARFILL] = "puro con filtro".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR09

PROGRAM: CREATE **CIGARLOOP1** FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:

For Cigars (non-blunt):

Repeat Box R09_AGR36 through Box R09_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars.

For Cigars as Blunt-Only:

Past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers will be asked Box R09_AGR36 through Box R09_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.

PROGRAM: SEE DERIVED VARIABLES IN APPENDIX FOR DEFINITION OF CIGARLOOP1.

Cigar Loops (non-blunt)

IF LOOP = GTRAD, REPEAT BOX R09_AGR36 THROUGH BOX R09_AGR06 ONCE FOR TRADITIONAL CIGARS WITH [CIGARFILL] = "traditional cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

IF LOOP = GRILLO, REPEAT BOX R09_AGR36 THROUGH BOX R09_AGR06 ONCE FOR CIGARILLOS WITH [CIGARFILL] = "cigarillo". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

IF LOOP = GFILTR, REPEAT BOX R09_AGR36 THROUGH BOX R09_AGR06 ONCE FOR FILTERED CIGARS WITH [CIGARFILL] = "filtered cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

COMPLETE ANY/ALL LOOPS FOR NON-BLUNT CIGAR TYPES FIRST.

Cigar Loops (blunt-only)

IF LOOP = BTRAD, REPEAT BOX R09_AGR36 THROUGH BOX R09_AGR06 ONCE FOR TRADITIONAL CIGARS AS BLUNTS. [CIGARFILL] = "traditional cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

IF LOOP = BRILLO, REPEAT BOX R09_AGR36 THROUGH BOX R09_AGR06 ONCE FOR CIGARILLOS AS BLUNTS.
[CIGARFILL] = "cigarillo". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

IF LOOP = BFILTR, REPEAT BOX R09_AGR36 THROUGH BOX R09_AGR06 ONCE FOR FILTERED CIGARS AS BLUNTS. [CIGARFILL] = "filtered cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

COMPLETE ANY/ALL LOOPS FOR BLUNT-ONLY CIGAR TYPES SECOND.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR36

Loop through Box R09_AGT04, R09_AG1003[TC/.../FJ], R09_AG1009[TC/.../FJ], R09_AG1010[TC/CG/FC], and Box R09_AGR06 following appropriate routing:

Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not long-term former traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to Box R09_AGT04. Else, go to Box R09_AGR06.

IF LOOP = GTRAD:

IF (R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG9030 = 1 OR R09_AG9003_12M = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R08_GTRAD_USER_STATUS != 5 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9003_12M = 2), GO TO BOX R09_AGT04.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = GRILLO:

IF (R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7))) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7))) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7))) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_GRILLO_USER_STATUS != 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GFILTR = 1 OR (R08_EVER_NEVER_GFILTR != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)))))) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG1003CG != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = 2 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9049_01 = 2, -8, -7 AND R09_AG9049_03 = 2, -8, -7 AND ((R09_AG9051 = 2 AND R09_AG9053 = 2, -8, -7) OR (R09_AG9051 = 2, -8, -7 AND R09_AG9053 = 2))) OR (R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))))), GO TO BOX R09_AGT04.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = GFILTR:

IF (R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND (R09_AG9052 = -8, -7 OR R09_AG9004_12M = -8, -7 OR R09_AG9009_12M_02 = -8, -7)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND R08_GFILTR_USER_STATUS != 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 OR (R08_EVER_NEVER_GRILLO != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1)))) AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND R09_AG9009_12M_02 != 1 AND R09_AG1003FC != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = 2 OR R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9009_02 = 1 AND ((R09_AG9049_02 = 2, -8, -7 AND R09_AG9052 = 2) OR (R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2))), GO TO BOX R09_AGT04.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = BTRAD:

IF R09_12MBLUNT_ONLY_BTRAD = 1, GO TO BOX R09_AGT04.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = BRILLO:

IF R09_12MBLUNT_ONLY_BRILLO = 1, GO TO BOX R09_AGT04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

ELSE, GO TO BOX R09_AGR06.

IF LOOP = BFILTR:

IF R09_12MBLUNT_ONLY_BFILTR = 1, GO TO BOX R09_AGT04.

ELSE, GO TO BOX R09_AGR06.

BOX ID: R09_AGT04

DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.

Las siguientes preguntas son acerca de [CIGARFILL]s, como los que se muestran.

Cuando conteste estas preguntas, por favor, piense únicamente en su consumo de **[CIGARFILL]s** [cuando los fumó como si fueran "**toques o blunts**"].

[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:] Más adelante habrá otra sección acerca de otras clases de puros.

[SHOW GENERIC IMAGE OF CIGARFILL].

IF CIGARLOOP = BTRAD, BRILLO OR BFILTR, DISPLAY "cuando los fumó como si fueran "toques o blunts"".

ELSE, DISPLAY [CIGARFILL]s AS SPECIFIED.

BOLD "[CIGARFILL]s". BOLD "toques o blunts" WHEN DISPLAYED.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR05

Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1003[TC/CG/FC].

Else, continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not recent former or long-term former traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R09_AG1009[TC/CG/FC].

Else, continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not long-term former traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R09_AG1010[TC/CG/FC].

Else, go to Box R09_AGR06.

IF LOOP = GTRAD:

IF (R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG9030 = 1 OR R09_AG9003_12M = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7), GO TO R09_AG1003TC.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R08_GTRAD_USER_STATUS != 4, 5 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9003_12M = 2), GO TO R09_AG1009TC.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R08_EVER_NEVER_GTRAD = 1 AND R08_GTRAD_USER_STATUS != 5 AND R09_AG9003_12M = 2,
GO TO R09_AG1010TC.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = GRILLO:

IF (R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR
R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1))
OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R08_EVER_NEVER_GRILLO = 1 AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR
R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)))
OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND
R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR
R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M
= -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7))) OR
(R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7
AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND
R09_AG9009_12M_03 = -8, -7))), GO TO R09_AG1003CG.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R08_EVER_NEVER_GRILLO = 1 AND R08_GRILLO_USER_STATUS != 4, 5 AND (R09_WNR = 2 OR
(R09_WNR = 1 AND (R08_EVER_NEVER_GFILTR = 1 OR (R08_EVER_NEVER_GFILTR != 1 AND
R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)))) AND R09_AG9049_01 != 1
AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND
R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG1003CG != 1, 2, -8, -7) OR
(R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND
R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR
R09_AG9009_03 = 1) AND ((R09_AG9051 = 2 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR
(R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))) OR (R09_ADULTTYPE = 3 AND
R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9009_01 = 1 OR
R09_AG9009_03 = 1) AND ((R09_AG9049_01 = 2, -8, -7 AND R09_AG9049_03 = 2, -8, -7 AND
((R09_AG9051 = 2 AND R09_AG9053 = 2, -8, -7) OR (R09_AG9051 = 2, -8, -7 AND R09_AG9053 =
2))) OR (R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))))),
GO TO R09_AG1009CG.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R08_EVER_NEVER_GRILLO = 1 AND R08_GRILLO_USER_STATUS != 5 AND (R09_WNR = 2 OR
(R09_WNR = 1 AND (R08_EVER_NEVER_GFILTR = 1 OR (R08_EVER_NEVER_GFILTR != 1 AND
R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)))) AND R09_AG9049_01 != 1
AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND
R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG1003CG != 1, 2, -8, -7, GO
TO R09_AG1010CG.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = GFILTR:

IF (R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR
R09_AG9009_12M_02 = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1
AND R08_EVER_NEVER_GFILTR = 1 AND (R09_AG9052 = -8, -7 OR R09_AG9004_12M = -8, -7 OR
R09_AG9009_12M_02 = -8, -7)) OR (R09_ADULTTYPE = 1, 2 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND
R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2
AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7)) OR (R09_ADULTTYPE = 3 AND
R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9004 = 1 AND
R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M
= -8, -7) OR R09_AG9009_12M_02 = -8, -7)), GO TO R09_AG1003FC.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND
R08_EVER_NEVER_GFILTR = 1 AND R08_GFILTR_USER_STATUS != 4, 5 AND (R09_WNR = 2 OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

(R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 OR (R08_EVER_NEVER_GRILLO != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1)))) AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND R09_AG9009_12M_02 != 1 AND R09_AG1003FC != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTER != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = 2 OR R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTER != 1 AND R09_AG9009_02 = 1 AND ((R09_AG9049_02 = 2, -8, -7 AND R09_AG9052 = 2) OR (R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2))), GO TO R09_AG1009FC.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTER != 1 AND R08_EVER_NEVER_GFILTR = 1 AND R08_GFILTR_USER_STATUS != 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 OR (R08_EVER_NEVER_GRILLO != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1)))) AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND R09_AG9009_12M_02 != 1 AND R09_AG1003FC != 1, 2, -8, -7, GO TO R09_AG1010FC.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = BTRAD:

IF R09_12MBLUNT_ONLY_BTRAD = 1, GO TO R09_AG1003TJ.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = BRILLO:

IF R09_12MBLUNT_ONLY_BRILLO = 1, GO TO R09_AG1003GJ.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = BFILTER:

IF R09_12MBLUNT_ONLY_BFILTER = 1, GO TO R09_AG1003FJ.
ELSE, GO TO BOX R09_AGR06.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1003

¿Actualmente fuma [CIGARFILL]s[como si fueran "toques o blunts"]...?

1 Todos los días	GO TO BOX R09_AGR06
2 Algunos días	GO TO BOX R09_AGR06
3 Nunca	
-8 DON'T KNOW	GO TO BOX R09_AGR06
-7 REFUSED	GO TO BOX R09_AGR06

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months, or

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1003TC: IF (R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG9030 = 1 OR R09_AG9003_12M = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7).

FOR R09_AG1003CG: IF (R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7))) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7))) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7))).

FOR R09_AG1003FC: IF (R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND (R09_AG9052 = -8, -7 OR R09_AG9004_12M = -8, -7 OR R09_AG9009_12M_02 = -8, -7)) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R09_AG9009_12M_02 = -8, -7)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7)).
FOR R09_AG1003TJ: IF R09_12MBLUNT_ONLY_BTRAD = 1.
FOR R09_AG1003GJ: IF R09_12MBLUNT_ONLY_BRILLO = 1.
FOR R09_AG1003FJ: IF R09_12MBLUNT_ONLY_BFILTR = 1.
DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fueran "toques o blunts".
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1009

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un [CIGARFILL] como si fuera un "toque" o "blunt"? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Meses
- 3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_AGR32

-7 REFUSED

GO TO BOX R09_AGR32

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or
Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or
Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not recent former or long-term former traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: FOR R09_AG1009TC: IF (R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG9030 = 1 OR R09_AG9003_12M = 1) AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

```

= 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1
AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND
R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND
R08_EVER_NEVER_GTRAD = 1 AND R08_GTRAD_USER_STATUS != 4, 5 AND R09_AG9003_12M =
2) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND
R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND
R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND
R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9003_12M = 2).
FOR R09_AG1009CG: IF (R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9049_01 = 1 OR
R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR
R09_AG9009_12M_03 = 1) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND
((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR
(R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR
(R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND
R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR
R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M
= -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND
R09_AG1003CG = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR
R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M
= -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND
R09_AG1003CG != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO !=
1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_GRILLO_USER_STATUS != 4, 5 AND (R09_WNR
= 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GFILTR = 1 OR (R08_EVER_NEVER_GFILTR != 1
AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)))))) AND
R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND
R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG1003CG != 1, 2, -8, -7) OR
(R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND
R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR
R09_AG9009_03 = 1) AND ((R09_AG9051 = 2 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR
(R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))) OR (R09_ADULTTYPE = 3 AND
R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9009_01 = 1 OR
R09_AG9009_03 = 1) AND ((R09_AG9049_01 = 2, -8, -7 AND R09_AG9049_03 = 2, -8, -7 AND
((R09_AG9051 = 2 AND R09_AG9053 = 2, -8, -7) OR (R09_AG9051 = 2, -8, -7 AND R09_AG9053 =
2))) OR (R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))))).
FOR R09_AG1009FC: IF (R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG9049_02 = 1 OR
R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE =
1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND
(R09_AG9052 = -8, -7 OR R09_AG9004_12M = -8, -7 OR R09_AG9009_12M_02 = -8, -7) AND
R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND
R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 =
1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR
R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 3 AND
R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9004 = 1 AND
R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M
= -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2
AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND
R08_GFILTR_USER_STATUS != 4, 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND
(R08_EVER_NEVER_GRILLO = 1 OR (R08_EVER_NEVER_GRILLO != 1 AND R09_AG9004 = 1 AND
R09_AG9009_02 = 1)))))) AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND
R09_AG9009_12M_02 != 1 AND R09_AG1003FC != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND
R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = 2 OR R09_AG9004_12M = 2 OR
R09_AG9009_12M_02 = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND

```

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9009_02 = 1 AND ((R09_AG9049_02 = 2, -8, -7 AND R09_AG9052 = 2) OR (R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2))).
 FOR R09_AG1009TJ: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AG1003TJ = 3.
 FOR R09_AG1009GJ: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AG1003GJ = 3.
 FOR R09_AG1009FJ: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AG1003FJ = 3.
 DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.
 IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY "como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.
 PROGRAM: Display as Quantity/Units.
 Allow 2 digits.

PATH ID: R09_AG1009TC_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que fumó puros tradicionales[como si fuera un "toque o blunt"]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1009[TC/TJ]
2 NEXT	GO TO R09_AG1009TC_LC2

ASK: IF (((R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG9030 = 1 OR R09_AG9003_12M = 1) AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R08_GTRAD_USER_STATUS != 4, 5 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9003_12M = 2)) AND R09_AG1009TC_NN = 0) OR (R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AG1003TJ = 3 AND R09_AG1009TJ_NN = 0).

DISPLAY: IF R09_AG1009[TC/TJ]_UN = 1, DISPLAY "días".
 ELSE, IF R09_AG1009[TC/TJ]_UN = 2, DISPLAY "meses".
 ELSE, IF R09_AG1009[TC/TJ]_UN = 3, DISPLAY "años".
 IF LOOP = BTRAD, DISPLAY " como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R09_AG1009[TC/TJ]_NN = 0.
 ELSE, GO TO R09_AG1009TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1009TC_LC2

Usted contestó que han pasado [R09_AG1009[TC/TJ]_NN] años desde la última vez que fumó puros tradicionales[como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1009[TC/TJ]

2 NEXT

GO TO BOX R09_AGR32

ASK: IF (((R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG9030 = 1 OR R09_AG9003_12M = 1) AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R08_GTRAD_USER_STATUS != 4, 5 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9003_12M = 2)) AND R09_AG1009TC_NN > R09_ACHIEVEDAGE AND R09_AG1009TC_UN = 3) OR (R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AG1003TJ = 3 AND R09_AG1009TJ_NN > R09_ACHIEVEDAGE AND R09_AG1009TJ_UN = 3).

DISPLAY: IF LOOP = BTRAD, DISPLAY " como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R09_AG1009[TC/TJ]_NN > R09_ACHIEVEDAGE AND R09_AG1009[TC/TJ]_UN = 3. ELSE, GO TO BOX R09_AGR32 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1009CG_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que fumó puritos[como si fuera un "toque o blunt"]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1009[CG/GJ]

2 NEXT

GO TO R09_AG1009CG_LC2

ASK: IF (((R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_GRILLO_USER_STATUS != 4, 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GFILTR = 1 OR (R08_EVER_NEVER_GFILTR != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)))))) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG1003CG != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = 2 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9049_01 = 2, -8, -7 AND R09_AG9049_03 = 2, -8, -7 AND ((R09_AG9051 = 2 AND R09_AG9053 = 2, -8, -7) OR (R09_AG9051 = 2, -8, -7 AND R09_AG9053 = 2))) OR (R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2)))))) AND R09_AG1009CG_NN = 0) OR (R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AG1003GJ = 3 AND R09_AG1009GJ_NN = 0).

DISPLAY: IF R09_AG1009[CG/GJ]_UN = 1, DISPLAY "días".
ELSE, IF R09_AG1009[CG/GJ]_UN = 2, DISPLAY "meses".
ELSE, IF R09_AG1009[CG/GJ]_UN = 3, DISPLAY "años".
IF LOOP = BRILLO, DISPLAY " como si fuera un "toque o blunt"".
ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R09_AG1009[CG/GJ]_NN = 0.
ELSE, GO TO R09_AG1009CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1009CG_LC2

Usted contestó que han pasado [R09_AG1009[CG/GJ]_NN] años desde la última vez que fumó puritos [como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1009[CG/GJ]

2 NEXT

GO TO BOX R09_AGR32

ASK: IF (((R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_GRILLO_USER_STATUS != 4, 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GFILTR = 1 OR (R08_EVER_NEVER_GFILTR != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)))))) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG1003CG != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = 2 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9049_01 = 2, -8, -7 AND R09_AG9049_03 = 2, -8, -7 AND ((R09_AG9051 = 2 AND R09_AG9053 = 2, -8, -7) OR (R09_AG9051 = 2, -8, -7 AND R09_AG9053 = 2))) OR (R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2)))))) AND R09_AG1009CG_NN > R09_ACHIEVEDAGE AND R09_AG1009CG_UN = 3) OR (R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AG1003GJ = 3 AND R09_AG1009GJ_NN > R09_ACHIEVEDAGE AND R09_AG1009GJ_UN = 3).

DISPLAY: IF LOOP = BRILLO, DISPLAY " como si fuera un "toque o blunt"".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R09_AG1009[CG/GJ]_NN > R09_ACHIEVEDAGE AND R09_AG1009[CG/GJ]_UN = 3.

ELSE, GO TO BOX R09_AGR32 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1009FC_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que fumó puros con filtro [como si fuera un "toque o blunt"]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1009[FC/FJ]

2 NEXT

GO TO R09_AG1009FC_LC2

ASK: IF (((R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND (R09_AG9052 = -8, -7 OR R09_AG9004_12M = -8, -7 OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND R08_GFILTR_USER_STATUS != 4, 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 OR (R08_EVER_NEVER_GRILLO != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1)))) AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND R09_AG9009_12M_02 != 1 AND R09_AG1003FC != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = 2 OR R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9009_02 = 1 AND ((R09_AG9049_02 = 2, -8, -7 AND R09_AG9052 = 2) OR (R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2)))) AND R09_AG1009FC_NN = 0) OR (R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AG1003FJ = 3 AND R09_AG1009FJ_NN = 0).

DISPLAY: IF R09_AG1009[FC/FJ]_UN = 1, DISPLAY "días".
ELSE, IF R09_AG1009[FC/FJ]_UN = 2, DISPLAY "meses".
ELSE, IF R09_AG1009[FC/FJ]_UN = 3, DISPLAY "años".
IF LOOP = BFILTR, DISPLAY " como si fuera un "toque o blunt"".
ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R09_AG1009[FC/FJ]_NN= 0.
ELSE, GO TO R09_AG1009FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1009FC_LC2

Usted contestó que han pasado [R09_AG1009[FC/FJ]_NN] años desde la última vez que fumó puros con filtro[como si fuera un "toque o blunt"]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1009[FC/FJ]

2 NEXT

GO TO BOX R09_AGR32

ASK: IF (((R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND (R09_AG9052 = -8, -7 OR R09_AG9004_12M = -8, -7 OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND R08_GFILTR_USER_STATUS != 4, 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 OR (R08_EVER_NEVER_GRILLO != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1)))) AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND R09_AG9009_12M_02 != 1 AND R09_AG1003FC != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = 2 OR R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9009_02 = 1 AND ((R09_AG9049_02 = 2, -8, -7 AND R09_AG9052 = 2) OR (R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2)))) AND R09_AG1009FC_NN > R09_ACHIEVEDAGE AND R09_AG1009FC_UN = 3) OR (R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AG1003FJ = 3 AND R09_AG1009FJ_NN > R09_ACHIEVEDAGE AND R09_AG1009FJ_UN = 3).

DISPLAY: IF LOOP = BFILTR, DISPLAY " como si fuera un "toque o blunt"". ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R09_AG1009[FC/FJ]_NN > R09_ACHIEVEDAGE AND R09_AG1009[FC/FJ]_UN = 3.
ELSE, GO TO BOX R09_AGR32 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR32

Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not long-term former traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R09_AG1010[TC/CG/FC].
Else, go to Box R09_AGR06.

IF LOOP = GTRAD:

IF (R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG9030 = 1 OR R09_AG9003_12M = 1) AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R08_GTRAD_USER_STATUS != 5 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9003_12M = 2), GO TO R09_AG1010TC.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = GRILLO:

IF (R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR ((R09_AG9009_01 != 2 OR R09_AG9009_03 != 2) AND R09_AG9004_12M = -8, -7) OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR ((R09_AG9009_01 != 2 OR R09_AG9009_03 != 2) AND R09_AG9004_12M = -8, -7) OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_GRILLO_USER_STATUS != 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GFILTR = 1 OR (R08_EVER_NEVER_GFILTR != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)))))) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG1003CG != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = 2 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND R09_AG9049_01 = 2, -8, -7 AND R09_AG9049_03 = 2, -8, -7 AND ((R09_AG9051 = 2 AND R09_AG9053 = 2, -8, -7) OR (R09_AG9051 = 2, -8, -7 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))), GO TO R09_AG1010CG.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = GFILTR:

IF (R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND (R09_AG9052 = -8, -7 OR R09_AG9004_12M = -8, -7 OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND R08_GFILTR_USER_STATUS != 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 OR (R08_EVER_NEVER_GRILLO != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1)))))) AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND R09_AG9009_12M_02 != 1 AND R09_AG1003FC != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = 2 OR R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9009_02 = 1 AND ((R09_AG9049_02 = 2, -8, -7 AND R09_AG9052 = 2) OR (R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2))), GO TO R09_AG1010FC.
ELSE, GO TO BOX R09_AGR06.

IF LOOP = BTRAD, BRILLO, BFILTR, GO TO BOX R09_AGR06.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1010

¿Ha dejado de fumar [CIGARFILL]s por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he fumado un [CIGARFILL], ni siquiera una o dos probaditas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not long-term former traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months.

ASK Specification: FOR R09_AG1010TC: IF (R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG9030 = 1 OR R09_AG9003_12M = 1) AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = -8, -7 AND R09_AG1003TC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_EVER_NEVER_GTRAD = 1 AND R08_GTRAD_USER_STATUS != 5 AND R09_AG9003_12M =

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

2) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GTRAD = 2 AND R09_AG9003 = 1 AND R09_AG9030 = 2, -8, -7 AND R09_AG9003_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG9003 = 1 AND R09_AG9003_12M = 2).
 FOR R09_AG1010CG: IF (R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR R09_AG9004_12M = -8, -7 OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR ((R09_AG9009_01 != 2 OR R09_AG9009_03 != 2) AND R09_AG9004_12M = -8, -7) OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = -8, -7 AND R09_AG9053 = -8, -7) OR ((R09_AG9009_01 != 2 OR R09_AG9009_03 != 2) AND R09_AG9004_12M = -8, -7) OR (R09_AG9009_12M_01 = -8, -7 AND R09_AG9009_12M_03 = -8, -7)) AND R09_AG1003CG = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_EVER_NEVER_GRILLO = 1 AND R08_GRILLO_USER_STATUS != 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GFILTR = 1 OR (R08_EVER_NEVER_GFILTR != 1 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)))))) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG1003CG != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GRILLO = 2 AND R09_AG9004 = 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND ((R09_AG9051 = 2 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG9009_01 = 1 OR R09_AG9009_03 = 1) AND R09_AG9049_01 = 2, -8, -7 AND R09_AG9049_03 = 2, -8, -7 AND ((R09_AG9051 = 2 AND R09_AG9053 = 2, -8, -7) OR (R09_AG9051 = 2, -8, -7 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2))).
 FOR R09_AG1010FC: IF (R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND (R09_AG9052 = -8, -7 OR R09_AG9004_12M = -8, -7 OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = -8, -7 OR (R09_AG9009_02 != 2 AND R09_AG9004_12M = -8, -7) OR R09_AG9009_12M_02 = -8, -7) AND R09_AG1003FC = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_EVER_NEVER_GFILTR = 1 AND R08_GFILTR_USER_STATUS != 5 AND (R09_WNR = 2 OR (R09_WNR = 1 AND (R08_EVER_NEVER_GRILLO = 1 OR (R08_EVER_NEVER_GRILLO != 1 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1)))))) AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND R09_AG9009_12M_02 != 1 AND R09_AG1003FC != 1, 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_WNR = 1 AND R08_EVER_NEVER_GFILTR = 2 AND R09_AG9004 = 1 AND R09_AG9009_02 = 1 AND (R09_AG9052 = 2 OR R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2)) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9009_02 = 1 AND ((R09_AG9049_02 = 2, -8, -7 AND R09_AG9052 = 2) OR (R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2))).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

DISPLAY: FOR R09_AG1010TC: IF R08_GTRAD_USER_STATUS = 4, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.
FOR R09_AG1010CG: IF R08_GRILLO_USER_STATUS = 4, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.
FOR R09_AG1010FC: IF R08_GFILTR_USER_STATUS = 4, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

BOX ID: R09_AGR06

If LOOP = GTRAD and adult respondent has ever smoked cigarillos/filtered cigars as of their last completed interview or in their current interview, or has smoked a cigarillo/filtered cigar in the past 30 days or in the past 12 months, or is a past 12 month blunt-only cigarillo/filtered cigar smoker, go back to Box R09_AGR36 and complete for the next product.
Else, if LOOP = GRILLO and adult respondent has ever smoked filtered cigars as of their last completed interview or in their current interview, or has smoked a filtered cigar in the past 30 days or in the past 12 months, or is a past 12 month blunt-only traditional cigar/filtered cigar smoker, go back to Box R09_AGR36 and complete for the next product.
Else, if LOOP = GFILTR and adult respondent is a past 12 month blunt-only traditional cigar/cigarillo smoker, go back to Box R09_AGR36 and complete for the next product.
Else, if LOOP = BTRAD and adult respondent is a past 12 month blunt-only cigarillo/filtered cigar smoker, go back to Box R09_AGR36 and complete for the next product.
Else, if LOOP = BRILLO and adult respondent is a past 12 month blunt-only filtered cigar smoker, go back to Box R09_AGR36 and complete for the next product.

Else, if all loops complete, go to Box R09_AGV04.

IF LOOP = GTRAD AND (R08_EVER_NEVER_GRILLO = 1 OR R09_AG9009_01 = 1 OR R09_AG9009_03 = 1 OR R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1 OR R08_EVER_NEVER_GFILTR = 1 OR R09_AG9009_02 = 1 OR R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1 OR R09_12MBLUNT_ONLY_BTRAD = 1 OR R09_12MBLUNT_ONLY_BRILLO = 1 OR R09_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R09_AGR36.
ELSE, IF LOOP = GRILLO AND (R08_EVER_NEVER_GFILTR = 1 OR R09_AG9009_02 = 1 OR R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1 OR R09_12MBLUNT_ONLY_BTRAD = 1 OR R09_12MBLUNT_ONLY_BRILLO = 1 OR R09_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R09_AGR36.
ELSE, IF LOOP = GFILTR AND (R09_12MBLUNT_ONLY_BTRAD = 1 OR R09_12MBLUNT_ONLY_BRILLO = 1 OR R09_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R09_AGR36.
ELSE, IF LOOP = BTRAD AND (R09_12MBLUNT_ONLY_BRILLO = 1 OR R09_12MBLUNT_ONLY_BFILTR = 1) GO BACK TO BOX R09_AGR36.
ELSE, IF LOOP = BRILLO AND R09_12MBLUNT_ONLY_BFILTR = 1, GO BACK TO BOX R09_AGR36.
ELSE, IF ALL LOOPS COMPLETE, GO TO BOX R09_AGV04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGV04

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_GTRAD = 1 (Ever user) Adult respondents who have ever smoked a traditional cigar and did not recant prior use.

R09_EVER_NEVER_GTRAD = 2 (Never user) Adult respondents who have never smoked a traditional cigar.

R09_EVER_NEVER_GRILLO = 1 (Ever user) Adult respondents who have ever smoked a cigarillo and did not recant prior use.

R09_EVER_NEVER_GRILLO = 2 (Never user) Adult respondents who have never smoked a cigarillo.

R09_EVER_NEVER_GFILTR = 1 (Ever user) Adult respondents who have ever smoked a filtered cigar and did not recant prior use.

R09_EVER_NEVER_GFILTR = 2 (Never user) Adult respondents who have never smoked a filtered cigar.

R09_INIT_GTRAD_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated traditional cigar smoking since their last completed interview, or new cohort adult respondents who have ever smoked a traditional cigar.

R09_INIT_GRILLO_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated cigarillo smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarillo.

R09_INIT_GFILTR_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated filtered cigar smoking since their last completed interview, or new cohort adult respondents who have ever smoked a filtered cigar.

R09_GTRAD_USER_STATUS = 1 (Current user) Adult respondents who are not past 12 month blunt-only traditional cigar smokers and currently smoke every day or some days or have smoked any traditional cigars in the past 30 days.

R09_GTRAD_USER_STATUS = 4 (Recent former user) Continuing adult respondents who are not past 12 month blunt-only traditional cigar smokers and were current traditional cigar smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked traditional cigars as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked a traditional cigar in the past 12 months and did not smoke a traditional cigar in the past 30 days and currently smoke traditional cigars not at all.

R09_GTRAD_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who are not past 12 month blunt-only traditional cigar smokers and were recent former or long-term former traditional cigar smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a traditional cigar and have not smoked in the past 12 months.

R09_GRILLO_USER_STATUS = 1 (Current user) Adult respondents who are not past 12 month blunt-only cigarillo smokers and currently smoke every day or some days or have smoked any cigarillos in the past 30 days.

R09_GRILLO_USER_STATUS = 4 (Recent former user) Continuing adult respondents who are not past 12 month blunt-only cigarillo smokers and were current cigarillo smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked cigarillos as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked a

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

cigarillo in the past 12 months and did not smoke a cigarillo in the past 30 days and currently smoke cigarillos not at all.

R09_GRILLO_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who are not past 12 month blunt-only cigarillo smokers and were recent former or long-term former cigarillo smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a cigarillo and have not smoked in the past 12 months.

R09_GFILTR_USER_STATUS = 1 (Current user) Adult respondents who are not past 12 month blunt-only filtered cigar smokers and currently smoke every day or some days or have smoked any cigarillos in the past 30 days.

R09_GFILTR_USER_STATUS = 4 (Recent former user) Continuing adult respondents who are not past 12 month blunt-only filtered cigar smokers and were current filtered cigar smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked filtered cigars as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated filtered cigar smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked a filtered cigar in the past 12 months and did not smoke a filtered cigar in the past 30 days and currently smoke filtered cigars not at all.

R09_GFILTR_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who are not past 12 month blunt-only filtered cigar smokers and were recent former or long-term former filtered cigar smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a filtered cigar and have not smoked in the past 12 months.

R09_PERSISTENT_FORMER_GTRAD = 1 (Persistent former user) Continuing adult respondents who were long-term former traditional cigar smokers as of their last completed interview and had not smoked a traditional cigar in the past 12 months at the last two Adult interviews and have not smoked a traditional cigar in the past 12 months and did not recant prior use.

R09_PERSISTENT_FORMER_GRILLO = 1 (Persistent former user) Continuing adult respondents who were long-term former cigarillo smokers as of their last completed interview and had not smoked a cigarillo in the past 12 months at the last two Adult interviews and have not smoked a cigarillo in the past 12 months and did not recant prior use.

R09_PERSISTENT_FORMER_GFILTR = 1 (Persistent former user) Continuing adult respondents who were long-term former filtered cigar smokers as of their last completed interview and had not smoked a filtered cigar in the past 12 months at the last two Adult interviews and have not smoked a filtered cigar in the past 12 months and did not recant prior use.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR49

Continuing and aged-up adult respondents who are completing a web interview on a mobile device and are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or new cohort adult respondents who are completing a web interview on a mobile device and have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or young adult respondents who are completing a web interview on a mobile device and are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 12 months or did not know or refused to report whether they have smoked a traditional cigar in the past 12 months, go to Box R09_AGT08.
Else, go to Box R09_AGR22.

IF (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = 2, -8, -7), GO TO BOX R09_AGT08.
ELSE, GO TO BOX R09_AGR22.

BOX ID: R09_AGT08

Piense ahora en los puros tradicionales, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR22

Continuing and aged-up young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, go to R09_AG9010.

Else, continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 12 months or did not know or refused to report whether they have smoked a traditional cigar in the past 12 months, go to R09_AG9020.
Else, go to Box R09_AGR50.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25
AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2) OR
(R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND
R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND
R09_EVER_NEVER_GTRAD = 2), GO TO R09_AG9010.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND
R09_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND
R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND
R09_EVER_NEVER_GTRAD = 2) OR (18 <= R09_ACHIEVEDAGE < 25
AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 1 AND
R09_AG9003_12M = 2, -8, -7), GO TO R09_AG9020.
ELSE, GO TO BOX R09_AGR50.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9010

Las siguientes preguntas son acerca de los puros tradicionales o "grandes".

Alguna vez, ¿ha sentido curiosidad por fumar un puro tradicional?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9020

[La siguiente pregunta es acerca de los puros tradicionales o "grandes".

]¿Cree que fumará un puro tradicional el próximo año?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 12 months or did not know or refused to report whether they have smoked a traditional cigar in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M = 2, -8, -7).

DISPLAY: IF R09_ACHIEVEDAGE >= 25 OR (R09_EVER_NEVER_GTRAD = 1 AND R09_AG9003_12M != 1), DISPLAY "La siguiente pregunta es acerca de los puros tradicionales o "grandes".

ELSE, IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_GTRAD = 2, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AGR40

Continuing and aged-up young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, go to R09_AG9016.

Else, go to Box R09_AGR50.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2), GO TO R09_AG9016.
ELSE, GO TO BOX R09_AGR50.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9016

¿Si uno de sus mejores amigos le ofreciera un puro tradicional, lo fumaría?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 2).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AGR50

Continuing and aged-up adult respondents who are completing a web interview on a mobile device and are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or new cohort adult respondents who are completing a web interview on a mobile device and have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or young adult respondents who are completing a web interview on a mobile device and are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo have not smoked a cigarillo in the past 12 months or did not know or refused to report whether they have smoked a cigarillo in the past 12 months, go to Box R09_AGT09.
Else, go to Box R09_AGR07.

IF (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2) OR (R09_ADULTTYPE = 3 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 1 AND (R09_AG9004_12M != 1 OR (R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1)) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1), GO TO BOX R09_AGT09.
ELSE, GO TO BOX R09_AGR07.

BOX ID: R09_AGT09

Piense ahora en los puritos como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF CIGARILLOS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR07

Continuing and aged-up young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, go to R09_AG9011.

Else, continuing and aged-up adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or young adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo and have not smoked a cigarillo in the past 12 months or did not know or refused to report whether they have smoked a cigarillo in the past 12 months, go to R09_AG9021.

Else, go to Box R09_AGR61.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25
AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2) OR
(R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND
R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R09_EVER_NEVER_GRILLO = 2), GO TO R09_AG9011.
ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R09_EVER_NEVER_GRILLO = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND
R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R09_EVER_NEVER_GRILLO = 2) OR (18 <= R09_ACHIEVEDAGE < 25
AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 1 AND
(R09_AG9004_12M != 1 OR (R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1)) AND
R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1), GO
TO R09_AG9021.
ELSE, GO TO BOX R09_AGR61.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9011

Las siguientes preguntas son acerca de los puritos.

Alguna vez, ¿ha sentido curiosidad por fumar un purito?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9021

[La siguiente pregunta es acerca de los puritos.

]¿Cree que fumará un purito el próximo año?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or young adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo and have not smoked a cigarillo in the past 12 months or did not know or refused to report whether they have smoked a cigarillo in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 1 AND (R09_AG9004_12M != 1 OR (R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1)) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1).

DISPLAY: IF R09_ACHIEVEDAGE >= 25 OR (R09_EVER_NEVER_GRILLO = 1 AND (R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1))), DISPLAY "La siguiente pregunta es acerca de los puritos."

ELSE, IF R09_EVER_NEVER_GRILLO = 2, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AGR41

Continuing and aged-up young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, go to R09_AG9017.

Else, go to Box R09_AGR61.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2), GO TO R09_AG9017.
ELSE, GO TO BOX R09_AGR61.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9017

¿Si uno de sus mejores amigos le ofreciera un purito, lo fumaría?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 2).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AGR61

Continuing and aged-up adult respondents who are completing a web interview on a mobile device and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or new cohort adult respondents who are completing a web interview on a mobile device and have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or young adult respondents who are completing a web interview on a mobile device and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar and have not smoked a filtered cigar in the past 12 months or did not know or refused to report whether they have smoked a filtered cigar in the past 12 months, go to Box R09_AGT10.

Else, go to Box R09_AGR08.

IF (R09_ADULTTYPE = 1, 2 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_ADULTTYPE = 3 AND R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND (R09_AG9004_12M != 1 OR R09_AG9009_12M_02 != 1)), GO TO BOX R09_AGT10.

ELSE, GO TO BOX R09_AGR08.

BOX ID: R09_AGT10

Piense ahora en los puros con filtro, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR08

Continuing and aged-up young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, go to R09_AG9012.

Else, continuing and aged-up adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar and have not smoked a filtered cigar in the past 12 months or did not know or refused to report whether they have smoked a filtered cigar in the past 12 months, go to R09_AG9022.

Else, go to Box R09_APT01.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2), GO TO R09_AG9012.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 1 AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND (R09_AG9004_12M != 1 OR R09_AG9009_12M_02 != 1)), GO TO R09_AG9022.

ELSE, GO TO BOX R09_APT01.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AG9012

Las siguientes preguntas son acerca de los puros con filtro.

Alguna vez, ¿ha sentido curiosidad por fumar un puro con filtro?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9022

[La siguiente pregunta es acerca de los puros con filtro.

]¿Cree que fumará un puro con filtro el próximo año?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar and have not smoked a filtered cigar in the past 12 months or did not know or refused to report whether they have smoked a filtered cigar in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_ADULTTYPE = 3 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 1 AND R09_AG9049_02 != 1 AND R09_AG9052 != 1 AND (R09_AG9004_12M != 1 OR R09_AG9009_12M_02 != 1)).

DISPLAY: IF (R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_EVER_NEVER_GFILTR = 1 AND (R09_AG9004_12M = 2 OR R09_AG9009_12M_02 != 1)), DISPLAY "La siguiente pregunta es acerca de los puros con filtro." ELSE, IF R09_EVER_NEVER_GFILTR = 2, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AGR42

Continuing and aged-up young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, go to R09_AG9018.

Else, go to Box R09_APT01.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 2), GO TO R09_AG9018. ELSE, GO TO BOX R09_APT01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9018

¿Si uno de sus mejores amigos le ofreciera un puro con filtro, lo fumaría?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, or new cohort young adult respondents who have ever seen or heard of traditional cigars, cigarillos, and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_12MBLUNT_ONLY_BFILTER != 1 AND R09_EVER_NEVER_GFILTR = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AG1001_RS = 1 AND R09_AG9002_RS_01 = 1, -8, -7 AND R09_12MBLUNT_ONLY_BFILTER != 1 AND R09_EVER_NEVER_GFILTR = 2).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Pipe Use

BOX ID: R09_APT01
Las siguientes preguntas son acerca de fumar tabaco en pipas. Hay muchas clases diferentes de pipas. Todas tienen una cánula y una cazoleta donde se pone el tabaco. [SHOW GENERIC IMAGE OF PIPE] BOLD "pipas". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_APR10
Adult respondents who are completing a web interview on a mobile device, go to Box R09_APT03. Else, go to Box R09_APR33. IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_APT03. ELSE, GO TO BOX R09_APR33.

BOX ID: R09_APT03
Piense ahora en las pipas, como las que se muestran a continuación... [SHOW GENERIC IMAGE OF PIPE]

BOX ID: R09_APR33
New cohort adult respondents, go to R09_AP1001_RS. Else, continuing an aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview, go to R09_AP1002. Else, go to R09_AP1004. IF R09_ADULTTYPE = 3, GO TO R09_AP1001_RS. ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2, GO TO R09_AP1002. ELSE, GO TO R09_AP1004.

PATH ID: R09_AP1001_RS												
¿Alguna vez había visto u oído hablar de una pipa antes de este estudio? [SHOW GENERIC IMAGE OF PIPE] <table style="width: 100%; margin-top: 10px;"> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">Sí</td> <td></td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">No</td> <td style="text-align: right;">GO TO BOX R09_APV02</td> </tr> <tr> <td style="text-align: center;">-8</td> <td style="text-align: center;">DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R09_APV02</td> </tr> <tr> <td style="text-align: center;">-7</td> <td style="text-align: center;">REFUSED</td> <td style="text-align: right;">GO TO BOX R09_APV02</td> </tr> </table> ASK: New cohort adult respondents. ASK Specification: IF R09_ADULTTYPE = 3. IMAGE: SHOW GENERIC IMAGE OF PIPE. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.	1	Sí		2	No	GO TO BOX R09_APV02	-8	DON'T KNOW	GO TO BOX R09_APV02	-7	REFUSED	GO TO BOX R09_APV02
1	Sí											
2	No	GO TO BOX R09_APV02										
-8	DON'T KNOW	GO TO BOX R09_APV02										
-7	REFUSED	GO TO BOX R09_APV02										

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1002

¿Alguna vez ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF PIPE]

1 Sí	
2 No	GO TO BOX R09_APV02
-8 DON'T KNOW	GO TO BOX R09_APV02
-7 REFUSED	GO TO BOX R09_APV02

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview, or new cohort adult respondents who have ever seen or heard of a pipe.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF PIPE. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AP1004

En los últimos 30 días, ¿ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF PIPE]

1 Sí	GO TO BOX R09_APR05
2 No	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed interview, or Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe, or New cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 1) OR (R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF PIPE. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1002_12M

En los últimos 12 meses, ¿ha fumado una pipa con tabaco, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF PIPE]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed interview and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days, or

New cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AP1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 1 AND R09_AP1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1004 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF PIPE. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR05

Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months, or new cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months, go to R09_AP1003.

Else, continuing and aged-up adult respondents who have ever smoked a pipe as of their last completed interview and were not recent former or long-term former pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months, or new cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months, go to R09_AP1009.

Else, continuing and aged-up adult respondents who have not smoked a pipe in the past 12 months and have ever smoked a pipe as of their last completed interview and were not long-term former pipe smokers as of their last completed interview, go to R09_AP1010.

Else, go to Box R09_APV02.

IF R09_AP1004 = 1 OR R09_AP1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R09_AP1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7), GO TO R09_AP1003.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R08_PIPE_USER_STATUS != 4, 5 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2), GO TO R09_AP1009.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_AP1002_12M = 2 AND R08_EVER_NEVER_PIPE = 1 AND R08_PIPE_USER_STATUS != 5, GO TO R09_AP1010.

ELSE, GO TO BOX R09_APV02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1003

¿Actualmente fuma una pipa con tabaco...?

1	Todos los días	GO TO BOX R09_APV02
2	Algunos días	GO TO BOX R09_APV02
3	Nunca	
-8	DON'T KNOW	GO TO BOX R09_APV02
-7	REFUSED	GO TO BOX R09_APV02

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months, or

New cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months.

ASK Specification: IF R09_AP1004 = 1 OR R09_AP1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R09_AP1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1009

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó una pipa con tabaco? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO R09_AP1010

-7 REFUSED

GO TO R09_AP1010

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months and now smoke a pipe not at all, or

Continuing and aged-up adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or

New cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 30 days and now smoke a pipe not at all, or

Continuing and aged-up adult respondents who have ever smoked a pipe as of their last completed interview and were not recent former or long-term former pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months, or

New cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months.

ASK Specification: IF ((R09_AP1004 = 1 OR R09_AP1002_12M = 1) AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R08_PIPE_USER_STATUS != 4, 5 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1009_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que fumó una pipa. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP1009

2 NEXT

GO TO R09_AP1009_LC2

ASK: IF (((R09_AP1004 = 1 OR R09_AP1002_12M = 1) AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R08_PIPE_USER_STATUS != 4, 5 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2)) AND R09_AP1009_NN = 0.

DISPLAY: IF R09_AP1009_UN = 1, DISPLAY "días".

ELSE, IF R09_AP1009_UN = 2, DISPLAY "meses".

ELSE, IF R09_AP1009_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF R09_AP1009_NN = 0.

ELSE, GO TO R09_AP1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1009_LC2

Usted contestó que han pasado [R09_AP1009_NN] años desde la última vez que fumó una pipa. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP1009

2 NEXT

GO TO R09_AP1010

ASK: IF (((R09_AP1004 = 1 OR R09_AP1002_12M = 1) AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R08_PIPE_USER_STATUS != 4, 5 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2)) AND R09_AP1009_NN > R09_ACHIEVEDAGE AND R09_AP1009_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AP1009_NN > R09_ACHIEVEDAGE AND R09_AP1009_UN = 3.

ELSE, GO TO R09_AP1010 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1010

¿Ha dejado de fumar pipas con tabaco por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he fumado una pipa con tabaco, ni siquiera una o dos probaditas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months and now smoke a pipe not at all, or

Continuing and aged-up adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or

New cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 30 days and now smoke a pipe not at all, or

Continuing and aged-up adult respondents who have ever smoked a pipe as of their last completed interview and were not long-term former pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 12 months, or

New cohort adult respondents who have ever seen or heard of a pipe and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months.

ASK Specification: IF ((R09_AP1004 = 1 OR R09_AP1002_12M = 1) AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = -8, -7 AND R09_AP1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE = 1 AND R08_PIPE_USER_STATUS != 5 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_PIPE = 2 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AP1001_RS = 1 AND R09_AP1002 = 1 AND R09_AP1002_12M = 2).

DISPLAY: IF R08_PIPE_USER_STATUS = 4, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_PIPE = 1 (Ever user) Adult respondents who have ever smoked a pipe and did not recant prior use.

R09_EVER_NEVER_PIPE = 2 (Never user) Adult respondents who have never smoked a pipe.

R09_INIT_PIPE_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe.

R09_PIPE_USER_STATUS = 1 (Current user) Adult respondents who currently smoke every day or some days or have smoked any pipe tobacco in the past 30 days.

R09_PIPE_USER_STATUS = 4 (Recent former user) Continuing adult respondents who were current pipe smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked a pipe as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked in the past 12 months and did not smoke in the past 30 days and currently smoke not at all.

R09_PIPE_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who were recent former or long-term former pipe smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a pipe and have not smoked in the past 12 months.

R09_PERSISTENT_FORMER_PIPE = 1 (Persistent former user) Continuing adult respondents who were long-term former pipe smokers as of their last completed interview and had not smoked a pipe in the past 12 months at the last two Adult interviews and have not smoked a pipe in the past 12 months and did not recant prior use.

Hookah Use

BOX ID: R09_AHT01
Ahora, preguntaremos acerca de fumar tabaco en una hookah , que es un tipo de pipa de agua. También se conoce como "narguile". De ahora en adelante usaremos la palabra "hookah" para referirnos a la pipa de agua o narguile. Hay muchos tipos de hookahs. La gente normalmente fuma shisha o tabaco para hookahs en grupo en bares o cafés de hookahs.
Algunos tipos de shisha contienen tabaco y otros no. Para las siguientes preguntas, responda pensando en la shisha que contiene tabaco.
[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]
BOLD "hookah". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AHR35
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AHT03. Else, go to Box R09_AHR49.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AHT03. ELSE, GO TO BOX R09_AHR49.

BOX ID: R09_AHT03
Piense ahora en la shisha y tabaco para hookah, como el que se muestra a continuación...
[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

BOX ID: R09_AHR49
New cohort adult respondents, go to R09_AH1001_RS. Else, continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview, go to R09_AH1002. Else, go to R09_AH1004.
IF R09_ADULTTYPE = 3, GO TO R09_AH1001_RS. ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2, GO TO R09_AH1002. ELSE, GO TO R09_AH1004.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1001_RS

¿Alguna vez había visto u oído hablar de una hookah antes de este estudio?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

1	Sí	
2	No	GO TO BOX R09_AHV02
-8	DON'T KNOW	GO TO BOX R09_AHV02
-7	REFUSED	GO TO BOX R09_AHV02

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AH1002

¿Alguna vez ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

1	Sí	
2	No	GO TO BOX R09_AHV02
-8	DON'T KNOW	GO TO BOX R09_AHV02
-7	REFUSED	GO TO BOX R09_AHV02

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview, or new cohort adult respondents who have ever seen or heard of hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1004

En los últimos 30 días, ¿ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

1 Sí	GO TO BOX R09_AHR06
2 No	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or
Continuing and aged-up adult respondents who are previous wave non-responders and have ever
smoked hookah as of their last completed interview, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never
smoked hookah as of their last completed interview and have ever smoked hookah, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND
R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR =
1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1) OR (R09_ADULTTYPE = 3 AND
R09_AH1001_RS = 1 AND R09_AH1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA. IF WEBDEVICE = 2, DO NOT SHOW
GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1002_12M

En los últimos 12 meses, ¿ha fumado tabaco en una hookah, incluso si solo fueron una o dos probaditas?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever smoked hookah as of their last completed interview and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AH1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 1 AND R09_AH1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1004 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AHR06

Adult respondents who have smoked hookah in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months, go to R09_AH1003. Else, go to Box R09_AHR27.

IF R09_AH1004 = 1 OR R09_AH1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7), GO TO R09_AH1003. ELSE, GO TO BOX R09_AHR27.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1003

¿Actualmente fuma tabaco en una hookah...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have smoked hookah in the past 30 days or in the past 12 months, or

Continuing and aged-up adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months.

ASK Specification: IF R09_AH1004 = 1 OR R09_AH1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7).

BOX ID: R09_AHR27

Continuing and aged-up adult respondents who have smoked hookah in the past 30 days or in the past 12 months and smoke hookah some days or did not know or refused to report whether they smoke hookah every day, some days, or not at all or now smoke hookah not at all and were not recent former or long-term former hookah smokers or had not smoked hookah 100 or more times or had not ever smoked hookah fairly regularly as of their last completed interview, or new cohort adult respondents who have smoked hookah in the past 30 days or in the past 12 months and smoke hookah some days or did not know or refused to report whether they smoke hookah every day, some days, or not at all, go to R09_AH9003.

Else, go to Box R09_AHR28.

IF (R09_ADULTTYPE = 1, 2 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND (R09_AH1003 = 2, -8, -7 OR (R09_AH1003 = 3 AND (R08_HOOK_USER_STATUS != 4, 5 OR R08_NUMLIFE_HOOK != 1 OR R08_REGUSE_HOOK != 1)))) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 = 2, 3, -8, -7), GO TO R09_AH9003.

ELSE, GO TO BOX R09_AHR28.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9003

¿Cuál de las siguientes opciones describe mejor su hábito de fumar en hookah? Normalmente, fumo tabaco en una hookah...

- 1 Todos los días
- 2 Semanalmente
- 3 Mensualmente
- 4 Una vez cada dos meses
- 5 Una vez al año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have smoked hookah in the past 30 days or in the past 12 months and smoke hookah some days or did not know or refused to report whether they smoke hookah every day, some days, or not at all or now smoke hookah not at all and were not recent former or long-term former hookah smokers or had not smoked hookah 100 or more times or had not ever smoked hookah fairly regularly as of their last completed interview, or
New cohort adult respondents who have smoked hookah in the past 30 days or in the past 12 months and smoke hookah some days or did not know or refused to report whether they smoke hookah every day, some days, or not at all.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND (R09_AH1003 = 2, -8, -7 OR (R09_AH1003 = 3 AND (R08_HOOK_USER_STATUS != 4, 5 OR R08_NUMLIFE_HOOK != 1 OR R08_REGUSE_HOOK != 1)))) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 = 2, 3, -8, -7).

PROGRAM: DISPLAY RESPONSE OPTION 1 ONLY IF R09_AH1003 = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHR28

Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or continuing and aged-up adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or continuing and aged-up adult respondents who have ever smoked hookah as of their last completed interview and were not recent former or long-term former hookah smokers as of their last completed interview and have not smoked hookah in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and have not smoked hookah in the past 12 months, go to R09_AH1009.

Else, continuing and aged-up adult respondents who have not smoked hookah in the past 12 months and have ever smoked hookah as of their last completed interview and were not long-term former hookah smokers as of their last completed interview, go to R09_AH1010.

Else, go to Box R09_AHV02.

IF ((R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R08_HOOK_USER_STATUS != 4, 5 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2), GO TO R09_AH1009.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_AH1002_12M = 2 AND R08_EVER_NEVER_HOOK = 1 AND R08_HOOK_USER_STATUS != 5, GO TO R09_AH1010.

ELSE, GO TO BOX R09_AHV02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1009

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó tabaco en una hookah? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO R09_AH1010

-7 REFUSED

GO TO R09_AH1010

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who have ever smoked hookah as of their last completed interview and were not recent former or long-term former hookah smokers as of their last completed interview and have not smoked hookah in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and have not smoked hookah in the past 12 months.

ASK Specification: IF ((R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R08_HOOK_USER_STATUS != 4, 5 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1009_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que fumó tabaco en una hookah. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1009

2 NEXT

GO TO R09_AH1009_LC2

ASK: IF (((R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R08_HOOK_USER_STATUS != 4, 5 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2)) AND R09_AH1009_NN = 0.

DISPLAY: IF R09_AH1009_UN = 1, DISPLAY "días".

ELSE, IF R09_AH1009_UN = 2, DISPLAY "meses".

ELSE, IF R09_AH1009_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF R09_AH1009_NN = 0.

ELSE, GO TO R09_AH1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AH1009_LC2

Usted contestó que han pasado [R09_AH1009_NN] años desde la última vez que fumó tabaco en una hookah. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1009

2 NEXT

GO TO R09_AH1010

ASK: IF (((R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R08_HOOK_USER_STATUS != 4, 5 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2)) AND R09_AH1009_NN > R09_ACHIEVEDAGE AND R09_AH1009_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AH1009_NN > R09_ACHIEVEDAGE AND R09_AH1009_UN = 3.

ELSE, GO TO R09_AH1010 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1010

¿Ha dejado de fumar tabaco en una hookah por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he fumado una hookah, ni siquiera una o dos probaditas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who have ever smoked hookah as of their last completed interview and were not long-term former hookah smokers as of their last completed interview and have not smoked hookah in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked hookah and have not smoked hookah in the past 12 months.

ASK Specification: IF ((R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = -8, -7 AND R09_AH1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK = 1 AND R08_HOOK_USER_STATUS != 5 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_HOOK = 2 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_AH1002 = 1 AND R09_AH1002_12M = 2).

DISPLAY: IF R08_HOOK_USER_STATUS = 4, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_HOOK = 1 (Ever user) Adult respondents who have ever smoked hookah and did not recant prior use.

R09_EVER_NEVER_HOOK = 2 (Never user) Adult respondents who have never smoked hookah.

R09_INIT_HOOK_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah.

R09_HOOK_USER_STATUS = 1 (Current user) Adult respondents who currently smoke every day, some days, weekly, monthly, or in the past 30 days.

R09_HOOK_USER_STATUS = 4 (Recent former user) Continuing adult respondents who were current hookah smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked hookah as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked in the past 12 months and did not smoke in the past 30 days and currently smoke not at all.

R09_HOOK_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who were recent former or long-term former hookah smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked hookah and have not smoked in the past 12 months.

R09_THIRTY_DAY_USER_HOOK = 1 (Past 30 day user) Adult respondents who have smoked hookah in the past 30 days.

R09_PERSISTENT_FORMER_HOOK = 1 (Persistent former user) Continuing adult respondents who were long-term former hookah smokers as of their last completed interview and had not smoked hookah in the past 12 months at the last two Adult interviews and have not smoked hookah in the past 12 months and did not recant prior use.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHR03

Continuing and aged-up young adult respondents who have never smoked hookah, or new cohort young adult respondents who have ever seen or heard of hookah and have never smoked hookah, go to R09_AH1103.

Else, continuing and aged-up adult respondents who have never smoked hookah, or new cohort adult respondents who have ever seen or heard of hookah and have never smoked hookah, or young adult respondents who have ever smoked tobacco in a hookah and have not smoked hookah in the past 12 months or did not know or refused to report whether they have smoked hookah in the past 12 months, go to R09_AH1206.

Else, go to R09_AH9040.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_HOOK = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AH1001_RS = 1 AND R09_EVER_NEVER_HOOK = 2), GO TO R09_AH1103.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 2) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_EVER_NEVER_HOOK = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = 2,-8, -7), GO TO R09_AH1206.
ELSE, GO TO R09_AH9040.

PATH ID: R09_AH1103

Alguna vez, ¿ha sentido curiosidad por fumar tabaco en una hookah?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who have never smoked hookah, or new cohort young adult respondents who have ever seen or heard of hookah and have never smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_HOOK = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AH1001_RS = 1 AND R09_EVER_NEVER_HOOK = 2).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1206

¿Cree que fumará tabaco en una hookah el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up respondents who have never smoked hookah, or new cohort adult respondents who have ever seen or heard of hookah and have never smoked hookah, or young adult respondents who have ever smoked tobacco in a hookah and have not smoked hookah in the past 12 months or did not know or refused to report whether they have smoked hookah in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 2) OR (R09_ADULTTYPE = 3 AND R09_AH1001_RS = 1 AND R09_EVER_NEVER_HOOK = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1002_12M = 2, -8, -7).

BOX ID: R09_AHR48

Continuing and aged-up young adult respondents who have never smoked hookah, or new cohort young adult respondents who have ever seen or heard of hookah and have never smoked hookah, go to R09_AH1205.

Else, go to R09_AH9040.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_HOOK = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AH1001_RS = 1 AND R09_EVER_NEVER_HOOK = 2), GO TO R09_AH1205.
ELSE, GO TO R09_AH9040.

PATH ID: R09_AH1205

¿Si uno de sus mejores amigos le ofreciera fumar en hookah, la probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who have never smoked hookah, or new cohort young adult respondents who have ever seen or heard of hookah and have never smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_HOOK = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AH1001_RS = 1 AND R09_EVER_NEVER_HOOK = 2).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9040

¿Alguna vez ha fumado shisha aromática o sin tabaco en una hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Nicotine Pouch Use

BOX ID: R09_AYT01
Las siguientes secciones son acerca de las bolsitas de nicotina, snus y el tabaco que no se fuma . Estos productos se ponen en la boca. Pueden venir sueltos para masticar, chupar o escupir, o empacados en bolsitas que se ponen bajo el labio. Algunos de estos productos contienen tabaco y nicotina, mientras que otros contienen únicamente nicotina.
Ya que existen muchas clases de estos productos y se les conocen por muchos distintos nombres, use las siguientes descripciones y fotos para identificarlos y contestar las preguntas. [SHOW GENERIC IMAGE OF SNUS, SMOKELESS TOBACCO, AND NICOTINE POUCHES]
BOLD "las bolsitas de nicotina, snus y el tabaco que no se fuma".

BOX ID: R09_AAT01
Para las siguientes preguntas, por favor, piense ÚNICAMENTE en las bolsitas de nicotina.
Las bolsitas de nicotina son bolsitas blancas con nicotina que los consumidores se ponen en la boca. Las bolsitas de nicotina son diferentes del snus y del tabaco que no se fuma porque no contienen hojas molidas de tabaco . No es necesario escupir cuando se consumen bolsitas de nicotina. Algunas marcas conocidas son Zyn, on! y Rogue.
Al contestar las siguientes preguntas, NO incluya otros tipos de bolsitas, como bolsitas de snus o bolsitas de tabaco que no se fuma.
[SHOW GENERIC IMAGE OF NICOTINE POUCHES]
BOLD "bolsitas de nicotina" AT THE START OF THE SECOND PARAGRAPH AND "no contienen hojas molidas de tabaco". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AAR21
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AAT04. Else, go to R09_AAR26.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AAT04. ELSE, GO TO R09_AAR26.

BOX ID: R09_AAT04
Piense ahora en las bolsitas de nicotina, como las que se muestran a continuación...
[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAR26

New cohort adult respondents, go to R09_AA1001NP_RS.
Else, continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview, go to R09_AA1002NP.
Else, go to R09_AA1004NP.

IF R09_ADULTTYPE = 3, GO TO R09_AA1001NP_RS.
IF R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2, GO TO R09_AA1002NP.
ELSE, GO TO R09_AA1004NP.

PATH ID: R09_AA1001NP_RS

¿Alguna vez había visto u oído hablar de las bolsitas de nicotina antes de este estudio?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

1	Sí	
2	No	GO TO BOX R09_AAV01
-8	DON'T KNOW	GO TO BOX R09_AAV01
-7	REFUSED	GO TO BOX R09_AAV01

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

IMAGE: SHOW GENERIC IMAGE OF NICOTINE POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AA1002NP

¿Alguna vez ha consumido bolsitas de nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

1	Sí	
2	No	GO TO BOX R09_AAV01
-8	DON'T KNOW	GO TO BOX R09_AAV01
-7	REFUSED	GO TO BOX R09_AAV01

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview, or new cohort adult respondents who have ever seen or heard of nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF NICOTINE POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1004NP

En los últimos 30 días, ¿ha consumido bolsitas de nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

1 Sí	GO TO BOX R09_AAR25
2 No	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or
Continuing and aged-up adult respondents who are previous wave non-responders and have ever used
nicotine pouches as of their last completed interview, or
Continuing and aged-up adult respondents who are previous wave non-responders and have never
used nicotine pouches as of their last completed interview and have ever used nicotine pouches, or
New cohort adult respondents who have ever seen or heard of nicotine pouches and have ever used
nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND
R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 1) OR (R09_ADULTTYPE = 1, 2 AND
R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1) OR
(R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1).

IMAGE: SHOW GENERIC IMAGE OF NICOTINE POUCHES. IF WEBDEVICE = 2, DO NOT SHOW
GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1002NP_12M

En los últimos 12 meses, ¿ha consumido bolsitas de nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not used nicotine pouches in the past 30 days or did not know or refused to report whether they used nicotine pouches in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have ever used nicotine pouches as of their last completed interview and have not used nicotine pouches in the past 30 days or did not know or refused to report whether they used nicotine pouches in the past 30 days, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview and have ever used nicotine pouches and have not used nicotine pouches in the past 30 days or did not know or refused to report whether they used nicotine pouches in the past 30 days, or

New cohort adult respondents who have ever seen or heard of nicotine pouches and have ever used nicotine pouches and have not used nicotine pouches in the past 30 days or did not know or refused to report whether they have used nicotine pouches in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AA1004NP = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 1 AND R09_AA1004NP = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1004NP = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1004NP = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF NICOTINE POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAR25

Adult respondents who have used nicotine pouches in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview and did not know or refused to report whether they have used nicotine pouches in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview and have ever used nicotine pouches and did not know or refused to report whether they have used nicotine pouches in the past 12 months, or new cohort adult respondents who have ever seen or heard of nicotine pouches and have ever used nicotine pouches and did not know or refused to report whether they used nicotine pouches in the past 12 months, go to R09_AA1003NP.

Else, continuing and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview and were not recent former or long-term former nicotine pouch users as of their last completed interview and have not used nicotine pouches in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview and have ever used nicotine pouches and have not used nicotine pouches in the past 12 months, or new cohort adult respondents have ever seen or heard of nicotine pouches and have ever used nicotine pouches and did not use nicotine pouches in the past 12 months, go to R09_AA1009NP.

Else, continuing and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview and were not long-term former nicotine pouch users as of their last completed interview and have not used nicotine pouches in the past 12 months, go to R09_AA1010NP.

Else, go to Box R09_AAV01.

IF R09_AA1004NP = 1 OR R09_AA1002NP_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7), GO TO R09_AA1003NP.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R08_NICPOUCH_USER_STATUS != 4, 5 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2), GO TO R09_AA1009NP.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R08_NICPOUCH_USER_STATUS != 5 AND R09_AA1002NP_12M = 2, GO TO R09_AA1010NP.
ELSE, GO TO BOX R09_AAV01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1003NP

¿Actualmente consume bolsitas de nicotina...?

1	Todos los días	GO TO BOX R09_AAV01
2	Algunos días	GO TO BOX R09_AAV01
3	Nunca	
-8	DON'T KNOW	GO TO BOX R09_AAV01
-7	REFUSED	GO TO BOX R09_AAV01

ASK: Adult respondents who have used nicotine pouches in the past 30 days or in the past 12 months, or

Continuing and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview and did not know or refused to report whether they have used nicotine pouches in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview and have ever used nicotine pouches and did not know or refused to report whether they have used nicotine pouches in the past 12 months, or
New cohort adult respondents who have ever seen or heard of nicotine pouches and have ever used nicotine pouches and did not know or refused to report whether they used nicotine pouches in the past 12 months.

ASK Specification: IF R09_AA1004NP = 1 OR R09_AA1002NP_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1009NP

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió una bolsita de nicotina? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO R09_AA1010NP

-7 REFUSED

GO TO R09_AA1010NP

ASK: Adult respondents who have used nicotine pouches in the past 30 days or in the past 12 months and now use nicotine pouches not at all, or

Continuing and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview and did not know or refused to report whether they have used nicotine pouches in the past 12 months and now use nicotine pouches not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview and have ever used nicotine pouches and did not know or refused to report whether they have used nicotine pouches in the past 12 months and now use nicotine pouches not at all, or

Continuing and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview and were not recent former or long-term former nicotine pouch users as of their last completed interview and have not used nicotine pouches in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview and have ever used nicotine pouches and have not used nicotine pouches in the past 12 months, or

New cohort adult respondents have ever seen or heard of nicotine pouches and have ever used nicotine pouches and did not use nicotine pouches in the past 12 months.

ASK Specification: IF ((R09_AA1004NP = 1 OR R09_AA1002NP_12M = 1) AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R08_NICPOUCH_USER_STATUS != 4, 5 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1009NP_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que consumió una bolsita de nicotina. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1009NP

2 NEXT

GO TO R09_AA1009NP_LC2

ASK: IF (((R09_AA1004NP = 1 OR R09_AA1002NP_12M = 1) AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R08_NICPOUCH_USER_STATUS != 4, 5 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2)) AND R09_AA1009NP_NN = 0.

DISPLAY: IF R09_AA1009NP_UN = 1, DISPLAY "días".

ELSE, IF R09_AA1009NP_UN = 2, DISPLAY "meses".

ELSE, IF R09_AA1009NP_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF R09_AA1009NP_NN = 0.

ELSE, GO TO R09_AA1009NP_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA1009NP_LC2

Usted contestó que han pasado [R09_AA1009NP_NN] años desde la última vez que consumió una bolsita de nicotina. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1009NP

2 NEXT

GO TO R09_AA1010NP

ASK: IF (((R09_AA1004NP = 1 OR R09_AA1002NP_12M = 1) AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R08_NICPOUCH_USER_STATUS != 4, 5 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2)) AND R09_AA1009NP_NN > R09_ACHIEVEDAGE AND R09_AA1009NP_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AA1009NP_NN > R09_ACHIEVEDAGE AND R09_AA1009NP_UN = 3.

ELSE, GO TO R09_AA1010NP AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1010NP

¿Ha dejado de consumir bolsitas de nicotina por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he consumido bolsitas de nicotina, ni siquiera una o dos veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used nicotine pouches in the past 30 days or in the past 12 months and now use nicotine pouches not at all, or

Continuing and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview and did not know or refused to report whether they have used nicotine pouches in the past 12 months and now use nicotine pouches not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview and have ever used nicotine pouches and did not know or refused to report whether they have used nicotine pouches in the past 12 months and now use nicotine pouches not at all, or

New cohort adult respondents have ever seen or heard of nicotine pouches and have ever used nicotine pouches and did not know or refused to report whether they have used nicotine pouches in the past 12 months and now use nicotine pouches not at all, or

Continuing and aged-up adult and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview and were not long-term former nicotine pouch users as of their last completed interview and have not used nicotine pouches in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used nicotine pouches as of their last completed interview and have ever used nicotine pouches and have not used nicotine pouches in the past 12 months, or

New cohort adult respondents have ever seen or heard of nicotine pouches and have ever used nicotine pouches and did not use nicotine pouches in the past 12 months.

ASK Specification: IF ((R09_AA1004NP = 1 OR R09_AA1002NP_12M = 1) AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = -8, -7 AND R09_AA1003NP = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH = 1 AND R08_NICPOUCH_USER_STATUS != 5 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_NICPOUCH = 2 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_AA1002NP = 1 AND R09_AA1002NP_12M = 2).

DISPLAY: IF R08_NICPOUCH_USER_STATUS = 4, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_NICPOUCH = 1 (Ever user) Adult respondents who have ever used nicotine pouches.

R09_EVER_NEVER_NICPOUCH = 2 (Never user) Adult respondents who have never used nicotine pouches.

R09_INIT_NICPOUCH_ADULT = 1 (Initiator) Continuing and aged up adult respondents who initiated nicotine pouch use since their last completed interview, or new cohort adult respondents who have ever used nicotine pouches.

R09_NICPOUCH_USER_STATUS = 1 (Current user) Adult respondents who currently use every day or some days or used nicotine pouches in the past 30 days.

R09_NICPOUCH_USER_STATUS = 4 (Recent former user) Continuing adult respondents who were current nicotine pouch users as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview, and have not used in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have used nicotine pouches in the past 12 months and did not use in the past 30 days and currently use not at all.

R09_NICPOUCH_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who were recent former or long-term former nicotine pouch users as of their last completed interview and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have ever used nicotine pouches and have not used in the past 12 months.

BOX ID: R09_AAR01

Continuing and aged-up adult respondents who have never used nicotine pouches, or new cohort adult respondents who have ever seen or heard of nicotine pouches and have never used nicotine pouches, go to R09_AA1103NP.

Else, adult respondents who have ever used nicotine pouches and have not used nicotine pouches in the past 12 months or did not know or refused to report whether they have used nicotine pouches in the past 12 months, go to R09_AA1206NP.

Else, go to Box R09_AUT03.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_EVER_NEVER_NICPOUCH = 2), GO TO R09_AA1103NP. ELSE, IF R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP_12M = 2, -8, -7, GO TO R09_AA1206NP.

ELSE, GO TO BOX R09_AUT03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1103NP

Alguna vez, ¿ha sentido curiosidad por consumir una bolsita de nicotina?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have never used nicotine pouches, or new cohort adult respondents who have ever seen or heard of nicotine pouches and have never used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_EVER_NEVER_NICPOUCH = 2).

PATH ID: R09_AA1206NP

¿Cree que consumirá una bolsita de nicotina el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have never used nicotine pouches, or new cohort adult respondents who have ever seen or heard of nicotine pouches and have never used nicotine pouches, or adult respondents who have ever used nicotine pouches and have not used nicotine pouches in the past 12 months or did not know or refused to report whether they have used nicotine pouches in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_EVER_NEVER_NICPOUCH = 2) OR (R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP_12M = 2, -8, -7).

BOX ID: R09_AAR27

Continuing and aged-up adult respondents who have never used nicotine pouches, or new cohort adult respondents who have ever seen or heard of nicotine pouches and have never used nicotine pouches, go to R09_AA1105NP.

Else, go to Box R09_AUT03.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_EVER_NEVER_NICPOUCH = 2), GO TO R09_AA1105NP. ELSE, GO TO BOX R09_AUT03.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AA1105NP

¿Si uno de sus mejores amigos le ofreciera una bolsita de nicotina, la probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have never used nicotine pouches, or new cohort adult respondents who have ever seen or heard of nicotine pouches and have never used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 2) OR (R09_ADULTTYPE = 3 AND R09_AA1001NP_RS = 1 AND R09_EVER_NEVER_NICPOUCH = 2).

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

Snus Use

BOX ID: R09_AUT03
Para las siguientes preguntas, por favor, piense ÚNICAMENTE en el snus.
El snus es una clase de tabaco que no se fuma y que contiene hojas molidas de tabaco . A diferencia de la mayoría de clases de tabaco que no se fuma, no es necesario escupir el snus. Por lo general, el snus viene en bolsitas, pero también hay snus que se vende suelto. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus.
Al contestar las siguientes preguntas, NO incluya bolsitas de nicotina (como Zyn, on! y Rogue) ni otros productos de tabaco que no se fuma (como tabaco de inhalar o rapé, dip, spit o tabaco de mascar).
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]
BOLD "snus" AT THE START OF THE SECOND PARAGRAPH. BOLD "contiene hojas molidas de tabaco". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AUR31
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AUT05. Else, go to Box R09_AUR49.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AUT05. ELSE, GO TO BOX R09_AUR49.

BOX ID: R09_AUT05
Piense ahora en el snus, como el que se muestra a continuación...
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

BOX ID: R09_AUR49
New cohort adult respondents, go to R09_AU1001_RS. Else, continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview, go to R09_AU1002. Else, go to R09_AU1004.
IF R09_ADULTTYPE = 3, GO TO R09_AU1001_RS. ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2, GO TO R09_AU1002. ELSE, GO TO R09_AU1004.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1001_RS

¿Alguna vez había visto u oído hablar del snus antes de este estudio?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

1	Sí	
2	No	GO TO BOX R09_AUV03
-8	DON'T KNOW	GO TO BOX R09_AUV03
-7	REFUSED	GO TO BOX R09_AUV03

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AU1002

¿Alguna vez ha consumido snus, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

1	Sí	
2	No	GO TO BOX R09_AUV03
-8	DON'T KNOW	GO TO BOX R09_AUV03
-7	REFUSED	GO TO BOX R09_AUV03

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview, or new cohort adult respondents who have ever seen or heard of snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1004

En los últimos 30 días, ¿ha consumido snus, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

1 Sí	GO TO BOX R09_AUR22
2 No	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or continuing and aged-up adult respondents who are previous wave non-responders and have ever used snus as of their last completed interview, or continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1002_12M

En los últimos 12 meses, ¿ha consumido snus, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days, or

continuing and aged-up adult respondents who are previous wave non-responders and have ever used snus as of their last completed interview and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days, or

continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AU1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 1 AND R09_AU1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1004 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUR22

Adult respondents who have used snus in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months, go to R09_AU1003.

Else, continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not recent former or long-term former snus users as of their last completed interview and have not used snus in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus in the past 12 months, go to R09_AU1009.

Else, continuing and aged-up adult respondents who have not used snus in the past 12 months and have ever used snus as of their last completed interview and were not long-term former snus users as of their last completed interview, go to R09_AU1010.

Else, go to Box R09_AUV03.

IF R09_AU1004 = 1 OR R09_AU1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R09_AU1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7), GO TO R09_AU1003.
ELSE, IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R08_SNUS_USER_STATUS != 4, 5 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2), GO TO R09_AU1009.
ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_AU1002_12M = 2 AND R08_EVER_NEVER_SNUS = 1 AND R08_SNUS_USER_STATUS != 5, GO TO R09_AU1010.
ELSE, GO TO BOX R09_AUV03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1003

¿Actualmente consume snus ...?

1	Todos los días	GO TO BOX R09_AUV03
2	Algunos días	GO TO BOX R09_AUV03
3	Nunca	
-8	DON'T KNOW	GO TO BOX R09_AUV03
-7	REFUSED	GO TO BOX R09_AUV03

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF R09_AU1004 = 1 OR R09_AU1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R09_AU1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1009

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió snus? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO R09_AU1010

-7 REFUSED

GO TO R09_AU1010

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or

Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 30 days and now use snus not at all, or

Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not recent former or long-term former snus users as of their last completed interview and have not used snus in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus in the past 12 months.

New cohort adult respondents who have ever seen or heard of snus and have ever used snus and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days and have not used snus in the past 12 months.

ASK Specification: IF ((R09_AU1004 = 1 OR R09_AU1002_12M = 1) AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R08_SNUS_USER_STATUS != 4, 5 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1009_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que consumió snus. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1009

2 NEXT

GO TO R09_AU1009_LC2

ASK: IF (((R09_AU1004 = 1 OR R09_AU1002_12M = 1) AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R08_SNUS_USER_STATUS != 4, 5 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2)) AND R09_AU1009_NN = 0.

DISPLAY: IF R09_AU1009_UN = 1, DISPLAY "días".

ELSE, IF R09_AU1009_UN = 2, DISPLAY "meses".

ELSE, IF R09_AU1009_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF R09_AU1009_NN = 0.

ELSE, GO TO R09_AU1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU1009_LC2

Usted contestó que han pasado [R09_AU1009_NN] años desde la última vez que consumió snus. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1009

2 NEXT

GO TO R09_AU1010

ASK: IF (((R09_AU1004 = 1 OR R09_AU1002_12M = 1) AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R08_SNUS_USER_STATUS != 4, 5 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2)) AND R09_AU1009_NN > R09_ACHIEVEDAGE AND R09_AU1009_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AU1009_NN > R09_ACHIEVEDAGE AND R09_AU1009_UN = 3.

ELSE, GO TO R09_AU1010 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1010

¿Ha dejado de consumir snus por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he consumido snus, ni siquiera una o dos veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not long-term former snus users as of their last completed interview and have not used snus in the past 12 months, or

continuing and aged-up adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus in the past 12 months.

ASK Specification: IF ((R09_AU1004 = 1 OR R09_AU1002_12M = 1) AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = -8, -7 AND R09_AU1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS = 1 AND R08_SNUS_USER_STATUS != 5 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SNUS = 2 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AU1002 = 1 AND R09_AU1002_12M = 2).

DISPLAY: IF R08_SNUS_USER_STATUS = 4, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUV03

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_SNUS = 1 (Ever user) Adult respondents who have ever used snus and did not recant prior use.

R09_EVER_NEVER_SNUS = 2 (Never user) Adult respondents who have never used snus.

R09_INIT_SNUS_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus.

R09_SNUS_USER_STATUS = 1 (Current user) Adult respondents who currently use every day or some days or used snus in the past 30 days at all.

R09_SNUS_USER_STATUS = 4 (Recent former user) Continuing adult respondents who were current snus users as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and aged-up adult respondents who have ever used snus as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and continuing and aged-up adult respondents who initiated snus use since their last completed interview, and have not used in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have used snus in the past 12 months and did not use in the past 30 days and currently use not at all.

R09_SNUS_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who were recent former or long-term former snus users as of their last completed interview and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have ever used snus and have not used in the past 12 months.

R09_PERSISTENT_FORMER_SNUS = 1 (Persistent former user) Continuing adult respondents who were long-term former snus users as of their last completed interview and had not used snus in the past 12 months at the last two Adult interviews and have not used snus in the past 12 months and did not recant prior use.

BOX ID: R09_AUR06

Continuing and aged-up young adult respondents who have never used snus, or new cohort young adult respondents who have ever seen or heard of snus and have never used snus, go to R09_AU1103.

Else, continuing and aged-up adult respondents who have never used snus, or new cohort adult respondents who have ever seen or heard of snus and have never used snus, or young adult respondents who have ever used snus and have not used snus in the past 12 months or did not know or refused to report whether they have used snus in the past 12 months, go to R09_AU1206.
Else, go to Box R09_AST03.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SNUS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AU1001_RS = 1 AND R09_EVER_NEVER_SNUS = 2), GO TO R09_AU1103.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 2) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_EVER_NEVER_SNUS = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1002_12M = 2, -8, -7), GO TO R09_AU1206.
ELSE, GO TO BOX R09_AST03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1103

Alguna vez, ¿ha sentido curiosidad por consumir snus?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who have never used snus, or new cohort young adult respondents who have ever seen or heard of snus and have never used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SNUS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AU1001_RS = 1 AND R09_EVER_NEVER_SNUS = 2)

PATH ID: R09_AU1206

¿Cree que consumirá snus el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up respondents who have never used snus, or new cohort adult respondents who have ever seen or heard of snus and have never used snus, or young adult respondents who have ever used snus and have not used snus in the past 12 months or did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 2) OR (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_EVER_NEVER_SNUS = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1002_12M = 2, -8, -7).

BOX ID: R09_AUR48

Continuing and aged-up young adult respondents who have never used snus, or new cohort young adult respondents who have ever seen or heard of snus and have never used snus, go to R09_AU1205.
Else, go to Box R09_AST03.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SNUS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AU1001_RS = 1 AND R09_EVER_NEVER_SNUS = 2), GO TO R09_AU1205.
ELSE, GO TO BOX R09_AST03.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AU1205

¿Si uno de sus mejores amigos le ofreciera snus, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who have never used snus, or new cohort young adult respondents who have ever seen or heard of snus and have never used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SNUS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AU1001_RS = 1 AND R09_EVER_NEVER_SNUS = 2).

Smokeless Tobacco Use

BOX ID: R09_AST03
Para las siguientes preguntas, por favor, piense ÚNICAMENTE en el tabaco que no se fuma. El tabaco que no se fuma es una clase de tabaco que se pone en la boca y se mastica, se chupa o se escupe. Algunas personas llaman al tabaco que no se fuma "tabaco que se mastica." Puede venir suelto o en bolsitas que se ponen en la boca. Hay muchas clases de tabaco que no se fuma, como por ejemplo, el dip, spit, el rapé o tabaco de inhalar, bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly y America's Best Chew (conocido anteriormente como Red Man). Al contestar las siguientes preguntas, NO incluya las bolsitas de nicotina (como Zyn, on! y Rogue) ni el snus. [SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS] BOLD "tabaco que no se fuma" AT THE START OF THE SECOND PARAGRAPH. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.
BOX ID: R09_ASR31
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AST05. Else, go to Box R09_ASR49. IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AST05. ELSE, GO TO BOX R09_ASR49.
BOX ID: R09_AST05
Piense ahora en el tabaco que no se fuma, como el que se muestra a continuación... [SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]
BOX ID: R09_ASR49
New cohort adult respondents, go to R09_AS1001_RS. Else, continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview, go to R09_AS1002. Else, go to R09_AS1004. IF R09_ADULTTYPE = 3, GO TO R09_AS1001_RS. ELSE IF R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2, GO TO R09_AS1002. ELSE, GO TO R09_AS1004.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1001_RS

¿Alguna vez había visto u oído hablar del tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar antes de este estudio?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

1	Sí	
2	No	GO TO BOX R09_ASV03
-8	DON'T KNOW	GO TO BOX R09_ASV03
-7	REFUSED	GO TO BOX R09_ASV03

ASK: New cohort adult respondents.

ASK Specification: IF R09_ADULTTYPE = 3.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO, EXCLUDING SNUS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AS1002

Alguna vez, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

1	Sí	
2	No	GO TO BOX R09_ASV03
-8	DON'T KNOW	GO TO BOX R09_ASV03
-7	REFUSED	GO TO BOX R09_ASV03

ASK: Continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview, or new cohort adult respondents who have ever seen or heard of smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO, EXCLUDING SNUS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1004

En los últimos 30 días, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

1 Sí	GO TO BOX R09_ASR29
2 No	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders, or continuing and aged-up adult respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview, or continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO, EXCLUDING SNUS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1002_12M

En los últimos 12 meses, ¿ha consumido tabaco que no se fuma, como el dip, el rapé o tabaco de inhalar, bolsitas o el tabaco de mascar, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who are not previous wave non-responders and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or
continuing and aged-up adult respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or
continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_WNR = 2 AND R09_AS1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 1 AND R09_AS1004 = 2, -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1004 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO, EXCLUDING SNUS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR29

Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months, or continuing and aged-up respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, go to R09_AS1003.

Else, continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not recent former or long-term former smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used snus and did not use smokeless tobacco in the past 12 months, go to R09_AS1009.

Else, continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not long-term former smokeless tobacco users as of their last completed interview, go to R09_AS1010.

Else, go to Box R09_ASV03.

IF R09_AS1004 = 1 OR R09_AS1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R09_AS1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7), GO TO R09_AS1003.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R08_SMKLS_USER_STATUS != 4, 5 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2), GO TO R09_AS1009.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_AS1002_12M = 2 AND R08_EVER_NEVER_SMKLS = 1 AND R08_SMKLS_USER_STATUS != 5, GO TO R09_AS1010.

ELSE, GO TO BOX R09_ASV03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1003

¿Actualmente consume tabaco que no se fuma...?

1	Todos los días	GO TO BOX R09_ASV03
2	Algunos días	GO TO BOX R09_ASV03
3	Nunca	
-8	DON'T KNOW	GO TO BOX R09_ASV03
-7	REFUSED	GO TO BOX R09_ASV03

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF R09_AS1004 = 1 OR R09_AS1002_12M = 1 OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R09_AS1002_12M = -8, -7) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1009

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió tabaco que no se fuma? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Días	
2	_ _	Meses	
3	_ _	Años	
-8	DON'T KNOW		GO TO R09_AS1010
-7	REFUSED		GO TO R09_AS1010

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or

Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or

New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 30 days and now use smokeless tobacco not at all, or

Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not recent former or long-term former smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in the past 12 months, or

Continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months, or

New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days and have not used smokeless tobacco in the past 12 months.

ASK Specification: IF ((R09_AS1004 = 1 OR R09_AS1002_12M = 1) AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R08_SMKLS_USER_STATUS != 4, 5 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1009_LC1

Usted contestó que han pasado "cero" [días/meses/años] desde la última vez que consumió tabaco que no se fuma. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AS1009
2 NEXT	GO TO R09_AS1009_LC2

ASK: IF (((R09_AS1004 = 1 OR R09_AS1002_12M = 1) AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R08_SMKLS_USER_STATUS != 4, 5 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2)) AND R09_AS1009_NN = 0.

DISPLAY: IF R09_AS1009_UN = 1, DISPLAY "días".
ELSE, IF R09_AS1009_UN = 2, DISPLAY "meses".
ELSE, IF R09_AS1009_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF R09_AS1009_NN = 0.
ELSE, GO TO R09_AS1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS1009_LC2

Usted contestó que han pasado [R09_AS1009_NN] años desde la última vez que consumió tabaco que no se fuma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AS1009
2 NEXT	GO TO R09_AS1010

ASK: IF (((R09_AS1004 = 1 OR R09_AS1002_12M = 1) AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R08_SMKLS_USER_STATUS != 4, 5 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2)) AND R09_AS1009_NN > R09_ACHIEVEDAGE AND R09_AS1009_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AS1009_NN > R09_ACHIEVEDAGE AND R09_AS1009_UN = 3.
ELSE, GO TO R09_AS1010 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1010

¿Ha dejado de consumir tabaco que no se fuma por completo?

- 1 Sí
- 2 No
- 3 En toda mi vida nunca he consumido tabaco que no se fuma, ni siquiera una o dos veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not long-term former smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in the past 12 months, or continuing and aged-up adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months.

ASK Specification: IF ((R09_AS1004 = 1 OR R09_AS1002_12M = 1) AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = -8, -7 AND R09_AS1003 = 3) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS = 1 AND R08_SMKLS_USER_STATUS != 5 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 1, 2 AND R09_WNR = 1 AND R08_EVER_NEVER_SMKLS = 2 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AS1002 = 1 AND R09_AS1002_12M = 2).

DISPLAY: IF R08_SMKLS_USER_STATUS = 4, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASV03

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_EVER_NEVER_SMKLS = 1 (Ever user) Adult respondents who have ever used smokeless tobacco and did not recant prior use.

R09_EVER_NEVER_SMKLS = 2 (Never user) Adult respondents who have never used smokeless tobacco.

R09_INIT_SMKLS_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.

R09_SMKLS_USER_STATUS = 1 (Current user) Adult respondents who currently use every day or some days or used smokeless tobacco in the past 30 days at all.

R09_SMKLS_USER_STATUS = 4 (Recent former user) Continuing adult respondents who were current smokeless tobacco users as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, and have not used in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have used smokeless tobacco in the past 12 months and did not use in the past 30 days and currently use not at all.

R09_SMKLS_USER_STATUS = 5 (Long-term former user) Continuing adult respondents who were recent former or long-term former smokeless tobacco users as of their last completed interview and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have ever used smokeless tobacco and have not used in the past 12 months.

R09_PERSISTENT_FORMER_SMKLS = 1 (Persistent former user) Continuing adult respondents who were long-term former smokeless tobacco users as of their last completed interview and had not used smokeless tobacco in the past 12 months at the last two Adult interviews and have not used smokeless tobacco in the past 12 months and did not recant prior use.

BOX ID: R09_ASR06

Continuing and aged-up young adult respondents who have never used smokeless tobacco, or new cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, go to R09_AS1103.

Else, continuing and aged-up adult respondents who have never used smokeless tobacco, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or young adult respondents who have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months or did not know or refused to report whether they have used smokeless tobacco in the past 12 months, go to R09_AS1206.

Else, go to Box R09_AYT02.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SMKLS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AS1001_RS = 1 AND R09_EVER_NEVER_SMKLS = 2), GO TO R09_AS1103.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 2) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_EVER_NEVER_SMKLS = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1002_12M = 2, -8, -7), GO TO R09_AS1206. ELSE, GO TO BOX R09_AYT02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1103

Alguna vez, ¿ha sentido curiosidad por consumir tabaco que no se fuma?

- 1 Mucha
- 2 Algo
- 3 Muy poca
- 4 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who have never used smokeless tobacco, or new cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SMKLS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AS1001_RS = 1 AND R09_EVER_NEVER_SMKLS = 2).

PATH ID: R09_AS1206

¿Cree que consumirá tabaco que no se fuma el próximo año?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have never used smokeless tobacco, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or young adult respondents who have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months or did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 2) OR (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_EVER_NEVER_SMKLS = 2) OR (18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1002_12M = 2, -8, -7).

BOX ID: R09_ASR48

Continuing and aged-up young adult respondents who have never used smokeless tobacco, or new cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, go to R09_AS1205.

Else, go to Box R09_AYT02.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SMKLS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AS1001_RS = 1 AND R09_EVER_NEVER_SMKLS = 2), GO TO R09_AS1205.
ELSE, GO TO BOX R09_AYT02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1205

¿Si uno de sus mejores amigos le ofreciera tabaco que no se fuma, lo probaría?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who have never used smokeless tobacco, or new cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_SMKLS = 2) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_AS1001_RS = 1 AND R09_EVER_NEVER_SMKLS = 2).

Other Tobacco and Nicotine Use

BOX ID: R09_AYT02

Las siguientes secciones son acerca de **productos orales con nicotina** (aparte de las bolsitas de nicotina) **y productos de tratamiento de reemplazo de nicotina**. Estos productos **no contienen tabaco**. Contienen únicamente nicotina.

Los productos orales con nicotina normalmente se venden para uso recreativo o para cuando no se permite fumar. Los productos de reemplazo de nicotina son medicamentos aprobados por la FDA para ayudarle a la gente a dejar de fumar y un médico los puede recetar.

Ya que existen muchas clases de productos con nicotina y muchas formas distintas, use las siguientes descripciones y fotos para identificarlos y contestar las preguntas.

[SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS AND NICOTINE REPLACEMENT THERAPY PRODUCTS]

BOLD "productos orales con nicotina" AND "y productos de tratamiento de reemplazo de nicotina" AND "no contienen tabaco".

BOX ID: R09_AAT03

Para las siguientes preguntas, por favor, piense ÚNICAMENTE en los productos orales con nicotina, aparte de las bolsitas de nicotina.

Los **productos orales con nicotina** se ponen en la boca y no contienen tabaco. Contienen únicamente nicotina. Los productos orales con nicotina incluyen pastillas de chupar, tabletas, chicle, palillos y productos relacionados. Algunas marcas conocidas son Velo, Verve, Rogue, Lucy y Pixotine.

Al contestar las siguientes preguntas, NO incluya productos de tratamiento de reemplazo de nicotina (como Nicorette o NicoDerm).

[SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS]

BOLD "productos orales con nicotina" AT THE START OF THE SECOND PARAGRAPH.
IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AAR22

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AAT05.
Else, go to R09_AA1001OT.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AAT05.
ELSE, GO TO R09_AA1001OT.

BOX ID: R09_AAT05

Piense ahora en los productos orales con nicotina, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1001OT

¿Alguna vez había visto u oído hablar de productos orales con nicotina antes de este estudio?

[SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS]

1	Sí	
2	No	GO TO BOX R09_ANT04
-8	DON'T KNOW	GO TO BOX R09_ANT04
-7	REFUSED	GO TO BOX R09_ANT04

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AA1002OT

¿Alguna vez ha consumido un producto oral con nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS]

1	Sí	
2	No	GO TO BOX R09_ANT04
-8	DON'T KNOW	GO TO BOX R09_ANT04
-7	REFUSED	GO TO BOX R09_ANT04

ASK: Adult respondents who have ever seen or heard of oral nicotine products.

ASK Specification: IF R09_AA1001OT = 1.

IMAGE: SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AA1004OT

En los últimos 30 días, ¿ha consumido un producto oral con nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS]

1	Sí	GO TO R09_AA9449OT
2	No	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products.

ASK Specification: IF R09_AA1001OT = 1 AND R09_AA1002OT = 1.

IMAGE: SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1002OT_12M

En los últimos 12 meses, ¿ha consumido un producto oral con nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS]

1	Sí	GO TO BOX R09_ANT04
2	No	GO TO BOX R09_ANT04
-8	DON'T KNOW	GO TO BOX R09_ANT04
-7	REFUSED	GO TO BOX R09_ANT04

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have not used oral nicotine products in the past 30 days or did not know or refused to report whether they used oral nicotine products in the past 30 days.

ASK Specification: IF R09_AA1001OT = 1 AND R09_AA1002OT = 1 AND R09_AA1004OT = 2, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF ORAL NICOTINE PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AA9449OT

En los últimos 30 días, ¿qué tipos de productos orales con nicotina consumió? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Pastillas de nicotina Velo
- 2 Pastillas de nicotina Rogue
- 3 Pastillas de nicotina Verve
- 4 Tabletas de nicotina Rogue
- 5 Chicles de nicotina Lucy
- 6 Palillos con nicotina Pixotine
- 7 Tabaco que se disuelve Stonewall
- 8 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R09_AA1001OT = 1 AND R09_AA1002OT = 1 AND R09_AA1004OT = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA0100OT

¿Cuándo fue la última vez que consumió un producto oral con nicotina?

1	Hace menos de una hora	GO TO R09_AA0106OT
2	Hoy, pero hace más de una hora	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO BOX R09_AAR24
-8	DON'T KNOW	GO TO BOX R09_AAR24
-7	REFUSED	GO TO BOX R09_AAR24

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days.

ASK Specification: IF R09_AA1001OT = 1 AND R09_AA1002OT = 1 AND R09_AA1004OT = 1.

PATH ID: R09_AA0102OT

La última vez que consumió un producto oral con nicotina [FILL BASED ON R09_AA0100OT], ¿fue...?

1	Entre la medianoche y las 6 de la mañana
2	Entre las 6 de la mañana y el mediodía
3	Entre el mediodía y las 6 de la tarde
4	Entre las 6 de la tarde y la medianoche
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_AA1001OT = 1 AND R09_AA1002OT = 1 AND R09_AA1004OT = 1 AND R09_AA0100OT = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R09_AA0100OT]:

IF R09_AA0100OT = 2, DISPLAY "hoy".

ELSE, IF R09_AA0100OT = 3, DISPLAY "ayer".

ELSE, IF R09_AA0100OT = 4, DISPLAY "hace dos días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA0106OT

¿Qué tipo de productos orales con nicotina [ha consumido/consumió] [FILL BASED ON R09_AA0100OT]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Pastillas de nicotina Velo
- 2 Pastillas de nicotina Rogue
- 3 Pastillas de nicotina Verve
- 4 Tabletas de nicotina Rogue
- 5 Chicles de nicotina Lucy
- 6 Palillos con nicotina Pixotine
- 7 Tabaco que se disuelve Stonewall
- 8 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and last used oral nicotine products in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_AA01001OT = 1 AND R09_AA01002OT = 1 AND R09_AA01004OT = 1 AND R09_AA01000OT = 1, 2, 3, 4.

DISPLAY: IF R09_AA01000OT = 1, 2, DISPLAY "ha consumido" AND "".

ELSE, IF R09_AA01000OT = 3, 4, DISPLAY "consumió" AND "".

FOR [FILL BASED ON R09_AA01000OT]:

IF R09_AA01000OT = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AA01000OT = 3, DISPLAY "ayer".

ELSE, IF R09_AA01000OT = 4, DISPLAY "hace dos días".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_AAR24

Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and are current cigarette smokers, go to R09_AA01086OT.

Else, adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and are recent former cigarette smokers, go to R09_AA01080OT.

Else, go to Box R09_ANT04.

IF R09_AA01001OT = 1 AND R09_AA01002OT = 1 AND R09_AA01004OT = 1 AND

R09_CIG_USER_STATUS = 1, GO TO R09_AA01086OT.

ELSE, IF R09_AA01001OT = 1 AND R09_AA01002OT = 1 AND R09_AA01004OT = 1 AND

R09_CIG_USER_STATUS = 4, GO TO R09_AA01080OT.

ELSE, GO TO BOX R09_ANT04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1086OT

En los últimos 30 días, ¿ha consumido productos orales con nicotina en ocasiones o en lugares donde no se podía fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and are current cigarette smokers.

ASK Specification: IF R09_AA1001OT = 1 AND R09_AA1002OT = 1 AND R09_AA1004OT = 1 AND R09_CIG_USER_STATUS = 1.

PATH ID: R09_AA1080OT

¿Consume productos orales con nicotina como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and are current or recent former cigarette smokers.

ASK Specification: IF R09_AA1001OT = 1 AND R09_AA1002OT = 1 AND R09_AA1004OT = 1 AND R09_CIG_USER_STATUS = 1, 4.

PATH ID: R09_AA1082OT

¿Está consumiendo productos orales con nicotina como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of oral nicotine products and have ever used oral nicotine products and have used oral nicotine products in the past 30 days and are current or recent former cigarette smokers.

ASK Specification: IF R09_AA1001OT = 1 AND R09_AA1002OT = 1 AND R09_AA1004OT = 1 AND R09_CIG_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANT04

Para las siguientes preguntas, por favor piense ÚNICAMENTE en los productos de tratamiento de reemplazo de nicotina.

Los **productos de tratamiento de reemplazo de nicotina** normalmente se usan para ayudarle a la gente a dejar de fumar o como alternativas al consumo de tabaco. **Son medicamentos aprobados por la FDA.** Incluyen productos como parches de nicotina, chicles de nicotina, esprays nasales con nicotina, pastillas de chupar con nicotina o inhaladores. Algunas marcas conocidas son Nicorette y NicoDerm.

Al contestar las siguientes preguntas, por favor, NO incluya los productos orales con nicotina (como Velo, Verve, Rogue, Lucy y Pixotine).

[SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS]

BOLD "productos de tratamiento de reemplazo de nicotina" AT THE START OF THE SECOND PARAGRAPH.

BOLD "Son medicamentos aprobados por la FDA."

IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_ANR42

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ANT06. Else, go to R09_AN0333.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ANT06.

ELSE, GO TO R09_AN0333.

BOX ID: R09_ANT06

Piense ahora en los productos de tratamiento de reemplazo de nicotina, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS]

PATH ID: R09_AN0333

¿Alguna vez había visto u oído hablar de los productos de tratamiento de reemplazo de nicotina antes de este estudio?

[SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS]

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R09_ANV05

GO TO BOX R09_ANV05

GO TO BOX R09_ANV05

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0330

¿Alguna vez ha usado un producto de tratamiento de reemplazo de nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS]

1	Sí	
2	No	GO TO BOX R09_ANV05
-8	DON'T KNOW	GO TO BOX R09_ANV05
-7	REFUSED	GO TO BOX R09_ANV05

ASK: Adult respondents who have ever seen or heard of nicotine replacement therapy products.

ASK Specification: IF R09_AN0333 = 1.

IMAGE: SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AN0330_30D

En los últimos 30 días, ¿ha usado un producto de tratamiento de reemplazo de nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS]

1	Sí	GO TO BOX R09_ANV05
2	No	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who have ever seen or heard of nicotine replacement therapy products and have ever used nicotine replacement therapy products.

ASK Specification: IF R09_AN0333 = 1 AND R09_AN0330 = 1.

IMAGE: SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0330_12M

En los últimos 12 meses, ¿ha usado un producto de tratamiento de reemplazo de nicotina, incluso si solo fueron una o dos veces?

[SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of nicotine replacement therapy products and have ever used nicotine replacement therapy products and have not used nicotine replacement therapy products in the past 30 days or did not know or refused to report whether they used nicotine replacement therapy products in the past 30 days.

ASK Specification: IF R09_AN0333 = 1 AND R09_AN0330 = 1 AND R09_AN0330_30D = 2, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF NICOTINE REPLACEMENT THERAPY PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_ANV05

PROGRAM - DEFINE THE FOLLOWING USER GROUP (SEE APPENDIX):

R09_NRT_USER_STATUS = 1 (Current user) Adult respondents who have used any nicotine replacement therapy products in the past 30 days.

R09_NRT_USER_STATUS = 4 (Recent former user) Adult respondents who have used nicotine replacement therapy products in the past 12 months and did not use in the past 30 days.

R09_NRT_USER_STATUS = 5 (Long-term former user) Adult respondents who have ever used nicotine replacement therapy products and have not used nicotine replacement therapy products in the past 12 months.

BOX ID: R09_ANR41

Adult respondents who are current or recent former nicotine replacement therapy product users, go to R09_AN0161.

Else, go to Box R09_AZR03.

IF R09_NRT_USER_STATUS = 1, 4, GO TO R09_AN0161.

ELSE, GO TO BOX R09_AZR03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0161

¿Qué producto usó en los últimos 12 meses? Escoja todas las opciones que correspondan.

- 1 Parche de nicotina
- 2 Chicle de nicotina
- 4 Espray nasal con nicotina
- 5 Pastilla de chupar con nicotina
- 3 Inhalador de nicotina
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine replacement therapy product users.

ASK Specification: IF R09_NRT_USER_STATUS = 1, 4.

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AN0170

Actualmente, ¿está usando un producto de tratamiento de reemplazo de nicotina?

1	Sí	
2	No	GO TO BOX R09_ANR52
-8	DON'T KNOW	GO TO BOX R09_ANR52
-7	REFUSED	GO TO BOX R09_ANR52

ASK: Adult respondents who are current or recent former nicotine replacement therapy product users.

ASK Specification: IF R09_NRT_USER_STATUS = 1, 4.

PATH ID: R09_AN0251

Aproximadamente, ¿cuánto tiempo ha estado usando un producto de tratamiento de reemplazo de nicotina?

Anote un número entero y seleccione una de las opciones a continuación.

- 1 |_|_| Días
- 2 |_|_| Meses
- 3 |_|_| Años
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine replacement therapy product users and are currently using nicotine replacement therapy products.

ASK Specification: IF R09_NRT_USER_STATUS = 1, 4 AND R09_AN0170 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0251_LC1

Usted contestó que lleva usando productos de tratamiento de reemplazo de nicotina por [R09_AN0251_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AN0251
2	NEXT	GO TO R09_AN0251_LC2

ASK: IF R09_NRT_USER_STATUS = 1, 4 AND R09_AN0170 = 1 AND ((R09_AN0251_NN > 99 AND R09_AN0251_UN = 1) OR (R09_AN0251_NN > 60 AND R09_AN0251_UN = 2) AND (R09_AN0251_NN > 5 AND R09_AN0251_UN = 3)).

DISPLAY: IF R09_AN0251_UN = 1, DISPLAY "días".
ELSE, IF R09_AN0251_UN = 2, DISPLAY "meses".
ELSE, IF R09_AN0251_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AN0251_NN > 99 AND R09_AN0251_UN = 1) OR (R09_AN0251_NN > 60 AND R09_AN0251_UN = 2) AND (R09_AN0251_NN > 5 AND R09_AN0251_UN = 3).
ELSE, GO TO R09_AN0251_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0251_LC2

Usted contestó "cero" para la cantidad de tiempo que usted lleva usando productos de tratamiento de reemplazo de nicotina. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AN0251
2	NEXT	GO TO BOX R09_ANR52

ASK: IF R09_NRT_USER_STATUS = 1, 4 AND R09_AN0170 = 1 AND R09_AN0251 = 0.

PROGRAM: TRIGGER CHECK IF R09_AN0251 = 0.
ELSE, GO TO BOX R09_ANR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ANR52

Adult respondents who are current nicotine replacement therapy product users and have used a nicotine patch in the past 12 months, go to R09_AN0347.
Else, go to Box R09_ANR53.

IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_01 = 1, GO TO R09_AN0347.
ELSE, GO TO BOX R09_ANR53.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AN0347

La última vez que usó un **parche de nicotina**, ¿cuándo se lo quitó?

1	En este momento estoy usando un parche de nicotina	GO TO R09_AN0349
2	Hace menos de una hora	GO TO R09_AN0349
3	Hoy, pero hace más de una hora	
4	Ayer	
5	Hace dos días	GO TO R09_AN0349
6	Hace tres o más días	GO TO R09_AN0375
-8	DON'T KNOW	GO TO BOX R09_ANR53
-7	REFUSED	GO TO BOX R09_ANR53

ASK: Adult respondents who are current nicotine replacement therapy product users and have used a nicotine patch in the past 12 months.

ASK Specification: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_01 = 1.

DISPLAY: BOLD "parche de nicotina".

PATH ID: R09_AN0348

¿Cuántas horas han pasado desde que se quitó el parche de nicotina?

1	Una a 4 horas
2	5 a 11 horas
3	Más de 12 horas
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current nicotine replacement therapy product users and have used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_01 = 1 AND R09_AN0347 = 3, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0349

La última vez que usó un parche de nicotina [FILL BASED ON R09_AN0347], ¿qué concentración tenía? (Si actualmente está usando un parche de nicotina, por favor, conteste pensando en el parche que está usando en este momento.)

1	21 mg (Step 1)	GO TO BOX R09_ANR53
2	14 mg (Step 2)	GO TO BOX R09_ANR53
3	7 mg (Step 3)	GO TO BOX R09_ANR53
5	No sé	GO TO BOX R09_ANR53
4	Otra concentración (ESPECIFIQUE)	GO TO BOX R09_ANR53
-7	REFUSED	GO TO BOX R09_ANR53

ASK: Adult respondents who are current nicotine replacement therapy product users and have used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_01 = 1 AND R09_AN0347 = 1, 2, 3, 4, 5.

DISPLAY: FOR [FILL BASED ON R09_AN0347]:

IF R09_AN0347 = 1, 2, 3, DISPLAY "hoy".

ELSE, IF R09_AN0347 = 4, DISPLAY "ayer".

ELSE, IF R09_AN0347 = 5, DISPLAY "hace dos días".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AN0375

¿Cuánto hace que dejó de usar el parche de nicotina? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _ Días	
2	_ _ Meses	
3	_ _ Años	
-8	DON'T KNOW	GO TO BOX R09_ANR53
-7	REFUSED	GO TO BOX R09_ANR53

ASK: Adult respondents who are current nicotine replacement therapy product users and have used a nicotine patch in the past 12 months and last used three or more days ago.

ASK Specification: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_01 = 1 AND R09_AN0347 = 6.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0375_LC1

Usted contestó que dejó de usar el parche de nicotina hace [R09_AN0375_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AN0375
2	NEXT	GO TO BOX R09_ANR53

ASK: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_01 = 1 AND R09_AN0347 = 6 AND (((R09_AN0375_NN > 31 OR R09_AN0375_NN < 3) AND R09_AN0375_UN = 1) OR (R09_AN0375_NN > 12 AND R09_AN0375_UN = 2) OR (R09_AN0375_NN > 1 AND R09_AN0375_UN = 3)).

DISPLAY: IF R09_AN0375_UN = 1, DISPLAY "días".
ELSE, IF R09_AN0375_UN = 2, DISPLAY "meses".
ELSE, IF R09_AN0375_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF ((R09_AN0375_NN > 31 OR R09_AN0375_NN < 3) AND R09_AN0375_UN = 1) OR (R09_AN0375_NN > 12 AND R09_AN0375_UN = 2) OR (R09_AN0375_NN > 1 AND R09_AN0375_UN = 3).
ELSE, GO TO BOX R09_ANR53 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ANR53

Adult respondents who are current nicotine replacement therapy product users and have used nicotine gum, a nicotine nasal spray, lozenge, or inhaler in the past 12 months, go to R09_AN0357.
Else, go to Box R09_AZR03.

IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_[02/03/04/05] = 1, GO TO R09_AN0357.
ELSE, GO TO BOX R09_AZR03.

PATH ID: R09_AN0357

¿Cuándo fue la última vez que usó un chicle de nicotina, un inhalador de nicotina, un espray nasal con nicotina o una pastilla de chupar con nicotina?

1	Hace menos de una hora	GO TO R09_AN0359
2	Hoy, pero hace más de una hora	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R09_AN0385
-8	DON'T KNOW	GO TO BOX R09_AZR03
-7	REFUSED	GO TO BOX R09_AZR03

ASK: Adult respondents who are current nicotine replacement therapy product users and have used nicotine gum, a nicotine nasal spray, lozenge, or inhaler in the past 12 months.

ASK Specification: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_[02/03/04/05] = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0358

La última vez que usó un chicle de nicotina, un inhalador de nicotina, un espray nasal con nicotina o una pastilla de chupar con nicotina [FILL BASED ON R09_AN0357], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine replacement therapy product users and have used nicotine gum, a nicotine nasal spray, lozenge, or inhaler in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_[02/03/04/05] = 1 AND R09_AN0357 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R09_AN0357]:

IF R09_AN0357 = 2, DISPLAY "hoy".

ELSE, IF R09_AN0357 = 3, DISPLAY "ayer".

ELSE, IF R09_AN0357 = 4, DISPLAY "hace dos días".

PATH ID: R09_AN0359

La última vez que usó un chicle de nicotina, un inhalador de nicotina, un espray nasal con nicotina o una pastilla de chupar con nicotina [FILL BASED ON R09_AN0357], ¿cuántos usó?

- 1 |__|__| Cantidad de productos
- 8 DON'T KNOW GO TO BOX R09_AZR03
- 7 REFUSED GO TO BOX R09_AZR03

ASK: Adult respondents who are current nicotine replacement therapy product users and have used nicotine gum, a nicotine nasal spray, lozenge, or inhaler in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_[02/03/04/05] = 1 AND R09_AN0357 = 1, 2, 3, 4.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de productos" AS A TITLE.

FOR [FILL BASED ON R09_AN0357]:

IF R09_AN0357 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AN0357 = 3, DISPLAY "ayer".

ELSE, IF R09_AN0357 = 4, DISPLAY "hace dos días".

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0359_LC1

Usted contestó que [hoy/ayer/hace dos días], usted usó un chicle de nicotina, un inhalador de nicotina, un espray nasal con nicotina o una pastilla de chupar con nicotina [R09_AN0359] veces. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0359

2 NEXT

GO TO BOX R09_AZR03

ASK: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_[02/03/04/05] = 1 AND R09_AN0357 = 1, 2, 3, 4 AND (R09_AN0359 = 0 OR R09_AN0359 > 5).

DISPLAY: IF R09_AN0357 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AN0357 = 3, DISPLAY "ayer".

ELSE, IF R09_AN0357 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AN0359 = 0 OR R09_AN0359 > 5.

ELSE, GO TO BOX R09_AZR03 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0385

¿Cuánto hace que dejó de usar chicles de nicotina, un inhalador de nicotina, un espray nasal con nicotina o una pastilla de chupar con nicotina? Anote un número entero y seleccione una de las opciones a continuación.

1 |_|_| Días

2 |_|_| Meses

3 |_|_| Años

-8 DON'T KNOW

GO TO BOX R09_AZR03

-7 REFUSED

GO TO BOX R09_AZR03

ASK: Adult respondents who are current nicotine replacement therapy product users and have used nicotine gum, a nicotine nasal spray, lozenge, or inhaler in the past 12 months and last used three or more days ago.

ASK Specification: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_[02/03/04/05] = 1 AND R09_AN0357 = 5.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0385_LC1

Usted contestó que dejó de usar un chicle de nicotina, un inhalador de nicotina, un espray nasal con nicotina o una pastilla de chupar con nicotina hace [R09_AN0385_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0385

2 NEXT

GO TO BOX R09_AZR03

ASK: IF R09_NRT_USER_STATUS = 1 AND R09_AN0161_[02/03/04/05] = 1 AND R09_AN0357 = 5 AND (((R09_AN0385_NN > 31 OR R09_AN0385_NN < 3) AND R09_AN0385_UN = 1) OR (R09_AN0385_NN > 12 AND R09_AN0385_UN = 2) OR (R09_AN0385_NN > 1 AND R09_AN0385_UN = 3)).

DISPLAY: IF R09_AN0385_UN = 1, DISPLAY "días",
ELSE, IF R09_AN0385_UN = 2, DISPLAY "meses".
ELSE, IF R09_AN0385_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF ((R09_AN0385_NN > 31 OR R09_AN0385_NN < 3) AND R09_AN0385_UN = 1) OR (R09_AN0385_NN > 12 AND R09_AN0385_UN = 2) OR (R09_AN0385_NN > 1 AND R09_AN0385_UN = 3).
ELSE, GO TO BOX R09_AZR03 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AZR03

Items R09_AZ1006 through R09_AZ1013 are suppressed at Wave 9 launch. If other heated tobacco brand questions are activated during Wave 9, the questions will be asked in the instruments.

If an additional heated tobacco brand is activated, go to R09_AZ1006.

Else, if a second additional heated tobacco brand is activated, go to R09_AZ1009.

Else, if a third additional heated tobacco brand is activated, go to R09_AZ1012.

Else, if the remaining questions are suppressed, go to R09_AZ1002.

IF R09_HNB BRAND1 != -1, GO TO R09_AZ1006.
ELSE, IF R09_HNB BRAND2 != -1, GO TO R09_AZ1009.
ELSE, IF R09_HNB BRAND3 != -1, GO TO R09_AZ1012.
ELSE, GO TO R09_AZ1002.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AZ1006

La siguiente pregunta es acerca de un nuevo producto de tabaco llamado [BRAND1].

¿Alguna vez había visto u oído hablar de [BRAND1] antes de este estudio?

[SHOW IMAGE OF BRAND1]

1	Sí	
2	No	GO TO BOX R09_AZR04
-8	DON'T KNOW	GO TO BOX R09_AZR04
-7	REFUSED	GO TO BOX R09_AZR04

ASK: All adult respondents (if an additional heated tobacco brand is activated).

ASK Specification: IF R09_HNB BRAND1 != -1.

PROGRAM: This item is suppressed in the instrument at Wave 9 launch and will only be asked if the questions are activated.

IMAGE: SHOW IMAGE OF BRAND1

PATH ID: R09_AZ1007

¿Alguna vez ha fumado [BRAND1], incluso si solo fueron una o dos veces?

[SHOW IMAGE OF BRAND1]

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who have ever seen or heard of [BRAND1].

ASK Specification: IF R09_HNB BRAND1 != -1 AND R09_AZ1006 = 1.

PROGRAM: This item is suppressed in the instrument at Wave 9 launch and will only be asked if the questions are activated.

IMAGE: SHOW IMAGE OF BRAND1

BOX ID: R09_AZR04

If a second additional heated tobacco brand is activated, go to R09_AZ1009.
Else, if a third additional heated tobacco brand is activated, go to R09_AZ1012.
Else, if the remaining questions are suppressed, go to R09_AZ1002.

IF R09_HNB BRAND2 != -1, GO TO R09_AZ1009.
ELSE, IF R09_HNB BRAND3 != -1, GO TO R09_AZ1012.
ELSE, GO TO R09_AZ1002.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AZ1009

La siguiente pregunta es acerca de un nuevo producto de tabaco llamado [BRAND2].

¿Alguna vez había visto u oído hablar de [BRAND2] antes de este estudio?

[SHOW IMAGE OF BRAND2]

1	Sí	
2	No	GO TO BOX R09_AZR05
-8	DON'T KNOW	GO TO BOX R09_AZR05
-7	REFUSED	GO TO BOX R09_AZR05

ASK: All adult respondents (if a second additional heated tobacco brand is activated).

ASK Specification: IF R09_HNB BRAND2 != -1.

PROGRAM: This item is suppressed in the instrument at Wave 9 launch and will only be asked if the questions are activated.

IMAGE: SHOW IMAGE OF BRAND2

PATH ID: R09_AZ1010

¿Alguna vez ha fumado [BRAND2], incluso si solo fueron una o dos veces?

[SHOW IMAGE OF BRAND2]

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who have ever seen or heard of [BRAND2].

ASK Specification: IF R09_HNB BRAND2 != -1 AND R09_AZ1009 = 1.

PROGRAM: This item is suppressed in the instrument at Wave 9 launch and will only be asked if the questions are activated.

IMAGE: SHOW IMAGE OF BRAND2

BOX ID: R09_AZR05

If a third additional heated tobacco brand is activated, go to R09_AZ1012.

Else, if the remaining questions are suppressed, go to R09_AZ1002.

IF R09_HNB BRAND3 != -1, GO TO R09_AZ1012.

ELSE, GO TO R09_AZ1002.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AZ1012

La siguiente pregunta es acerca de un nuevo producto de tabaco llamado [BRAND3].

¿Alguna vez había visto u oído hablar de [BRAND3] antes de este estudio?

[SHOW IMAGE OF BRAND3]

1	Sí	
2	No	GO TO R09_AZ1002
-8	DON'T KNOW	GO TO R09_AZ1002
-7	REFUSED	GO TO R09_AZ1002

ASK: All adult respondents (if a third additional heated tobacco brand is activated).

ASK Specification: IF R09_HNB BRAND3 != -1.

PROGRAM: This item is suppressed in the instrument at Wave 9 launch and will only be asked if the questions are activated.

IMAGE: SHOW IMAGE OF BRAND3

PATH ID: R09_AZ1013

¿Alguna vez ha fumado [BRAND3], incluso si solo fueron una o dos veces?

[SHOW IMAGE OF BRAND3]

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who have ever seen or heard of [BRAND3].

ASK Specification: IF R09_HNB BRAND3 != -1 AND R09_AZ1012 = 1.

PROGRAM: This item is suppressed in the instrument at Wave 9 launch and will only be asked if the questions are activated.

IMAGE: SHOW IMAGE OF BRAND3

PATH ID: R09_AZ1002

Usted acaba de contestar preguntas acerca de cigarrillos, productos electrónicos con nicotina, IQOS, puros tradicionales, puritos, puros con filtro, tabaco para pipa, tabaco para hookah, bolsitas de nicotina, snus, tabaco que no se fuma, productos orales con nicotina y productos de tratamiento de reemplazo de nicotina.

Aparte de estos productos, ¿alguna vez ha consumido algún otro producto de tabaco o nicotina?

1	Sí (ESPECIFIQUE)
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: All adult respondents.

DISPLAY: IF OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR01

For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Poly-use Section. Complete remaining sections in order.

For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

CIGARETTE

BOX ID: R09_ACR13
Adult respondents who have ever smoked a cigarette and are not long-term former cigarette smokers, or continuing and aged-up adult respondents who have ever smoked a cigarette and are long-term former cigarette smokers and are not persistent former cigarette smokers and had not smoked 100 or more cigarettes as of their last completed interview or had not reported ever smoking cigarettes fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked a cigarette and are long-term former cigarette smokers, go to Box R09_ACT01. Else, go to the next section.
IF (R09_EVER_NEVER_CIGS = 1 AND R09_CIG_USER_STATUS != 5) OR (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND R09_CIG_USER_STATUS = 5 AND R09_PERSISTENT_FORMER_CIGS != 1 AND (R08_NUMLIFE_CIGS != 1 OR R08_REGUSE_CIGS != 1)), OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_CIG_USER_STATUS = 5), GO TO BOX R09_ACT01. ELSE, GO TO THE NEXT SECTION.

BOX ID: R09_ACT01
Las siguientes preguntas son acerca de su experiencia con cigarrillos .
BOLD "cigarrillos".

BOX ID: R09_ACR11
Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette, go to R09_AC1006. Else, continuing and aged-up adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview and are not persistent former cigarette smokers, go to R09_AC1005. Else, continuing and aged-up adult respondents who have ever smoked a cigarette and had smoked 100 or more cigarettes as of their last completed interview and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and are not persistent former cigarette smokers, go to R09_AC1100. Else, go to Box R09_ACR01.
IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1), GO TO R09_AC1006. ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND R08_NUMLIFE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1, GO TO R09_AC1005. ELSE, IF R09_ADULTTYPE = 1, 2 AND R08_NUMLIFE_CIGS = 1 AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1, GO TO R09_AC1100. ELSE, GO TO BOX R09_ACR01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1006

¿Qué edad tenía usted la primera vez que fumó parte de un cigarrillo o un cigarrillo completo?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AC1120

-7 REFUSED

GO TO R09_AC1120

ASK: Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AC1006_LC1

Usted contestó que la primera vez que usted fumó un cigarrillo completo o parte de un cigarrillo fue a la edad de [R09_AC1006] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1006

2 NEXT

GO TO R09_AC1006_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_CIGS_ADULT = 1 AND R09_AC1006 <= 5) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1006 <= 5).

PROGRAM: TRIGGER CHECK IF R09_AC1006 <= 5.

ELSE, GO TO R09_AC1006_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1006_LC2

Usted contestó que la primera vez que usted fumó un cigarrillo completo o parte de un cigarrillo fue a la edad de [R09_AC1006] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1006

2 NEXT

GO TO R09_AC1005

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_CIGS_ADULT = 1 AND R09_AC1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AC1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AC1005 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1120

La primera vez que fumó parte de un cigarrillo o un cigarrillo completo, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview and did not know or refused to report the age they first smoked a cigarette, or new cohort adult respondents who have ever smoked a cigarette and did not know or refused to report the age they first smoked a cigarette.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_CIGS_ADULT = 1 AND R09_AC1006 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1006 = -8, -7).

PATH ID: R09_AC1005

¿Cuántos cigarrillos ha fumado en toda su vida? Una cajetilla normalmente contiene 20 cigarrillos.

- 1 Una o más probaditas, pero nunca un cigarrillo completo
- 2 1 a 10 cigarrillos (aproximadamente media cajetilla en total)
- 3 11 a 20 cigarrillos (aproximadamente de media a una cajetilla)
- 4 21 a 50 cigarrillos (más de una pero menos de 3 cajetillas)
- 5 51 a 99 cigarrillos (más de 2 cajetillas y media pero menos de 5 cajetillas)
- 6 100 o más cigarrillos (5 cajetillas o más)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview and are not persistent former cigarette smokers, or new cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND R08_NUMLIFE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR53

Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and are not persistent former cigarette smokers, or new cohort adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes, go to R09_AC1100. Else, go to Box R09_ACR01.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6), GO TO R09_AC1100.
ELSE, GO TO BOX R09_ACR01.

PATH ID: R09_AC1100

¿Alguna vez ha fumado cigarrillos de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and are not persistent former cigarette smokers, or new cohort adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6).

BOX ID: R09_ACR19

Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and are not persistent former cigarette smokers and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly, go to R09_AC1007. Else, go to Box R09_ACR01.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1), GO TO R09_AC1007.
ELSE, GO TO BOX R09_ACR01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1007

¿Qué edad tenía la primera vez que comenzó a fumar cigarrillos habitualmente?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AC1121

-7 REFUSED

GO TO R09_AC1121

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and are not persistent former cigarette smokers and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AC1007_LC1

Usted contestó que comenzó a fumar cigarrillos de manera habitual a la edad de [R09_AC1007] años.
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1007

2 NEXT

GO TO R09_AC1007_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1 AND R09_AC1007 <= 5) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND R09_AC1007 <= 5).

PROGRAM: TRIGGER CHECK IF R09_AC1007 <= 5.

ELSE, GO TO R09_AC1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1007_LC2

Usted contestó que comenzó a fumar cigarrillos de manera habitual a la edad de [R09_AC1007] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1007

2 NEXT

GO TO BOX R09_ACR01

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1 AND R09_AC1007 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND R09_AC1007 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AC1007 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_ACR01 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1121

La primera vez que comenzó a fumar cigarrillos habitualmente, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and are not persistent former cigarette smokers and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly, or new cohort adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1 AND R09_AC1007 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND R09_AC1007 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR01

Continuing adult respondents who have not reported the age when they first started smoking cigarettes every day as of their last completed interview and now smoke cigarettes every day, or new baseline adult respondents who now smoked cigarettes every day, go to R09_AC1020.

Else, continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette, go to R09_AC1008.

Else, go to Box R09_ACR42.

IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_CIGS != 1 AND R09_AC1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AC1003 = 1), GO TO R09_AC1020.

ELSE, IF R09_INIT_CIGS_ADULT = 1 OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1), GO TO R09_AC1008.

ELSE, GO TO BOX R09_ACR42.

PATH ID: R09_AC1020

¿Qué edad tenía la primera vez que comenzó a fumar cigarrillos todos los días?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AC1122

-7 REFUSED

GO TO R09_AC1122

ASK: Continuing adult respondents who have not reported the age when they first started smoking cigarettes every day as of their last completed interview and now smoke cigarettes every day, or new baseline adult respondents who now smoke cigarettes every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_CIGS != 1 AND R09_AC1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AC1003 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AC1020_LC1

Usted contestó que comenzó a fumar cigarrillos todos los días a la edad de [R09_AC1020] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1020

2 NEXT

GO TO R09_AC1020_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_CIGS != 1 AND R09_AC1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AC1003 = 1)) AND R09_AC1020 <= 5.

PROGRAM: TRIGGER CHECK IF R09_AC1020 <= 5.

ELSE, GO TO R09_AC1020_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1020_LC2

Usted contestó que comenzó a fumar cigarrillos todos los días a la edad de [R09_AC1020] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1020

2 NEXT

GO TO BOX R09_ACR21

ASK: IF ((R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_CIGS != 1 AND R09_AC1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AC1003 = 1)) AND R09_AC1020 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AC1020 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_ACR21 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1122

La primera vez que comenzó a fumar cigarrillos todos los días, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who have not reported the age when they first started smoking cigarettes every day as of their last completed interview and now smoke cigarettes every day and did not know or refused to report the age they started smoking cigarettes every day, or new baseline adult respondents who now smoke cigarettes every day and did not know or refused to report the age they started smoking cigarettes every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_CIGS != 1 AND R09_AC1003 = 1 AND R09_AC1020 = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AC1003 = 1 AND R09_AC1020 = -8, -7).

BOX ID: R09_ACR21

Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette, go to R09_AC1008.
Else, go to Box R09_ACR22.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1), GO TO R09_AC1008.
ELSE, GO TO BOX R09_ACR22.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1008

La primera vez que comenzó a fumar cigarrillos, ¿comenzó con cigarrillos mentolados o con sabor a menta?

- 1 Sí
- 2 No
- 3 No sé
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

BOX ID: R09_ACR22

Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette, go to R09_AC9904.

Else, go to Box R09_ACR42.

IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_CIGS = 1), GO TO R09_AC9904.

ELSE, GO TO BOX R09_ACR42.

PATH ID: R09_AC9904

¿Qué tantas sensaciones **agradables** sintió la primera vez que fumó un cigarrillo?

- 1 Nada
- 2 Muy pocas
- 3 Algo
- 4 Muchas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_CIGS = 1).

DISPLAY: BOLD "agradables" IN THE QUESTION TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9905

¿Qué tantas sensaciones **desagradables** sintió la primera vez que fumó un cigarrillo?

- 1 Nada
- 2 Muy pocas
- 3 Algo
- 4 Muchas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_CIGS = 1).

DISPLAY: BOLD "desagradables" IN THE QUESTION TEXT.

PATH ID: R09_AC9906

¿Qué tantas náuseas tuvo la primera vez que fumó un cigarrillo?

- 1 Nada
- 2 Muy pocas
- 3 Algo
- 4 Muchas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND 18 <= R09_ACHIEVEDAGE < 25 AND R09_EVER_NEVER_CIGS = 1).

BOX ID: R09_ACR42

Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and are not persistent former cigarette smokers and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly, go to R09_AC9002. Else, go to Box R09_ACR23.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1), GO TO R09_AC9002.
ELSE, GO TO BOX R09_ACR23.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9002

Aproximadamente, ¿cuánto tiempo [lleva fumando/fumó] habitualmente? No incluya periodos en los que haya dejado de fumar temporalmente. Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Meses	
2	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_ACR23
-7	REFUSED		GO TO BOX R09_ACR23

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and are not persistent former cigarette smokers and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

IF R09_CIG_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AC9002_LC1

Usted contestó que ha fumado de manera habitual por [R09_AC9002] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AC9002
2	NEXT	GO TO R09_AC9002_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1 AND R09_AC9002_NN > R09_ACHIEVEDAGE AND R09_AC9002_UN = 2) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND R09_AC9002_NN > R09_ACHIEVEDAGE AND R09_AC9002_UN = 2).

PROGRAM: TRIGGER CHECK IF R09_AC9002_NN > R09_ACHIEVEDAGE AND R09_AC9002_UN = 2.

ELSE, GO TO R09_AC9002_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9002_LC2

Usted contestó que anotó [R09_AC9002] años. Esta pregunta es acerca de cuánto tiempo lleva usted fumando de manera habitual, no acerca de cuándo comenzó a fumar.

Por favor, verifique la cantidad de años que anotó.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC9002

2 NEXT

GO TO BOX R09_ACR23

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_CIGS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_PERSISTENT_FORMER_CIGS != 1 AND R09_AC1100 = 1 AND ((R09_AC9002_UN = 2 AND R09_AC9002_NN > (R09_ACHIEVEDAGE - 10)) OR (R09_AC9002_NN > 60 AND R09_AC9002_UN = 2))) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_CIGS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND ((R09_AC9002_UN = 2 AND R09_AC9002_NN > (R09_ACHIEVEDAGE - 10)) OR (R09_AC9002_NN > 60 AND R09_AC9002_UN = 2))).

PROGRAM: TRIGGER CHECK IF (R09_AC9002_UN = 2 AND R09_AC9002_NN > (R09_ACHIEVEDAGE - 10)) OR (R09_AC9002_NN > 60 AND R09_AC9002_UN = 2).
ELSE, GO TO BOX R09_ACR23 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ACR23

Continuing and aged-up adult respondents who are recent former cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who are recent former or long-term former cigarette smokers and have ever smoked cigarettes fairly regularly, go to R09_AC9003.
Else, go to Box R09_ACR51.

IF (R09_ADULTTYPE = 1, 2 AND R09_CIG_USER_STATUS = 4 AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 4, 5 AND R09_AC1100 = 1), GO TO R09_AC9003.
ELSE, GO TO BOX R09_ACR51.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9003

En promedio, aproximadamente, ¿cuántos cigarrillos fumaba usted al día cuando fumaba habitualmente? Anote un número entero y seleccione una de las opciones a continuación.

Una cajetilla normalmente contiene 20 cigarrillos.

1	_ _	Cigarrillos al día	
2	_ _	Cajetillas al día	
-8	DON'T KNOW		GO TO BOX R09_ACR04
-7	REFUSED		GO TO BOX R09_ACR04

ASK: Continuing and aged-up adult respondents who are recent former cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who are recent former or long-term former cigarette smokers and have ever smoked cigarettes fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_CIG_USER_STATUS = 4 AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 4, 5 AND R09_AC1100 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AC9003_LC1

Usted contestó que en promedio usted fumaba [R09_AC9003] [cigarrillos/cajetillas] cada día cuando fumaba de manera habitual. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AC9003
2	NEXT	GO TO BOX R09_ACR04

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_CIG_USER_STATUS = 4 AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND ((R09_AC9003_NN > 40 AND R09_AC9003_UN = 1) OR R09_AC9003_NN = 11, 22, 33 OR (R09_AC9003_NN > 2 AND R09_AC9003_UN = 2))) OR (R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 4, 5 AND R09_AC1100 = 1 AND ((R09_AC9003_NN > 40 AND R09_AC9003_UN = 1) OR R09_AC9003_NN = 11, 22, 33 OR (R09_AC9003_NN > 2 AND R09_AC9003_UN = 2))).

DISPLAY: IF R09_AC9003_UN = 1, DISPLAY "cigarrillos".
ELSE, IF R09_AC9003_UN = 2, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AC9003_NN > 40 AND R09_AC9003_UN = 1) OR R09_AC9003_NN = 11, 22, 33 OR (R09_AC9003_NN > 2 AND R09_AC9003_UN = 2).
ELSE, GO TO BOX R09_ACR51 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR51

New cohort adult respondents who are current, recent former, or long-term former cigarette smokers, go to R09_AC1025_RS.
Else, go to Box R09_ACR04.

IF R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1, 4, 5, GO TO R09_AC1025_RS.
ELSE, GO TO BOX R09_ACR04.

PATH ID: R09_AC1025_RS

Alrededor de esta época hace 12 meses, ¿fumaba cigarrillos...?

1	Todos los días	
2	Algunos días	GO TO BOX R09_ACR04
3	Nunca	GO TO BOX R09_ACR04
-8	DON'T KNOW	GO TO BOX R09_ACR04
-7	REFUSED	GO TO BOX R09_ACR04

ASK: New cohort adult respondents who are current, recent former, or long-term former cigarette smokers.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1, 4, 5.

PATH ID: R09_AC9006_RS

Alrededor de esta época, hace 12 meses, en promedio, ¿aproximadamente cuántos cigarrillos fumaba cada día? Anote un número entero y seleccione una de las opciones a continuación.

Una cajetilla normalmente contiene 20 cigarrillos.

1	_ _ Cigarrillos al día	
2	_ _ Cajetillas al día	
-8	DON'T KNOW	GO TO R09_AC9140_RS
-7	REFUSED	GO TO R09_AC9140_RS

ASK: New cohort adult respondents who are current, recent former, or long-term former cigarette smokers and smoked every day around this time 12 months ago.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1, 4, 5 AND R09_AC1025_RS = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9006_RS_LC1

Usted contestó que alrededor de esta época hace 12 meses, usted fumaba en promedio [R09_AC9006_RS] [cigarrillos/cajetillas] al día.

Si esto es correcto, por favor seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AC9006_RS
2 NEXT	GO TO BOX R09_ACR04

ASK: IF R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1, 4, 5 AND R09_AC1025_RS = 1 AND ((R09_AC9006_RS_NN > 40 AND R09_AC9006_RS_UN = 1) OR R09_AC9006_RS_NN = 11, 22, 33 OR (R09_AC9006_RS_NN > 2 AND R09_AC9006_RS_UN = 2)).

DISPLAY: IF R09_AC9006_RS_UN = 1, DISPLAY "cigarrillos".
ELSE, IF R09_AC9006_RS_UN = 2, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AC9006_RS_NN > 40 AND R09_AC9006_RS_UN = 1) OR R09_AC9006_RS_NN = 11, 22, 33 OR (R09_AC9006_RS_NN > 2 AND R09_AC9006_RS_UN = 2).
ELSE, GO TO BOX R09_ACR04 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC9140_RS

¿Diría que alrededor de esta época hace 12 meses, en promedio, fumaba más de 20 cigarrillos, unos 20 cigarrillos o menos de 20 cigarrillos al día?

Una cajetilla normalmente contiene 20 cigarrillos.

- 1 Más de 20 cigarrillos cada día
- 2 Unos 20 cigarrillos cada día
- 3 Menos de 20 cigarrillos cada día
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, recent former, or long-term former cigarette smokers and smoked every day around this time 12 months ago and did not know or refused to report how many cigarettes they smoked every day around this time 12 months ago.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1, 4, 5 AND R09_AC1025_RS = 1 AND R09_AC9006_RS_NN = -8, -7.

BOX ID: R09_ACR04

Adult respondents who now smoke cigarettes every day, go to R09_AC1021.

Else, adult respondents who are current cigarette smokers and do not smoke cigarettes every day, go to R09_AC1022.

Else, adult respondents who are recent former cigarette smokers, go to Box R09_ACR54.

Else, go to the next section.

IF R09_AC1003 = 1, GO TO R09_AC1021.

ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1, GO TO R09_AC1022.

ELSE, IF R09_CIG_USER_STATUS = 4, GO TO BOX R09_ACR54.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1021

En promedio, ¿aproximadamente, cuántos cigarrillos fuma usted cada día actualmente? Anote un número entero y seleccione una de las opciones a continuación.

Una cajetilla normalmente contiene 20 cigarrillos.

1	_ _	Cigarrillos cada día	
2	_ _	Cajetillas cada día	
-8	DON'T KNOW		GO TO R09_AC1090
-7	REFUSED		GO TO R09_AC1090

ASK: Adult respondents who now smoke cigarettes every day.

ASK Specification: IF R09_AC1003 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AC1021_LC1

Usted contestó que actualmente usted fuma [R09_AC1021] [cigarrillos/cajetillas] cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AC1021
2	NEXT	GO TO BOX R09_ACV03

ASK: IF R09_AC1003 = 1 AND ((R09_AC1021_NN > 40 AND R09_AC1021_UN = 1) OR R09_AC1021_NN = 11, 22, 33 OR (R09_AC1021_NN > 2 AND R09_AC1021_UN = 2)).

DISPLAY: IF R09_AC1021 REPORTED IN CIGARETTES, DISPLAY "cigarrillos".
ELSE, IF R09_AC1021 REPORTED IN PACKS, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AC1021_NN > 40 AND R09_AC1021_UN = 1) OR R09_AC1021_NN = 11, 22, 33 OR (R09_AC1021_NN > 2 AND R09_AC1021_UN = 2).
ELSE, GO TO BOX R09_ACV03 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1090

¿Diría que en promedio, actualmente fuma más de 20 cigarrillos, unos 20 cigarrillos o menos de 20 cigarrillos cada día?

1	Más de 20 cigarrillos cada día	GO TO BOX R09_ACV03
2	Unos 20 cigarrillos cada día	GO TO BOX R09_ACV03
3	Menos de 20 cigarrillos cada día	GO TO BOX R09_ACV03
-8	DON'T KNOW	GO TO BOX R09_ACV03
-7	REFUSED	GO TO BOX R09_ACV03

ASK: Adult respondents who now smoke cigarettes every day and did not know or refused to report how many cigarettes they now smoke each day.

ASK Specification: IF R09_AC1003 = 1 AND (R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1022

¿En cuántos de los últimos 30 días fumó usted cigarrillos?

- 1 |__|__| Cantidad de días
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current cigarette smokers and do not smoke cigarettes every day.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R09_ACR25

Adult respondents who are current cigarette smokers and do not smoke cigarettes every day and smoked on 0 days of the past 30 days, go to R09_AC9029.

Else, adult respondents who are current cigarette smokers and do not smoke cigarettes every day and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R09_AC1023.

Else, go to Box R09_ACV03.

IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 = 0, GO TO R09_AC9029.

ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0, GO TO R09_AC1023.

ELSE, GO TO BOX R09_ACV03.

PATH ID: R09_AC9029

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó un cigarrillo? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
2 |__|__| Meses
3 |__|__| Años
-8 DON'T KNOW GO TO BOX R09_ACV03
-7 REFUSED GO TO BOX R09_ACV03

ASK: Adult respondents who are current cigarette smokers and do not smoke cigarettes every day and smoked on 0 days of the past 30 days.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9029_LC1

Usted contestó que la última vez que fumó un cigarrillo fue hace [R09_AC9029] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC9029

2 NEXT

GO TO BOX R09_ACV03

ASK: IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 = 0 AND ((R09_AC9029_NN < 30 AND R09_AC9029_UN = 1) OR (R09_AC9029_NN < 1 AND R09_AC9029_UN = 2) OR (R09_AC9029_NN > 18 AND R09_AC9029_UN = 2) OR (R09_AC9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AC9029 = 3)).

DISPLAY: IF R09_AC9029_UN = 1, DISPLAY "días".

ELSE, IF R09_AC9029_UN = 2, DISPLAY "meses".

ELSE, IF R09_AC9029_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AC9029_NN < 30 AND R09_AC9029_UN = 1) OR (R09_AC9029_NN < 1 AND R09_AC9029_UN = 2) OR (R09_AC9029_NN > 18 AND R09_AC9029_UN = 2) OR (R09_AC9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AC9029 = 3).

ELSE, GO TO BOX R09_ACV03 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1023

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AC1022 días/días en que fumó], ¿cuántos cigarrillos fumó normalmente cada día? Anote un número entero y seleccione una de las opciones a continuación.

Una cajetilla normalmente contiene 20 cigarrillos.

1 |__|__| Cigarrillos cada día

2 |__|__| Cajetillas cada día

-8 DON'T KNOW

GO TO BOX R09_ACV03

-7 REFUSED

GO TO BOX R09_ACV03

ASK: Adult respondents who are current cigarette smokers and do not smoke cigarettes every day and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

IF R09_AC1022 = 1, -8, -7, DISPLAY "días en que fumó".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AC1022 AND "días" (EX. "2 días").

PROGRAM: Display as Quantity/Units.

Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1023_LC1

Usted contestó que en los días en que ha fumado en los últimos 30 días, usted fumó [R09_AC1023] [cigarrillos/cajetillas] cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1023

2 NEXT

GO TO BOX R09_ACV03

ASK: IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0 AND ((R09_AC1023_NN > 40 AND R09_AC1023_UN = 1) OR R09_AC1023_NN = 0, 11, 22, 33 OR (R09_AC1023_NN > 2 AND R09_AC1023_UN = 2)).

DISPLAY: IF R09_AC1023_UN = 1, DISPLAY "cigarrillos".

ELSE, IF R09_AC1023_UN = 2, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AC1023_NN > 40 AND R09_AC1023_UN = 1) OR R09_AC1023_NN = 0, 11, 22, 33 OR (R09_AC1023_NN > 2 AND R09_AC1023_UN = 2).
ELSE, GO TO BOX R09_ACV03 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ACV03

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_CIGSPERDAY = Number of cigarettes smoked per day.

R09_PCKSPERDAY = Number of packs smoked per day.

R09_CIGSPERDAY2 = Estimate of cigarettes smoked per day when actual number is DK/RF.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR05

Aged-up adult respondents who are current cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or continuing adult respondents who initiated cigarette smoking since their last completed interview and are current cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or new cohort adult respondents who are current cigarette smokers and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, go to R09_AC9004.

Else, aged-up adult respondents who smoke cigarettes every day and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or continuing adult respondents who initiated cigarette smoking since their last completed interview and smoke cigarettes every day and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or new cohort adult respondents who smoke cigarettes every day and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, go to R09_AC9009.

Else, go to Box R09_ACR41.

IF (R09_ADULTTYPE = 2 AND R09_CIG_USER_STATUS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND ((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7))) OR (R09_ADULTTYPE = 1 AND R09_INIT_CIGS_ADULT = 1 AND R09_CIG_USER_STATUS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND ((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7))) OR (R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND ((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7))), GO TO R09_AC9004.

ELSE, IF (R09_ADULTTYPE = 2 AND R09_AC1003 = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND (R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3) OR (R09_ADULTTYPE = 1 AND R09_INIT_CIGS_ADULT = 1 AND R09_AC1003 = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND (R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3) OR (R09_ADULTTYPE = 2 AND R09_AC1003 = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND (R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3), GO TO R09_AC9009.
ELSE, GO TO BOX R09_ACR41.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9004

Usted mencionó que fuma [#] [[cigarrillo[s]/cajetilla[s]] al día[en los días en que fuma]. ¿Ha fumado aproximadamente esta cantidad de [cigarrillos/cajetillas] al día desde que comenzó a fumar habitualmente?

1	Sí	GO TO BOX R09_ACR41
2	No	GO TO R09_AC9005
-8	DON'T KNOW	GO TO R09_AC9005
-7	REFUSED	GO TO R09_AC9005

ASK: Aged-up adult respondents who are current cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or

Continuing adult respondents who initiated cigarette smoking since their last completed interview and are current cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or

New cohort adult respondents who are current cigarette smokers and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke.

ASK Specification: IF (R09_ADULTTYPE = 2 AND R09_CIG_USER_STATUS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND ((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7))) OR (R09_ADULTTYPE = 1 AND R09_INIT_CIGS_ADULT = 1 AND R09_CIG_USER_STATUS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND ((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7))) OR (R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND ((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7))).

DISPLAY: AUTOFILL [#] WITH R09_CIGSPERDAY OR R09_PCKSPERDAY.

IF R09_CIGSPERDAY = 1, DISPLAY "cigarrillo" AND "cigarrillos".

ELSE, IF R09_CIGSPERDAY > 1, DISPLAY "cigarrillos" AND "cigarrillos".

ELSE, IF R09_PCKSPERDAY = 1, DISPLAY "cajetilla" AND "cajetillas".

ELSE, IF R09_PCKSPERDAY > 1, DISPLAY "cajetillas" AND "cajetillas".

IF R09_AC1003 != 1, DISPLAY " en los días en que fuma".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9009

Usted mencionó que fuma [R09_CIGSPERDAY2]. Aproximadamente, ¿ha fumado esta cantidad de cigarrillos al día desde que comenzó a fumar habitualmente?

1	Sí	GO TO BOX R09_ACR41
2	No	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Aged-up adult respondents who smoke cigarettes every day and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or

Continuing adult respondents who initiated cigarette smoking since their last completed interview and smoke cigarettes every day and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or

New cohort adult respondents who smoke cigarettes every day and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day.

ASK Specification: IF (R09_ADULTTYPE = 2 AND R09_AC1003 = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND (R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3) OR (R09_ADULTTYPE = 1 AND R09_INIT_CIGS_ADULT = 1 AND R09_AC1003 = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND (R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3) OR (R09_ADULTTYPE = 3 AND R09_AC1003 = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND (R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3).

DISPLAY: IF R09_AC1090 = 1, FILL R09_CIGSPERDAY2 WITH "más de 20 cigarrillos cada día".

ELSE, IF R09_AC1090 = 2, FILL WITH "unos 20 cigarrillos cada día".

ELSE, IF R09_AC1090 = 3, FILL WITH "menos de 20 cigarrillos cada día".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9005

En promedio, aproximadamente, ¿cuántos cigarrillos fumaba al día cuando fumó habitualmente en el pasado? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Cigarrillos al día	
2	_ _	Cajetillas al día	
-8	DON'T KNOW		GO TO BOX R09_ACR41
-7	REFUSED		GO TO BOX R09_ACR41

ASK: Aged-up adult respondents who are current cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, or

Continuing adult respondents who initiated cigarette smoking since their last completed interview and are current cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, or

New cohort adult respondents who are current cigarette smokers and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day and report smoking a different amount now than in the past.

ASK Specification: IF (R09_ADULTTYPE = 2 AND R09_CIG_USER_STATUS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND (((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7)) AND R09_AC9004 != 1) OR ((R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3 AND R09_AC9009 != 1))) OR (R09_ADULTTYPE = 1 AND R09_INIT_CIGS_ADULT = 1 AND R09_CIG_USER_STATUS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND (((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7)) AND R09_AC9004 != 1) OR ((R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3 AND R09_AC9009 != 1))) OR (R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND (((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7)) AND R09_AC9004 != 1) OR ((R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3 AND R09_AC9009 != 1))).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9005_LC1

Usted contestó que cuando fumaba de manera habitual anteriormente, usted fumaba [R09_AC9005_NN] [cigarrillos/cajetillas] cada día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC9005

2 NEXT

GO TO BOX R09_ACR41

ASK: IF ((R09_ADULTTYPE = 2 AND R09_CIG_USER_STATUS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND (((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7)) AND R09_AC9004 != 1) OR ((R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3 AND R09_AC9009 != 1))) OR (R09_ADULTTYPE = 1 AND R09_INIT_CIGS_ADULT = 1 AND R09_CIG_USER_STATUS = 1 AND (R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6) AND R08_REGUSE_CIGS != 1 AND R09_AC1100 = 1 AND (((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7)) AND R09_AC9004 != 1) OR ((R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3 AND R09_AC9009 != 1))) AND ((R09_AC9005_NN > 40 AND R09_AC9005_UN = 1) OR (R09_AC9005_NN = 11, 22, 33 AND R09_AC9005_UN = 1) OR (R09_AC9005_NN > 2 AND R09_AC9005_UN = 2)) OR ((R09_ADULTTYPE = 3 AND R09_CIG_USER_STATUS = 1 AND R09_AC1005 = 6 AND R09_AC1100 = 1 AND (((R09_AC1023_NN > 0 AND R09_AC1023_UN != -8, -7) OR (R09_AC1021_NN > 0 AND R09_AC1021_UN != -8, -7)) AND R09_AC9004 != 1) OR ((R09_AC1021_NN = -8, -7 OR R09_AC1021_UN = -8, -7) AND R09_AC1090 = 1, 2, 3 AND R09_AC9009 != 1))).

DISPLAY: IF R09_AC9005_UN = 1, DISPLAY "cigarrillos".

ELSE, IF R09_AC9005_UN = 2, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AC9005_NN > 40 AND R09_AC9005_UN = 1) OR (R09_AC9005_NN = 11, 22, 33 AND R09_AC9005_UN = 1) OR (R09_AC9005_NN > 2 AND R09_AC9005_UN = 2).

ELSE, GO TO BOX R09_ACR41 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ACR41

Adult respondents who are current cigarette smokers, go to R09_AC9022.

Else, go to the next section.

IF R09_CIG_USER_STATUS = 1, GO TO R09_AC9022.

ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AC9022

¿Se considera usted fumador?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9045

Por favor, califique su nivel de acuerdo usando la siguiente escala: 1 = Para nada a 7 = Muchísimo.

¿Disfruta la sensación en la garganta y el pecho cuando fuma un cigarrillo?

- 1 1 = Para nada
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7 = Muchísimo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

PATH ID: R09_AC1024

[En los días en que fuma, ¿qué/¿Qué] tan pronto después de despertarse se fuma típicamente su primer cigarrillo del día? Conteste con la cantidad de minutos o horas. Anote un número entero y seleccione una de las opciones a continuación.

- 1 |_|_|_| Minutos después de despertarse
- 2 |_|_|_| Horas después de despertarse
- 8 DON'T KNOW GO TO R09_AC1092
- 7 REFUSED GO TO R09_AC1092

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

IF R09_AC1003 = 1, DISPLAY "¿Qué".

ELSE, DISPLAY "En los días en que fuma, ¿qué".

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1024_LC1

Usted contestó que normalmente fuma su primer cigarrillo del día [R09_AC1024_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AC1024
2	NEXT	GO TO R09_AC1024_LC2

ASK: IF [R09_CIG_USER_STATUS = 1 AND R09_AC1003 = 1 AND ((R09_AC1024_NN > 60 AND R09_AC1024_UN = 1) OR (R09_AC1024_NN > 4 AND R09_AC1024_UN = 2))] OR [R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND ((R09_AC1024_NN > 60 AND R09_AC1024_UN = 1) OR (R09_AC1024_NN > 12 AND R09_AC1024_UN = 2))].

DISPLAY: IF R09_AC1024_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AC1024_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF [R09_AC1003 = 1 AND ((R09_AC1024_NN > 60 AND R09_AC1024_UN = 1) OR (R09_AC1024_NN > 4 AND R09_AC1024_UN = 2))] OR [R09_AC1003 != 1 AND ((R09_AC1024_NN > 60 AND R09_AC1024_UN = 1) OR (R09_AC1024_NN > 12 AND R09_AC1024_UN = 2))].

ELSE, GO TO R09_AC1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1024_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer cigarrillo del día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AC1024
2	NEXT	GO TO R09_AC9052

ASK: IF R09_CIG_USER_STATUS = 1 AND R09_AC1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AC1024_NN = 0.

ELSE, GO TO R09_AC9052 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1092

[En los días en que fuma, ¿diría/¿Diría] usted que fuma su primer cigarrillo del día durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers and did not know or refused to report how soon after waking up they smoke their first cigarette of the day.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AC1024_NN = -8, -7.

DISPLAY: IF R09_AC1003 = 1, DISPLAY "¿Diría".

ELSE, DISPLAY "En los días en que fuma, ¿diría".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9052

¿Qué cigarrillo detestaría más tener que dejar de fumar?

- 1 El primero del día
- 2 Todos los demás
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

PATH ID: R09_AC9053

¿Fuma con más frecuencia durante las primeras horas después de despertarse que durante el resto del día?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

PATH ID: R09_AC9054

¿Fuma incluso cuando está tan enfermo que debe pasar la mayor parte del día en cama?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

PATH ID: R09_AC9048

Cuando fuma cigarrillos, ¿fuma normalmente cigarrillos que ya vienen listos para fumar o fuma cigarrillos que uno mismo arma?

- 1 Cigarrillos que ya vienen listos para fumar
- 2 Cigarrillos que uno mismo arma
- 3 Tanto cigarrillos que ya vienen listos para fumar como cigarrillos que uno mismo arma
- 4 No sé
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR36

If adult respondent usually smokes both manufactured and roll-your-own cigarettes, create and repeat R09_AC0100[MC/Ry] to R09_AC1051[MC/Ry] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second.

If adult respondent usually smoked only manufactured cigarettes or did not know or refused to report the type of cigarettes they usually smoke, loop through R09_AC0100MC to R09_AC1051MC only once, following the display instructions for manufactured cigarettes.

If adult respondent usually smokes only roll-your-own cigarettes, loop through R09_AC0100RY to R09_AC1051RY only once, following the display instructions for roll-your-own cigarettes.

IF R09_AC9048 = 3, LOOP R09_AC0100[MC/Ry] TO R09_AC1051[MC/Ry] ONCE FOR EACH CIGARETTE TYPE, FOLLOWING APPROPRIATE SKIP PATTERNS. LOOP MANUFACTURED CIGARETTES FIRST, THEN ROLL-YOUR-OWN TOBACCO SECOND.

IF R09_AC9048 = 1, 4, -7, LOOP THROUGH R09_AC0100MC TO R09_AC1051MC ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR MANUFACTURED CIGARETTES.

IF R09_AC9048 = 2, LOOP THROUGH R09_AC0100RY TO R09_AC1051RY ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR ROLL-YOUR-OWN CIGARETTES.

BOX ID: R09_ACR45

Adult respondents who smoke manufactured/roll-your-own cigarettes every day, or adult respondents who are current manufactured/roll-your-own cigarette smokers and do not smoke cigarettes every day and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R09_AC0100[MC/Ry].
Else, go to Box R09_ACR08[MC/Ry].

IF LOOP = MANUFACTURED:

IF R09_AC9048 = 1, 3, 4, -7 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)), GO TO R09_AC0100MC.
ELSE, GO TO BOX R09_ACR08.

IF LOOP = ROLL-YOUR-OWN:

IF R09_AC9048 = 2, 3 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)), GO TO R09_AC0100RY.
ELSE, GO TO BOX R09_ACR08.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC0100

¿Cuándo fue la última vez que fumó un [cigarrillo/cigarrillo que uno mismo arma]?

1 Hace menos de una hora	GO TO R09_AC0103[MC/Ry]
2 Hoy, pero hace más de una hora	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO R09_AC1130[MC/Ry]
-8 DON'T KNOW	GO TO R09_AC1130[MC/Ry]
-7 REFUSED	GO TO R09_AC1130[MC/Ry]

ASK: Adult respondents who smoke manufactured/roll-your-own cigarettes every day, or adult respondents who are current manufactured/roll-your-own cigarette smokers and do not smoke cigarettes every day and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R09_AC0100MC: IF R09_AC9048 = 1, 3, 4, -7 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)).

FOR R09_AC0100RY: IF R09_AC9048 = 2, 3 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)).

DISPLAY: IF R09_AC9048 = 2, DISPLAY "cigarrillo que uno mismo arma".

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillo" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "cigarrillo que uno mismo arma" THE SECOND TIME.

ELSE, DISPLAY "cigarrillo".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC0102

La última vez que fumó un [cigarrillo/cigarrillo que uno mismo arma] [FILL BASED ON R09_AC0100 [MC/RV]], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoke manufactured/roll-your-own cigarettes every day and last smoked a cigarette sometime today, yesterday, or the day before yesterday, or adult respondents who are current manufactured/roll-your-own cigarette smokers and do not smoke cigarettes every day and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a cigarette sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R09_AC0102MC: IF R09_AC9048 = 1, 3, 4, -7 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)) AND R09_AC0100MC = 2, 3, 4.

FOR R09_AC0102RY: IF R09_AC9048 = 2, 3 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)) AND R09_AC0100RY = 2, 3, 4.

DISPLAY: IF R09_AC9048 = 2, DISPLAY "cigarrillo que uno mismo arma".

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillo" THE FIRST TIME THROUGH THE LOOP, THEN

DISPLAY "cigarrillo que uno mismo arma" THE SECOND TIME.

ELSE, DISPLAY "cigarrillo".

FOR [FILL BASED ON R09_AC0100]:

IF R09_AC0100[MC/RV] = 2, DISPLAY "hoy".

ELSE, IF R09_AC0100[MC/RV] = 3, DISPLAY "ayer".

ELSE, IF R09_AC0100[MC/RV] = 4, DISPLAY "hace dos días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC0103

¿Cuántos [cigarrillos/cigarrillos que uno mismo arma] [ha fumado/fumó] [FILL BASED ON R09_AC0100]?

1 |__|__|__| Cantidad de
cigarrillos

-8 DON'T KNOW

GO TO R09_AC1130[MC/RV]

-7 REFUSED

GO TO R09_AC1130[MC/RV]

ASK: Adult respondents who smoke manufactured/roll-your-own cigarettes every day and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current manufactured/roll-your-own cigarette smokers and do not smoke cigarettes every day and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R09_AC0103MC: IF R09_AC9048 = 1, 3, 4, -7 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)) AND R09_AC0100MC = 1, 2, 3, 4.

FOR R09_AC0103RV: IF R09_AC9048 = 2, 3 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)) AND R09_AC0100RV = 1, 2, 3, 4.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de cigarrillos" AS A TITLE.

IF R09_AC9048 = 1, 4, -7, DISPLAY "cigarrillos".

ELSE, IF R09_AC9048 = 2, DISPLAY "cigarrillos que uno mismo arma".

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "cigarrillos que uno mismo arma" THE SECOND TIME.

IF R09_AC0100[MC/RV] = 1, 2, DISPLAY "ha fumado" AND "".

ELSE, IF R09_AC0100[MC/RV] = 3, 4, DISPLAY, "fumó" AND "".

FOR [FILL BASED ON R09_AC0100]:

IF R09_AC0100[MC/RV] = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AC0100[MC/RV] = 3, DISPLAY "ayer".

ELSE, IF R09_AC0100[MC/RV] = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC0103_LC1

Usted contestó que fumó [R09_AC0103] cigarrillos [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC0103[MC/Ry]

2 NEXT

GO TO R09_AC1130[MC/Ry]

ASK: IF (R09_AC9048 = 1, 3, 4, -7 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)) AND R09_AC0100MC = 1, 2, 3, 4 AND (R09_AC0103MC_NN > 60 OR R09_AC0103MC_NN = 11, 22, 33, 44, 55)) OR (R09_AC9048 = 2, 3 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)) AND R09_AC0100RY = 1, 2, 3, 4 AND (R09_AC0103RY_NN > 60 OR R09_AC0103RY_NN = 11, 22, 33, 44, 55)).

DISPLAY: IF R09_AC0100[MC/Ry] = 1, 2, DISPLAY "hoy".

IF R09_AC0100[MC/Ry] = 3, DISPLAY "ayer".

IF R09_AC0100[MC/Ry] = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AC0103[MC/Ry]_NN > 60 OR R09_AC0103[MC/Ry]_NN = 11, 22, 33, 44, 55.

ELSE, GO TO R09_AC1130[MC/Ry] AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1130

En los últimos 30 días, ¿tenía [alguno de los cigarrillos/el tabaco para armar sus propios cigarrillos] que fumó sabor a mentol o menta?

1 Sí

2 No

GO TO R09_ACR08

3 No sé

GO TO R09_ACR08

-7 REFUSED

GO TO R09_ACR08

ASK: Adult respondents who smoke manufactured/roll-your-own cigarettes every day, or adult respondents who are current manufactured/roll-your-own cigarette smokers and do not smoke cigarettes every day and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: FOR R09_AC1130MC: IF R09_AC9048 = 1, 3, 4, -7 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)).

FOR R09_AC1130RY: IF R09_AC9048 = 2, 3 AND (R09_AC1003 = 1 OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0)).

DISPLAY: IF R09_AC9048 = 2, DISPLAY "el tabaco para armar sus propios cigarrillos".

ELSE, IF R09_AC9048 = 3, DISPLAY "alguno de los cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "el tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "alguno de los cigarrillos".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9130

En los últimos 30 días, ¿fumó usted...?

- 1 Únicamente cigarrillos mentolados
- 2 Tanto cigarrillos mentolados como no mentolados
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoke manufactured/roll-your-own cigarettes every day and smoked any manufactured/roll-your-own cigarettes flavored to taste like menthol or mint in the past 30 days, or adult respondents who are current manufactured/roll-your-own cigarette smokers and do not smoke cigarettes every day and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and smoked any manufactured/roll-your-own cigarettes flavored to taste like menthol or mint in the past 30 days.

ASK Specification: FOR R09_AC9130MC: IF R09_AC9048 = 1, 3, 4, -7 AND ((R09_AC1003 = 1 AND R09_AC1130MC = 1) OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0 AND R09_AC1130MC = 1)).

FOR R09_AC9130RY: IF R09_AC9048 = 2, 3 AND ((R09_AC1003 = 1 AND R09_AC1130RY = 1) OR (R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1022 != 0 AND R09_AC1130RY = 1)).

BOX ID: R09_ACR08

Adult 18-20 year old respondents who are current manufactured/roll-your-own cigarette smokers, go to R09_AC1142[MC/Ry].
Else, go to R09_AC1030[MC/Ry].

IF LOOP = MANUFACTURED:

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7, GO TO R09_AC1142MC.
ELSE, GO TO R09_AC1030MC.

IF LOOP = ROLL-YOUR-OWN:

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3, GO TO R09_AC1142RY.
ELSE, GO TO R09_AC1030RY.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1142

Las siguientes preguntas son acerca de su experiencia al comprar [cigarrillos/tabaco para armar sus propios cigarrillos].

En los últimos 30 días, ¿le vendió alguien [cigarrillos/tabaco para armar sus propios cigarrillos]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R09_AC1142MC: IF $18 \leq R09\_ACHIEVEDAGE < 21$ AND $R09\_CIG\_USER\_STATUS = 1$ AND $R09\_AC9048 = 1, 3, 4, -7$.

FOR R09_AC1142RY: IF $18 \leq R09\_ACHIEVEDAGE < 21$ AND $R09\_CIG\_USER\_STATUS = 1$ AND $R09\_AC9048 = 2, 3$.

DISPLAY: IF $R09\_AC9048 = 2$, DISPLAY "tabaco para armar sus propios cigarrillos".

ELSE, IF $R09\_AC9048 = 3$, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME. ELSE, DISPLAY "cigarrillos".

PATH ID: R09_AC1123

En los últimos 30 días, ¿le negó alguien la venta de [cigarrillos/tabaco para armar sus propios cigarrillos] debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar cigarrillos en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R09_AC1123MC: IF $18 \leq R09\_ACHIEVEDAGE < 21$ AND $R09\_CIG\_USER\_STATUS = 1$ AND $R09\_AC9048 = 1, 3, 4, -7$.

FOR R09_AC1123RY: IF $18 \leq R09\_ACHIEVEDAGE < 21$ AND $R09\_CIG\_USER\_STATUS = 1$ AND $R09\_AC9048 = 2, 3$.

DISPLAY: IF $R09\_AC9048 = 2$, DISPLAY "tabaco para armar sus propios cigarrillos".

ELSE, IF $R09\_AC9048 = 3$, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME. ELSE, DISPLAY "cigarrillos".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1030

[Las siguientes preguntas son acerca de su experiencia al comprar cigarrillos.

]¿Cómo compra normalmente [cigarrillos/un paquete de tabaco para armar sus propios cigarrillos] para usted?

1	En persona	GO TO R09_AC1032
2	En Internet	GO TO BOX R09_ACR07
3	Por teléfono	GO TO BOX R09_ACR07
4	No compro [mis cigarrillos/mi tabaco para cigarrillos]	
-8	DON'T KNOW	GO TO BOX R09_ACR07
-7	REFUSED	GO TO BOX R09_ACR07

ASK: Adult respondents who are current manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R09_AC1030MC: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7.

FOR R09_AC1030RY: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar cigarrillos."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_AC9048 = 2, DISPLAY "un paquete de tabaco para armar sus propios cigarrillos" IN QUESTION TEXT, AND "tabaco para cigarrillos" IN RESPONSE OPTION 4.

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillos" IN QUESTION TEXT AND RESPONSE OPTION 4 THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "un paquete de tabaco para armar sus propios cigarrillos" IN QUESTION TEXT, AND "tabaco para cigarrillos" IN RESPONSE OPTION 4 THE SECOND TIME.

ELSE, DISPLAY "cigarrillos" IN QUESTION TEXT AND RESPONSE OPTION 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1118

¿Cómo obtiene normalmente [cigarrillos/tabaco para armar sus propios cigarrillos] para usted?

1	Le doy dinero a otra persona para que me [los/lo] compre	
2	Le pido a una persona que me dé [uno/un poco]	GO TO BOX R09_ACR07
3	Alguien me [los/lo] ofrece	GO TO BOX R09_ACR07
4	Me [los/lo] llevo de una tienda o se [los/lo] quito a alguien sin que se den cuenta	GO TO BOX R09_ACR07
5	[Los/Lo] obtengo de otra manera (ESPECIFIQUE)	GO TO BOX R09_ACR07
-8	DON'T KNOW	GO TO BOX R09_ACR07
-7	REFUSED	GO TO BOX R09_ACR07

ASK: Adult respondents who are current manufactured/roll-your-own cigarette smokers who do not buy their own manufactured/roll-your-own cigarettes.

ASK Specification: FOR R09_AC1118MC: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7 AND R09_AC1030MC = 4.

FOR R09_AC1118RY: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1030RY = 4.

DISPLAY: IF R09_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos" IN QUESTION TEXT AND "lo" and "un poco" IN RESPONSE OPTIONS.

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillos" IN QUESTION TEXT AND "los" AND "uno" IN RESPONSE OPTIONS THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" IN QUESTION TEXT AND "lo" AND "un poco" IN RESPONSE OPTIONS THE SECOND TIME.

ELSE, DISPLAY "cigarrillos" IN QUESTION TEXT AND "los" AND "uno" IN RESPONSE OPTIONS.

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1032

Normalmente, ¿[le compran/compra] [cigarrillos/tabaco para armar sus propios cigarrillos]...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person or give someone else money to buy for them.

ASK Specification: FOR R09_AC1032MC: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7 AND (R09_AC1030MC = 1 OR R09_AC1118MC = 1).

FOR R09_AC1032RY: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND (R09_AC1030RY = 1 OR R09_AC1118RY = 1).

DISPLAY: IF R09_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "cigarrillos".

IF R09_AC1118[MC/Ry] = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1033

¿Dónde [le compran/compra] [cigarrillos/tabaco para armar sus propios cigarrillos] para usted la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda en una reserva indígena
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person or give someone else money to buy for them.

ASK Specification: FOR R09_AC1033MC: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7 AND (R09_AC1030MC = 1 OR R09_AC1118MC = 1).

FOR R09_AC1033RY: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND (R09_AC1030RY = 1 OR R09_AC1118RY = 1).

DISPLAY: IF R09_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "cigarrillos".

IF R09_AC1118[MC/Ry] = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR07

Adult respondents who are current roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone or give someone else money to buy for them, go to R09_AC9049.

Else, adult respondents who are current manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone or give someone else money to buy for them, go to R09_AC1039.

Else, go to Box R09_ACR54.

IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R09_AC9048 = 3)) AND (R09_AC1030RY != 4, -8, -7 OR R09_AC1118RY = 1), GO TO R09_AC9049.
ELSE, IF (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1), GO TO R09_AC1039.
ELSE, GO TO BOX R09_ACR54.

PATH ID: R09_AC9049

[Piense en la última vez que le dio dinero a alguien para que le compre un paquete de tabaco para armar sus propios cigarrillos.]¿Cuánto paga normalmente por un paquete de tabaco para armar sus propios cigarrillos?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

GO TO BOX R09_ACR54

-7 REFUSED

GO TO BOX R09_ACR54

ASK: Adult respondents who are current roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 2 OR (R09_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND (R09_AC1030RY != 4, -8, -7 OR R09_AC1118RY = 1).

DISPLAY: IF R09_AC1118RY = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre un paquete de tabaco para armar sus propios cigarrillos. ".
ELSE, DO NOT DISPLAY THIS TEXT.

ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AC9049_LC1

Usted contestó que normalmente paga \$[R09_AC9049] por un paquete de tabaco para armar sus propios cigarrillos. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC9049RY

2 NEXT

GO TO BOX R09_ACR54

ASK: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 2 OR (R09_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND (R09_AC1030RY != 4, -8, -7 OR R09_AC1118RY = 1) AND R09_AC9049 > 30.00.

PROGRAM: TRIGGER CHECK IF R09_AC9049 > 30.00.

ELSE, GO TO BOX R09_ACR54 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1039

[Piense en la última vez que le dio dinero a alguien para que le compre cigarrillos.]¿Normalmente compra sus cigarrillos en cartón, en cajetilla o sueltos?

1	Cartón	
2	Cajetilla	GO TO R09_AC1042MC
3	Sueltos	GO TO R09_AC1043MC
-8	DON'T KNOW	GO TO BOX R09_ACR54
-7	REFUSED	GO TO BOX R09_ACR54

ASK: Adult respondents who are current manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1).

DISPLAY: IF R09_AC1118MC = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre cigarrillos. ".
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AC1040

¿Cuántas cajetillas de cigarrillos vienen en el cartón que normalmente compra?

1	_ _ _ _ Cajetillas de cigarrillos	
-8	DON'T KNOW	GO TO R09_AC1041MC
-7	REFUSED	GO TO R09_AC1041MC

ASK: Adult respondents who are current manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy manufactured cigarettes by the carton.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1) AND R09_AC1039 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cajetillas de cigarrillos" AS A TITLE.

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1040_LC1

Un cartón de cigarrillos normalmente contiene 10 cajetillas, pero no siempre. Usted contestó que hay [R09_AC1040 cajetilla/R09_AC1040 cajetillas] de cigarrillos en el cartón que usted normalmente compra. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AC1040
2	NEXT	GO TO R09_AC1041

ASK: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1) AND R09_AC1039 = 1 AND R09_AC1040 != 10.

DISPLAY: IF R09_AC1040 = 1, DISPLAY "[R09_AC1040] cajetilla".
ELSE, DISPLAY "[R09_AC1040] cajetillas".

PROGRAM: TRIGGER CHECK IF R09_AC1040 != 10.
ELSE, GO TO R09_AC1041 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1041

¿Cuánto paga normalmente por un cartón de cigarrillos?

1	\$.	
-8	DON'T KNOW	GO TO BOX R09_ACR54
-7	REFUSED	GO TO BOX R09_ACR54

ASK: Adult respondents who are current manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy manufactured cigarettes by the carton.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1) AND R09_AC1039 = 1.

DISPLAY: ALLOW NUMERIC ENTRY;
DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.
Range check: 0.00-999.99

PATH ID: R09_AC1041_LC1

Usted contestó que normalmente paga \$[R09_AC1041] por un cartón de cigarrillos. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AC1041
2	NEXT	GO TO BOX R09_ACR54

ASK: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1) AND R09_AC1039 = 1 AND (R09_AC1041 > 125.00 OR R09_AC1041 < 25.00).

PROGRAM: TRIGGER CHECK IF R09_AC1041 > 125.00 OR R09_AC1041 < 25.00.
ELSE, GO TO BOX R09_ACR54 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1042

¿Cuánto paga normalmente por una cajetilla de cigarrillos?

1 \$ | | | | . | | | |

-8 DON'T KNOW

GO TO BOX R09_ACR54

-7 REFUSED

GO TO BOX R09_ACR54

ASK: Adult respondents who are current manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy manufactured cigarettes by the pack.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1) AND R09_AC1039 = 2.

DISPLAY: ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AC1042_LC1

Usted contestó que pagó \$[R09_AC1042] por una cajetilla de cigarrillos. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1042

2 NEXT

GO TO BOX R09_ACR54

ASK: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1) AND R09_AC1039 = 2 AND (R09_AC1042 > 15.00 OR R09_AC1042 < 3.99).

PROGRAM: TRIGGER CHECK IF R09_AC1042 > 15.00 OR R09_AC1042 < 3.99.

ELSE, GO TO BOX R09_ACR54 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1043

¿Cuánto paga normalmente por un cigarrillo suelto?

1 \$ | | | | . | | | |

-8 DON'T KNOW

GO TO BOX R09_ACR54

-7 REFUSED

GO TO BOX R09_ACR54

ASK: Adult respondents who are current manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy single manufactured cigarettes.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1) AND R09_AC1039 = 3.

DISPLAY: ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1043_LC1

Usted contestó que normalmente paga \$[R09_AC1043] por un cigarrillo suelto. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1043

2 NEXT

GO TO BOX R09_ACR54

ASK: IF R09_CIG_USER_STATUS = 1 AND (R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND (R09_AC1030MC != 4, -8, -7 OR R09_AC1118MC = 1) AND R09_AC1039 = 3 AND (R09_AC1043 > 3.00 OR R09_AC1043 < 0.50).

PROGRAM: TRIGGER CHECK IF R09_AC1043 > 3.00 OR R09_AC1043 < 0.50).
ELSE, GO TO BOX R09_ACR54 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ACR54

Adult respondents who are current manufactured cigarette smokers, go to R09_AC8800.
Else, adult respondents who are current roll-your-own cigarette smokers, go to R09_AC8802.
Else, go to R09_AC1047[MC/RV].

IF LOOP = MANUFACTURED:

IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 != 2, GO TO R09_AC8800.

ELSE, GO TO R09_AC1047MC.

IF LOOP = ROLL-YOUR-OWN:

IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3, GO TO R09_AC8802.

ELSE, GO TO R09_AC1047RY.

PATH ID: R09_AC8800

Después de que termina de fumar un cigarrillo, ¿dónde bota normalmente las colillas?

1 En un cenicero o caneca para cigarrillos

2 En la basura

3 En el suelo

4 En el lavamanos o en el baño

5 Por la ventana del auto

6 En otra parte (ESPECIFIQUE)

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current manufactured cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 != 2.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC8801

¿Qué hace normalmente con la cajetilla o el cartón de cigarrillos cuando está vacío?

1	Lo tira en un cenicero o en una caneca para cigarrillos	GO TO R09_AC1047
2	Lo tira en la basura	GO TO R09_AC1047
3	Lo tira al suelo	GO TO R09_AC1047
4	Lo recicla	GO TO R09_AC1047
5	Lo tira por la ventana del auto	GO TO R09_AC1047
6	Otro (ESPECIFIQUE)	GO TO R09_AC1047
-8	DON'T KNOW	GO TO R09_AC1047
-7	REFUSED	GO TO R09_AC1047

ASK: Adult respondents who are current manufactured cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 != 2.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AC8802

¿Qué hace normalmente con el paquete de tabaco para armar sus propios cigarrillos cuando está vacío?

1	Lo tira en un cenicero o en una caneca para cigarrillos
2	Lo tira en la basura
3	Lo tira al suelo
4	Lo recicla
5	Lo tira por la ventana del auto
6	Otro (ESPECIFIQUE)
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current RYO cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1047

¿[Tiene/Tenía] una marca habitual de [cigarrillos/tabaco para armar sus propios cigarrillos] que normalmente [fuma/fumaba]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured/roll-your-own cigarette smokers, or recent former cigarette smokers.

ASK Specification: FOR R09_AC1047MC: IF (R09_AC9048 = 1, 3, 4, -7 AND

R09_CIG_USER_STATUS = 1) OR R09_CIG_USER_STATUS = 4.

FOR R09_AC1047RY: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3.

DISPLAY: IF R09_CIG_USER_STATUS = 1, DISPLAY "Tiene" AND "fuma".

ELSE, IF R09_CIG_USER_STATUS = 4, DISPLAY "Tenía" AND "fumaba".

IF R09_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN

DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "cigarrillos".

BOX ID: R09_ACR29

Adult respondents who are current manufactured cigarette smokers, or recent former cigarette smokers, go to R09_AC1050.

Else, adult respondents who are current roll-your-own cigarette smokers, go to R09_AC9150.

IF (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4, GO TO R09_AC1050.

ELSE, IF R09_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R09_AC9048 = 3), GO TO R09_AC9150.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1050

[Su marca habitual/La última marca] que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol o menta?

1	Sí	GO TO R09_AC1945MC
2	No	GO TO R09_AC1945MC
3	No sé	GO TO R09_AC1945MC
-7	REFUSED	GO TO R09_AC1945MC

ASK: Adult respondents who are current manufactured cigarette smokers, or recent former cigarette smokers.

ASK Specification: IF (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4.

DISPLAY: IF R09_CIG_USER_STATUS = 1 AND R09_AC1047MC = 1, DISPLAY "Su marca habitual" AND "fuma" AND "tiene".

ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1047MC = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".

ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047MC = 1, DISPLAY "Su marca habitual" AND "fumaba" AND "tenía".

ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047MC = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AC9150

[Su marca habitual/La última marca] de tabaco para armar sus propios cigarrillos [que fumaba], ¿[tiene/tenía] sabor a mentol o menta?

1	Sí
2	No
3	No sé
-7	REFUSED

ASK: Adult respondents who are current roll-your-own cigarette smokers.

ASK Specification: IF R09_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R09_AC9048 = 3).

DISPLAY: IF R09_CIG_USER_STATUS = 1 AND R09_AC1047RY = 1, DISPLAY "Su marca habitual" AND "tiene".

ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1047RY = 2, -8, -7, DISPLAY, "La última marca" AND "tenía" AND "que fumaba".

ELSE, IF R09_AC1047RY = 1, DISPLAY "Su marca habitual" AND "tenía".

ELSE, IF R09_AC1047RY = 2, -8, -7, DISPLAY "La última marca" AND "tenía" AND "que fumaba".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1945

¿Sabe el **nombre de la marca** de [cigarrillos/tabaco para armar sus propios cigarrillos] que [fuma normalmente/fumó normalmente/fumó la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured/roll-your-own cigarette smokers, or recent former cigarette smokers.

ASK Specification: FOR R09_AC1945MC: IF (R09_AC9048 = 1, 3, 4, -7 AND R09_CIG_USER_STATUS = 1) OR R09_CIG_USER_STATUS = 4.

FOR R09_AC1945RY: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3.

DISPLAY: IF R09_AC1047[MC/Ry] = 1 AND R09_CIG_USER_STATUS = 1, DISPLAY "fuma normalmente".

ELSE, IF R09_AC1047[MC/Ry] = 1 AND R09_CIG_USER_STATUS != 1, DISPLAY "fumó normalmente".

ELSE, IF R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó la última vez".

IF R09_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "cigarrillos".

BOLD "nombre de la marca".

BOX ID: R09_ACR44

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked, go to Box R09_ACD48.

Else, go to Box R09_ACR30.

IF LOOP = MANUFACTURED:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 2, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1, GO TO BOX R09_ACD48.

ELSE, GO TO BOX R09_ACR30.

IF LOOP = ROLL-YOUR-OWN:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1, GO TO BOX R09_ACD48.

ELSE, GO TO BOX R09_ACR30.

BOX ID: R09_ACD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AC1048 and R09_AC1049 on one screen.

Show the question text from R09_AC1048 at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AC1049, and 5) text entry for R09_AC1049.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1048

¿Qué marca [son los cigarrillos/es el tabaco para armar sus propios cigarrillos] que usted [fuma/fumó]
[normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: FOR R09_AC1048MC_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1.
FOR R09_AC1048RY_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1.

DISPLAY: IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fuma" AND "normalmente".
ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".
ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fumó" AND "normalmente".
ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF R09_AC9048 = 2, DISPLAY "es el tabaco para armar sus propios cigarrillos".
ELSE, IF R09_AC9048 = 3, DISPLAY "son los cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "es el tabaco para armar sus propios cigarrillos" THE SECOND TIME.
ELSE, DISPLAY "son los cigarrillos".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL BRANDS, DISPLAY "Más opciones" IN BOLD.
ELSE, DISPLAY "Opciones" IN BOLD.

FOR R09_AC1048MC_BRAND: DISPLAY ONLY BRANDS OF MANUFACTURED CIGARETTES.
FOR R09_AC1048RY_BRAND: DISPLAY ONLY BRANDS OF ROLL-YOUR-OWN CIGARETTE TOBACCO.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.
SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AC1049[MC/Ry], set R09_AC1048_BRAND[MC/Ry] = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1049

¿No vio su marca?

Escriba el nombre de la marca de cigarrillos que [fuma /fumó] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: FOR R09_AC1049MC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1.

FOR R09_AC1049RY: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1.

DISPLAY: BOLD "¿No vio su marca?" AND "deseleccionarán".

IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AC1047[MC/Ry] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, DISPLAY "fumó" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AC1049[MC/Ry], set R09_AC1048[MC/Ry]_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_ACR30

Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked, go to R09_AC2048[MC/Ry].

Else, go to Box R09_ACR102.

IF LOOP = MANUFACTURED:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1, GO TO R09_AC2048MC.

ELSE, GO TO BOX R09_ACR102.

IF LOOP = ROLL-YOUR-OWN:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1, GO TO R09_AC2048RY.

ELSE, GO TO BOX R09_ACR102.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC2048

¿Qué marca [son los cigarrillos/es el tabaco para armar sus propios cigarrillos] que usted [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

9995 Otra

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: FOR R09_AC2048MC_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1.
FOR R09_AC2048RY_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1.

DISPLAY: IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF R09_AC9048 = 2, DISPLAY "es el tabaco para armar sus propios cigarrillos".

ELSE, IF R09_AC9048 = 3, DISPLAY "son los cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "es el tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "son los cigarrillos".

FOR R09_AC1048MC_BRAND: DISPLAY ONLY BRANDS OF MANUFACTURED CIGARETTES.

FOR R09_AC1048RY_BRAND: DISPLAY ONLY BRANDS OF ROLL-YOUR-OWN CIGARETTE TOBACCO.

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR101

Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected "Something else" for their brand of manufactured/roll-your-own cigarettes, go to R09_AC2049[MC/RY]. Else, go to Box R09_ACR102.

IF LOOP = MANUFACTURED:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND = 9995, GO TO R09_AC2049MC.
ELSE, GO TO BOX R09_ACR102.

IF LOOP = ROLL-YOUR-OWN:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND = 9995, GO TO R09_AC2049RY.
ELSE, GO TO BOX R09_ACR102.

PATH ID: R09_AC2049

Dijo que su marca no aparece en la lista. ¿Cuál marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected "Something else" for their brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R09_AC2049MC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND = 9995.
FOR R09_AC2049RY: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes, go to Box R09_ACD70.

Else, go to Box R09_ACR31.

IF LOOP = MANUFACTURED:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7, GO TO BOX R09_ACD70. ELSE, GO TO BOX R09_ACR31.

IF LOOP = ROLL-YOUR-OWN:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC1048RY_BRAND != 9995, -8, -7, GO TO BOX R09_ACD70. ELSE, GO TO BOX R09_ACR31.

BOX ID: R09_ACD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AC1070 and R09_AC1071 on one screen.

Show the question text from R09_AC1070 at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AC1071, and 5) text entry for R09_AC1071.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1070

Usted seleccionó [CIGBRANDFILL/RYOBRANDFILL] como su marca. ¿Qué clase de [CIGBRANDFILL/RYOBRANDFILL] [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R09_AC1070MC_PRODUCT: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7.

FOR R09_AC1070RY_PRODUCT: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC1048RY_BRAND != 9995, -8, -7.

DISPLAY: IF R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL [CIGBRANDFILL] WITH BRAND CHOSEN IN R09_AC1048MC_BRAND. ELSE, IF R09_AC9048 = 2 OR (R09_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL [RYOBRANDFILL] WITH BRAND CHOSEN IN R09_AC1048RY_BRAND.

IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN.

If text is entered in R09_AC1071, set R09_AC1070_PRODUCT = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1071

¿No vio su producto?

Escriba el tipo de [BRANDFILL] que [fuma/fumó] [normalmente/la última vez].

*Al escribir el texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R09_AC1071MC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7.

FOR R09_AC1071RY: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC1048RY_BRAND != 9995, -8, -7.

DISPLAY: BOLD "¿No vio su producto?" AND "deseleccionarán".

FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AC1048[MC/Ry]_BRAND.

IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AC1047[MC/Ry] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, DISPLAY "fumó" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AC1071[MC/Ry], set R09_AC1070[MC/Ry]_PRODUCT = 99995 (SOMETHING ELSE).

BOX ID: R09_ACR31

Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes, go to R09_AC2070[MC/Ry].
Else, go to Box R09_ACR33.

IF LOOP = MANUFACTURED:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7, GO TO R09_AC2070MC.

ELSE, GO TO BOX R09_ACR33.

IF LOOP = ROLL-YOUR-OWN:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7, GO TO R09_AC2070RY.

ELSE, GO TO BOX R09_ACR33.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC2070

Usted seleccionó [CIGBRANDFILL/RYOBRANDFILL] como su marca. ¿Qué clase de [CIGBRANDFILL/RYOBRANDFILL] [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

99995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R09_AC2070MC_PRODUCT: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7.

FOR R09_AC2070RY_PRODUCT: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7.

DISPLAY: IF R09_AC9048 = 1, 4, -7 OR (R09_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL [CIGBRANDFILL] WITH BRAND CHOSEN IN R09_AC2048MC_BRAND. ELSE, IF R09_AC9048 = 2 OR (R09_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL [RYOBRANDFILL] WITH BRAND CHOSEN IN R09_AC2048RY_BRAND.

IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047[MC/Ry] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR103

Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured/roll-your-own cigarettes, go to R09_AC2070[MC/RY]_CONF. Else, adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes and selected "Something else" for their sub-brand of manufactured/roll-your-own cigarettes, go to R09_AC2071[MC/RY]. Else, go to Box R09_ACR33.

IF LOOP = MANUFACTURED:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND R09_AC2070MC_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AC2070MC_CONF.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND R09_AC2070MC_PRODUCT = 99995, GO TO R09_AC2071MC.

ELSE, GO TO BOX R09_ACR33.

IF LOOP = ROLL-YOUR-OWN:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AC2070RY_CONF.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT = 99995.

ELSE, GO TO BOX R09_ACR33.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC2070_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, seleccione el botón que dice ATRÁS y vuelva a seleccionar la marca.

[SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS]

1 BACK

GO TO R09_AC2070[MC/Ry]

2 NEXT

GO TO BOX R09_ACR33

ASK: Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R09_AC2070MC_CONF: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND R09_AC2070MC_PRODUCT != 99990, 99995, -8, -7.

FOR R09_AC2070RY_CONF: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: FILL [NEQBRAND] WITH R09_AC2070[MC/Ry]_PRODUCT RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS.

PATH ID: R09_AC2071

Usted dijo que el tipo de [CIGBRANDFILL/RyOBRANDFILL] no aparece en la lista. ¿Qué tipo es?

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes and selected "Something else" for their sub-brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R09_AC2071MC: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND R09_AC2070MC_PRODUCT = 99995.

FOR R09_AC2071RY: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT = 99995.

DISPLAY: FILL [CIGBRANDFILL/RyOBRANDFILL] WITH BRAND SELECTED IN R09_AC2048[MC/Ry]_BRAND.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR33

Adult respondents who are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes, go to R09_AC1051[MC/Ry].
Else, go to Box R09_ACR43.

IF R09_CIG_USER_STATUS = 1, 4 AND R09_AC1047[MC/Ry] = 1, GO TO R09_AC1051[MC/Ry].
ELSE, GO TO BOX R09_ACR43.

PATH ID: R09_AC1051

Aproximadamente, ¿cuánto tiempo [lleva fumando/fumó] su marca habitual de [cigarrillos/ tabaco para armar sus propios cigarrillos]? Anote un número y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_ACR43

-7 REFUSED

GO TO BOX R09_ACR43

ASK: Adult respondents who are current manufactured/roll-your-own cigarette smokers or recent former cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R09_AC1051MC: IF R09_CIG_USER_STATUS = 1, 4 AND R09_AC9048 != 2 AND R09_AC1047MC = 1.

FOR R09_AC1051RY: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1047RY = 1.

DISPLAY: IF R09_AC9048 = 2, DISPLAY "tabaco para armar sus propios cigarrillos".

ELSE, IF R09_AC9048 = 3, DISPLAY "cigarrillos" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "tabaco para armar sus propios cigarrillos" THE SECOND TIME.

ELSE, DISPLAY "cigarrillos".

IF R09_CIG_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1051_LC1

Usted contestó que [lleva fumando/fumó] su marca habitual por [R09_AC1051MC_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AC1051MC
2 NEXT	GO TO R09_AC1051_LC2

ASK: IF R09_CIG_USER_STATUS = 1, 4 AND R09_AC9048 != 2 AND R09_AC1047MC = 1 AND R09_AC1051MC_NN > R09_ACHIEVEDAGE AND R09_AC1051MC_UN = 3.

DISPLAY: IF R09_CIG_USER_STATUS = 1, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AC1051MC_NN > R09_ACHIEVEDAGE AND R09_AC1051MC_UN = 3.
ELSE, GO TO R09_AC1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1051_LC2

Usted contestó "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de cigarrillos. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AC1051MC
2 NEXT	GO TO BOX R09_ACR43

ASK: IF R09_CIG_USER_STATUS = 1, 4 AND R09_AC9048 != 2 AND R09_AC1047MC = 1 AND R09_AC1051MC_NN = 0.

DISPLAY: IF R09_CIG_USER_STATUS = 1, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AC1051MC_NN = 0.
ELSE, GO TO BOX R09_ACR43 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AC1051RY_LC1

Usted contestó que lleva [R09_AC1051RY_NN] años fumando su marca habitual. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AC1051RY
2 NEXT	GO TO R09_AC1051RY_LC2

ASK: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1047RY = 1 AND R09_AC1051RY_NN > R09_ACHIEVEDAGE AND R09_AC1051RY_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AC1051RY_NN > R09_ACHIEVEDAGE AND R09_AC1051RY_UN = 3.
ELSE, GO TO R09_AC1051RY_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC1051RY_LC2

Usted contestó "cero" para la cantidad de tiempo que usted lleva fumando su marca habitual de cigarrillos. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AC1051RY

2 NEXT

GO TO BOX R09_ACR09

ASK: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3 AND R09_AC1047RY = 1 AND R09_AC1051RY_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AC1051RY_NN = 0.
ELSE, GO TO BOX R09_ACR09 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ACR43

Adult respondents who smoke both manufactured and roll-your-own cigarettes, go back to R09_AC0100RY and loop through for roll-your-own cigarettes.
Else, go to Box R09_ACR09.

IF R09_AC9048 = 3, GO BACK TO R09_AC0100RY AND COMPLETE RYO CIGARETTE LOOP.
ELSE, GO TO BOX R09_ACR09.

BOX ID: R09_ACR09

Adult respondents who are current manufactured cigarette smokers or recent former cigarette smokers and have a regular brand of manufactured cigarettes, go to Box R09_ACD01.
Else, adult respondents who are current manufactured cigarette smokers or recent former cigarette smokers, go to R09_AC9019.
Else, go to Box R09_ACR37.

IF ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4) AND R09_AC1047MC = 1, GO TO BOX R09_ACD01.
ELSE, IF (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4, GO TO R09_AC9019.
ELSE, GO TO BOX R09_ACR37.

BOX ID: R09_ACD01

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER:
R09_AC9010, R09_AC9011, R09_AC9014, R09_AC9015.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:
Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AC9010 is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:
Display one question per screen. Include the intro/transition text from R09_AC9010 on each screen. Randomize the order.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9010

[Las siguientes preguntas son acerca de su marca habitual de cigarrillos. Al contestar estas preguntas, piense por favor, en la marca de sus cigarrillos que ya vienen listos para fumar.]Al seleccionar su marca habitual de cigarrillos [cuando fumaba], ¿basó su decisión en parte en alguno de los siguientes criterios? [Marque Sí o No para cada afirmación.]

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured cigarette smokers or recent former cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R09_CIG_USER_STATUS = 1 AND R09_AC1047MC = 1 AND R09_AC9048 = 1, 3, 4, -7) OR (R09_CIG_USER_STATUS = 4 AND R09_AC1047MC = 1).

DISPLAY: IF R09_CIG_USER_STATUS = 1, DISPLAY "Es".

ELSE, DISPLAY "cuando fumaba" AND "Era".

IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3, DISPLAY TRANSITION TEXT: "Las siguientes preguntas son acerca de su marca habitual de cigarrillos. Al contestar estas preguntas, piense por favor en la marca de sus cigarrillos que ya vienen listos para fumar."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AC9011

Los niveles de alquitrán y nicotina.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured cigarette smokers or recent former cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R09_CIG_USER_STATUS = 1 AND R09_AC1047MC = 1 AND R09_AC9048 = 1, 3, 4, -7) OR (R09_CIG_USER_STATUS = 4 AND R09_AC1047MC = 1).

PATH ID: R09_AC9014

El sabor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured cigarette smokers or recent former cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R09_CIG_USER_STATUS = 1 AND R09_AC1047MC = 1 AND R09_AC9048 = 1, 3, 4, -7) OR (R09_CIG_USER_STATUS = 4 AND R09_AC1047MC = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9015

Como manera para ayudarle a dejar el hábito de fumar.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured cigarette smokers or recent former cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF (R09_CIG_USER_STATUS = 1 AND R09_AC1047MC = 1 AND R09_AC9048 = 1, 3, 4, -7) OR (R09_CIG_USER_STATUS = 4 AND R09_AC1047MC = 1).

PATH ID: R09_AC9019

¿Cree que la marca de cigarrillos que [normalmente fuma/normalmente fumaba/fumó por última vez] podría ser menos dañina, igual de dañina o más dañina en comparación con otras marcas de cigarrillos?

- 1 Menos dañina
- 2 Igual de dañina
- 3 Más dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current manufactured cigarette smokers or recent former cigarette smokers.

ASK Specification: IF (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 3, 4, -7) OR R09_CIG_USER_STATUS = 4.

DISPLAY: IF R09_CIG_USER_STATUS = 1 AND R09_AC1047MC = 1, DISPLAY "normalmente fuma".
ELSE, IF R09_CIG_USER_STATUS = 1 AND R09_AC1047MC = 2, -8, -7, DISPLAY "fumó por última vez".
ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047MC = 1, DISPLAY "normalmente fumaba".
ELSE, IF R09_CIG_USER_STATUS = 4 AND R09_AC1047MC = 2, -8, -7, DISPLAY "fumó por última vez".

BOX ID: R09_ACR37

Adult respondents who are current cigarette smokers, go to R09_AC1144.
Else, go to Box R09_ACR35.

IF R09_CIG_USER_STATUS = 1, GO TO R09_AC1144.
ELSE, GO TO BOX R09_ACR35.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AC1144

¿Qué tan dañino cree que es fumar cigarrillos para SU salud?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

PATH ID: R09_AC9008

¿Alguna vez ha fumado cigarrillos **no mentolados** que producen una sensación de frescor en la boca o garganta?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

DISPLAY: BOLD "no mentolados".

PATH ID: R09_AC9018

¿Alguna vez ha usado tarjetas de sabor, cápsulas de sabor, boquillas de sabores, gotas o aceites para añadir algún sabor a sus cigarrillos o a su cajetilla de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ACR35

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and sub-brands of both types of cigarettes, or adult respondents who are completing a web interview on a mobile device and are current cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and sub-brands of both types of cigarettes, go to R09_AC0105.

Else, adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current cigarette smokers and only smoke manufactured cigarettes or did not know or refused to report their type and last smoked a manufactured cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured cigarettes, or current cigarette smokers and only smoke roll-your-own cigarettes and last smoked a roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of roll-your-own cigarettes, or current cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a manufactured cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured cigarettes and did not know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked or did not select a brand or did not select a sub-brand of roll-your-own cigarettes, or current cigarette smokers of both manufactured and roll-your-own cigarettes and did not know the name of the brand of manufactured cigarettes they usually smoke or last smoked or did not select a brand or did not select a sub-brand of manufactured cigarettes and last smoked a roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of roll-your-own cigarettes, or adult respondents who are completing a web interview on a mobile device and are current cigarette smokers and only smoke manufactured cigarettes or did not know or refused to report their type and last smoked a manufactured cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured cigarettes, or current cigarette smokers and only smoke roll-your-own cigarettes and last smoked a roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of roll-your-own cigarettes, or current cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a manufactured cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured cigarettes and did not know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked or did not select a brand or did not select a sub-brand of roll-your-own cigarettes, or current cigarette smokers of both manufactured and roll-your-own cigarettes and did not know the name of the brand of manufactured cigarettes they usually smoke or last smoked or did not select a brand or did not select a sub-brand of manufactured cigarettes and last smoked a roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of roll-your-own cigarettes, go to R09_AC0104.

Else, go to the next section.

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND (R09_AC0100MC = 1, 2, 3, 4 OR R09_AC0100RY = 1, 2, 3, 4) AND R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7 AND R09_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R09_AC1945RY = 1 AND

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R09_AC1048RY_BRAND != 9995, -8, -7 AND R09_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR
(R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_CIG_USER_STATUS = 1 AND
R09_AC9048 = 3 AND (R09_AC0100MC = 1, 2, 3, 4 OR R09_AC0100RY = 1, 2, 3, 4) AND
R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND
R09_AC2070MC_PRODUCT != 99990, 99995, -8, -7 AND R09_AC1945RY = 1 AND
R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT != 99990, 99995, -8, -7),
GO TO R09_AC0105.

ELSE, IF [(R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 4, -7 AND R09_AC0100MC = 1, 2, 3, 4 AND
R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7 AND
R09_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R09_CIG_USER_STATUS = 1 AND
R09_AC9048 = 2 AND R09_AC0100RY = 1, 2, 3, 4 AND R09_AC1945RY = 1 AND
R09_AC1048RY_BRAND != 9995, -8, -7 AND R09_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR
(R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND R09_AC0100MC = 1, 2, 3, 4 AND
R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7 AND
R09_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND (R09_AC1945RY != 1 OR
R09_AC1048RY_BRAND = 9995, -8, -7 OR R09_AC1070RY_PRODUCT = 99990, 99995, -8, -7)) OR
(R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND (R09_AC1945MC != 1 OR
R09_AC1048MC_BRAND = 9995, -8, -7 OR R09_AC1070MC_PRODUCT = 99990, 99995, -8, -7) AND
R09_AC0100RY = 1, 2, 3, 4 AND R09_AC1945RY = 1 AND R09_AC1048RY_BRAND != 9995, -8, -7
AND R09_AC1070RY_PRODUCT != 99990, 99995, -8, -7))] OR [(R09_ADULT_MODE = 3 AND
WEBDEVICE = 2 AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 4, -7 AND
R09_AC0100MC = 1, 2, 3, 4 AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7
AND R09_AC2070MC_PRODUCT != 99990, 99995, -8, -7) OR (R09_CIG_USER_STATUS = 1 AND
R09_AC9048 = 2 AND R09_AC0100RY = 1, 2, 3, 4 AND R09_AC1945RY = 1 AND
R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT != 99990, 99995, -8, -7) OR
(R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND R09_AC0100MC = 1, 2, 3, 4 AND
R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND
R09_AC2070MC_PRODUCT != 99990, 99995, -8, -7 AND (R09_AC1945RY != 1 OR
R09_AC2048RY_BRAND = 9995, -8, -7 OR R09_AC2070RY_PRODUCT = 99990, 99995, -8, -7)) OR
(R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND (R09_AC1945MC != 1 OR
R09_AC2048MC_BRAND = 9995, -8, -7 OR R09_AC2070MC_PRODUCT = 99990, 99995, -8, -7) AND
R09_AC0100RY = 1, 2, 3, 4 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7
AND R09_AC2070RY_PRODUCT != 99990, 99995, -8, -7))], GO TO R09_AC0104.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC0105

Anteriormente dijo que fumó un cigarrillo [TIME OF LAST USE]. Piense en el último cigarrillo que fumó.
¿Era (un)...?

1 [NEQBRAND]	GO TO THE NEXT SECTION
2 [NEQBRAND]	GO TO THE NEXT SECTION
3 Alguna otra marca	GO TO THE NEXT SECTION
-8 DON'T KNOW	GO TO THE NEXT SECTION
-7 REFUSED	GO TO THE NEXT SECTION

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and sub-brands of both types of cigarettes, or

Adult respondents who are completing a web interview on a mobile device and are current cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and sub-brands of both types of cigarettes.

ASK Specification: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND (R09_AC0100MC = 1, 2, 3, 4 OR R09_AC0100RY = 1, 2, 3, 4) AND R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7 AND R09_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R09_AC1945RY = 1 AND R09_AC1048RY_BRAND != 9995, -8, -7 AND R09_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND (R09_AC0100MC = 1, 2, 3, 4 OR R09_AC0100RY = 1, 2, 3, 4) AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND R09_AC2070MC_PRODUCT != 99990, 99995, -8, -7 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT != 99990, 99995, -8, -7).

DISPLAY: IF R09_AC0100MC = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".
ELSE, IF R09_AC0100RY = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".
ELSE, IF R09_AC0100MC = 2, FILL [TIME OF LAST USE] WITH "hoy".
ELSE, IF R09_AC0100RY = 2, FILL [TIME OF LAST USE] WITH "hoy".
ELSE, IF R09_AC0100MC = 3, FILL [TIME OF LAST USE] WITH "ayer".
ELSE, IF R09_AC0100RY = 3, FILL [TIME OF LAST USE] WITH "ayer".
ELSE, IF R09_AC0100MC = 4, FILL [TIME OF LAST USE] WITH "hace dos días".
ELSE, IF R09_AC0100RY = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL FIRST [NEQBRAND] WITH R09_AC1070MC_PRODUCT RESPONSE AND FILL SECOND [NEQBRAND] WITH R09_AC1070RY_PRODUCT RESPONSE.
ELSE, FILL FIRST [NEQBRAND] WITH R09_AC2070MC_PRODUCT RESPONSE AND FILL SECOND [NEQBRAND] WITH R09_AC2070RY_PRODUCT RESPONSE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC0104

Tengo una pregunta más acerca de **[su marca habitual/la última marca]** de cigarrillos[que fumó].

Anteriormente dijo que fumó un cigarrillo [TIME OF LAST USE].

Piense en el último cigarrillo que fumó. ¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are:

Current cigarette smokers and only smoke manufactured cigarettes or did not know or refused to report their type and last smoked a manufactured cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured cigarettes, or

Current cigarette smokers and only smoke roll-your-own cigarettes and last smoked a roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of roll-your-own cigarettes, or

Current cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a manufactured cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured cigarettes and did not know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked or did not select a brand or did not select a sub-brand of roll-your-own cigarettes, or

Current cigarette smokers of both manufactured and roll-your-own cigarettes and did not know the name of the brand of manufactured cigarettes they usually smoke or last smoked or did not select a brand or did not select a sub-brand of manufactured cigarettes and last smoked a roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of roll-your-own cigarettes, or

Adult respondents who are completing a web interview on a mobile device and are:

Current cigarette smokers and only smoke manufactured cigarettes or did not know or refused to report their type and last smoked a manufactured cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured cigarettes, or

Current cigarette smokers and only smoke roll-your-own cigarettes and last smoked a roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of roll-your-own cigarettes, or

Current cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a manufactured cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured cigarettes they usually smoke or last smoked and selected a brand and sub-brand of manufactured cigarettes and did not know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked or did not select a brand or did not select a sub-brand of roll-your-own cigarettes, or

Current cigarette smokers of both manufactured and roll-your-own cigarettes and did not know the name of the brand of manufactured cigarettes they usually smoke or last smoked or did not select a brand or did not select a sub-brand of manufactured cigarettes and last smoked a roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of roll-your-own cigarettes they usually smoke or last smoked and selected a brand and sub-brand of roll-

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

your-own cigarettes.

ASK Specification: IF [(R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 4, -7 AND R09_AC0100MC = 1, 2, 3, 4 AND R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7 AND R09_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2 AND R09_AC0100RY = 1, 2, 3, 4 AND R09_AC1945RY = 1 AND R09_AC1048RY_BRAND != 9995, -8, -7 AND R09_AC1070RY_PRODUCT != 99990, 99995, -8, -7) OR (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND R09_AC0100MC = 1, 2, 3, 4 AND R09_AC1945MC = 1 AND R09_AC1048MC_BRAND != 9995, -8, -7 AND R09_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND (R09_AC1945RY != 1 OR R09_AC1048RY_BRAND = 9995, -8, -7 OR R09_AC1070RY_PRODUCT = 99990, 99995, -8, -7)) OR (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND (R09_AC1945MC != 1 OR R09_AC1048MC_BRAND = 9995, -8, -7 OR R09_AC1070MC_PRODUCT = 99990, 99995, -8, -7) AND R09_AC0100RY = 1, 2, 3, 4 AND R09_AC1945RY = 1 AND R09_AC1048RY_BRAND != 9995, -8, -7 AND R09_AC1070RY_PRODUCT != 99990, 99995, -8, -7))]

OR

[(R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND ((R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 1, 4, -7 AND R09_AC0100MC = 1, 2, 3, 4 AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND R09_AC2070MC_PRODUCT != 99990, 99995, -8, -7) OR (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2 AND R09_AC0100RY = 1, 2, 3, 4 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT != 99990, 99995, -8, -7) OR (R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND R09_AC0100MC = 1, 2, 3, 4 AND R09_AC1945MC = 1 AND R09_AC2048MC_BRAND != 9995, -8, -7 AND R09_AC2070MC_PRODUCT != 99990, 99995, -8, -7 AND (R09_AC1945RY != 1 OR R09_AC2048RY_BRAND = 9995, -8, -7 OR R09_AC2070RY_PRODUCT = 99990, 99995, -8, -7)) OR R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 3 AND (R09_AC1945MC != 1 OR R09_AC2048MC_BRAND = 9995, -8, -7 OR R09_AC2070MC_PRODUCT = 99990, 99995, -8, -7) AND R09_AC0100RY = 1, 2, 3, 4 AND R09_AC1945RY = 1 AND R09_AC2048RY_BRAND != 9995, -8, -7 AND R09_AC2070RY_PRODUCT != 99990, 99995, -8, -7))].

DISPLAY: BOLD "su marca habitual" AND "la última marca" IN THE QUESTION TEXT.

IF R09_AC1047[MC/Ry] = 1, DISPLAY "su marca habitual".

ELSE, IF R09_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "la última marca" AND "que fumó".

IF R09_AC0100[MC/Ry] = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R09_AC0100[MC/Ry] = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R09_AC0100[MC/Ry] = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R09_AC0100[MC/Ry] = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL [NEQBRAND] WITH R09_AC1070[MC/Ry]_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AC2070MC_PRODUCT RESPONSE.

ELECTRONIC NICOTINE PRODUCTS (ENPs)

BOX ID: R09_AVR09

Adult respondents who have ever used an ENP and are not long-term former ENP users, or continuing adult respondents who have ever used an ENP and are long-term former ENP users and are not persistent former ENP users and had not used 100 or more ENPs as of their last completed interview or had not reported ever using ENPs fairly regularly as of their last completed interview or new cohort adult respondents who have ever used an ENP, go to Box R09_AVT02.

Else, go to the next section.

IF (R09_EVER_NEVER_EPRODS = 1 AND R09_EPROD_USER_STATUS != 5) OR
(R09_ADULTTYPE = 1 AND R09_EVER_NEVER_EPRODS = 1 AND R09_EPROD_USER_STATUS =
5 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND (R08_NUMLIFE_EPROD != 1 OR
R08_REGUSE_EPROD != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1),
GO TO BOX R09_AVT02.

ELSE, GO TO THE NEXT SECTION.

BOX ID: R09_AVT02

Las siguientes preguntas son acerca de **productos electrónicos con nicotina**, también conocidos como "vapeadores".

Algunos productos electrónicos con nicotina se pueden comprar como productos desechables que se usan una sola vez, mientras que otros se compran como productos reusables que vienen con un pod, cartucho o sistema de tanque. Algunas personas vuelven a llenar sus productos electrónicos con nicotina con un líquido de nicotina que a veces se conoce como "líquido electrónico" o "jugo electrónico".

Existe una gran variedad de sabores y concentraciones de nicotina en los productos desechables, pods, cartuchos y el líquido electrónico. Algunas marcas conocidas son Elf Bar, Geek Bar, Raz, JUUL, Breeze, Vuse, Smok y NJOY, pero hay muchas otras.

Por favor, NO incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas acerca de los productos electrónicos con nicotina. Más adelante habrá otra sección acerca del consumo de marihuana o cannabis.

[SHOW GENERIC IMAGE OF E-PRODUCTS].

BOLD "productos electrónicos con nicotina" AND "Por favor, NO incluya el consumo de marihuana ni cannabis cuando conteste las siguientes preguntas acerca de los productos electrónicos con nicotina."
IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AVR71

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AVT06.

Else, go to Box R09_AVR20.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AVT06.

ELSE, GO TO BOX R09_AVR20.

BOX ID: R09_AVT06

Piense ahora en los productos electrónicos con nicotina, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF E-PRODUCTS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR20

Continuing and aged-up adult respondents who initiated ENP use since their last completed interview, or new cohort adult respondents who have ever used an ENP, go to R09_AV1006.

Else, continuing and aged-up adult respondents who have ever used an ENP and had not used ENPs 100 or more times as of their last completed interview and are not persistent former ENP users, go to R09_AV1005.

Else, continuing and aged-up adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and are not persistent former ENP users, go to R09_AV1100.

Else, go to Box R09_AVR02.

IF (ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1) OR (ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1), GO TO R09_AV1006.

ELSE, IF (ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R08_NUMLIFE_EPROD != 1 AND R09_PERSISTENT_FORMER_EPRODS != 1), GO TO R09_AV1005.

ELSE, IF (ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R08_REGUSE_EPROD != 1 AND R09_PERSISTENT_FORMER_EPRODS != 1), GO TO R09_AV1100.

ELSE, GO TO BOX R09_AVR02.

PATH ID: R09_AV1006

¿Qué edad tenía la primera vez que fumó un producto electrónico con nicotina, incluso si solo fueron una o dos veces?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AV1120

-7 REFUSED

GO TO R09_AV1120

ASK: Continuing and aged-up adult respondents who initiated ENP use since their last completed interview, or new cohort adult respondents who have ever used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Years old" AS A TITLE.

PATH ID: R09_AV1006_LC1

Usted contestó que la primera vez que usted fumó un producto electrónico con nicotina fue a la edad de [R09_AV1006] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1006

2 NEXT

GO TO R09_AV1006_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1 AND R09_AV1006 <= 5) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1006 <= 5).

PROGRAM: TRIGGER CHECK IF R09_AV1006 <= 5.

ELSE, GO TO R09_AV1006_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1006_LC2

Usted contestó que la primera vez que usted fumó un producto electrónico con nicotina fue a la edad de [R09_AV1006] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1006

2 NEXT

GO TO R09_AV1005

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1 AND R09_AV1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18 OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AV1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AV1005 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV1120

La primera vez que fumó un producto electrónico con nicotina, incluso si solo fueron una o dos veces, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated ENP use since their last completed interview and did not know or refused to report the age they first used an ENP, or new cohort adult respondents who have ever used an ENP and did not know or refused to report the age they first used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1 AND R09_AV1006 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1006 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1005

¿Cuántas veces ha fumado un producto electrónico con nicotina en toda su vida?

- 1 Una vez, incluso si solo fueron unas probaditas
- 2 2 a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used an ENP and had not used ENPs 100 or more times as of their last completed interview and are not persistent former ENP users and used nicotine in an ENP 12 months ago or were not asked whether they used nicotine in an ENP 12 months ago, or new cohort adult respondents who have ever used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R08_NUMLIFE_EPROD != 1 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND R09_AV9011 != 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1).

BOX ID: R09_AVR21

Continuing and aged-up adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and are not persistent former ENP users and used nicotine in an ENP 12 months ago or were not asked whether they used nicotine in an ENP 12 months ago, or new cohort adult respondents who have ever used an ENP, go to R09_AV1100. Else, go to Box R09_AVR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R08_REGUSE_EPROD != 1 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND R09_AV9011 != 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1), GO TO R09_AV1100. ELSE, GO TO BOX R09_AVR02.

PATH ID: R09_AV1100

¿Alguna vez ha fumado productos electrónicos con nicotina habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and are not persistent former ENP users and used nicotine in an ENP 12 months ago or were not asked whether they used nicotine in an ENP 12 months ago, or new cohort adult respondents who have ever used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R08_REGUSE_EPROD != 1 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND R09_AV9011 != 2, -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR22

Continuing and aged-up adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and are not persistent former ENP users and used nicotine in an ENP 12 months ago or were not asked whether they used nicotine in an ENP 12 months ago and have ever used ENPs fairly regularly, or new cohort adult respondents who have ever used an ENP and have ever used ENPs fairly regularly, go to R09_AV1007.
Else, go to Box R09_AVR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND R09_AV9011 != 2, -8, -7 AND R09_AV1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1100 = 1), GO TO R09_AV1007.
ELSE, GO TO BOX R09_AVR02.

PATH ID: R09_AV1007

¿Qué edad tenía la primera vez que comenzó a fumar productos electrónicos con nicotina habitualmente?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AV1121

-7 REFUSED

GO TO R09_AV1121

ASK: Continuing and aged-up respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and are not persistent former ENP users and used nicotine in an ENP 12 months ago or were not asked whether they used nicotine in an ENP 12 months ago and have ever used ENPs fairly regularly, or new cohort adult respondents who have ever used an ENP and have ever used ENPs fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND R09_AV9011 != 2, -8, -7 AND R09_AV1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1100 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AV1007_LC1

Usted contestó que comenzó a fumar productos electrónicos con nicotina de manera habitual a la edad de [R09_AV1007] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1007

2 NEXT

GO TO R09_AV1007_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND R09_AV9011 != 2, -8, -7 AND R09_AV1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1100 = 1)) AND R09_AV1007 <= 5.

PROGRAM: TRIGGER CHECK IF R09_AV1007 <= 5.

ELSE, GO TO R09_AV1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1007_LC2

Usted contestó que comenzó a fumar productos electrónicos con nicotina de manera habitual a la edad de [R09_AV1007] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1007

2 NEXT

GO TO BOX R09_AVR02

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND R09_AV9011 != 2, -8, -7 AND R09_AV1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1100 = 1)) AND R09_AV1007 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AV1007 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AVR02 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV1121

La primera vez que comenzó a fumar productos electrónicos con nicotina habitualmente, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and are not persistent former ENP users and used nicotine in an ENP 12 months ago or were not asked whether they used nicotine in an ENP 12 months ago and have ever used ENPs fairly regularly and did not know or refused to report the age they started using ENPs fairly regularly, or new cohort adult respondents who have ever used an ENP and have ever used ENPs fairly regularly and did not know or refused to report the age they started using ENPs fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND R09_PERSISTENT_FORMER_EPRODS != 1 AND R09_AV9011 != 2, -8, -7 AND R09_AV1100 = 1 AND R09_AV1007 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1 AND R09_AV1100 = 1 AND R09_AV1007 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR02

Continuing adult respondents who have not reported the age when they first started using ENPs every day as of their last completed interview and use ENPs every day, or new baseline adult respondents who use ENPs every day, go to R09_AV1020.

Else, continuing and aged-up adult respondents who initiated ENP use since their last completed interview, go to R09_AV1011.

Else, continuing and aged-up adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or are current ENP users, go to R09_AV9039.

Else, go to Box R09_AVR69.

IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_EPROD != 1 AND R09_AV1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AV1003 = 1), GO TO R09_AV1020.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1), GO TO R09_AV1011.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND (R09_AV1004 = 1 OR R09_AV1002_12M = 1 OR R09_EPROD_USER_STATUS = 1), GO TO R09_AV9039.

ELSE, GO TO BOX R09_AVR69.

PATH ID: R09_AV1020

¿Qué edad tenía la primera vez que comenzó a fumar productos electrónicos con nicotina todos los días?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AV1122

-7 REFUSED

GO TO R09_AV1122

ASK: Continuing adult respondents who have not reported the age when they first started using ENPs every day as of their last completed interview and use ENPs every day, or new baseline adult respondents who use ENPs every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_EPROD != 1 AND R09_AV1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AV1003 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AV1020_LC1

Usted contestó que comenzó a fumar productos electrónicos con nicotina todos los días a la edad de [R09_AV1020] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1020

2 NEXT

GO TO R09_AV1020_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_EPROD != 1 AND R09_AV1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AV1003 = 1)) AND (R09_AV1020 <= 10 OR R09_AV1020 < R09_AV1007).

PROGRAM: TRIGGER CHECK IF R09_AV1020 <= 10 OR R09_AV1020 < R09_AV1007.

ELSE, GO TO R09_AV1020_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1020_LC2

Usted contestó que comenzó a fumar productos electrónicos con nicotina todos los días a la edad de [R09_AV1020] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1020

2 NEXT

GO TO BOX R09_AVR23

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_EPROD != 1 AND R09_AV1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AV1003 = 1)) AND R09_AV1020 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AV1020 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AVR23 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV1122

La primera vez que comenzó a fumar productos electrónicos con nicotina todos los días, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who have not reported the age when they first started using ENPs every day as of their last completed interview and use ENPs every day and did not know or refused to report the age they first started using ENPs every day, or new baseline adult respondents who use ENPs every day and did not know or refused to report the age they first started using ENPs every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_EPROD != 1 AND R09_AV1003 = 1 AND R09_AV1020 = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AV1003 = 1 AND R09_AV1020 = -8, -7).

BOX ID: R09_AVR23

Continuing and aged-up adult respondents who initiated ENP use since their last completed interview, or new cohort adult respondents who have ever used an ENP, go to R09_AV1011.
Else, go to R09_AV9039.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1), GO TO R09_AV1011.
ELSE, GO TO R09_AV9039.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1011

La primera vez que comenzó a fumar productos electrónicos con nicotina, ¿qué sabor fumaba? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Sabor a tabaco
- 2 Mentol
- 3 Menta, wintergreen, hierbabuena o peppermint
- 11 Hielo o frost
- 5 Fruta
- 4 Clavo de olor o especias
- 6 Chocolate
- 7 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 8 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 9 Caramelos, postres u otros sabores dulces
- 10 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated ENP use since their last completed interview, or new cohort adult respondents who have ever used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9039

¿Cuál de los siguientes tipos de productos electrónicos con nicotina [fuma/fumaba]? Escoja todas las opciones que correspondan.

Queremos recordarle que no incluya el consumo de marihuana ni cannabis cuando conteste.

- 1 Un aparato desechable
- 2 Un aparato que funciona con pods o cartuchos reemplazables
- 3 Un aparato con un tanque que se vuelve a llenar con líquidos (incluyendo sistemas de mod que el dueño puede personalizar)
- 5 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview or are current ENP users, or new cohort adult respondents who have ever used an ENP.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_EPRODS = 1 AND (R09_AV1004 = 1 OR R09_AV1002_12M = 1 OR R09_INIT_EPRODS_ADULT = 1 OR R09_EPROD_USER_STATUS = 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_EPRODS = 1).

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "fuma".
ELSE, DISPLAY "fumaba".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_AVV04

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

R09_EPRODCOUNT = Number of ENPs used.

BOX ID: R09_AVR68

Adult respondents who have used more than one type of ENP, go to R09_AV9001.
Else, go to Box R09_AVR69.

IF R09_EPRODCOUNT > 1, GO TO R09_AV9001.
ELSE, GO TO BOX R09_AVR69.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9001

Usted mencionó que ha fumado más de un tipo de producto electrónico con nicotina.

¿Qué tipo de producto electrónico con nicotina [fuma/fumaba] con **MÁS FRECUENCIA**?

- 1 Un aparato desechable
- 2 Un aparato que funciona con pods o cartuchos reemplazables
- 3 Un aparato con un tanque que se vuelve a llenar con líquidos (incluyendo sistemas de mod que el dueño puede personalizar)
- 5 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used more than one type of ENP.

ASK Specification: IF R09_EPRODCOUNT > 1.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

BOLD "MÁS FRECUENCIA".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_AVR69

Adult respondents who are current or recent former ENP users and use a device that uses replaceable pods or cartridges, go to R09_AV9014.

Else, go to Box R09_AVV03.

IF R09_EPROD_USER_STATUS = 1, 4 AND (R09_AV9039_02 = 1 OR R09_AV9001 = 2), GO TO R09_AV9014.

ELSE, GO TO BOX R09_AVV03.

PATH ID: R09_AV9014

Cuando su pod o cartucho queda vacío, ¿normalmente lo vuelve a llenar con líquido electrónico o lo reemplaza con un nuevo pod o cartucho que ya viene lleno?

- 1 Lo vuelvo a llenar con líquido electrónico
- 2 Lo reemplazo con un nuevo pod o cartucho que ya viene lleno
- 3 Nunca he reemplazado ni vuelto a llenar un pod o cartucho vacío
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and use a device that uses replaceable pods or cartridges.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND (R09_AV9039_02 = 1 OR R09_AV9001 = 2).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVV03

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_EDEVICETYPE = ENP device type:

R09_EDEVICETYPE = 1 (Disposable device type).

R09_EDEVICETYPE = 2 (Prefilled Pod or Cartridge device type).

R09_EDEVICETYPE = 3 (Refillable device type).

R09_EDEVICETYPE = 5 (Unknown device type).

BOX ID: R09_AVR57

Adult respondents who are current or recent former ENP users and use a refillable device type, go to R09_AV9046.

Else, go to Box R09_AVT04.

IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EDEVICETYPE = 3, GO TO R09_AV9046.
ELSE, GO TO BOX R09_AVT04.

PATH ID: R09_AV9046

¿Con qué frecuencia [llena/volvía a llenar] su producto electrónico con nicotina con líquido electrónico?

1	Por lo menos una vez al día	
2	Una vez cada dos días	
3	Una vez a la semana	
4	Algunas veces al mes	
5	Una vez al mes	
6	Algunas veces al año	
7	Una vez al año	
8	Nunca	GO TO R09_AV9045
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who are current or recent former ENP users and use a refillable device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EDEVICETYPE = 3.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "llena".

ELSE, DISPLAY "volvía a llenar".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9036

¿Quién lo [llena/llenaba] con líquido electrónico?

- 1 Yo mismo lo [lleno/llenaba]
- 2 Lo [lleno/llenaba] en una tienda o bar para vapeadores
- 3 Lo [compro/compraba] lleno
- 4 Lo [lleno/llenaba] de otra manera
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and use a refillable device type and have refilled their ENP or did not know or refused to report how often they refill their ENP.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EDEVICETYPE = 3 AND R09_AV9046 != 8.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "llena" IN QUESTION TEXT AND "lleno", "lleno", "compro", AND "lleno" IN RESPONSE OPTIONS.

ELSE, DISPLAY "llenaba" IN QUESTION TEXT AND "llenaba", "llenaba", "compraba", AND "llenaba" IN RESPONSE OPTIONS.

PATH ID: R09_AV9045

¿Cuántos mililitros de líquido electrónico [cabén/cabían] en su producto electrónico con nicotina?

- 1 |__|__|__| Mililitros de líquido electrónico
- 2 No sé
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and use a refillable device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EDEVICETYPE = 3.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Mililitros de líquido electrónico" AS A TITLE.

IF R09_EPROD_USER_STATUS = 1, DISPLAY "cabén".

ELSE, DISPLAY "cabían".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVT04

PROGRAM - CREATE [EPRODFILL1-3]:

EPRODFILL1:

R09_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL1 = "productos electrónicos con nicotina".

R09_EDEVICETYPE = 2 (Prefilled Pod or Cartridge), EPRODFILL1 = "pods o cartuchos".

R09_EDEVICETYPE = 3 (Refillable), EPRODFILL1 = "mililitros de líquido electrónico".

EPRODFILL2:

R09_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL2 = "productos electrónicos con nicotina".

R09_EDEVICETYPE = 2 (Prefilled Pod or Cartridge), EPRODFILL2 = "pods o cartuchos".

R09_EDEVICETYPE = 3 (Refillable), EPRODFILL2 = "líquido electrónico".

EPRODFILL3:

R09_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL3 = "producto electrónico con nicotina".

R09_EDEVICETYPE = 2 (Prefilled Pod or Cartridge), EPRODFILL3 = "pod o cartucho".

R09_EDEVICETYPE = 3 (Refillable), EPRODFILL3 = "líquido electrónico".

PATH ID: R09_AV9010

Piense en el [EPRODFILL3] que [fuma/fumaba][con **MÁS FRECUENCIA**].

¿[Contiene/Contenía] nicotina?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R09_AVR12

GO TO BOX R09_AVR12

GO TO BOX R09_AVR12

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "fuma" AND "Contiene".

ELSE, DISPLAY "fumaba" AND "Contenía".

IF R09_EPRODCOUNT > 1, DISPLAY "con MÁS FRECUENCIA".

ELSE, DO NOT DISPLAY THIS TEXT.

BOLD "MÁS FRECUENCIA".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9006

¿Qué concentración de nicotina [fuma/fumaba] normalmente?

1	No sé la concentración	GO TO BOX R09_AVR12
2	1-3mg/mL o 0.1-0.3%	
3	4-6mg/mL o 0.4-0.6%	
4	7-12mg/mL o 0.7-1.2%	
5	13-17mg/mL o 1.3-1.7%	
6	18-24mg/mL o 1.8-2.4%	
7	25-39mg/mL o 2.5-3.9%	
8	40-49mg/mL o 4.0-4.9%	
9	50-59mg/ml o 5.0-5.9%	
10	60+mg/mL o 6.0+%	
-7	REFUSED	GO TO BOX R09_AVR12

ASK: Adult respondents who are current or recent former ENP users and use an ENP that contains nicotine.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV9010 = 1.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AV9056

¿[Ha cambiado/Cambió alguna vez] la concentración de nicotina que [fuma desde/fumaba después de] la primera vez que comenzó a fumar productos electrónicos con nicotina?

1	Sí	
2	No	GO TO BOX R09_AVR12
-8	DON'T KNOW	GO TO BOX R09_AVR12
-7	REFUSED	GO TO BOX R09_AVR12

ASK: Adult respondents who are current or recent former ENP users and use an ENP that contains nicotine and usually use a nicotine concentration of 1-3mg/mL, 4-6mg/mL, 7-12mg/mL, 13-17mg/mL, 18-24mg/mL, 25-39mg/mL, 40-49mg/mL, 50-59mg/mL, or 60+mg/mL.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV9010 = 1 AND R09_AV9006 = 2, 3, 4, 5, 6, 7, 8, 9, 10.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Ha cambiado" AND "" AND "fuma desde".

ELSE, DISPLAY "Cambió alguna vez" AND "" AND "fumaba después de".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9956

¿Es la concentración [que fuma actualmente/a la que se cambió] más alta o más baja que la concentración que fumaba la primera vez que comenzó a fumar productos electrónicos con nicotina?

- 1 Más alta
- 2 Más baja
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and use an ENP that contains nicotine and usually use a nicotine concentration of 1-3mg/mL, 4-6mg/mL, 7-12mg/mL, 13-17mg/mL, 18-24mg/mL, 25-39mg/mL, 40-49mg/mL, 50-59mg/mL, or 60+mg/mL and have changed their concentration of nicotine.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV9010 = 1 AND R09_AV9006 = 2, 3, 4, 5, 6, 7, 8, 9, 10 AND R09_AV9056 = 1.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "que fuma actualmente".
ELSE, DISPLAY "a la que se cambió".

BOX ID: R09_AVR12

Adult respondents who use ENPs every day, go to R09_AV1021.

Else, adult respondents who are current ENP users and do not use ENPs every day, go to R09_AV1022.
Else, go to Box R09_AVR73.

IF R09_AV1003 = 1, GO TO R09_AV1021.

ELSE, IF R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1, GO TO R09_AV1022.

ELSE, GO TO BOX R09_AVR73.

PATH ID: R09_AV1021

En promedio, ¿aproximadamente cuántos [EPRODFILL1] fuma cada día actualmente?

-2 Menos de un cada día	GO TO R09_AV1026
1 __ __ Cantidad de [EPRODFILL1]s cada día	
-8 DON'T KNOW	GO TO R09_AV1026
-7 REFUSED	GO TO R09_AV1026

ASK: Adult respondents who use ENPs every day.

ASK Specification: IF R09_AV1003 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de [EPRODFILL1]s cada día" AS A TITLE.

DISPLAY AS NUMERIC QUANTITY FIELD, WITH SPECIAL BUTTON "Menos de 1 cada día".

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1021_LC1

Usted contestó que actualmente usted fuma [R09_AV1021] [EPRODFILL1] cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1021

2 NEXT

GO TO R09_AV1026

ASK: IF R09_AV1003 = 1 AND R09_AV1021 > 1.

PROGRAM: TRIGGER CHECK IF R09_AV1021 > 1.

ELSE, GO TO R09_AV1026 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV1022

¿En cuántos de los últimos 30 días fumó usted un producto electrónico con nicotina?

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current ENP users and do not use ENPs every day.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R09_AVR42

Adult respondents who are current ENP users and do not use ENPs every day and used on 0 days of the past 30 days, go to R09_AV9029.

Else, adult respondents who use ENPs every day, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AV1026.

Else, go to Box R09_AVR32.

IF R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 = 0, GO TO R09_AV9029.

ELSE, IF (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 = 1) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0), GO TO R09_AV1026.

ELSE, GO TO BOX R09_AVR32.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9029

¿Aproximadamente cuánto tiempo hace desde que tomó su última probadita de un producto electrónico con nicotina? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |_|_|_| Días
- 2 |_|_|_| Meses
- 3 |_|_|_| Años

-8 DON'T KNOW

GO TO BOX R09_AVR32

-7 REFUSED

GO TO BOX R09_AVR32

ASK: Adult respondents who are current ENP users and do not use ENPs every day and used on 0 days of the past 30 days.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AV9029_LC1

Usted contestó que la última probadita que usted le dio a un producto electrónico con nicotina fue hace [R09_AV9029] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV9029

2 NEXT

GO TO BOX R09_AVR32

ASK: IF R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 = 0 AND ((R09_AV9029_NN < 30 AND R09_AV9029_UN = 1) OR ((R09_AV9029_NN < 1 OR R09_AV9029_NN > 18) AND R09_AV9029_UN = 2) OR ((R09_AV9029_NN > (R09_ACHIEVEDAGE - 10)) AND R09_AV9029_UN = 3)).

DISPLAY: IF R09_AV9029_UN = 1, DISPLAY "días".

ELSE, IF R09_AV9029_UN = 2, DISPLAY "meses".

ELSE, IF R09_AV9029_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AV9029_NN < 30 AND R09_AV9029_UN = 1) OR ((R09_AV9029_NN < 1 OR R09_AV9029_NN > 18) AND R09_AV9029_UN = 2) OR ((R09_AV9029_NN > (R09_ACHIEVEDAGE - 10)) AND R09_AV9029_UN = 3).

ELSE, GO TO BOX R09_AVR32 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1026

En promedio, en los días en que fuma, ¿cuántas veces fuma su producto electrónico con nicotina cada día, ya sea que le dé una probadita o varias?

1 |__|__|__| Cantidad de
veces cada día

-8 DON'T KNOW

GO TO R09_AV1027

-7 REFUSED

GO TO R09_AV1027

ASK: Adult respondents who use ENPs every day, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 = 1) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS
GHOST TEXT.

DISPLAY "Cantidad de veces cada día" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AV1026_LC1

Usted contestó que en los días en que ha fumado, usted fumó su producto electrónico con nicotina [R09_AV1026] [vez / veces] cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1026

2 NEXT

GO TO R09_AV1027

ASK: IF ((R09_EPROD_USER_STATUS = 1 AND R09_AV1003 = 1) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0)) AND
(R09_AV1026 > 50 OR R09_AV1026 = 11, 22, 33, 44).

DISPLAY: IF R09_AV1026 = 1, DISPLAY "vez".

ELSE, DISPLAY "veces".

PROGRAM: TRIGGER CHECK IF R09_AV1026 > 50 OR R09_AV1026 = 11, 22, 33, 44.
ELSE, GO TO R09_AV1027 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1027

Cada vez que fuma su producto electrónico con nicotina, ¿aproximadamente cuántas probaditas le da?

1 |__|__|__| Cantidad de
probaditas

-8 DON'T KNOW

GO TO BOX R09_AVR32

-7 REFUSED

GO TO BOX R09_AVR32

ASK: Adult respondents who use ENPs every day, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 = 1) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS
GHOST TEXT.

DISPLAY "Cantidad de probaditas" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AV1027_LC1

Usted contestó que le da [R09_AV1027] probaditas a su producto electrónico con nicotina cada vez que lo fuma, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1027

2 NEXT

GO TO BOX R09_AVR32

ASK: IF ((R09_EPROD_USER_STATUS = 1 AND R09_AV1003 = 1) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0)) AND
(R09_AV1027 > 50 OR R09_AV1027 = 11, 22, 33, 44).

PROGRAM: TRIGGER CHECK IF R09_AV1027 > 50 OR R09_AV1027 = 11, 22, 33, 44.
ELSE, GO TO BOX R09_AVR32 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AVR32

Adult respondents who are current ENP users, go to R09_AV1024.
Else, go to Box R09_AVR73.

IF R09_EPROD_USER_STATUS = 1, GO TO R09_AV1024.
ELSE, GO TO BOX R09_AVR73.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1024

[En los días en que fuma un producto electrónico con nicotina, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primera probadita del día? Conteste con la cantidad de minutos o horas. Anote un número entero y seleccione una de las opciones a continuación.

1	I__I__I Minutos después de despertarse	
2	I__I__I Horas después de despertarse	
-8	DON'T KNOW	GO TO R09_AV1092
-7	REFUSED	GO TO R09_AV1092

ASK: Adult respondents who are current ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1.

DISPLAY: IF R09_AV1003 = 1, DISPLAY "¿Qué".

ELSE, DISPLAY "En los días en que fuma un producto electrónico con nicotina, ¿qué".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

PATH ID: R09_AV1024_LC1

Usted contestó que normalmente le da su primera probadita a un producto electrónico con nicotina [R09_AV1024_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AV1024
2	NEXT	GO TO R09_AV1024_LC2

ASK: IF [R09_EPROD_USER_STATUS = 1 AND R09_AV1003 = 1 AND ((R09_AV1024_NN > 60 AND R09_AV1024_UN = 1) OR (R09_AV1024_NN > 4 AND R09_AV1024_UN = 2))] OR [R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND ((R09_AV1024_NN > 60 AND R09_AV1024_UN = 1) OR (R09_AV1024_NN > 12 AND R09_AV1024_UN = 2))].

DISPLAY: IF R09_AV1024_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AV1024_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF [R09_AV1003 = 1 AND ((R09_AV1024_NN > 60 AND R09_AV1024_UN = 1) OR (R09_AV1024_NN > 4 AND R09_AV1024_UN = 2))] OR [R09_AV1003 = 1 AND ((R09_AV1024_NN > 60 AND R09_AV1024_UN = 1) OR (R09_AV1024_NN > 12 AND R09_AV1024_UN = 2))].

ELSE, GO TO R09_AV1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1024_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted toma su primera probadita de un producto electrónico con nicotina del día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1024

2 NEXT

GO TO BOX R09_AVR73

ASK: IF R09_EPROD_USER_STATUS = 1 AND R09_AV1024 = 0.

PROGRAM: TRIGGER CHECK IF R09_AV1024 = 0.

ELSE, GO TO BOX R09_AVR46 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV1092

(En los días en que fuma productos electrónicos con nicotina, ¿diría/¿Diría) que fuma su primera probadita del día durante los primeros 30 minutos después de despertarse?

1 Sí

2 No

3 Depende

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current ENP users and did not know or refused to report how soon after waking up they typically take their first puff from an ENP.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV1024_NN = -8, -7.

DISPLAY: IF R09_AV1003 = 1, DISPLAY "¿Diría".

ELSE, DISPLAY "En los días en que fuma productos electrónicos con nicotina, ¿diría".

BOX ID: R09_AVR73

New cohort adult respondents who are current, recent former, or long-term former ENP users, go to R09_AV1025_RS.
Else, go to Box R09_AVR46.

IF R09_ADULTTYPE = 3 AND R09_EPROD_USER_STATUS = 1, 4, 5, GO TO R09_AV1025_RS.
ELSE, GO TO BOX R09_AVR46.

PATH ID: R09_AV1025_RS

Alrededor de esta época hace 12 meses, ¿fumaba productos electrónicos con nicotina...?

1 Todos los días

2 Algunos días

3 Nunca

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents who are current, recent former, or long-term former ENP users.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_EPROD_USER_STATUS = 1, 4, 5.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR46

Adult respondents who use ENPs every day, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AV0100.

Else, adult 18-20 year old respondents who are current ENP users, go to R09_AV1142.

Else, adult respondents who are current ENP users, go to R09_AV1030.

Else, adult respondents who are recent former ENP users, go to Box R09_AVR63.

Else, go to the next section.

IF R09_AV1003 = 1 OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0), GO TO R09_AV0100.

ELSE, IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_EPROD_USER_STATUS = 1, GO TO R09_AV1142.

ELSE, IF R09_EPROD_USER_STATUS = 1, GO TO R09_AV1030.

ELSE, IF R09_EPROD_USER_STATUS = 4, GO TO BOX R09_AVR63.

ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AV0100

¿Cuándo fue la última vez que fumó un producto electrónico con nicotina?

1 Hace menos de una hora GO TO R09_AV0103

2 Hoy, pero hace más de una hora

3 Ayer

4 Hace dos días

5 Hace tres o más días GO TO R09_AV1131

-8 DON'T KNOW GO TO R09_AV1131

-7 REFUSED GO TO R09_AV1131

ASK: Adult respondents who use ENPs every day, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AV1003 = 1 OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV0102

La última vez que fumó un producto electrónico con nicotina [FILL BASED ON R09_AV0100], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use ENPs every day and last used an ENP sometime today, yesterday, or the day before yesterday, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AV1003 = 1 AND R09_AV0100 = 2, 3, 4) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R09_AV0100]:

IF R09_AV0100 = 2, DISPLAY "hoy".

ELSE, IF R09_AV0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AV0100 = 4, DISPLAY "hace dos días".

PATH ID: R09_AV0103

¿Cuántas probaditas le [ha dado/dio] a un producto electrónico con nicotina [FILL BASED ON R09_AV0100]?

- 1 |__|__|__| Cantidad de probaditas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use ENPs every day and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AV1003 = 1 AND R09_AV0100 = 1, 2, 3, 4) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV0100 = 1, 2, 3, 4).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de probaditas" AS A TITLE.

IF R09_AV0100 = 1, 2, DISPLAY "ha dado" AND "".

ELSE, IF R09_AV0100 = 3, 4, DISPLAY "dio" AND "".

FOR [FILL BASED ON R09_AV0100]:

IF R09_AV0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AV0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AV0100 = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV0103_LC1

Usted contestó que le dio [R09_AV0103] probaditas a un producto electrónico con nicotina [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV0103

2 NEXT

GO TO R09_AV1131

ASK: IF ((R09_AV1003 = 1 AND R09_AV0100 = 1, 2, 3, 4) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV0100 = 1, 2, 3, 4)) AND (R09_AV0103 > 200 OR R09_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R09_AV0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AV0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AV0100 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AV0103 > 200 OR R09_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R09_AV1131 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1131

En los últimos 30 días, ¿qué sabores de [EPRODFILL2] ha fumado? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Sabor a tabaco
- 2 Mentol
- 3 Menta, wintergreen, hierbabuena o peppermint
- 11 Hielo o frost
- 5 Fruta
- 4 Clavo de olor o especias
- 6 Chocolate
- 7 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 8 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 9 Caramelos, postres u otros sabores dulces
- 10 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use ENPs every day, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AV1003 = 1 OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR53

Adult respondents who use ENPs every day and used menthol and mint flavored ENPs in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol and mint flavored ENPs in the past 30 days, go to R09_AV1147.
Else, adult respondents who use ENPs every day and used menthol flavored ENPs in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol flavored ENPs in the past 30 days, go to R09_AV1160.
Else, adult respondents who use ENPs every day and used mint flavored ENPs in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used mint flavored ENPs in the past 30 days, go to R09_AV1161.
Else, adult respondents who use ENPs every day and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, go to R09_AV1157.
Else, go to Box R09_AVR37.

IF (R09_AV1003 = 1 AND R09_AV1131_02 = 1 AND R09_AV1131_03 = 1) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND
R09_AV1131_02 = 1 AND R09_AV1131_03 = 1), GO TO R09_AV1147.
ELSE, IF (R09_AV1003 = 1 AND R09_AV1131_02 = 1) OR (R09_EPROD_USER_STATUS = 1 AND
R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131_02 = 1), GO TO R09_AV1160.
ELSE, IF (R09_AV1003 = 1 AND R09_AV1131_03 = 1) OR (R09_EPROD_USER_STATUS = 1 AND
R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131_03 = 1), GO TO R09_AV1161.
ELSE, IF (R09_AV1003 = 1 AND R09_AV1131[_04/_05/_06/_07/_08/_09/_11] = 1) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131
[_04/_05/_06/_07/_08/_09/_11] = 1), GO TO R09_AV1157.
ELSE, GO TO BOX R09_AVR37.

PATH ID: R09_AV1147

En los últimos 30 días, en los días en que fumó un producto electrónico con nicotina, ¿con qué frecuencia tenía sabor a mentol, menta, wintergreen, hierbabuena o peppermint?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use ENPs every day and used menthol and mint flavored ENPs in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol and mint flavored ENPs in the past 30 days.

ASK Specification: IF (R09_AV1003 = 1 AND R09_AV1131_02 = 1 AND R09_AV1131_03 = 1) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND
R09_AV1131_02 = 1 AND R09_AV1131_03 = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1160

En los últimos 30 días, en los días en que fumó un producto electrónico con nicotina, ¿con qué frecuencia tenía sabor a **mentol**?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use ENPs every day and used menthol flavored ENPs in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol flavored ENPs in the past 30 days.

ASK Specification: IF (R09_AV1003 = 1 AND R09_AV1131_02 = 1) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131_02 = 1).

DISPLAY: BOLD "mentol".

BOX ID: R09_AVR66

Adult respondents who use ENPs every day and used mint flavored ENPs in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used mint flavored ENPs in the past 30 days, go to R09_AV1161.

Else, adult respondents who use ENPs every day and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, go to R09_AV1157.

Else, go to Box R09_AVR37.

IF (R09_AV1003 = 1 AND R09_AV1131_03 = 1) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131_03 = 1), GO TO R09_AV1161.
ELSE, IF (R09_AV1003 = 1 AND R09_AV1131[_04/_05/_06/_07/_08/_09/_11] = 1) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131[_04/_05/_06/_07/_08/_09/_11] = 1), GO TO R09_AV1157.
ELSE, GO TO BOX R09_AVR37.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1161

En los últimos 30 días, en los días en que fumó un producto electrónico con nicotina, ¿con qué frecuencia tenía sabor a **menta, wintergreen, hierbabuena o peppermint**?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use ENPs every day and used mint flavored ENPs in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used mint flavored ENPs in the past 30 days.

ASK Specification: IF (R09_AV1003 = 1 AND R09_AV1131_03 = 1) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131_03 = 1).

DISPLAY: BOLD "menta, wintergreen, hierbabuena o peppermint".

BOX ID: R09_AVR55

Adult respondents who use ENPs every day and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, go to R09_AV1157.
Else, go to Box R09_AVR37.

IF (R09_AV1003 = 1 AND R09_AV1131[_04/_05/_06/_07/_08/_09/_11] = 1) OR
(R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131
[_04/_05/_06/_07/_08/_09/_11] = 1), GO TO R09_AV1157.
ELSE, GO TO BOX R09_AVR37.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1157

En los últimos 30 días, en los días en que fumó un producto electrónico con nicotina, ¿con qué frecuencia tenía sabor a hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, bebidas no alcohólicas, caramelos, postres u otros sabores dulces?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use ENPs every day and used flavored ENPs in the past 30 days, other than tobacco-flavored or menthol or mint, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored ENPs in the past 30 days, other than tobacco-flavored or menthol or mint.

ASK Specification: IF (R09_AV1003 = 1 AND R09_AV1131[_04/_05/_06/_07/_08/_09/_11] = 1) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND R09_AV1131[_04/_05/_06/_07/_08/_09/_11] = 1).

BOX ID: R09_AVR37

Adult respondents who use ENPs every day and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R09_AV1133.

Else, go to Box R09_AVR08.

IF (R09_AV1003 = 1 AND (R09_AV1131[_01/_.../_11] = 1 FOR 2 OR MORE FLAVORS OR R09_AV1131[_01/_.../_11] = -8, -7)) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND (R09_AV1131[_01/_.../_11] = 1 FOR 2 OR MORE FLAVORS OR R09_AV1131[_01/_.../_11] = -8, -7)), GO TO R09_AV1133.
ELSE, GO TO BOX R09_AVR08.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1133

En los últimos 30 días, ¿qué sabor de [EPRODFILL2] ha fumado con más frecuencia? Desplace para ver más opciones, si es necesario.

- 1 Sabor a tabaco
- 2 Mentol
- 3 Menta, wintergreen, hierbabuena o peppermint
- 11 Hielo o frost
- 5 Fruta
- 4 Clavo de olor o especias
- 6 Chocolate
- 7 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 8 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 9 Caramelos, postres u otros sabores dulces
- 10 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use ENPs every day and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are current ENP users and do not use ENPs every day and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R09_AV1003 = 1 AND (R09_AV1131_[01/.../11] = 1 FOR 2 OR MORE FLAVORS OR R09_AV1131_[01/.../11] = -8, -7)) OR (R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1 AND R09_AV1022 != 0 AND (R09_AV1131_[01/.../11] = 1 FOR 2 OR MORE FLAVORS OR R09_AV1131_[01/.../11] = -8, -7)).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_AVR08

Adult 18-20 year old respondents who are current ENP users, go to R09_AV1142.
Else, go to R09_AV1030.

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_EPROD_USER_STATUS = 1, GO TO R09_AV1142.
ELSE, GO TO R09_AV1030.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1142

Las siguientes preguntas son acerca de su experiencia al comprar [EPRODFILL2].

En los últimos 30 días, ¿le vendió alguien [EPRODFILL2]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current ENP users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_EPROD_USER_STATUS = 1.

PATH ID: R09_AV1123

En los últimos 30 días, ¿le negó alguien la venta de [EPRODFILL2] debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar [EPRODFILL2] en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current ENP users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_EPROD_USER_STATUS = 1.

PATH ID: R09_AV1030

[Las siguientes preguntas son acerca de su experiencia al comprar [EPRODFILL2].

]¿Cómo compra normalmente [EPRODFILL2] para usted?

1 En persona	
2 En Internet	GO TO BOX R09_AVR05
3 Por teléfono	GO TO BOX R09_AVR05
4 No compro mis propios [EPRODFILL2]	GO TO R09_AV1118
-8 DON'T KNOW	GO TO BOX R09_AVR72
-7 REFUSED	GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar [EPRODFILL2].".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1098

En los últimos 30 días, ¿con qué frecuencia ha usado un cupón para comprar [EPRODFILL2]?

1	Siempre	GO TO R09_AV1032
2	A veces	GO TO R09_AV1032
3	Rara vez	GO TO R09_AV1032
4	Nunca	GO TO R09_AV1032
-8	DON'T KNOW	GO TO R09_AV1032
-7	REFUSED	GO TO R09_AV1032

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV1030 = 1.

PATH ID: R09_AV1118

¿Cómo obtiene normalmente [EPRODFILL2] para usted?

1	Le doy dinero a otra persona para que me [lo/los] compre	
2	Le pido a una persona que me dé [un poco/uno]	GO TO BOX R09_AVR72
3	Alguien me [lo/los] ofrece	GO TO BOX R09_AVR72
4	Me [lo/los] llevo de una tienda o se [lo/los] quito a alguien sin que se den cuenta	GO TO BOX R09_AVR72
5	[Lo/Los] obtengo de otra manera (ESPECIFIQUE)	GO TO BOX R09_AVR72
-8	DON'T KNOW	GO TO BOX R09_AVR72
-7	REFUSED	GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users and do not buy their own ENPs.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV1030 = 4.

DISPLAY: IF R09_EDEVICETYPE = 3, DISPLAY "lo" AND "un poco" IN RESPONSE OPTIONS. ELSE, DISPLAY "los" AND "uno".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Escriba su respuesta usando el teclado de la computadora."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1032

Normalmente, ¿[le compran/compra] [EPRODFILL2]...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person or give someone else money to buy for them.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1 OR R09_AV1118 = 1).

DISPLAY: IF R09_AV1118 = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

PATH ID: R09_AV1033

¿Dónde [le compran/compra] [EPRODFILL2] para usted la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 12 Una tienda o bar para vapeadores
- 2 Una tienda de conveniencia o estación de gasolina
- 1 Un quiosco en un centro comercial
- 3 Un supermercado, tienda de comestibles o farmacia
- 4 Una tienda mayorista como Sam's o Costco
- 5 Una tienda especializada o un almacén de tabaco o una tabaquería
- 6 Una tienda libre de impuestos o un economato militar
- 7 Un bar, restaurante, casino o una taberna
- 8 Un amigo o familiar
- 9 Un mercadillo o mercado de pulgas
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person or give someone else money to buy for them.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1 OR R09_AV1118 = 1).

DISPLAY: IF R09_AV1118 = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR05

Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a disposable device type or an unknown device type, go to R09_AV1136.

Else, adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a refillable device type, go to R09_AV1041.

Else, adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a prefilled pod or cartridge device type, go to R09_AV1039.

Else, go to Box R09_AVR72.

IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 1, 5, GO TO R09_AV1136.

ELSE, IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 3, GO TO R09_AV1041.

ELSE, IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 2, GO TO R09_AV1039.

ELSE, GO TO BOX R09_AVR72.

PATH ID: R09_AV1136

[Piense en la última vez que le dio dinero a alguien para que le compre [EPRODFILL1].]¿Compra normalmente [EPRODFILL1] por caja o paquete o como [EPRODFILL1] sueltos?

1	Caja o paquete	
2	[EPRODFILL1] sueltos	GO TO R09_AV1034
-8	DON'T KNOW	GO TO BOX R09_AVR72
-7	REFUSED	GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a disposable device type or an unknown device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 1, 5.

DISPLAY: IF R09_AV1118 = 1, DISPLAY, "Piense en la última vez que le dio dinero a alguien para que le compre [EPRODFILL1]. ".

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1137

¿Cuántos [EPRODFILL1] vienen en la caja o paquete que normalmente compra?

- 1 |__|__| Cantidad de [EPRODFILL1]s
 -8 DON'T KNOW
 -7 REFUSED

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 1, 5 AND R09_AV1136 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de [EPRODFILL1]s" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AV1138

¿Cuánto paga normalmente por una caja o paquete de [EPRODFILL1]?

- 1 \$ |__|__|__|. |__|__| GO TO BOX R09_AVR72
 -8 DON'T KNOW GO TO BOX R09_AVR72
 -7 REFUSED GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 1, 5 AND R09_AV1136 = 1.

DISPLAY: ALLOW NUMERIC ENTRY;
 DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.
 Range check: 0.00-999.99

PATH ID: R09_AV1034

¿Cuánto paga normalmente por un [EPRODFILL3] suelto?

- 1 \$ |__|__|__|. |__|__| GO TO BOX R09_AVR72
 -8 DON'T KNOW GO TO BOX R09_AVR72
 -7 REFUSED GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a disposable device type or an unknown device type and usually buy single ENPs.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 1, 5 AND R09_AV1136 = 2.

DISPLAY: ALLOW NUMERIC ENTRY;
 DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.
 Range check: 0.00-999.99

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1034_LC1

Usted contestó que pagó \$[R09_AV1034] por un [EPRODFILL3] suelto. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1034

2 NEXT

GO TO BOX R09_AVR72

ASK: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 1, 5 AND R09_AV1136 = 2 AND R09_AV1034 > 50.00.

PROGRAM: TRIGGER CHECK IF R09_AV1034 > 50.00.

ELSE, GO TO BOX R09_AVR72 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV1041

[Piense en la última vez que le dio dinero a alguien para que le compre líquido electrónico.]¿Cuánto paga normalmente por un frasco o envase de líquido electrónico?

1 \$ | | | | . | | | |

-8 DON'T KNOW

GO TO BOX R09_AVR72

-7 REFUSED

GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a refillable device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 3.

DISPLAY: IF R09_AV1118 = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre líquido electrónico. ".
ELSE, DO NOT DISPLAY THIS TEXT.

ALLOW NUMERIC ENTRY;
DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AV1041_LC1

Usted contestó que pagó \$[R09_AV1041] por un frasco o envase de líquido electrónico. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1041

2 NEXT

GO TO BOX R09_AVR72

ASK: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 3 AND R09_AV1041 > 50.00.

PROGRAM: TRIGGER CHECK IF R09_AV1041 > 50.00.

ELSE, GO TO BOX R09_AVR72 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1039

[Piense en la última vez que le dio dinero a alguien para que le compre [EPRODFILL1].]¿Compra normalmente [EPRODFILL1] en cajas o paquetes o en cartuchos o pods sueltos?

1	Caja o paquete	
2	Cartuchos sueltos	GO TO R09_AV1043
-8	DON'T KNOW	GO TO BOX R09_AVR72
-7	REFUSED	GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a prefilled pod or cartridge device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 2.

DISPLAY: IF R09_AV1118 = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre [EPRODFILL1]. ".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AV1040

¿Cuántos [EPRODFILL1] vienen en la caja o paquete que compra?

1	_ _ _ Cantidad de [EPRODFILL1]s
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a prefilled pod or cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 2 AND R09_AV1039 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de [EPRODFILL1]s" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1042

¿Cuánto paga normalmente por una caja o paquete de [EPRODFILL1]?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

GO TO BOX R09_AVR72

-7 REFUSED

GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a prefilled pod or cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 2 AND R09_AV1039 = 1.

DISPLAY: ALLOW NUMERIC ENTRY;
DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AV1042_LC1

Usted contestó que pagó \$[R09_AV1042] por una caja o paquete de [EPRODFILL1]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1042

2 NEXT

GO TO BOX R09_AVR72

ASK: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 2 AND R09_AV1039 = 1 AND R09_AV1042 > 50.00.

PROGRAM: TRIGGER CHECK IF R09_AV1042 > 50.00.

ELSE, GO TO BOX R09_AVR72 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV1043

¿Cuánto paga normalmente por un [EPRODFILL3] suelto?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

GO TO BOX R09_AVR72

-7 REFUSED

GO TO BOX R09_AVR72

ASK: Adult respondents who are current ENP users and usually buy their ENPs in person, from the internet, or by telephone or give someone else money to buy for them, and use a prefilled pod or cartridge device type and usually buy their ENPs as single cartridges.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 2 AND R09_AV1039 = 2.

DISPLAY: ALLOW NUMERIC ENTRY;
DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1043_LC1

Usted contestó que pagó \$[R09_AV1043] por un [EPRODFILL3] suelto. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1043

2 NEXT

GO TO BOX R09_AVR72

ASK: IF R09_EPROD_USER_STATUS = 1 AND (R09_AV1030 = 1, 2, 3 OR R09_AV1118 = 1) AND R09_EDEVICETYPE = 2 AND R09_AV1039 = 2 AND R09_AV1043 > 50.00.

PROGRAM: TRIGGER CHECK IF R09_AV1043 > 50.00.

ELSE, GO TO BOX R09_AVR72 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AVR72

Adult respondents who are current ENP users, go to R09_AV9100.

Else, go to Box R09_AVR63.

IF R09_EPROD_USER_STATUS = 1, GO TO R09_AV9100.

ELSE, GO TO BOX R09_AVR63.

PATH ID: R09_AV9100

¿Viene el producto electrónico con nicotina que usted fuma actualmente con instrucciones de uso?

1 Sí

2 No

GO TO BOX R09_AVR63

-8 DON'T KNOW

GO TO BOX R09_AVR63

-7 REFUSED

GO TO BOX R09_AVR63

ASK: Adult respondents who are current ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1.

PATH ID: R09_AV9101

¿Ha leído todas o parte de las instrucciones de uso que vienen con su producto electrónico con nicotina?

1 Sí

2 No

GO TO BOX R09_AVR63

-8 DON'T KNOW

GO TO BOX R09_AVR63

-7 REFUSED

GO TO BOX R09_AVR63

ASK: Adult respondents who are current ENP users and whose electronic nicotine product comes with instructions for use.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV9100 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9102

¿Siempre usa el producto electrónico con nicotina siguiendo las instrucciones?

1	Sí	
2	No	GO TO BOX R09_AVR63
-8	DON'T KNOW	GO TO BOX R09_AVR63
-7	REFUSED	GO TO BOX R09_AVR63

ASK: Adult respondents who are current ENP users and whose electronic nicotine product comes with instructions for use and have read the instructions.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV9100 = 1 AND R09_AV9101 = 1.

BOX ID: R09_AVR63

Adult respondents who are current ENP users and use a disposable device type, go to R09_AV8810.
Else, adult respondents who are current ENP users and use a prefilled pod or cartridge device type, go to R09_AV8811.
Else, adult respondents who are current ENP users and use a refillable device type, go to R09_AV8812.
Else, go to Box R09_AVR64.

IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 1, GO TO R09_AV8810.
ELSE, IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 2, GO TO R09_AV8811.
ELSE, IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 3, GO TO R09_AV8812.
ELSE, GO TO BOX R09_AVR64.

PATH ID: R09_AV8810

¿Qué hace **normalmente** con su producto electrónico con nicotina cuando está vacío?

1	Lo tira en la basura	GO TO R09_AV7700
2	Lo tira al suelo	GO TO R09_AV7700
3	Lo recicla o lo lleva a un centro de reciclaje de desechos electrónicos	GO TO R09_AV7700
4	Lo lleva a un almacén, una tienda de vapeadores o a un programa "take back" para desecharlo de manera segura	GO TO R09_AV7700
7	Lo guarda o lo colecciona	GO TO R09_AV7700
5	No he tirado un producto vacío	GO TO R09_AV7700
6	Otra cosa (ESPECIFIQUE)	GO TO R09_AV7700
-8	DON'T KNOW	GO TO R09_AV7700
-7	REFUSED	GO TO R09_AV7700

ASK: Adult respondents who are current ENP users and use a disposable device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 1.

DISPLAY: BOLD "normalmente".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AV8811

¿Qué hace **normalmente** con un pod o cartucho cuando está vacío? Desplace para ver más opciones, si es necesario.

- 1 Lo tira en la basura
- 2 Lo tira al suelo
- 3 Lo reutiliza o lo vuelve a llenar
- 4 Lo recicla o lo lleva a un centro de reciclaje de desechos electrónicos
- 5 Lo lleva a un almacén, una tienda de vapeadores o a un programa "take back" para desecharlo de manera segura
- 8 Lo guarda o lo colecciona
- 6 No he tirado un producto vacío
- 7 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and use a prefilled pod or cartridge device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 2.

DISPLAY: BOLD "normalmente".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV8812

¿Qué hace **normalmente** con la batería de su producto electrónico con nicotina después de que deja de funcionar, no se recarga o ya no se necesita? Desplace para ver más opciones, si es necesario.

- 1 La tira en la basura
- 2 La tira al suelo
- 3 La recicla o la lleva a un centro de reciclaje de desechos electrónicos
- 4 La lleva a un almacén, una tienda de vapeadores o a un programa "take back" para desecharla de manera segura
- 8 La guarda o la colecciona
- 5 No he tirado una batería
- 6 No he tenido una batería que dejó de funcionar, no se recarga o que ya no se necesitaba
- 7 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and use a prefilled pod or cartridge device type or a refillable device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 2, 3.

DISPLAY: BOLD "normalmente".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_AVR64

Adult respondents who are current ENP users and use a refillable device type, go to R09_AV8814.

Else adult respondents who are current ENP users, go to R09_AV7700.

Else, go to R09_AV1047.

IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 3, GO TO R09_AV8814.

ELSE, IF R09_EPROD_USER_STATUS = 1, GO TO R09_AV7700.

ELSE, GO TO R09_AV1047.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV8814

¿Qué hace **normalmente** con los espirales o atomizadores de su producto electrónico con nicotina después de que ya no funcionan?

- 1 Los tira en la basura
- 2 Los tira al suelo
- 3 Los recicla o los lleva a un centro de reciclaje de desechos electrónicos
- 4 Los lleva a un almacén, una tienda de vapeadores o a un programa "take back" para desecharlos de manera segura
- 7 Los guarda o los colecciona
- 5 No he tirado los espirales o atomizadores
- 6 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and use a refillable device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 3.

DISPLAY: BOLD "normalmente".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AV8816

¿Qué hace **normalmente** con un frasco o envase de líquido electrónico cuando está vacío?

- 1 Lo tira en la basura
- 2 Lo tira al suelo
- 3 Lo recicla o lo lleva a un centro de reciclaje de desechos electrónicos
- 4 Lo lleva a un almacén, una tienda de vapeadores o a un programa "take back" para desecharlo de manera segura
- 7 Lo guarda o lo colecciona
- 5 No he tirado uno vacío
- 6 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and use a refillable device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 3.

DISPLAY: BOLD "normalmente".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV8815

¿Qué hace **normalmente** con el líquido electrónico sobrante o sin usar? Desplace para ver más opciones, si es necesario.

- 1 Lo tira en la basura
- 2 Lo tira al suelo
- 3 Lo tira en el lavamanos o en el baño
- 4 Lo lleva a un almacén, una tienda de vapeadores o a un programa "take back" para desecharlo de manera segura
- 8 Lo guarda o lo colecciona
- 5 No he tirado líquido electrónico sobrante o sin usar
- 6 Nunca he tenido líquido electrónico sobrante o sin usar
- 7 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and use a refillable device type.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_EDEVICETYPE = 3.

DISPLAY: BOLD "normalmente".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AV7700

¿Alguna vez un médico lo ha evaluado o tratado debido a un problema pulmonar (como asma, bronquitis crónica, enfermedad pulmonar obstructiva crónica (COPD) o neumonía) relacionado con su consumo de productos electrónicos con nicotina?

1	Sí	
2	No	GO TO R09_AV1047
-8	DON'T KNOW	GO TO R09_AV1047
-7	REFUSED	GO TO R09_AV1047

ASK: Adult respondents who are current ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV7701

¿Qué edad tenía la última vez que un médico lo evaluó o trató debido a un problema pulmonar relacionado con su consumo de productos electrónicos con nicotina?

1	_ _ _ _ Años	
-8	DON'T KNOW	GO TO R09_AV7702
-7	REFUSED	GO TO R09_AV7702

ASK: Adult respondents who are current ENP users and have been evaluated or treated by a doctor for a lung condition related to their use of ENPs.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV7700 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AV7701_LC1

Usted contestó que tenía [R09_AV7701] años la última vez que un médico lo evaluó o trató debido a un problema pulmonar relacionado con su consumo de productos electrónicos con nicotina. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AV7701
2	NEXT	GO TO R09_AV1047

ASK: IF R09_EPROD_USER_STATUS = 1 AND R09_AV7700 = 1 AND R09_AV7701 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AV7701 > R09_ACHIEVEDAGE.
ELSE, GO TO R09_AV1047 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV7702

La última vez que lo evaluaron o trataron debido a un problema pulmonar relacionado con su consumo de productos electrónicos con nicotina, ¿tenía usted...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and have been evaluated or treated by a doctor for a lung condition related to their use of ENPs and did not know or refused to report the age they were last evaluated.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AV7700 = 1 AND R09_AV7701 = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1047

¿[Tiene /Tenía] una marca habitual de [EPRODFILL2] que normalmente [fuma/fumaba]?

Queremos recordarle que no incluya el consumo de marihuana ni cannabis cuando conteste estas preguntas.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Tiene" AND "fuma".
ELSE, DISPLAY "Tenía" AND "fumaba".

PATH ID: R09_AV1012

¿Qué sabor [es/era] [su marca habitual/la última marca que fumó]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Sabor a tabaco
- 2 Mentol
- 3 Menta, wintergreen, hierbabuena o peppermint
- 11 Hielo o frost
- 5 Fruta
- 4 Clavo de olor o especias
- 6 Chocolate
- 7 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 8 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 9 Caramelos, postres u otros sabores dulces
- 10 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD: "Escriba su respuesta usando el teclado de la computadora."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

IF R09_AV1047 = 1 AND R09_EPROD_USER_STATUS = 1, DISPLAY "es" AND "su marca habitual".

ELSE, IF R09_AV1047 = 1, DISPLAY "era" AND "su marca habitual".

IF R09_AV1047 = 2, -8, -7 AND R09_EPROD_USER_STATUS = 1, DISPLAY "era" AND "la última marca que fumó".

ELSE, IF R09_AV1047 = 2, -8, -7, DISPLAY "era" AND "la última marca que fumó".

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1945

¿Sabe el **nombre de la marca** de [EPRODFILL2] que usted [fuma normalmente/fumó normalmente/fumó la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_AV1047 = 1 AND R09_EPROD_USER_STATUS = 1, DISPLAY "fuma normalmente".

ELSE, IF R09_AV1047 = 1 AND R09_EPROD_USER_STATUS = 4, DISPLAY "fumó normalmente".

ELSE, IF R09_AV1047 = 2, -8, -7, DISPLAY "fumó la última vez".

BOLD "nombre de la marca".

BOX ID: R09_AVR45

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used, go to Box R09_AVD48.

Else, go to Box R09_AVR33.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND

R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1, GO TO BOX R09_AVD48.

ELSE, GO TO BOX R09_AVR33.

BOX ID: R09_AVD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AV1048 and R09_AV1049 on one screen.

Show the question text from R09_AV1048 at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AV1049, and 5) text entry for R09_AV1049.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1048

¿Qué marca de [EPROD_FILL2] [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1.

DISPLAY: IF R09_AV1047 = 1 AND R09_EPROD_USER_STATUS = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AV1047 = 1, DISPLAY "fumó" AND "normalmente".

IF R09_AV1047 = 2, -8, -7 AND R09_EPROD_USER_STATUS = 1, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AV1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL BRANDS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AV1049, set R09_AV1048_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1049

¿No vio su marca?

Escriba la marca de [EPRODFILL2] que [fuma/fumó] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1.

DISPLAY: BOLD "¿No vio su marca?" AND "deseleccionarán".

IF R09_AV1047 = 1 AND R09_EPROD_USER_STATUS = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AV1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, DISPLAY "fumó" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AV1049, set R09_AV1048_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_AVR33

Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used, go to R09_AV2048.

Else, go to Box R09_AVV06.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1, GO TO R09_AV2048.

ELSE, GO TO BOX R09_AVV06.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV2048

¿Qué marca de [EPROD_FILL2] [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 9995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1.

DISPLAY: IF R09_AV1047 = 1 AND R09_EPROD_USER_STATUS = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AV1047 = 1, DISPLAY "fumó" AND "normalmente".

IF R09_AV1047 = 2, -8, -7 AND R09_EPROD_USER_STATUS = 1, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AV1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

BOX ID: R09_AVR101

Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected "Something else" for their brand of ENPs, go to R09_AV2049.

Else, go to Box R09_AVV06.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_AV2048_BRAND = 9995, GO TO R09_AV2049.

ELSE, GO TO BOX R09_AVV06.

PATH ID: R09_AV2049

Dijo que su marca no aparece en la lista. ¿Cuál marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected "Something else" for their brand of ENPs.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_AV2048_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVV06

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

R09_ENP_SUBBRANDS = Adult respondents who selected a brand of ENPs that has sub-brands.

Note: For Wave 9, blu, Breeze, Breeze Smoke, JUUL, KangVape, Logic, NJOY, and Vuse have sub-brands.

BOX ID: R09_AVR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs that has sub-brands, go to Box R09_AVD70. Else, go to Box R09_AVR24.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_ENP_SUBBRANDS = 1, GO TO BOX R09_AVD70.
ELSE, GO TO BOX R09_AVR24.

BOX ID: R09_AVD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AV1070 and R09_AV1071 on one screen.

Show the question text from R09_AV1070 at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AV1071, and 5) text entry for R09_AV1071.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó]
[normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs that has sub-brands.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_ENP_SUBBRANDS = 1.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AV1048_BRAND.

IF R09_EPROD_USER_STATUS = 1 AND R09_AV1047 = 1, DISPLAY "fuma" AND "normalmente".
ELSE, IF R09_EPROD_USER_STATUS = 1 AND R09_AV1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_EPROD_USER_STATUS = 4 AND R09_AV1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_EPROD_USER_STATUS = 4 AND R09_AV1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN.

If text is entered in R09_AV1071, set R09_AV1070_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1071

¿No vio su producto?

Escriba el tipo de [BRANDFILL]s que [fuma/fumó] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs that has sub-brands.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_ENP_SUBBRANDS = 1.

DISPLAY: BOLD "¿No vio su producto?" AND "deseleccionarán"

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AV1048_BRAND.

IF R09_EPROD_USER_STATUS = 1 AND R09_AV1047 = 1, DISPLAY "normalmente" AND "fuma".

ELSE, IF R09_AV1047 = 1, DISPLAY "normalmente" AND "fumó".

ELSE, DISPLAY "la última vez" AND "fumó".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AV1071, set R09_AV1070_PRODUCT = 99995 (SOMETHING ELSE).

BOX ID: R09_AVR24

Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs that has sub-brands, go to R09_AV2070.

Else, adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs, go to R09_AV2070_CONF.

Else, go to Box R09_AVR43.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_ENP_SUBBRANDS = 1, GO TO R09_AV2070.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV2048_BRAND != 9995, -8, -7, GO TO R09_AV2070_CONF.

ELSE, GO TO BOX R09_AVR43.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV2070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 99995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs that has sub-brands.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_ENP_SUBBRANDS = 1.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AV2048_BRAND.

IF R09_EPROD_USER_STATUS = 1 AND R09_AV1047 = 1, DISPLAY "fuma" AND "normalmente". ELSE, IF R09_EPROD_USER_STATUS = 1 AND R09_AV1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_EPROD_USER_STATUS = 4 AND R09_AV1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_EPROD_USER_STATUS = 4 AND R09_AV1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

PATH ID: R09_AV2070_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, seleccione el botón que dice ATRÁS y vuelva a seleccionar su marca.

[SHOW PICTURE OF THE SELECTED BRAND/PRODUCT FOR MAJOR BRANDS/PRODUCTS]

1 BACK	GO TO R09_AV2070
2 NEXT	GO TO BOX R09_AVR103

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV2048_BRAND != 9995, -8, -7.

DISPLAY: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_ENP_SUBBRANDS = 1 AND R09_AV2070_PRODUCT != 99990, 99995, -8, -7, FILL [NEQBRAND] WITH R09_AV2070_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AV2048_BRAND RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED BRAND/PRODUCT FOR MAJOR BRANDS/PRODUCTS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AVR103

Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs that has sub-brands and selected "Something else" for their sub-brand of ENPs, go to R09_AV2071.

Else, go to Box R09_AVR43.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_ENP_SUBBRANDS = 1 AND R09_AV1070_PRODUCT = 99995, GO TO R09_AV2071.

ELSE, GO TO BOX R09_AVR43.

PATH ID: R09_AV2071

Usted dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba] no aparece en la lista. ¿Qué tipo es?

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former ENP users and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs that has sub-brands and selected "Something else" for their sub-brand of ENPs.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1945 = 1 AND R09_ENP_SUBBRANDS = 1 AND R09_AV1070_PRODUCT = 99995.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AV2048_BRAND.

IF R09_EPROD_USER_STATUS = 1 AND R09_AV1047 = 1, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

BOX ID: R09_AVR43

Adult respondents who are current or recent former ENP users and have a regular brand of ENPs, go to R09_AV1051.

Else, go to Box R09_AVR44.

IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1047 = 1, GO TO R09_AV1051.

ELSE, GO TO BOX R09_AVR44.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1051

Aproximadamente, ¿cuánto tiempo [fumó/lleva fumando] su marca habitual de [EPRODFILL2]? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Meses
- 3 |__|__| Años
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and have a regular brand of ENPs.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1047 = 1.

DISPLAY: R09_EPROD_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AV1051_LC1

Usted contestó que lleva fumando su marca habitual de [EPRODFILL2] por [R09_AV1051_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AV1051
2 NEXT	GO TO R09_AV1051_LC2

ASK: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1047 = 1 AND R09_AV1051_NN > R09_ACHIEVEDAGE AND R09_AV1051_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AV1051_NN > R09_ACHIEVEDAGE AND R09_AV1051_UN = 3.

ELSE, GO TO R09_AV1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV1051_LC2

Usted contestó "cero" para la cantidad de tiempo que usted lleva fumando su marca habitual de [EPRODFILL3]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AV1051
2 NEXT	GO TO R09_AV1051_LC3

ASK: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1047 = 1 AND R09_AV1051 = 0.

PROGRAM: TRIGGER CHECK IF R09_AV1051 = 0.

ELSE, GO TO R09_AV1051_LC3 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1051_LC3

Usted contestó que lleva fumando su marca habitual de [EPRODFILL2] por [R09_AV1051_NN] años.
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV1051

2 NEXT

GO TO BOX R09_AVR44

ASK: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV1047 = 1 AND R09_AV1051_NN > (Today's date - 2010) AND R09_AV1051_UN = 3.

PROGRAM: TRIGGER CHECK IF R09_AV1051_NN > (Today's date - 2010) AND R09_AV1051_UN = 3.

ELSE, GO TO BOX R09_AVR44 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AVR44

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current ENP users and last used an ENP in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs, or adult respondents who are completing a web interview on a mobile device and are current ENP users and last used an ENP in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs., go to R09_AV0104.
Else, go to R09_AV9019.

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_EPROD_USER_STATUS = 1 AND R09_AV0100 = 1, 2, 3, 4 AND R09_AV1945 = 1 AND R09_AV1048_BRAND != 9995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1 AND R09_AV0100 = 1, 2, 3, 4 AND R09_AV1945 = 1 AND R09_AV2048_BRAND != 9995, -8, -7), GO TO R09_AV0104.
ELSE, GO TO R09_AV9019.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV0104

Usted dijo anteriormente que la última vez que fumó un producto electrónico con nicotina fue [TIME OF LAST USE].

Piense en la última probadita que tomó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current ENP users and last used an ENP in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs, or

Adult respondents who are completing a web interview on a mobile device and are current ENP users and last used an ENP in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs.

ASK Specification: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_EPROD_USER_STATUS = 1 AND R09_AV0100 = 1, 2, 3, 4 AND R09_AV1945 = 1 AND R09_AV1048_BRAND != 9995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_EPROD_USER_STATUS = 1 AND R09_AV0100 = 1, 2, 3, 4 AND R09_AV1945 = 1 AND R09_AV2048_BRAND != 9995, -8, -7).

DISPLAY: IF R09_AV0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

IF R09_AV0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

IF R09_AV0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

IF R09_AV0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1) AND R09_ENP_SUBBRANDS = 1 AND R09_AV1070_PRODUCT != 99990, 99995, -8, -7, FILL [NEQBRAND] WITH R09_AV1070_PRODUCT RESPONSE.

ELSE, IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL [NEQBRAND] WITH R09_AV1048_BRAND RESPONSE.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_ENP_SUBBRANDS = 1 AND R09_AV2070_PRODUCT != 99990, 99995, -8, -7, FILL [NEQBRAND] WITH R09_AV2070_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AV2048_BRAND RESPONSE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9019

En los últimos 12 meses, ¿ha hecho algo de lo siguiente para adaptar o modificar su producto electrónico con nicotina? Escoja todas las opciones que correspondan.

- 1 Volvió a llenar un producto electrónico con nicotina que NO ERA para volver a llenar
- 2 Volvió a cargar un producto electrónico con nicotina que NO ERA recargable
- 3 Cambió la concentración de nicotina del líquido electrónico al mezclar distintos líquidos electrónicos
- 4 Cambió el tanque existente por uno más pequeño o más grande que el original
- 5 Adaptó o reemplazó componentes para que la batería le dure más
- 6 Modificó su producto electrónico con nicotina de alguna otra manera no indicada por el fabricante (ESPECIFIQUE)
- 7 No he hecho ninguna de estas cosas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply. If option 7 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9020

En los últimos 12 meses, ¿ha usado su producto electrónico con nicotina de alguna de las siguientes maneras? Escoja todas las opciones que correspondan.

- 1 Vapeó discretamente para que otros no se dieran cuenta que usted vapea o vapeó sin producir vapor
- 2 Intencionalmente echó líquido electrónico en los espirales de su dispositivo
- 3 Usó su producto electrónico con nicotina de alguna otra manera no indicada por el fabricante (ESPECIFIQUE)
- 4 No he hecho ninguna de estas cosas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, no other options can be selected.

BOX ID: R09_AVD02

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER: R09_AV1060, R09_AV1085, R09_AV1062, R09_AV1075, R09_AV1063, (R09_AV1064), R09_AV1065, R09_AV1066, R09_AV1067, R09_AV1076, (R09_AV1077).

CONDITIONAL LEAVES: R09_AV1064, R09_AV1077. (See routing boxes for details: R09_AVR34, R09_AVR62.)

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AV1060 is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AV1060 on each screen. Randomize the order.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1060

Las siguientes preguntas son acerca de las razones por las que la gente fuma productos electrónicos con nicotina. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba productos electrónicos con nicotina]. [Marque Sí o No para cada afirmación. Desplace para ver más opciones.]

[Fumo/Fumaba] productos electrónicos con nicotina porque...

[Son/Eran] económicos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "aplican a usted", "Fumo" AND "Son".
ELSE, DISPLAY "aplicaban a usted cuando fumaba productos electrónicos con nicotina", "Fumaba" AND "Eran".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación.
Desplace para ver más opciones."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AV1085

[Puedo/Podía] fumar productos electrónicos con nicotina en ocasiones o en lugares donde no se [permite/ permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Puedo" AND "permite".
ELSE, DISPLAY "Podía" AND "permitía".

PATH ID: R09_AV1062

Podrían [ser/haber sido] menos dañinos para mí que los cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1075

Podrían [ser/haber sido] menos dañinos que los cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

PATH ID: R09_AV1063

El líquido electrónico [viene/venía] en sabores que me [gustan/gustaban].

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "viene" AND "gustan".
ELSE, DISPLAY "venía" AND "gustaban".

BOX ID: R09_AVR34

Adult respondents who are current or recent former ENP users and are current or recent former cigarette smokers, go to R09_AV1064.
Else, go to R09_AV1065.

IF R09_EPROD_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AV1064.
ELSE, GO TO R09_AV1065.

PATH ID: R09_AV1064

Fumar productos electrónicos con nicotina le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are current or recent former cigarette smokers.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1065

Los productos electrónicos con nicotina no tienen olor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

PATH ID: R09_AV1066

Fumar un producto electrónico con nicotina [se siente/se sentía] como fumar un cigarrillo tradicional.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "se siente".
ELSE, DISPLAY "se sentía".

PATH ID: R09_AV1067

Los productos electrónicos con nicotina [son/eran] más aceptables por las personas que no consumen tabaco.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "son".
ELSE, DISPLAY "eran".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1076

Nadie se [da/daba] cuenta cuando [fumo/fumaba] un producto electrónico con nicotina.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "da" AND "fumo".

ELSE, DISPLAY "daba" AND "fumaba".

BOX ID: R09_AVR62

Adult respondents who are current or recent former ENP users and are current or recent former cigarette smokers, go to R09_AV1077.

Else, go to Box R09_AVR35.

IF R09_EPROD_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AV1077.
ELSE, GO TO BOX R09_AVR35.

PATH ID: R09_AV1077

Fumar productos electrónicos con nicotina [satisface/satisfacía] mi deseo de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are current or recent former cigarette smokers.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "satisface".

ELSE, DISPLAY "satisfacía".

BOX ID: R09_AVR35

Adult respondents who are current ENP users and are current cigarette smokers, go to R09_AV1086.
Else, go to Box R09_AVR54.

IF R09_EPROD_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1, GO TO R09_AV1086.
ELSE, GO TO BOX R09_AVR54.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1086

En los últimos 30 días, ¿ha fumado un producto electrónico con nicotina en ocasiones o en lugares en donde no se podía fumar cigarrillos tradicionales?

1	Sí	
2	No	GO TO R09_AV9054
-8	DON'T KNOW	GO TO R09_AV9054
-7	REFUSED	GO TO R09_AV9054

ASK: Adult respondents who are current ENP users and are current cigarette smokers.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1.

PATH ID: R09_AV1087

¿Con qué frecuencia fuma productos electrónicos con nicotina en ocasiones o en lugares donde no se puede fumar cigarrillos tradicionales?

1	Todos los días
2	Algunos días
3	Rara vez
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current ENP users and are current cigarette smokers and have used ENPs at times when or in places where they could not smoke regular cigarettes.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1 AND R09_AV1086 = 1.

PATH ID: R09_AV9054

En los días en que fuma cigarrillos y productos electrónicos con nicotina, ¿fuma usted...?

1	Menos cigarrillos que lo habitual
2	La misma cantidad de cigarrillos
3	Más cigarrillos que lo habitual
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current ENP users and are current cigarette smokers.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1.

BOX ID: R09_AVR54

Adult respondents who are current or recent former ENP users and are current or recent former cigarette users, go to R09_AV1080.
Else, go to R09_AV1139.

IF R09_EPROD_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AV1080.
ELSE, GO TO R09_AV1139.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1080

¿[Fuma/Fumaba] productos electrónicos con nicotina como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are current or recent former cigarette smokers.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Fuma".

ELSE, DISPLAY "Fumaba".

PATH ID: R09_AV1082

¿[Está fumando/Fumaba] productos electrónicos con nicotina como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are current or recent former cigarette smokers.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Está fumando" AND "".

ELSE, DISPLAY "Fumaba" AND "".

PATH ID: R09_AV1139

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas al fumar un producto electrónico con nicotina.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Es".

ELSE, DISPLAY "Era".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1140

Al fumar un producto electrónico con nicotina, me [siento/sentía] más seguro con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "siento".

ELSE, DISPLAY "sentía".

PATH ID: R09_AV1141

[Fumo/Fumaba] productos electrónicos con nicotina mucho más cuando [estoy/estaba] con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Fumo" AND "estoy".

ELSE, DISPLAY "Fumaba" AND "estaba".

BOX ID: R09_AVR41

Adult respondents who are current ENP users, go to R09_AV1144.

Else, adult respondents who are recent former ENP users, go to R09_AV0335.

Else, go to the next section.

IF R09_EPROD_USER_STATUS = 1, GO TO R09_AV1144.

ELSE, IF R09_EPROD_USER_STATUS = 4, GO TO R09_AV0335.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV1144

¿Qué tan dañino cree que es fumar productos electrónicos con nicotina para SU salud?

1	No es dañino en absoluto	GO TO R09_AV9015
2	Muy poco dañino	GO TO R09_AV9015
3	Algo dañino	GO TO R09_AV9015
4	Muy dañino	GO TO R09_AV9015
5	Es extremadamente dañino	GO TO R09_AV9015
-8	DON'T KNOW	GO TO R09_AV9015
-7	REFUSED	GO TO R09_AV9015

ASK: Adult respondents who are current ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1.

PATH ID: R09_AV0335

¿Cuál es la razón principal por la que dejó de fumar productos electrónicos con nicotina? Desplace para ver más opciones, si es necesario.

10	Solamente los estaba probando
1	Cuestan demasiado dinero
2	No me gustó el sabor
3	Fumarlos no me ayudó a lidiar con mis deseos de fumar cigarrillos tradicionales
4	Fumarlos no me ayudó a dejar de fumar o reducir mi consumo de cigarrillos tradicionales
5	Fumarlos no se sentía como si estuviera fumando cigarrillos tradicionales
6	Son de mala calidad, defectuosos o se dañan fácilmente
7	Eran complicados de fumar
8	Me preocupaban los riesgos para la salud que causaban estos productos
9	No me gustaron los efectos secundarios por fumar estos productos
11	Otra razón (ESPECIFIQUE)
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9015

Las sales de nicotina, o "nic salts", son un tipo de nicotina que se encuentra en algunos líquidos electrónicos, pods y cartuchos. ¿Alguna vez ha fumado un producto electrónico con nicotina que contenía sales de nicotina?

- 1 Sí
- 2 No
- 3 No sé
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AV9018

¿Alguna vez ha usado potenciadores de sabor como pods que se añaden (como Puff Krush) para agregarle sabor a su producto electrónico con nicotina? Los potenciadores de sabor se agregan para cambiar el sabor existente de un producto electrónico con nicotina.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

PATH ID: R09_AV9023

Algunos productos electrónicos con nicotina contienen agentes sintéticos refrescantes. Estos agentes son sustancias químicas creadas en un laboratorio que se le agregan al líquido electrónico para producir el efecto refrescante del mentol sin tener sabor u olor a menta.

¿Alguna vez ha visto u oído hablar de productos electrónicos con nicotina con agentes sintéticos refrescantes?

1 Sí	
2 No	GO TO THE NEXT SECTION
-8 DON'T KNOW	GO TO THE NEXT SECTION
-7 REFUSED	GO TO THE NEXT SECTION

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9024

¿Alguna vez ha fumando un producto electrónico con nicotina con un agente sintético refrescante?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and have ever seen or heard of ENPs with synthetic cooling agents.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AV9023 = 1.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

IQOS

BOX ID: R09_AQT02
Las siguientes preguntas son acerca de su experiencia con IQOS . El IQOS usa un tipo especial de tabaco llamado HeatSticks. Estos HeatSticks también se conocen como Marlboro HeatSticks, HEETS, TEREA, entre otros. De ahora en adelante, usaremos la palabra "HeatSticks" para referirnos a las barras de tabaco que se usan en un IQOS.
El dispositivo calienta el tabaco en lugar de quemarlo, produciéndose un vapor calentado de tabaco que se inhala. El IQOS no contiene ningún líquido y no es un vapeador o producto electrónico con nicotina.
[SHOW GENERIC IMAGE OF IQOS]
BOLD "IQOS". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AQR23
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AQT06. Else, go to R09_AQ1006.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AQT06. ELSE, GO TO R09_AQ1006.

BOX ID: R09_AQT06
Piense ahora en IQOS, como el que se muestra a continuación...
[SHOW GENERIC IMAGE OF IQOS]

PATH ID: R09_AQ1006
¿Qué edad tenía la primera vez que fumó IQOS, incluso si fueron una o dos veces?
1 __ __ Años
-8 DON'T KNOW GO TO R09_AQ1120
-7 REFUSED GO TO R09_AQ1120
ASK: Adult respondents who have ever used IQOS.
ASK Specification: IF R09_EVER_NEVER_IQOS = 1.
DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.
DISPLAY "Años" AS A TITLE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1006_LC1

Usted contestó que la primera vez que usted fumó IQOS fue a la edad de [R09_AQ1006] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1006

2 NEXT

GO TO R09_AQ1006_LC2

ASK: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1006 <= 5.

PROGRAM: TRIGGER CHECK IF R09_AQ1006 <= 5.

ELSE, GO TO R09_AQ1006_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1006_LC2

Usted contestó que la primera vez que usted fumó IQOS fue a la edad de [R09_AQ1006] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1006

2 NEXT

GO TO R09_AQ1005

ASK: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AQ1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AQ1005 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1120

La primera vez que fumó IQOS, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever used IQOS and did not know or refused to report the age they first used IQOS.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1006 = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1005

¿Cuántos HeatSticks ha fumado en toda su vida? Una cajetilla normalmente contiene 20 HeatSticks.

- 1 1 o más probaditas pero nunca un HeatStick entero
- 2 1 a 10 HeatSticks (aproximadamente media cajetilla en total)
- 3 11 a 20 HeatSticks (aproximadamente de media a una cajetilla)
- 4 21 a 50 HeatSticks (más de 1 pero menos de 3 cajetillas)
- 5 51 a 99 HeatSticks (más de 2 cajetillas y media pero menos de 5 cajetillas)
- 6 100 o más HeatSticks (5 cajetillas o más)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used IQOS.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1.

PATH ID: R09_AQ1100

Alguna vez, ¿ha fumado IQOS de manera habitual?

1	Sí	
2	No	GO TO BOX R09_AQR05
-8	DON'T KNOW	GO TO BOX R09_AQR05
-7	REFUSED	GO TO BOX R09_AQR05

ASK: Adult respondents who have ever used IQOS.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1.

PATH ID: R09_AQ1007

¿Qué edad tenía la primera vez que comenzó a fumar IQOS de manera habitual?

1	__ __ Años	
-8	DON'T KNOW	GO TO R09_AQ1121
-7	REFUSED	GO TO R09_AQ1121

ASK: Adult respondents who have ever used IQOS and have ever used IQOS fairly regularly.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1007_LC1

Usted contestó que comenzó a fumar IQOS de manera habitual a la edad de [R09_AQ1007] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AQ1007
2 NEXT	GO TO R09_AQ1007_LC2

ASK: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1 AND R09_AQ1007 <= 5.

PROGRAM: TRIGGER CHECK IF R09_AQ1007 <= 5.

ELSE, GO TO R09_AQ1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1007_LC2

Usted contestó que comenzó a fumar IQOS de manera habitual a la edad de [R09_AQ1007] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AQ1007
2 NEXT	GO TO BOX R09_AQR05

ASK: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1 AND R09_AQ1007 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AQ1007 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AQR05 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1121

La primera vez que comenzó a fumar IQOS de manera habitual, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used IQOS and have ever used IQOS fairly regularly and did not know or refused to report the age they started using IQOS fairly regularly.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1 AND R09_AQ1007 = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AQR05

Adult respondents who now use IQOS every day, go to R09_AQ1020.
Else, go to R09_AQ1018.

IF R09_AQ1003 = 1, GO TO R09_AQ1020.
ELSE, GO TO R09_AQ1018.

PATH ID: R09_AQ1020

¿Qué edad tenía la primera vez que comenzó a fumar IQOS todos los días?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AQ1122

-7 REFUSED

GO TO R09_AQ1122

ASK: Adult respondents who now use IQOS every day.

ASK Specification: IF R09_AQ1003 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AQ1020_LC1

Usted contestó que comenzó a fumar IQOS todos los días a la edad de [R09_AQ1020] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1020

2 NEXT

GO TO R09_AQ1020_LC2

ASK: IF R09_AQ1003 = 1 AND R09_AQ1020 <= 5.

PROGRAM: TRIGGER CHECK IF R09_AQ1020 <= 5.

ELSE, GO TO R09_AQ1020_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1020_LC2

Usted contestó que comenzó a fumar IQOS todos los días a la edad de [R09_AQ1020] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1020

2 NEXT

GO TO R09_AQ1018

ASK: IF R09_AQ1003 = 1 AND R09_AQ1020 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AQ1020 > R09_ACHIEVEDAGE.

ELSE, GO TO R09_AQ1018 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1122

La primera vez que comenzó a fumar IQOS todos los días, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who now use IQOS every day and did not know or refused to report the age they started using IQOS every day.

ASK Specification: IF R09_AQ1003 = 1 AND R09_AQ1020 = -8, -7.

PATH ID: R09_AQ1018

¿Alguna vez ha fumado HeatSticks con sabor a mentol o menta?

1	Sí	
2	No	GO TO BOX R09_AQR20
-8	DON'T KNOW	GO TO BOX R09_AQR20
-7	REFUSED	GO TO BOX R09_AQR20

ASK: Adult respondents who have ever used IQOS.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1.

PATH ID: R09_AQ1008

La primera vez que comenzó a fumar IQOS, ¿fumó HeatSticks con sabor a mentol o menta?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used IQOS and have ever used IQOS flavored to taste like menthol or mint.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1018 = 1.

BOX ID: R09_AQR20

Adult respondents who have ever used IQOS and have ever used IQOS fairly regularly, go to R09_AQ9002.
Else, go to Box R09_AQR06.

IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1, GO TO R09_AQ9002.
ELSE, GO TO BOX R09_AQR06.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9002

Aproximadamente, ¿cuánto tiempo [lleva fumando/fumó] IQOS habitualmente? No incluya periodos en los que haya dejado de fumar IQOS temporalmente. Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Meses	
2	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_AQR06
-7	REFUSED		GO TO BOX R09_AQR06

ASK: Adult respondents who have ever used IQOS and have ever used IQOS fairly regularly.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AQ9002_LC1

Usted contestó que ha fumado IQOS de manera habitual por [R09_AQ9002] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AQ9002
2	NEXT	GO TO R09_AQ9002_LC2

ASK: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1 AND R09_AQ9002_NN > R09_ACHIEVEDAGE AND R09_AQ9002_UN = 2.

PROGRAM: TRIGGER CHECK IF R09_AQ9002_NN > R09_ACHIEVEDAGE AND R09_AQ9002_UN = 2.

ELSE, GO TO R09_AQ9002_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9002_LC2

Usted contestó que anotó [R09_AQ9002] años. Esta pregunta es acerca de cuánto tiempo lleva usted fumando IQOS de manera habitual, no acerca de cuándo comenzó a fumar.

Por favor, verifique la cantidad de años que anotó.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AQ9002
2 NEXT	GO TO BOX R09_AQR06

ASK: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1 AND ((R09_AQ9002_UN = 2 AND R09_AQ9002_NN > (R09_ACHIEVEDAGE - 10)) OR (R09_AQ9002_NN > 60 AND R09_AQ9002_UN = 2)).

PROGRAM: TRIGGER CHECK IF (R09_AQ9002_UN = 2 AND R09_AQ9002_NN > (R09_ACHIEVEDAGE - 10)) OR (R09_AQ9002_NN > 60 AND R09_AQ9002_UN = 2).
ELSE, GO TO BOX R09_AQR06 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AQR06

Adult respondents who have ever used IQOS and have ever used IQOS fairly regularly and are recent former or long-term former IQOS users, go to R09_AQ9003.
Else, go to Box R09_AQR07.

IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1 AND R09_IQOS_USER_STATUS = 4, 5, GO TO R09_AQ9003.
ELSE, GO TO BOX R09_AQR07.

PATH ID: R09_AQ9003

En promedio, aproximadamente, ¿cuántos HeatSticks fumaba usted al día cuando fumaba habitualmente? Anote un número entero y seleccione una de las opciones a continuación.

Una cajetilla normalmente contiene 20 HeatSticks.

1 _ _ HeatSticks cada día	
2 _ _ Cajetillas cada día	
-8 DON'T KNOW	GO TO BOX R09_AQR07
-7 REFUSED	GO TO BOX R09_AQR07

ASK: Adult respondents who have ever used IQOS and have ever used IQOS fairly regularly and are recent former or long-term former IQOS users.

ASK Specification: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1 AND R09_IQOS_USER_STATUS = 4, 5.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9003_LC1

Usted contestó que en promedio usted fumaba [R09_AQ9003] [HeatSticks/cajetillas] cada día cuando fumaba de manera habitual. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AQ9003
2 NEXT	GO TO BOX R09_AQR07

ASK: IF R09_EVER_NEVER_IQOS = 1 AND R09_AQ1100 = 1 AND R09_IQOS_USER_STATUS = 4, 5 AND ((R09_AQ9003_NN > 40 AND R09_AQ9003_UN = 1) OR R09_AQ9003_NN = 11, 22, 33 OR (R09_AQ9003_NN > 2 AND R09_AQ9003_UN = 2)).

DISPLAY: IF R09_AQ9003_UN = 1, DISPLAY "HeatSticks".
ELSE, IF R09_AQ9003_UN = 2, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AQ9003_NN > 40 AND R09_AQ9003_UN = 1) OR R09_AQ9003_NN = 11, 22, 33 OR (R09_AQ9003_NN > 2 AND R09_AQ9003_UN = 2).
ELSE, GO TO BOX R09_AQR07 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AQR07

Adult respondents who are current, recent former, or long-term former IQOS users, go to R09_AQ1025.
Else, go to Box R09_AQR08.

IF R09_IQOS_USER_STATUS = 1, 4, 5, GO TO R09_AQ1025.
ELSE, GO TO BOX R09_AQR08.

PATH ID: R09_AQ1025

Alrededor de esta época hace 12 meses, ¿fumaba IQOS...?

1 Todos los días	
2 Algunos días	GO TO BOX R09_AQR08
3 Nunca	GO TO BOX R09_AQR08
-8 DON'T KNOW	GO TO BOX R09_AQR08
-7 REFUSED	GO TO BOX R09_AQR08

ASK: Adult respondents who are current, recent former, or long-term former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4, 5.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9006

Alrededor de esta época, hace 12 meses, en promedio, ¿aproximadamente cuántos HeatSticks fumaba cada día? Anote un número entero y seleccione una de las opciones a continuación.

Una cajetilla normalmente contiene 20 HeatSticks.

1	_ _	HeatSticks cada día	
2	_ _	Cajetillas cada día	
-8	DON'T KNOW		GO TO R09_AQ9140
-7	REFUSED		GO TO R09_AQ9140

ASK: Adult respondents who are current, recent former, or long-term former IQOS users and used every day around this time 12 months ago.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4, 5 AND R09_AQ1025 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AQ9006_LC1

Usted contestó que alrededor de esta época hace 12 meses, usted fumaba en promedio [R09_AQ9006] [HeatSticks/cajetillas] cada día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AQ9006
2	NEXT	GO TO BOX R09_AQR08

ASK: IF R09_IQOS_USER_STATUS = 1, 4, 5 AND R09_AQ1025 = 1 AND ((R09_AQ9006_NN > 40 AND R09_AQ9006_UN = 1) OR R09_AQ9006_NN = 11, 22, 33 OR (R09_AQ9006_NN > 2 AND R09_AQ9006_UN = 2)).

DISPLAY: IF R09_AQ9006_UN = 1, DISPLAY "HeatSticks".
ELSE, IF R09_AQ9006_UN = 2, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AQ9006_NN > 40 AND R09_AQ9006_UN = 1) OR R09_AQ9006_NN = 11, 22, 33 OR (R09_AQ9006_NN > 2 AND R09_AQ9006_UN = 2).
ELSE, GO TO BOX R09_AQR08 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9140

¿Diría que alrededor de esta época hace 12 meses, en promedio, fumaba más de 20 HeatSticks, unos 20 HeatSticks o menos de 20 HeatSticks al día?

Una cajetilla normalmente contiene 20 HeatSticks.

- 1 Más de 20 HeatSticks cada día
- 2 Unos 20 HeatSticks cada día
- 3 Menos de 20 HeatSticks cada día
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current, recent former, or long-term former IQOS users and used every day around this time 12 months ago and did not know or refused to report how many HeatSticks they used every day around this time 12 months ago.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4, 5 AND R09_AQ1025 = 1 AND R09_AQ9006_NN = -8, -7.

BOX ID: R09_AQR08

Adult respondents who now use IQOS every day, go to R09_AQ1021.

Else, adult respondents who are current IQOS users and do not use IQOS every day, go to R09_AQ1022.

Else, go to Box R09_AQV03.

IF R09_AQ1003 = 1, GO TO R09_AQ1021.

ELSE, IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1, GO TO R09_AQ1022.

ELSE, GO TO BOX R09_AQV03.

PATH ID: R09_AQ1021

En promedio, ¿aproximadamente, cuántos HeatSticks fuma usted cada día actualmente? Anote un número entero y seleccione una de las opciones a continuación.

Una cajetilla normalmente contiene 20 HeatSticks.

1	I__I__I HeatSticks al día	
2	I__I__I Cajetillas al día	
-8	DON'T KNOW	GO TO R09_AQ1090
-7	REFUSED	GO TO R09_AQ1090

ASK: Adult respondents who now use IQOS every day.

ASK Specification: IF R09_AQ1003 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1021_LC1

Usted contestó que actualmente usted fuma [R09_AQ1021] [HeatSticks/cajetillas] cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AQ1021
2	NEXT	GO TO BOX R09_AQV03

ASK: IF R09_AQ1003 = 1 AND ((R09_AQ1021_NN > 40 AND R09_AQ1021_UN = 1) OR R09_AQ1021_NN = 11, 22, 33 OR (R09_AQ1021_NN > 2 AND R09_AQ1021_UN = 2)).

DISPLAY: IF R09_AQ1021 REPORTED IN HEATSTICKS, DISPLAY "HeatSticks".
ELSE, IF R09_AQ1021 REPORTED IN PACKS, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AQ1021_NN > 40 AND R09_AQ1021_UN = 1) OR R09_AQ1021_NN = 11, 22, 33 OR (R09_AQ1021_NN > 2 AND R09_AQ1021_UN = 2).
ELSE, GO TO BOX R09_AQV03 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1090

¿Diría que en promedio, actualmente fuma más de 20 HeatSticks, unos 20 HeatSticks o menos de 20 HeatSticks cada día?

1	Más de 20 HeatSticks cada día	GO TO BOX R09_AQV03
2	Unos 20 HeatSticks cada día	GO TO BOX R09_AQV03
3	Menos de 20 HeatSticks cada día	GO TO BOX R09_AQV03
-8	DON'T KNOW	GO TO BOX R09_AQV03
-7	REFUSED	GO TO BOX R09_AQV03

ASK: Adult respondents who now use IQOS every day and did not know or refused to report how many HeatSticks they now use each day.

ASK Specification: IF R09_AQ1003 = 1 AND (R09_AQ1021_NN = -8, -7 OR R09_AQ1021_UN = -8, -7).

PATH ID: R09_AQ1022

¿En cuántos de los últimos 30 días fumó usted IQOS?

1	_ _ Cantidad de días
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current IQOS users and do not use IQOS every day.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS TITLE.

PROGRAM: Range check: 0-30 days.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AQR09

Adult respondents who are current IQOS users and do not use IQOS every day and used on 0 days of the past 30 days, go to R09_AQ9029.

Else, adult respondents who are current IQOS users and do not use IQOS every day and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AQ1023.

Else, go to Box R09_AQV03.

IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 = 0, GO TO R09_AQ9029.

ELSE, IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0, GO TO R09_AQ1023.

ELSE, GO TO BOX R09_AQV03.

PATH ID: R09_AQ9029

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó IQOS? Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_AQV03

-7 REFUSED

GO TO BOX R09_AQV03

ASK: Adult respondents who are current IQOS users and do not use IQOS every day and used on 0 days of the past 30 days.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9029_LC1

Usted contestó que la última vez que fumó IQOS fue hace [R09_AQ9029] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ9029

2 NEXT

GO TO BOX R09_AQV03

ASK: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 = 0 AND ((R09_AQ9029_NN < 30 AND R09_AQ9029_UN = 1) OR (R09_AQ9029_NN < 1 AND R09_AQ9029_UN = 2) OR (R09_AQ9029_NN > 18 AND R09_AQ9029_UN = 2) OR (R09_AQ9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AQ9029 = 3)).

DISPLAY: IF R09_AQ9029_UN = 1, DISPLAY "días".

ELSE, IF R09_AQ9029_UN = 2, DISPLAY "meses".

ELSE, IF R09_AQ9029_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AQ9029_NN < 30 AND R09_AQ9029_UN = 1) OR (R09_AQ9029_NN < 1 AND R09_AQ9029_UN = 2) OR (R09_AQ9029_NN > 18 AND R09_AQ9029_UN = 2) OR (R09_AQ9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AQ9029 = 3).

ELSE, GO TO BOX R09_AQV03 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1023

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AQ1022 días/días en que fumó], ¿cuántos HeatSticks normalmente fumó cada día? Anote un número entero y seleccione una de las opciones a continuación.

Una cajetilla normalmente contiene 20 HeatSticks.

1 |__|__| HeatSticks cada día

2 |__|__| Cajetillas cada día

-8 DON'T KNOW

GO TO BOX R09_AQV03

-7 REFUSED

GO TO BOX R09_AQV03

ASK: Adult respondents who are current IQOS users and do not use IQOS every day and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0.

DISPLAY: IF R09_AQ1022 = 1, -8, -7, DISPLAY "días en que fumó".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AQ1022 AND "días" (EX. "2 días").

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1023_LC1

Usted contestó que en los días en que ha fumado en los últimos 30 días, usted fumó [R09_AQ1023] [HeatSticks/cajetillas] cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1023

2 NEXT

GO TO BOX R09_AQV03

ASK: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0 AND ((R09_AQ1023_NN > 40 AND R09_AQ1023_UN = 1) OR R09_AQ1023_NN = 0, 11, 22, 33 OR (R09_AQ1023_NN > 2 AND R09_AQ1023_UN = 2)).

DISPLAY: IF R09_AQ1023_UN = 1, DISPLAY "HeatSticks".

ELSE, IF R09_AQ1023_UN = 2, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AQ1023_NN > 40 AND R09_AQ1023_UN = 1) OR R09_AQ1023_NN = 0, 11, 22, 33 OR (R09_AQ1023_NN > 2 AND R09_AQ1023_UN = 2).
ELSE, GO TO BOX R09_AQV03 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AQV03

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_HEATSPERDAY = Number of HeatSticks used per day.

R09_HEATSPACKSPERDAY = Number of packs used per day.

R09_HEATSPERDAY2 = Estimate of HeatSticks used per day when actual number is DK/RF.

BOX ID: R09_AQR10

Adult respondents who are current IQOS users and have ever used IQOS fairly regularly and use at least 1 HeatStick each day they use, go to R09_AQ9004.

Else, adult respondents who use IQOS every day and have ever used IQOS fairly regularly and did not know or refused to report how many HeatSticks they use each day and reported the average number of HeatSticks they use each day, go to R09_AQ9009.

Else, go to Box R09_AQR11.

IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1100 = 1 AND ((R09_AQ1021_NN > 0 AND R09_AQ1021_UN != -8, -7) OR (R09_AQ1023_NN > 0 AND R09_AQ1023_UN != -8, -7)), GO TO R09_AQ9004.

ELSE, IF R09_AQ1003 = 1 AND R09_AQ1100 = 1 AND (R09_AQ1021_NN = -8, -7 OR R09_AQ1021_UN = -8, -7) AND R09_AQ1090 = 1, 2, 3, GO TO R09_AQ9009.

ELSE, GO TO BOX R09_AQR11.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9004

Usted mencionó que fuma [#] [[HeatStick[s]/cajetilla[s]] al día[en los días en que fuma]. ¿Ha fumado aproximadamente esta cantidad de [HeatSticks/cajetillas] al día desde que comenzó a fumar habitualmente?

1	Sí	GO TO BOX R09_AQR11
2	No	GO TO R09_AQ9005
-8	DON'T KNOW	GO TO R09_AQ9005
-7	REFUSED	GO TO R09_AQ9005

ASK: Adult respondents who are current IQOS users and have ever used IQOS fairly regularly and use at least 1 HeatStick each day they use.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1100 = 1 AND ((R09_AQ1021_NN > 0 AND R09_AQ1021_UN != -8, -7) OR (R09_AQ1023_NN > 0 AND R09_AQ1023_UN != -8, -7)).

DISPLAY: AUTOFILL [#] WITH R09_HEATSPERDAY OR R09_HEATSPACKSPERDAY.

IF R09_HEATSPERDAY = 1, DISPLAY "HeatStick" AND "HeatSticks".

ELSE, IF R09_HEATSPERDAY > 1, DISPLAY "HeatSticks" AND "HeatSticks".

ELSE, IF R09_HEATSPACKSPERDAY = 1, DISPLAY "cajetilla" AND "cajetillas".

ELSE, IF R09_HEATSPACKSPERDAY > 1, DISPLAY "cajetillas" AND "cajetillas".

IF R09_AQ1003 != 1, DISPLAY " en los días en que fuma".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AQ9009

Usted mencionó que fuma [R09_HEATSPERDAY2]. Aproximadamente, ¿ha fumado esta cantidad de HeatSticks al día desde que comenzó a fumar habitualmente?

1	Sí	GO TO BOX R09_AQR11
2	No	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who use IQOS every day and have ever used IQOS fairly regularly and did not know or refused to report how many HeatSticks they use each day and reported the average number of HeatSticks they use each day.

ASK Specification: IF R09_AQ1003 = 1 AND R09_AQ1100 = 1 AND (R09_AQ1021_NN = -8, -7 OR R09_AQ1021_UN = -8, -7) AND R09_AQ1090 = 1, 2, 3.

DISPLAY: IF R09_AQ1090 = 1, FILL R09_HEATSPERDAY2 WITH "más de 20 HeatSticks cada día".

ELSE, IF R09_AQ1090 = 2, FILL WITH "unos 20 HeatSticks cada día".

ELSE, IF R09_AQ1090 = 3, FILL WITH "menos de 20 HeatSticks cada día".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9005

En promedio, aproximadamente, ¿cuántos HeatSticks fumaba al día cuando fumó habitualmente en el pasado?

1 I__I__I HeatSticks cada día	
2 I__I__I Cajetillas cada día	
-8 DON'T KNOW	GO TO BOX R09_AQR11
-7 REFUSED	GO TO BOX R09_AQR11

ASK: Adult respondents who are current IQOS users and have ever used IQOS fairly regularly and use at least 1 HeatStick each day they use and report using a different amount now than in the past or did not know or refused to report how many HeatSticks they use each day and report using a different amount now than in the past.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1100 = 1 AND (((R09_AQ1021_NN > 0 AND R09_AQ1021_UN != -8, -7) OR (R09_AQ1023_NN > 0 AND R09_AQ1023_UN != -8, -7)) AND R09_AQ9004 != 1) OR ((R09_AQ1021_NN = -8, -7 OR R09_AQ1021_UN = -8, -7) AND R09_AQ1090 = 1, 2, 3 AND R09_AQ9009 != 1)).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AQ9005_LC1

Usted contestó que cuando fumaba de manera habitual anteriormente, usted fumaba [R09_AQ9005_NN] [HeatSticks/cajetillas] cada día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AQ9005
2 NEXT	GO TO BOX R09_AQR11

ASK: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1100 = 1 AND (((R09_AQ1021_NN > 0 AND R09_AQ1021_UN != -8, -7) OR (R09_AQ1023_NN > 0 AND R09_AQ1023_UN != -8, -7)) AND R09_AQ9004 != 1) OR ((R09_AQ1021_NN = -8, -7 OR R09_AQ1021_UN = -8, -7) AND R09_AQ1090 = 1, 2, 3 AND R09_AQ9009 != 1)) AND ((R09_AQ9005_NN > 40 AND R09_AQ9005_UN = 1) OR (R09_AQ9005_NN = 11, 22, 33 AND R09_AQ9005_UN = 1) OR (R09_AQ9005_NN > 2 AND R09_AQ9005_UN = 2)).

DISPLAY: IF R09_AQ9005_UN = 1, DISPLAY "HeatSticks".
ELSE, IF R09_AQ9005_UN = 2, DISPLAY "cajetillas".

PROGRAM: TRIGGER CHECK IF (R09_AQ9005_NN > 40 AND R09_AQ9005_UN = 1) OR (R09_AQ9005_NN = 11, 22, 33 AND R09_AQ9005_UN = 1) OR (R09_AQ9005_NN > 2 AND R09_AQ9005_UN = 2).
ELSE, GO TO BOX R09_AQR11 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AQR11

Adult respondents who are current IQOS users, go to R09_AQ1024.
Else, go to Box R09_AQR02.

IF R09_IQOS_USER_STATUS = 1, GO TO R09_AQ1024.
ELSE, GO TO BOX R09_AQR02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1024

[En los días en que fuma, ¿qué/¿Qué] tan pronto después de despertarse se fuma típicamente su primer HeatStick del día? Conteste con la cantidad de minutos o horas. Anote un número entero y seleccione una de las opciones a continuación.

1 _ _ _ Minutos después de despertarse	
2 _ _ _ Horas después de despertarse	
-8 DON'T KNOW	GO TO R09_AQ1092
-7 REFUSED	GO TO R09_AQ1092

ASK: Adult respondents who are current IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1.

DISPLAY: IF R09_AQ1003 = 1, DISPLAY "¿Qué".

ELSE, DISPLAY "En los días en que fuma, ¿qué".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

PATH ID: R09_AQ1024_LC1

Usted contestó que normalmente fuma su primer HeatStick [R09_AQ1024_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AQ1024
2 NEXT	GO TO R09_AQ1024_LC2

ASK: IF [R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 = 1 AND ((R09_AQ1024_NN > 60 AND R09_AQ1024_UN = 1) OR (R09_AQ1024_NN > 4 AND R09_AQ1024_UN = 2))] OR [R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND ((R09_AQ1024_NN > 60 AND R09_AQ1024_UN = 1) OR (R09_AQ1024_NN > 12 AND R09_AQ1024_UN = 2))].

DISPLAY: IF R09_AQ1024_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AQ1024_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF [R09_AQ1003 = 1 AND ((R09_AQ1024_NN > 60 AND R09_AQ1024_UN = 1) OR (R09_AQ1024_NN > 4 AND R09_AQ1024_UN = 2))] OR [R09_AQ1003 != 1 AND ((R09_AQ1024_NN > 60 AND R09_AQ1024_UN = 1) OR (R09_AQ1024_NN > 12 AND R09_AQ1024_UN = 2))].

ELSE, GO TO R09_AQ1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1024_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer HeatStick después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1024

2 NEXT

GO TO BOX R09_AQR02

ASK: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AQ1024_NN = 0.

ELSE, GO TO BOX R09_AQR02 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1092

[En los días en que fuma, ¿diría/¿Diría] usted que fuma su primer HeatStick del día durante los primeros 30 minutos después de despertarse?

1 Sí

2 No

3 Depende

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current IQOS users and did not know or refused to report how soon after waking up they use their first HeatStick of the day.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1024_NN = -8, -7.

DISPLAY: IF R09_AQ1003 = 1, DISPLAY "¿Diría".

ELSE, DISPLAY "En los días en que fuma, ¿diría".

BOX ID: R09_AQR02

Adult respondents who use IQOS every day, or adult respondents who are current IQOS users and do not use IQOS every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AQ0100.
Else, go to Box R09_AQR03.

IF R09_AQ1003 = 1 OR (R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0), GO TO R09_AQ0100.

ELSE, GO TO BOX R09_AQR03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ0100

¿Cuándo fue la última vez que fumó IQOS?

1	Hace menos de una hora	GO TO R09_AQ0103
2	Hoy, pero hace más de una hora	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO BOX R09_AQR21
-8	DON'T KNOW	GO TO BOX R09_AQR21
-7	REFUSED	GO TO BOX R09_AQR21

ASK: Adult respondents who use IQOS every day, or adult respondents who are current IQOS users and do not use IQOS every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AQ1003 = 1 OR (R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0).

PATH ID: R09_AQ0102

La última vez que fumó IQOS [FILL BASED ON R09_AQ0100], ¿fue...?

1	Entre la medianoche y las 6 de la mañana
2	Entre las 6 de la mañana y el mediodía
3	Entre el mediodía y las 6 de la tarde
4	Entre las 6 de la tarde y la medianoche
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who use IQOS every day and last used IQOS sometime today, yesterday, or the day before yesterday, or adult respondents who are current IQOS users and do not use IQOS every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used IQOS sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AQ1003 = 1 AND R09_AQ0100 = 2, 3, 4) OR (R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0 AND R09_AQ0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R09_AQ0100]:

IF R09_AQ0100 = 2, DISPLAY "hoy".

ELSE, IF R09_AQ0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AQ0100 = 4, DISPLAY "hace dos días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ0103

¿Cuántos HeatSticks [ha fumado/fumó] usted [FILL BASED ON R09_AQ0100]?

1 |__| |__| |__| Cantidad de
HeatSticks

-8 DON'T KNOW

GO TO BOX R09_AQR21

-7 REFUSED

GO TO BOX R09_AQR21

ASK: Adult respondents who use IQOS every day and last used IQOS in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current IQOS users and do not use IQOS every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used IQOS in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AQ1003 = 1 AND R09_AQ0100 = 1, 2, 3, 4) OR (R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0 AND R09_AQ0100 = 1, 2, 3, 4).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de HeatSticks" AS A TITLE.

IF R09_AQ0100 = 1, 2, DISPLAY "ha fumado" AND "".

ELSE, IF R09_AQ0100 = 3, 4, DISPLAY "fumó" AND "".

FOR [FILL BASED ON R09_AQ0100]:

IF R09_AQ0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AQ0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AQ0100 = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

PATH ID: R09_AQ0103_LC1

Usted contestó que fumó [R09_AQ0103] HeatSticks [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ0103

2 NEXT

GO TO BOX R09_AQR21

ASK: IF ((R09_AQ1003 = 1 AND R09_AQ0100 = 1, 2, 3, 4) OR (R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0 AND R09_AQ0100 = 1, 2, 3, 4)) AND R09_AQ0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

DISPLAY: IF R09_AQ0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AQ0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AQ0100 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AQ0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO BOX R09_AQR21 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AQR21

Adult respondents who use IQOS every day and have ever used IQOS flavored to taste like menthol or mint, or adult respondents who are current IQOS users and do not use IQOS every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and have ever used IQOS flavored to taste like menthol or mint, go to R09_AQ1130. Else, go to Box R09_AQR03.

IF (R09_AQ1003 = 1 AND R09_AQ1018 = 1) OR (R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0 AND R09_AQ1018 = 1), GO TO R09_AQ1130.
ELSE, GO TO BOX R09_AQR03.

PATH ID: R09_AQ1130

En los últimos 30 días, ¿tenía alguno de los HeatSticks que fumó sabor a mentol o menta?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use IQOS every day and have ever used IQOS flavored to taste like menthol or mint, or adult respondents who are current IQOS users and do not use IQOS every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and have ever used IQOS flavored to taste like menthol or mint.

ASK Specification: IF (R09_AQ1003 = 1 AND R09_AQ1018 = 1) OR (R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1 AND R09_AQ1022 != 0 AND R09_AQ1018 = 1).

BOX ID: R09_AQR03

Adult 18-20 year old respondents who are current IQOS users, go to R09_AQ1142.
Else, adult respondents who are current IQOS users, go to R09_AQ9033.
Else, go to Box R09_AQR12.

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_IQOS_USER_STATUS = 1, GO TO R09_AQ1142.
ELSE, IF R09_IQOS_USER_STATUS = 1, GO TO R09_AQ9033.
ELSE, GO TO BOX R09_AQR12.

PATH ID: R09_AQ1142

Las siguientes preguntas son acerca de su experiencia al comprar IQOS y HeatSticks.

En los últimos 30 días, ¿le vendió alguien IQOS o HeatSticks?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current IQOS users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_IQOS_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1123

En los últimos 30 días, ¿le negó alguien la venta de IQOS o HeatSticks debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar HeatSticks en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current IQOS users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_IQOS_USER_STATUS = 1.

PATH ID: R09_AQ9033

[Las siguientes preguntas son acerca de su experiencia al comprar IQOS y HeatSticks.

]¿Dónde compró su IQOS? (Si tiene más de un IQOS, conteste acerca del dispositivo que usa con mayor frecuencia.)

- 1 Nunca he comprado IQOS GO TO R09_AQ1030
- 2 En una tienda de IQOS
- 3 En la página web de IQOS
- 4 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar IQOS y HeatSticks."

ELSE, DO NOT DISPLAY THIS TEXT.

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AQ9035

Cuando compró el IQOS, ¿compró un juego o kit básico que incluyera HeatSticks o accesorios?

(Si tiene más de un IQOS, conteste acerca del dispositivo que usa con mayor frecuencia.)

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users and bought their IQOS at an IQOS store, IQOS website, somewhere else, or did not know or refused to report where they bought their IQOS.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ9033 = 2, 3, 4, -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9034

Aproximadamente, ¿cuánto pagó por su [IQOS/kit de IQOS]?

(Si tiene más de un IQOS, conteste acerca del dispositivo que usa con mayor frecuencia.)

1 \$ | | | | . | | |

-8 DON'T KNOW

GO TO R09_AQ1030

-7 REFUSED

GO TO R09_AQ1030

ASK: Adult respondents who are current IQOS users and bought their IQOS at an IQOS store, IQOS website, somewhere else, or did not know or refused to report where they bought their IQOS.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ9033 = 2, 3, 4, -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

IF R09_AQ9035 = 1, DISPLAY "kit de IQOS".

ELSE, DISPLAY "IQOS".

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AQ9034_LC1

Usted contestó que pagó \$[R09_AQ9034] por su [IQOS/kit de IQOS]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ9034

2 NEXT

GO TO R09_AQ1030

ASK: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ9033 = 2, 3, 4, -8, -7 AND (R09_AQ9034 > 120.00 OR R09_AQ9034 < 50.00).

DISPLAY: IF R09_AQ9035 = 1, DISPLAY "kit de IQOS".

ELSE, DISPLAY "IQOS".

PROGRAM: TRIGGER CHECK IF R09_AQ9034 > 120.00 OR R09_AQ9034 < 50.00.

ELSE, GO TO R09_AQ1030 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1030

Normalmente, ¿cómo compra HeatSticks para usted?

1	En persona	GO TO R09_AQ1032
2	En Internet	GO TO R09_AQ1039
3	Por teléfono	GO TO R09_AQ1039
4	No compro mis propios HeatSticks	
5	Solamente he fumado los HeatSticks incluidos en mi kit o juego básico de IQOS	GO TO BOX R09_AQR12
-8	DON'T KNOW	GO TO BOX R09_AQR12
-7	REFUSED	GO TO BOX R09_AQR12

ASK: Adult respondents who are current IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1.

DISPLAY: IF R09_AQ9035 = 1, DISPLAY OPTION 5.
ELSE, DO NOT DISPLAY OPTION 5.

PATH ID: R09_AQ1118

¿Cómo obtiene normalmente HeatSticks para usted?

1	Le doy dinero a otra persona para que me lo compre	
2	Le pido a una persona que me dé uno	GO TO BOX R09_AQR12
3	Alguien me lo ofrece	GO TO BOX R09_AQR12
4	Me lo llevo de una tienda o se lo quito a alguien sin que se den cuenta	GO TO BOX R09_AQR12
5	Lo obtengo de otra manera (ESPECIFIQUE)	GO TO BOX R09_AQR12
-8	DON'T KNOW	GO TO BOX R09_AQR12
-7	REFUSED	GO TO BOX R09_AQR12

ASK: Adult respondents who are current IQOS users and do not buy their own HeatSticks.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1030 = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1032

Normalmente, ¿[le compran/compra] HeatSticks...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users and usually buy their HeatSticks in person or give someone else money to buy for them.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1 OR R09_AQ1118 = 1).

DISPLAY: IF R09_AQ1118 = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

PATH ID: R09_AQ1033

¿Dónde [le compran/compra] sus HeatSticks la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 1 Tienda de IQOS
- 2 Página web de IQOS
- 3 Una tienda de conveniencia o estación de gasolina
- 4 Un supermercado, tienda de comestibles o farmacia
- 5 Una tienda mayorista como Sam's o Costco
- 6 Una tienda especializada o un almacén de tabaco o una tabaquería
- 7 Una tienda libre de impuestos o un economato militar
- 8 Un bar, restaurante, casino o una taberna
- 9 Un amigo o familiar
- 10 Un mercadillo o mercado de pulgas
- 11 Una tienda de licores
- 12 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users and usually buy their HeatSticks in person or give someone else money to buy for them.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1 OR R09_AQ1118 = 1).

DISPLAY: IF R09_AQ1118 = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1039

[Piense en la última vez que le dio dinero a alguien para que le compre HeatSticks.]¿Compra normalmente HeatSticks en cartón o cajetilla?

Una cajetilla normalmente contiene 20 HeatSticks. Un cartón contiene varias cajetillas.

1	Cartón	
2	Cajetilla	GO TO R09_AQ1042
-8	DON'T KNOW	GO TO BOX R09_AQR12
-7	REFUSED	GO TO BOX R09_AQR12

ASK: Adult respondents who are current IQOS users and usually buy their HeatSticks in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1, 2, 3 OR R09_AQ1118 = 1).

DISPLAY: IF R09_AQ1118 = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre HeatSticks. ".
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AQ1040

¿Cuántas cajetillas de HeatSticks vienen en el cartón que normalmente compra?

1	_ _ _ _ Cantidad de cajetillas de HeatSticks	
-8	DON'T KNOW	GO TO R09_AQ1041
-7	REFUSED	GO TO R09_AQ1041

ASK: Adult respondents who are current IQOS users and usually buy their HeatSticks in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy HeatSticks by the carton.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1, 2, 3 OR R09_AQ1118 = 1) AND R09_AQ1039 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de cajetillas de HeatSticks" AS A TITLE.

PATH Study Wave 9 Adult Questionnaire (Final - Spanish)

PATH ID: R09_AQ1040_LC1

Un cartón de HeatSticks normalmente contiene 10 cajetillas, pero no siempre. Usted contestó que hay [R09_AQ1040 cajetilla/R09_AQ1040 cajetillas] de HeatSticks en el cartón que usted normalmente compra. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

GO TO R09_AQ1040

GO TO R09_AQ1041

ASK: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1, 2, 3 OR R09_AQ1118 = 1) AND R09_AQ1039 = 1 AND R09_AQ1040 != 10.

```
DISPLAY: IF R09_AQ1040 = 1, DISPLAY "[R09_AQ1040] cajetilla".  
ELSE, DISPLAY "[R09_AQ1040] cajetillas".
```

PROGRAM: TRIGGER CHECK IF R09 AQ1040 != 10.

ELSE, GO TO R09 AQ1041 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AQ1041

¿Cuánto paga normalmente por un cartón de HeatSticks?

1 \$ | | | | . | | |

GO TO BOX R09_AQR12

GO TO BOX R09_AQR12

ASK: Adult respondents who are current IQOS users and usually buy their HeatSticks in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy HeatSticks by the carton.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1, 2, 3 OR R09_AQ1118 = 1) AND R09_AQ1039 = 1.

```
DISPLAY: ALLOW NUMERIC ENTRY;  
DISPLAY "$" AS LEFT LABEL.
```

PROGRAM: Allow a decimal point.
Range check: 0.00-999.99

PATH ID: R09_AQ1041_LC1

Usted contestó que normalmente paga \$[R09 AQ1041] por un cartón de HeatSticks. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

GO TO R09 AQ1041

GO TO BOX R09 AQR12

ASK: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1, 2, 3 OR R09_AQ1118 = 1) AND R09_AQ1039 = 1 AND (R09_AQ1041 > 125.00 OR R09_AQ1041 < 25.00).

PROGRAM: TRIGGER CHECK IF R09 AQ1041 > 125.00 OR R09 AQ1041< 25.00.

ELSE, GO TO BOX R09 AQR12 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1042

¿Cuánto paga normalmente por una cajetilla de HeatSticks?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

GO TO BOX R09_AQR12

-7 REFUSED

GO TO BOX R09_AQR12

ASK: Adult respondents who are current IQOS users and usually buy their HeatSticks in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy HeatSticks by the pack.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1, 2, 3 OR R09_AQ1118 = 1) AND R09_AQ1039 = 2.

DISPLAY: ALLOW NUMERIC ENTRY;
DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AQ1042_LC1

Usted contestó que pagó \$[R09_AQ1042] por una cajetilla de HeatSticks. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AQ1042

2 NEXT

GO TO BOX R09_AQR12

ASK: IF R09_IQOS_USER_STATUS = 1 AND (R09_AQ1030 = 1, 2, 3 OR R09_AQ1118 = 1) AND R09_AQ1039 = 2 AND (R09_AQ1042 > 15.00 OR R09_AQ1042 < 3.99).

PROGRAM: TRIGGER CHECK IF R09_AQ1042 > 15.00 OR R09_AQ1042 < 3.99.
ELSE, GO TO BOX R09_AQR12 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AQR12

Adult respondents who are current IQOS users, go to R09_AQ8800.

Else, adult respondents who are recent former IQOS users, go to Box R09_AQD02.

Else, go to the next section.

IF R09_IQOS_USER_STATUS = 1, GO TO R09_AQ8800.

ELSE, IF R09_IQOS_USER_STATUS = 4, GO TO BOX R09_AQD02.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ8800

Después de que termina de fumar un HeatStick, ¿dónde lo bota normalmente?

- 1 En un cenicero o caneca para cigarrillos
- 2 En la basura
- 3 En el suelo
- 4 En el lavamanos o en el baño
- 5 Por la ventana del auto
- 6 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AQ8801

¿Qué hace normalmente con la cajetilla o el cartón de HeatSticks cuando está vacío?

- 1 Lo tira en un cenicero o en una caneca para cigarrillos
- 2 Lo tira en la basura
- 3 Lo tira al suelo
- 4 Lo recicla
- 5 Lo tira por la ventana del auto
- 6 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ8812

¿Qué hace normalmente con el holder IQOS después de que ya no funciona o ya no lo necesita? El holder IQOS es la pieza que sujeta el HeatStick cuando se lo fuma. Desplace para ver más opciones, si es necesario.

- 1 Lo tira en la basura
- 2 Lo tira al suelo
- 3 Lo recicla
- 4 Lo devuelve a una tienda de IQOS
- 5 No he tirado un holder IQOS
- 6 No he tenido un holder IQOS que ya no funcione o que ya no necesite
- 7 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AQ8813

¿Qué hace normalmente con el cargador de bolsillo del IQOS después de que ya no funciona o ya no lo necesita? El cargador de bolsillo de IQOS es la pieza que sujeta y carga el dispositivo IQOS cuando no se usa. Desplace para ver más opciones, si es necesario.

- 1 Lo tira en la basura
- 2 Lo tira al suelo
- 3 Lo recicla
- 4 Lo devuelve a una tienda de IQOS
- 5 No he tirado un cargador de bolsillo de IQOS
- 6 No he tenido un cargador de bolsillo de IQOS que ya no funcione o que ya no necesite
- 7 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AQD02

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER: R09_AQ1060, R09_AQ1085, R09_AQ1062, R09_AQ1075, (R09_AQ1064), R09_AQ1065, R09_AQ1066, R09_AQ1067, R09_AQ1076, (R09_AQ1077).

CONDITIONAL LEAVES: R09_AQ1064, R09_AQ1077. (See routing boxes for details: R09_AQR13, R09_AQR14.)

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AQ1060 is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AQ1060 on each screen. Randomize the order.

PATH ID: R09_AQ1060

Las siguientes preguntas son acerca de las razones por las que la gente fuma IQOS. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba IQOS]. [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

[Fumo/Fumaba] IQOS porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "aplican a usted", "fumo" AND "es".

ELSE, DISPLAY "aplicaban a usted cuando fumaba IQOS", "fumaba" AND "era".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AQ1085

[Puedo/Podía] fumar IQOS en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1062

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "ser".

ELSE, DISPLAY "haber sido".

PATH ID: R09_AQ1075

Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "ser".

ELSE, DISPLAY "haber sido".

BOX ID: R09_AQR13

Adult respondents who are current or recent former IQOS users and are current or recent former cigarette smokers, go to R09_AQ1064.

Else, go to R09_AQ1065.

IF R09_IQOS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AQ1064.

ELSE, GO TO R09_AQ1065.

PATH ID: R09_AQ1064

Fumar IQOS le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users and are current or recent former cigarette smokers.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1065

Los HeatSticks no tienen olor o huelen menos que los cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

PATH ID: R09_AQ1066

Fumar IQOS [se siente/se sentía] como fumar un cigarrillo tradicional.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "se siente".
ELSE, DISPLAY "se sentía".

PATH ID: R09_AQ1067

IQOS [es/era] más aceptable por personas que no consumen tabaco.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "es".
ELSE, DISPLAY "era".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1076

Nadie se [da/daba] cuenta cuando [fumo/fumaba] IQOS.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "da" AND "fumo".
ELSE, DISPLAY "daba" AND "fumaba".

BOX ID: R09_AQR14

Adult respondents who are current or recent former IQOS users and are current or recent former cigarette smokers, go to R09_AQ1077.
Else, go to Box R09_AQR15.

IF R09_IQOS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AQ1077.
ELSE, GO TO BOX R09_AQR15.

PATH ID: R09_AQ1077

Fumar IQOS [satisface/satisfacía] mi deseo de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users and are current or recent former cigarette smokers.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "satisface"
ELSE, DISPLAY "satisfacía".

BOX ID: R09_AQR15

Adult respondents who are current IQOS users and are current cigarette smokers, go to R09_AQ1086.
Else, go to R09_AQ1080.

IF R09_IQOS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1, GO TO R09_AQ1086.
ELSE, GO TO R09_AQ1080.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1086

En los últimos 30 días, ¿ha fumado IQOS en ocasiones o en lugares en donde no se podía fumar cigarrillos tradicionales?

1	Sí	
2	No	GO TO R09_AQ9054
-8	DON'T KNOW	GO TO R09_AQ9054
-7	REFUSED	GO TO R09_AQ9054

ASK: Adult respondents who are current IQOS users and are current cigarette smokers.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1.

PATH ID: R09_AQ1087

¿Con qué frecuencia fuma IQOS en ocasiones o en lugares donde no se puede fumar cigarrillos tradicionales?

1	Todos los días
2	Algunos días
3	Rara vez
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current IQOS users and are current cigarette smokers and have used IQOSs at times when or in places where they could not smoke regular cigarettes.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1 AND R09_AQ1086 = 1.

PATH ID: R09_AQ9054

En los días en que fuma cigarrillos y los IQOS, ¿fuma usted...?

1	Menos cigarrillos que lo habitual
2	La misma cantidad de cigarrillos
3	Más cigarrillos que lo habitual
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current IQOS users and are current cigarette smokers.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1080

¿[Fuma/Fumaba] IQOS como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users and are current or recent former cigarette smokers.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "Fuma".

ELSE, DISPLAY "Fumaba".

PATH ID: R09_AQ1082

¿[Está fumando/Fumaba] IQOS como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users and are current or recent former cigarette smokers.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "Está fumando" AND "".

ELSE, DISPLAY "Fumaba" AND "".

PATH ID: R09_AQ1139

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas al fumar IQOS.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "Es".

ELSE, DISPLAY "Era".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1140

Al fumar IQOS, me [siento/sentía] más seguro con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "siento".
ELSE, DISPLAY "sentía".

PATH ID: R09_AQ1141

[Fumo/Fumaba] IQOS mucho más cuando [estoy/estaba] con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1, 4.

DISPLAY: IF R09_IQOS_USER_STATUS = 1, DISPLAY "Fumo" AND "estoy".
ELSE, DISPLAY "Fumaba" AND "estaba".

BOX ID: R09_AQR16

Adult respondents who are current IQOS users, go to R09_AQ1144.
Else, go to Box R09_AQR19.

IF R09_IQOS_USER_STATUS = 1, GO TO R09_AQ1144.
ELSE, GO TO BOX R09_AQR19.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ1144

¿Qué tan dañino cree que es fumar IQOS para SU salud?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 1.

BOX ID: R09_AQR19

Adult respondents who are recent former IQOS users, go to R09_AQ0335.

Else, go to the next section.

IF R09_IQOS_USER_STATUS = 4, GO TO R09_AQ0335.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ0335

¿Cuál es la razón principal por la que dejó de fumar IQOS? Desplace para ver más opciones, si es necesario.

- 10 Solamente lo estaba probando
- 1 Cuesta demasiado dinero
- 2 No me gustó el sabor de los HeatSticks
- 3 Fumarlo no me ayudó a lidiar con mis deseos de fumar cigarrillos tradicionales
- 4 Fumarlo no me ayudó a dejar de fumar o reducir mi consumo de cigarrillos tradicionales
- 5 Fumarlo no se sentía como si estuviera fumando cigarrillos tradicionales
- 6 Era de mala calidad, defectuoso o se daña fácilmente
- 7 Era complicado de fumar
- 8 Me preocupaba los riesgos para la salud causados por fumarlo
- 9 No me gustaron los efectos secundarios de fumarlo
- 11 Otra razón (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are recent former IQOS users.

ASK Specification: IF R09_IQOS_USER_STATUS = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

CIGAR

BOX ID: R09_AGR03

PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:

Blunt/Cigar Loops

If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, repeat R09_AJ1008[TC/CG/FC] through R09_AJ1071[TC/CG/FC] in a loop for each cigar type smoked as blunts. See Box R09_AJT03 for transition text shown at the start of each loop.

After all blunt loops are complete, items from R09_AG1005[TC/CG/FC] through R09_AG1141[TC/CG/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R09_AGT03 for transition text shown at the start of each loop.

If the respondent is a traditional cigar/cigarillo/filtered cigar smoker (as non-blunt), repeat R09_AG1005[TC/CG/FC] through R09_AG1141[TC/CG/FC] in a loop for each cigar type. See Box R09_AGT03 for transition text shown at the start of each loop.

If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, go to Box R09_AJT03.

Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R09_AGR10.

[CIGARFILL]

If traditional cigar/blunt smoker, [CIGARFILL] = "puro".

If cigarillo/blunt smoker, [CIGARFILL] = "purito".

If filtered cigar/blunt smoker, [CIGARFILL] = "puro con filtro".

IF R09_12MBLUNT_ONLY_BTRAD = 1, THEN CIGAR LOOP = BTRAD AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS AS BLUNTS.

IF R09_12MBLUNT_ONLY_BRILLO = 1, THEN CIGAR LOOP = BRILLO AND LOOP THROUGH SECTION FOR CIGARILLOS AS BLUNTS.

IF R09_12MBLUNT_ONLY_BFILTR = 1, THEN CIGAR LOOP = BFILTR AND LOOP THROUGH SECTION FOR FILTERED CIGARS AS BLUNTS.

IF R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD = 2, THEN CIGAR LOOP = GTRAD, GO TO BOX R09_AGR10 AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS.

IF R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO = 2, THEN CIGAR LOOP = GRILLO, GO TO BOX R09_AGR10 AND LOOP THROUGH SECTION FOR CIGARILLOS.

IF R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR = 2, THEN CIGAR LOOP = GFILTR, GO TO BOX R09_AGR10 AND LOOP THROUGH SECTION FOR FILTERED CIGARS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJT03

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=BTRAD (Traditional Cigars as blunts-only):

Las siguientes preguntas son acerca de los puros tradicionales o "grandes" que se fumaron como si fueran "toques o blunts".

Los puros tradicionales o "grandes" contienen tabaco envuelto en una hoja de tabaco. A veces las personas sacan el tabaco de un puro tradicional y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt". Cuando conteste estas preguntas, por favor, piense únicamente en su consumo de puros tradicionales cuando los fumó como si fueran toques o blunts, como los que se muestran. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] Más adelante habrá otra sección acerca de otras clases de toques o blunts.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

IF LOOP=BRILLO (Cigarillos as blunts-only):

Las siguientes preguntas son acerca de los puritos que se fumaron como si fueran toques o blunts.

Los puritos son puros de tamaño mediano y a veces vienen con boquillas de plástico o madera. [A veces las personas sacan el tabaco de un purito y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt".] Cuando conteste estas preguntas, por favor, piense únicamente en su consumo de puritos cuando los fumó como si fueran toques o blunts, como los que se muestran. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] Más adelante habrá otra sección acerca de otras clases de toques o blunts.

[SHOW GENERIC IMAGE OF CIGARILLOS]

IF LOOP=BFILTR (Filtered Cigars as blunts-only):

Las siguientes preguntas son acerca de los puros con filtro que se fumaron como si fueran "toques o blunts".

Los puros con filtro normalmente son de color café y tienen un filtro como el de un cigarillo. [A veces las personas sacan el tabaco de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt".] Cuando conteste estas preguntas, por favor, piense únicamente en su consumo de puros con filtro cuando los fumó como si fueran toques o blunts, como los que se muestran.

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

IF LOOP = BRILLO AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_12MBLUNT_ONLY_BTRAD = 2, DISPLAY THE TEXT "A veces las personas sacan el tabaco de un purito y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt"." ELSE, DO NOT DISPLAY THIS TEXT.

IF LOOP = BFILTR AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_12MBLUNT_ONLY_BRILLO = 2 AND R09_12MBLUNT_ONLY_BTRAD = 2, DISPLAY THE TEXT "A veces las personas sacan el tabaco de un puro con filtro y lo substituyen con marihuana. A esto también se le conoce como un "toque o blunt"." ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJR07

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AJT05.
Else, go to Box R09_AJR10.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AJT05.
ELSE, GO TO BOX R09_AJR10.

BOX ID: R09_AJT05

IF LOOP=BTRAD Traditional Cigars (as blunts-only):
Piense ahora en los PUROS TRADICIONALES que se fumaron COMO SI FUERAN TOQUES O BLUNTS, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

IF LOOP=BRILLO Cigarillos (as blunts-only):
Piense ahora en los PURITOS que se fumaron COMO SI FUERAN TOQUES O BLUNTS, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF CIGARILLOS]

IF LOOP=BFILTR Filtered Cigars (as blunts-only):
Piense ahora en los PUROS CON FILTRO que se fumaron COMO SI FUERAN TOQUES O BLUNTS, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

BOX ID: R09_AJR10

Continuing and aged-up respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AJ1008[TC/CG/FC].
Else, go to R09_AJ9030[TC/CG/FC].

IF LOOP = BTRAD:
IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BTRAD_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BTRAD = 1), GO TO R09_AJ1008TC.
ELSE, GO TO R09_AJ9030TC.

IF LOOP = BRILLO:
IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BRILLO_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BRILLO = 1), GO TO R09_AJ1008CG.
ELSE, GO TO R09_AJ9030CG.

IF LOOP = BFILTR:
IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BFILTR_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BFILTR = 1), GO TO R09_AJ1008FC.
ELSE, GO TO R09_AJ9030FC.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1008

La primera vez que comenzó a fumar [CIGARFILL]s como si fueran toques o blunts, ¿fumó toques o blunts con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1 Sí	
2 No	GO TO R09_AJ9030[TC/CG/FC]
3 No sé	GO TO R09_AJ9030[TC/CG/FC]
-7 REFUSED	GO TO R09_AJ9030[TC/CG/FC]

ASK: Continuing and aged-up respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AJ1008TC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BTRAD_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BTRAD = 1).

FOR R09_AJ1008CG: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BRILLO_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BRILLO = 1).

FOR R09_AJ1008FC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BFILTR_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BFILTR = 1).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1011

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R09_AJ1011TC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BTRAD_ADULT = 1 AND R09_AJ1008TC = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1008TC = 1).
FOR R09_AJ1011CG: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BRILLO_ADULT = 1 AND R09_AJ1008CG = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1008CG = 1).

FOR R09_AJ1011FC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_BLUNT_BFILTR_ADULT = 1 AND R09_AJ1008FC = 1) OR (R09_ADULTTYPE = 3 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1008FC = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ9030

En los últimos 30 días, ¿ha fumado un [CIGARFILL] como si fuera un toque o blunt, incluso si solo fueron una o dos probaditas?

1	Sí	
2	No	GO TO R09_AJ9029[TC/CG/FC]
-8	DON'T KNOW	GO TO R09_AJ9029[TC/CG/FC]
-7	REFUSED	GO TO R09_AJ9029[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AJ9030TC: IF R09_12MBLUNT_ONLY_BTRAD = 1.

FOR R09_AJ9030CG: IF R09_12MBLUNT_ONLY_BRILLO = 1.

FOR R09_AJ9030FC: IF R09_12MBLUNT_ONLY_BFILTR = 1.

PATH ID: R09_AJ1022

¿En cuántos de los últimos 30 días fumó [CIGARFILL]s como si fueran toques o blunts?

1	__ __ Cantidad de días
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days.

ASK Specification: FOR R09_AJ1022TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ9030TC = 1.

FOR R09_AJ1022CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1.

FOR R09_AJ1022FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS TITLE.

PROGRAM: Range check: 0-30 days.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJR11

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days, go to R09_AJ9029[TC/CG/FC].
Else, go to R09_AJ1023[TC/CG/FC].

IF LOOP = BTRAD:

IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1022TC = 0, GO TO R09_AJ9029TC.
ELSE, GO TO R09_AJ1023TC.

IF LOOP = BRILLO:

IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1022CG = 0, GO TO R09_AJ9029CG.
ELSE, GO TO R09_AJ1023CG.

IF LOOP = BFILTR:

IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1022FC = 0, GO TO R09_AJ9029FC.
ELSE, GO TO R09_AJ1023FC.

PATH ID: R09_AJ9029

Aproximadamente, ¿cuánto tiempo hace desde la última vez que fumó un [CIGARFILL] como si fuera un toque o blunt? Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_AJR08

-7 REFUSED

GO TO BOX R09_AJR08

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R09_AJ9029TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ9030TC = 2, -8, -7 OR (R09_AJ9030TC = 1 AND R09_AJ1022TC = 0)).

FOR R09_AJ9029CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ9030CG = 2, -8, -7 OR (R09_AJ9030CG = 1 AND R09_AJ1022CG = 0)).

FOR R09_AJ9029FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ9030FC = 2, -8, -7 OR (R09_AJ9030FC = 1 AND R09_AJ1022FC = 0)).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Días" AS TITLE.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ9029TC_LC1

Usted contestó que la última vez que usted fumó puros tradicionales como si fueran toques o blunts fue hace [R09_AJ9029TC_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ9029TC

2 NEXT

GO TO BOX R09_AJR08

ASK: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ9030TC = 2, -8, -7 OR (R09_AJ9030TC = 1 AND R09_AJ1022TC = 0)) AND ((R09_AJ9029TC_NN < 30 AND R09_AJ9029TC_UN = 1) OR (R09_AJ9029TC_NN < 1 AND R09_AJ9029TC_UN = 2) OR (R09_AJ9029TC_NN > 18 AND R09_AJ9029TC_UN = 2) OR (R09_AJ9029TC_NN > (R09_ACHIEVEDAGE - 10) AND R09_AJ9029TC_UN = 3)).

DISPLAY: IF R09_AJ9029TC_UN = 1, DISPLAY "días".

ELSE, IF R09_AJ9029TC_UN = 2, DISPLAY "meses".

ELSE, IF R09_AJ9029TC_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AJ9029TC_NN < 30 AND R09_AJ9029TC_UN = 1) OR (R09_AJ9029TC_NN < 1 AND R09_AJ9029TC_UN = 2) OR (R09_AJ9029TC_NN > 18 AND R09_AJ9029TC_UN = 2) OR (R09_AJ9029TC_NN > (R09_ACHIEVEDAGE - 10) AND R09_AJ9029TC_UN = 3).

ELSE, GO TO BOX R09_AJR08 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ9029CG_LC1

Usted contestó que la última vez que usted fumó puritos como si fueran toques o blunts fue hace [R09_AJ9029CG_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ9029CG

2 NEXT

GO TO BOX R09_AJR08

ASK: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ9030CG = 2, -8, -7 OR (R09_AJ9030CG = 1 AND R09_AJ1022CG = 0)) AND ((R09_AJ9029CG_NN < 30 AND R09_AJ9029CG_UN = 1) OR (R09_AJ9029CG_NN < 1 AND R09_AJ9029CG_UN = 2) OR (R09_AJ9029CG_NN > 18 AND R09_AJ9029CG_UN = 2) OR (R09_AJ9029CG_NN > (R09_ACHIEVEDAGE - 10) AND R09_AJ9029CG_UN = 3)).

DISPLAY: IF R09_AJ9029CG_UN = 1, DISPLAY "días".

ELSE, IF R09_AJ9029CG_UN = 2, DISPLAY "meses".

ELSE, IF R09_AJ9029CG_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AJ9029CG_NN < 30 AND R09_AJ9029CG_UN = 1) OR (R09_AJ9029CG_NN < 1 AND R09_AJ9029CG_UN = 2) OR (R09_AJ9029CG_NN > 18 AND R09_AJ9029CG_UN = 2) OR (R09_AJ9029CG_NN > (R09_ACHIEVEDAGE - 10) AND R09_AJ9029CG_UN = 3).

ELSE, GO TO BOX R09_AJR08 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ9029FC_LC1

Usted contestó que la última vez que usted fumó puros con filtro como si fueran toques o blunts fue hace [R09_AJ9029FC_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ9029FC

2 NEXT

GO TO BOX R09_AJR08

ASK: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ9030FC = 2, -8, -7 OR (R09_AJ9030FC = 1 AND R09_AJ1022FC = 0)) AND ((R09_AJ9029FC_NN < 30 AND R09_AJ9029FC_UN = 1) OR (R09_AJ9029FC_NN < 1 AND R09_AJ9029FC_UN = 2) OR (R09_AJ9029FC_NN > 18 AND R09_AJ9029FC_UN = 2) OR (R09_AJ9029FC_NN > (R09_ACHIEVEDAGE - 10) AND R09_AJ9029FC_UN = 3)).

DISPLAY: IF R09_AJ9029FC_UN = 1, DISPLAY "días".

ELSE, IF R09_AJ9029FC_UN = 2, DISPLAY "meses".

ELSE, IF R09_AJ9029FC_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AJ9029FC_NN < 30 AND R09_AJ9029FC_UN = 1) OR (R09_AJ9029FC_NN < 1 AND R09_AJ9029FC_UN = 2) OR (R09_AJ9029FC_NN > 18 AND R09_AJ9029FC_UN = 2) OR (R09_AJ9029FC_NN > (R09_ACHIEVEDAGE - 10) AND R09_AJ9029FC_UN = 3).

ELSE, GO TO BOX R09_AJR08 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1023

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AJ1022[TC/CG/FC] días/días en que fumó], ¿cuántos [CIGARFILL]s normalmente fumó cada día como si fueran toques o blunts?

-2 Menos de un cada día

1 |__|__| Cantidad de
[CIGARFILL]s cada día

-8 DON'T KNOW

GO TO R09_AJ9012[TC/CG/FC]

-7 REFUSED

GO TO R09_AJ9012[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R09_AJ1023TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ9030TC = 1 AND R09_AJ1022TC != 0.

FOR R09_AJ1023CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0.

FOR R09_AJ1023FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1 AND R09_AJ1022FC != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de [CIGARFILL]s cada día" AS A TITLE.

DISPLAY AS NUMERIC QUANTITY FIELD, WITH SPECIAL BUTTON "Menos de 1 cada día".

FOR R09_AJ1023[TC/CG/FC]: IF R09_AJ1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "días en que fumó".

ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R09_AJ1022[TC/CG/FC].

PROGRAM: Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1023TC_LC1

Usted contestó que en los días en que fumó puros tradicionales como si fueran toques o blunts en los últimos 30 días, usted fumó [R09_AJ1023TC_NN] puros tradicionales como si fueran toques o blunts, cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ1023TC

2 NEXT

GO TO R09_AJ9012TC

ASK: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0 AND R09_AJ1023TC_NN > 20.

PROGRAM: TRIGGER CHECK IF R09_AJ1023TC_NN > 20.

ELSE, GO TO R09_AJ9012TC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1023CG_LC1

Usted contestó que en los días en que fumó puritos como si fueran toques o blunts en los últimos 30 días, usted fumó [R09_AJ1023CG_NN] puritos como si fueran toques o blunts, cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ1023CG

2 NEXT

GO TO R09_AJ9012CG

ASK: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0 AND R09_AJ1023CG_NN > 20.

PROGRAM: TRIGGER CHECK IF R09_AJ1023CG_NN > 20.

ELSE, GO TO R09_AJ9012CG AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1023FC_LC1

Usted contestó que en los días en que fumó puros con filtro como si fueran toques o blunts en los últimos 30 días, usted fumó [R09_AJ1023FC_NN] puros con filtro como si fueran toques o blunts, cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ1023FC

2 NEXT

GO TO R09_AJ9012FC

ASK: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1 AND R09_AJ1022FC != 0 AND R09_AJ1023FC_NN > 20.

PROGRAM: TRIGGER CHECK IF R09_AJ1023FC_NN > 20.

ELSE, GO TO R09_AJ9012FC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ9012

Cuando fuma toques o blunts, ¿los comparte normalmente con otras personas?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R09_AJ9012TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ9030TC = 1 AND R09_AJ1022TC != 0.

FOR R09_AJ9012CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0.

FOR R09_AJ9012FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1 AND R09_AJ1022FC != 0.

PATH ID: R09_AJ1130

En los últimos 30 días, ¿tenía alguno de los [CIGARFILL]s que fumó como si fueran toques o blunts sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

- 1 Sí
 - 2 No
 - 3 No sé
 - 7 REFUSED
- GO TO BOX R09_AJR08
GO TO BOX R09_AJR08
GO TO BOX R09_AJR08

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R09_AJ1130TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ9030TC = 1 AND R09_AJ1022TC != 0.

FOR R09_AJ1130CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0.

FOR R09_AJ1130FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1 AND R09_AJ1022FC != 0.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1131

¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R09_AJ1131TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ9030TC = 1 AND R09_AJ1022TC != 0 AND R09_AJ1130TC = 1.

FOR R09_AJ1131CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0 AND R09_AJ1130CG = 1.

FOR R09_AJ1131FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1 AND R09_AJ1022FC != 0 AND R09_AJ1130FC = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1147

En los días en que fumó [CIGARFILL]s como si fueran toques o blunts en los últimos 30 días, ¿con qué frecuencia fumó [CIGARFILL]s **con sabor**?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R09_AJ1147TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ9030TC = 1 AND R09_AJ1022TC != 0 AND R09_AJ1130TC = 1.

FOR R09_AJ1147CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0 AND R09_AJ1130CG = 1.

FOR R09_AJ1147FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1 AND R09_AJ1022FC != 0 AND R09_AJ1130FC = 1.

DISPLAY: BOLD "con sabor".

BOX ID: R09_AJR37

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days, go to R09_AJ1133[TC/CG/FC].
Else, go to Box R09_AJR08.

IF LOOP = BTRAD:

IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ9030TC = 1 AND R09_AJ1022TC != 0 AND R09_AJ1130TC = 1 AND (R09_AJ1131TC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AJ1131TC_[01/.../09] = -8, -7), GO TO R09_AJ1133TC.
ELSE, GO TO BOX R09_AJR08.

IF LOOP = BRILLO:

IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0 AND R09_AJ1130CG = 1 AND (R09_AJ1131CG_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AJ1131CG_[01/.../09] = -8, -7), GO TO R09_AJ1133CG.
ELSE, GO TO BOX R09_AJR08.

IF LOOP = BFILTR:

IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1 AND R09_AJ1022FC != 0 AND R09_AJ1130FC = 1 AND (R09_AJ1131FC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AJ1131FC_[01/.../09] = -8, -7), GO TO R09_AJ1133FC.
ELSE, GO TO BOX R09_AJR08.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1133

En los últimos 30 días, ¿qué sabor de [CIGARFILL]s ha fumado con más frecuencia como si fueran toques o blunts? Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: FOR R09_AJ1133TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ9030TC = 1 AND R09_AJ1022TC != 0 AND R09_AJ1130TC = 1 AND (R09_AJ1131TC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AJ1131TC_[01/.../09] = -8, -7).

FOR R09_AJ1133CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ9030CG = 1 AND R09_AJ1022CG != 0 AND R09_AJ1130CG = 1 AND (R09_AJ1131CG_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AJ1131CG_[01/.../09] = -8, -7).

FOR R09_AJ1133FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ9030FC = 1 AND R09_AJ1022FC != 0 AND R09_AJ1130FC = 1 AND (R09_AJ1131FC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AJ1131FC_[01/.../09] = -8, -7).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJR08
Adult 18-20 year old respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AJ1142[TC/CG/FC]. Else, go to R09_AJ1030[TC/CG/FC]. IF LOOP = BTRAD: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BTRAD = 1, GO TO R09_AJ1142TC. ELSE, GO TO R09_AJ1030TC. IF LOOP = BRILLO: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BRILLO = 1, GO TO R09_AJ1142CG. ELSE, GO TO R09_AJ1030CG. IF LOOP = BFILTR: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BFILTR = 1, GO TO R09_AJ1142FC. ELSE, GO TO R09_AJ1030FC.

PATH ID: R09_AJ1142
Las siguientes preguntas son acerca de su experiencia al comprar [CIGARFILL]s cuando los fuma como si fueran toques o blunts. En los últimos 30 días, ¿le vendió alguien [CIGARFILL]s? 1 Sí 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult 18-20 year old respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R09_AJ1142TC: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BTRAD = 1. FOR R09_AJ1142CG: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BRILLO = 1. FOR R09_AJ1142FC: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BFILTR = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1123

En los últimos 30 días, ¿le negó alguien la venta de [CIGARFILL]s debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar [CIGARFILL]s en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AJ1123TC: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BTRAD = 1.

FOR R09_AJ1123CG: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BRILLO = 1.

FOR R09_AJ1123FC: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_12MBLUNT_ONLY_BFILTR = 1.

PATH ID: R09_AJ1030

[Las siguientes preguntas son acerca de su experiencia al comprar [CIGARFILL]s cuando los fuma como si fueran toques o blunts.

]¿Cómo compra normalmente [CIGARFILL]s para usted cuando los fuma como si fueran toques o blunts?

1 En persona (en una tienda o bar de fumadores)	GO TO R09_AJ1032[TC/CG/FC]
2 En Internet	GO TO R09_AJ1039[TC/CG/FC]
3 Por teléfono	GO TO R09_AJ1039[TC/CG/FC]
4 No compro mis propios [CIGARFILL]s para fumar toques o blunts	
-8 DON'T KNOW	GO TO R09_AJ1047[TC/CG/FC]
-7 REFUSED	GO TO R09_AJ1047[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AJ1030TC: IF R09_12MBLUNT_ONLY_BTRAD = 1.

FOR R09_AJ1030CG: IF R09_12MBLUNT_ONLY_BRILLO = 1.

FOR R09_AJ1030FC: IF R09_12MBLUNT_ONLY_BFILTR = 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar [CIGARFILL]s cuando los fuma como si fueran toques o blunts."
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1118

¿Cómo obtiene normalmente [CIGARFILL]s para usted cuando los fuma como si fueran toques o blunts?

1	Le doy dinero a otra persona para que me los compre	
2	Le pido a una persona que me dé uno	GO TO R09_AJ1047[TC/CG/FC]
3	Alguien me lo ofrece	GO TO R09_AJ1047[TC/CG/FC]
4	Me los llevo de una tienda o se los quito a alguien sin que se den cuenta	GO TO R09_AJ1047[TC/CG/FC]
5	Los obtengo de otra manera (ESPECIFIQUE)	GO TO R09_AJ1047[TC/CG/FC]
-8	DON'T KNOW	GO TO R09_AJ1047[TC/CG/FC]
-7	REFUSED	GO TO R09_AJ1047[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and do not buy their own traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R09_AJ1118TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1030TC = 4.

FOR R09_AJ1118CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1030CG = 4.

FOR R09_AJ1118FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1030FC = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AJ1032

Normalmente, ¿[le compran/compra] [CIGARFILL]s para fumar toques o blunts...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person or give someone else money to buy for them.

ASK Specification: FOR R09_AJ1032TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1 OR R09_AJ1118TC = 1).

FOR R09_AJ1032CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1 OR R09_AJ1118CG = 1).

FOR R09_AJ1032FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1 OR R09_AJ1118FC = 1).

DISPLAY: IF R09_AJ1118[TC/CG/FC] = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1033

¿Dónde [le compran/compra] [CIGARFILL]s para usted para fumar toques o blunts la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 1 Un bar de fumadores
- 2 Una tienda de conveniencia o estación de gasolina
- 3 Un supermercado, tienda de comestibles o farmacia
- 4 Una tienda mayorista como Sam's o Costco
- 5 Una tienda especializada o un almacén de tabaco o una tabaquería
- 6 Una tienda libre de impuestos o un economato militar
- 7 Un bar, restaurante, casino o una taberna
- 8 Un amigo o familiar
- 9 Un mercadillo o mercado de pulgas
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person or give someone else money to buy for them.

ASK Specification: FOR R09_AJ1033TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1 OR R09_AJ1118TC = 1).

FOR R09_AJ1033CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1 OR R09_AJ1118CG = 1).

FOR R09_AJ1033FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1 OR R09_AJ1118FC = 1).

DISPLAY: IF R09_AJ1118[TC/CG/FC] = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1039

[Piense en la última vez que le dio dinero a alguien para que le compre [CIGARFILL]s para fumar toques o blunts.] ¿Compra normalmente [CIGARFILL]s para fumar toques o blunts por caja o paquete o como [CIGARFILL]s sueltos?

- 1 Caja o paquete
- 2 [CIGARFILL]s sueltos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: FOR R09_AJ1039TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1).

FOR R09_AJ1039CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1).

FOR R09_AJ1039FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1).

DISPLAY: IF R09_AJ1118[TC/CG/FC] = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre [CIGARFILL]s para fumar toques o blunts. ".
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJR34

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack, go to R09_AJ1040[TC/CG/FC].

Else, adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy single traditional cigars/cigarillos/filtered cigars for blunts, go to R09_AJ1043[TC/CG/FC].
Else, go to R09_AJ1047[TC/CG/FC].

IF LOOP = BTRAD:

IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1) AND R09_AJ1039TC = 1, GO TO R09_AJ1040TC.

ELSE, IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1) AND R09_AJ1039TC = 2, GO TO R09_AJ1043TC.

ELSE, GO TO R09_AJ1047TC.

IF LOOP = BRILLO:

IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1), AND R09_AJ1039CG = 1, GO TO R09_AJ1040CG.

ELSE, IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1), AND R09_AJ1039CG = 2, GO TO R09_AJ1043CG.

ELSE, GO TO R09_AJ1047CG.

IF LOOP = BFILTR:

IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1) AND R09_AJ1039FC = 1, GO TO R09_AJ1040FC.

ELSE, IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1) AND R09_AJ1039FC = 2, GO TO R09_AJ1043FC.

ELSE, GO TO R09_AJ1047FC.

PATH ID: R09_AJ1040

¿Cuántos [CIGARFILL]s vienen en la caja o paquete que usted normalmente compra para fumar toques o blunts?

1 |__|__|__| Cantidad de [CIGARFILL]s

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: FOR R09_AJ1040TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1) AND R09_AJ1039TC = 1.

FOR R09_AJ1040CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1) AND R09_AJ1039CG = 1.

FOR R09_AJ1040FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1) AND R09_AJ1039FC = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de [CIGARFILL]s" AS A TITLE.

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1040TC_LC1

Usted contestó que vienen [R09_AJ1040TC_NN] puros tradicionales en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ1040TC

2 NEXT

GO TO R09_AJ1042TC

ASK: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1) AND R09_AJ1039TC = 1 AND R09_AJ1040TC_NN > 50.

PROGRAM: TRIGGER CHECK IF R09_AJ1040TC_NN > 50.

ELSE, GO TO R09_AJ1042TC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1040CG_LC1

Usted contestó que vienen [R09_AJ1040CG_NN] puritos en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ1040CG

2 NEXT

GO TO R09_AJ1042CG

ASK: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1) AND R09_AJ1039CG = 1 AND R09_AJ1040CG_NN > 20.

PROGRAM: TRIGGER CHECK IF R09_AJ1040CG_NN > 20.

ELSE, GO TO R09_AJ1042CG AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1040FC_LC1

Usted contestó que vienen [R09_AJ1040FC_NN] puros con filtro en la caja o paquete que usted compra normalmente para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ1040FC

2 NEXT

GO TO R09_AJ1042FC

ASK: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1) AND R09_AJ1039FC = 1 AND R09_AJ1040FC_NN > 100.

PROGRAM: TRIGGER CHECK IF R09_AJ1040FC_NN > 100.

ELSE, GO TO R09_AJ1042FC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1042

¿Cuánto paga normalmente por una caja o paquete de [CIGARFILL]s para fumar toques o blunts?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

GO TO R09_AJ1047[TC/CG/
FC]

-7 REFUSED

GO TO R09_AJ1047[TC/CG/
FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: FOR R09_AJ1042TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1) AND R09_AJ1039TC = 1.

FOR R09_AJ1042CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1) AND R09_AJ1039CG = 1.

FOR R09_AJ1042FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1) AND R09_AJ1039FC = 1.

DISPLAY: ALLOW NUMERIC ENTRY;
DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AJ1042TC_LC1

Usted contestó que paga normalmente \$[R09_AJ1042TC] por una caja de puros tradicionales para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AJ1042TC

2 NEXT

GO TO R09_AJ1047TC

ASK: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1) AND R09_AJ1039TC = 1 AND (R09_AJ1042TC > 300.00 OR R09_AJ1042TC < 10.00).

PROGRAM: TRIGGER CHECK IF R09_AJ1042TC > 300.00 OR R09_AJ1042TC < 10.00.
ELSE, GO TO R09_AJ1047TC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1042CG_LC1

Usted contestó que paga normalmente \$[R09_AJ1042CG] por una caja de puritos para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AJ1042CG
2	NEXT	GO TO R09_AJ1047CG

ASK: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1) AND R09_AJ1039CG = 1 AND (R09_AJ1042CG > 11.00 OR R09_AJ1042CG < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AJ1042CG > 11.00 OR R09_AJ1042CG < 1.00.
ELSE, GO TO R09_AJ1047CG AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1042FC_LC1

Usted contestó que paga normalmente \$[R09_AJ1042FC] por una caja de puros con filtro para fumar toques o blunts. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AJ1042FC
2	NEXT	GO TO R09_AJ1047FC

ASK: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1) AND R09_AJ1039FC = 1 AND (R09_AJ1042FC > 100.00 OR R09_AJ1042FC < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AJ1042FC > 100.00 OR R09_AJ1042FC < 1.00.
ELSE, GO TO R09_AJ1047FC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1043

¿Cuánto paga normalmente por un [CIGARFILL] suelto para fumar un toque o blunt?

- 1 \$ | | | | | | | | | |
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R09_AJ1043TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1) AND R09_AJ1039TC = 2.
FOR R09_AJ1043CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1) AND R09_AJ1039CG = 2.
FOR R09_AJ1043FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1) AND R09_AJ1039FC = 2.

DISPLAY: ALLOW NUMERIC ENTRY;
DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.
Range check: 0.00-999.99

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1043TC_LC1

Usted contestó que paga normalmente \$[R09_AJ1043TC] por un puro tradicional suelto para fumar como si fuera un toque o blunt. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AJ1043TC
2 NEXT	GO TO R09_AJ1047TC

ASK: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND (R09_AJ1030TC = 1, 2, 3 OR R09_AJ1118TC = 1) AND R09_AJ1039TC = 2 AND (R09_AJ1043TC > 15.00 OR R09_AJ1043TC < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AJ1043TC > 15.00 OR R09_AJ1043TC < 1.00.
ELSE, GO TO R09_AJ1047TC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1043CG_LC1

Usted contestó que paga normalmente \$[R09_AJ1043CG] por un purito suelto para fumar como si fuera un toque o blunt. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AJ1043CG
2 NEXT	GO TO R09_AJ1047CG

ASK: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND (R09_AJ1030CG = 1, 2, 3 OR R09_AJ1118CG = 1) AND R09_AJ1039CG = 2 AND (R09_AJ1043CG > 3.00 OR R09_AJ1043CG < 0.50).

PROGRAM: TRIGGER CHECK IF R09_AJ1043CG > 3.00 OR R09_AJ1043CG < 0.50.
ELSE, GO TO R09_AJ1047CG AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AJ1043FC_LC1

Usted contestó que paga normalmente \$[R09_AJ1043FC] por un puro con filtro suelto para fumar como si fuera un toque o blunt. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AJ1043FC
2 NEXT	GO TO R09_AJ1047FC

ASK: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND (R09_AJ1030FC = 1, 2, 3 OR R09_AJ1118FC = 1) AND R09_AJ1039FC = 2 AND (R09_AJ1043FC > 3.00 OR R09_AJ1043FC < 0.50).

PROGRAM: TRIGGER CHECK IF R09_AJ1043FC > 3.00 OR R09_AJ1043FC < 0.50.
ELSE, GO TO R09_AJ1047FC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1047

¿Tiene una marca habitual de [CIGARFILL]s que normalmente fuma como si fueran toques o blunts?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AJ1047TC: IF R09_12MBLUNT_ONLY_BTRAD = 1.

FOR R09_AJ1047CG: IF R09_12MBLUNT_ONLY_BRILLO = 1.

FOR R09_AJ1047FC: IF R09_12MBLUNT_ONLY_BFILTR = 1.

PATH ID: R09_AJ1050

[Su marca habitual/La última marca] que [fuma/fumaba] como si fueran toques o blunts, ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO R09_AJ1945[TC/CG/FC]
3	No sé	GO TO R09_AJ1945[TC/CG/FC]
-7	REFUSED	GO TO R09_AJ1945[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AJ1050TC: IF R09_12MBLUNT_ONLY_BTRAD = 1.

FOR R09_AJ1050CG: IF R09_12MBLUNT_ONLY_BRILLO = 1.

FOR R09_AJ1050FC: IF R09_12MBLUNT_ONLY_BFILTR = 1.

DISPLAY: IF R09_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "tenía", "La última marca" AND "fumaba".
ELSE, IF R09_AJ1047[TC/CG/FC] = 1, DISPLAY "tiene", "Su marca habitual" AND "fuma".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1012

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R09_AJ1012TC: IF R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1050TC = 1.

FOR R09_AJ1012CG: IF R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1050CG = 1.

FOR R09_AJ1012FC: IF R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1050FC = 1.

DISPLAY: IF R09_AJ1047[TC/CG/FC] = 1 DISPLAY "es".

ELSE, DISPLAY "era".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AJ1945

¿Sabe el **nombre de la marca** de [CIGARFILL]s que usted [fuma normalmente/fumó la última vez] como si fueran toques o blunts?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AJ1945TC: IF R09_12MBLUNT_ONLY_BTRAD = 1.

FOR R09_AJ1945CG: IF R09_12MBLUNT_ONLY_BRILLO = 1.

FOR R09_AJ1945FC: IF R09_12MBLUNT_ONLY_BFILTR = 1.

DISPLAY: IF R09_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma normalmente".

IF R09_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó la última vez".

BOLD "nombre de la marca".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJR33

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts, go to Box R09_AJD48.
Else, go to Box R09_AJR01.

IF LOOP = BTRAD:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1, GO TO BOX R09_AJD48.
ELSE, GO TO BOX R09_AJR01.

IF LOOP = BRILLO:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1, GO TO BOX R09_AJD48.
ELSE, GO TO BOX R09_AJR01.

IF LOOP = BFILTR:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1, GO TO BOX R09_AJD48.
ELSE, GO TO BOX R09_AJR01.

BOX ID: R09_AJD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AJ1048[TC/CG/FC] and R09_AJ1049[TC/CG/FC] on one screen.

Show the question text from R09_AJ1048[TC/CG/FC] at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AJ1049[TC/CG/FC], and 5) text entry for R09_AJ1049[TC/CG/FC].

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1048

¿Qué marca de [CIGARFILL] [fuma/fumó] [normalmente/la última vez] como si fueran toques o blunts?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R09_AJ1048TC_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1.

FOR R09_AJ1048CG_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1.

FOR R09_AJ1048FC_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1.

DISPLAY: IF R09_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma" AND "normalmente".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL BRANDS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AJ1049[TC/CG/FC], set R09_AJ1048[TC/CG/FC]_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1049

¿No vió su marca?

Escriba el nombre de la marca de [CIGARFILL] que [fuma normalmente/fumó la última vez] como si fueran toques o blunts.

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R09_AJ1049TC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1.

FOR R09_AJ1049CG: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1.

FOR R09_AJ1049FC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1.

DISPLAY: BOLD "¿No vió su marca?" AND "deseleccionarán."

IF R09_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma normalmente".

ELSE, DISPLAY "fumó la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AJ1049[TC/CG/FC], set R09_AJ1048[TC/CG/FC]_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_AJR01

Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts, go to R09_AJ2048[TC/CG/FC].

Else, go to Box R09_AJR102.

IF LOOP = BTRAD:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1, GO TO R09_AJ2048TC.

ELSE, GO TO BOX R09_AJR102.

IF LOOP = BRILLO:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1, GO TO R09_AJ2048CG.

ELSE, GO TO BOX R09_AJR102.

IF LOOP = BFILTR:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1, GO TO R09_AJ2048FC.

ELSE, GO TO BOX R09_AJR102.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ2048

¿Qué marca de [CIGARFILL] [fuma/fumó] [normalmente/la última vez] como si fueran toques o blunts?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

9995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R09_AJ2048TC_BRAND: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1.

FOR R09_AJ2048CG_BRAND: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1.

FOR R09_AJ2048FC_BRAND: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1.

DISPLAY: IF R09_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".
ELSE, IF R09_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma" AND "normalmente".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

BOX ID: R09_AJR101

Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R09_AJ2049[TC/CG/FC].

Else, go to Box R09_AJR102.

FOR LOOP = BTRAD:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ2048TC_BRAND = 9995, GO TO R09_AJ2049TC.
ELSE, GO TO BOX R09_AJR102.

FOR LOOP = BRILLO:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ2048CG_BRAND = 9995, GO TO R09_AJ2049CG.
ELSE, GO TO BOX R09_AJR102.

FOR LOOP = BFILTR:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ2048FC_BRAND = 9995, GO TO R09_AJ2049FC.
ELSE, GO TO BOX R09_AJR102.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ2049

Dijo que su marca no aparece en la lista. ¿Cuál marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R09_AJ2049TC: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ2048TC_BRAND = 9995.
FOR R09_AJ2049CG: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ2048CG_BRAND = 9995.
FOR R09_AJ2049FC: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ2048FC_BRAND = 9995.

BOX ID: R09_AJR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts, go to Box R09_AJD70.

Else, go to Box R09_AJR02.

FOR LOOP = BTRAD:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ1048TC_BRAND != 9995, -8, -7, GO TO BOX R09_AJD70.
ELSE, GO TO BOX R09_AJR02.

FOR LOOP = BRILLO:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ1048CG_BRAND != 9995, -8, -7, GO TO BOX R09_AJD70.
ELSE, GO TO BOX R09_AJR02.

FOR LOOP = BFILTR:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ1048FC_BRAND != 9995, -8, -7, GO TO BOX R09_AJD70.
ELSE, GO TO BOX R09_AJR02.

BOX ID: R09_AJD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AJ1070[TC/CG/FC] and R09_AJ1071[TC/CG/FC] on one screen.

Show the question text from R09_AJ1070[TC/CG/FC] at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AJ1071[TC/CG/FC], and 5) text entry for R09_AJ1071[TC/CG/FC].

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó]
[normalmente/la última vez] como si fuera un toque o blunt?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R09_AJ1070TC_PRODUCT: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ1048TC_BRAND != 9995, -8, -7.

FOR R09_AJ1070CG_PRODUCT: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ1048CG_BRAND != 9995, -8, -7.

FOR R09_AJ1070FC_PRODUCT: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ1048FC_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AJ1048[TC/CG/FC]_BRAND.

IF R09_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma" AND "normalmente".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL PRODUCTS,
DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED
WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN.

If text is entered in R09_AJ1071[TC/CG/FC], set R09_AJ1070[TC/CG/FC]_PRODUCT = 99995
(SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ1071

¿No vió su producto?

Escriba el tipo de [BRANDFILL]s que [fuma normalmente/fumó la última vez] como si fueran toques o blunts.

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R09_AJ1071TC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ1048TC_BRAND != 9995, -8, -7.

FOR R09_AJ1071CG: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ1048CG_BRAND != 9995, -8, -7.

FOR R09_AJ1071FC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ1048FC_BRAND != 9995, -8, -7.

DISPLAY: BOLD "¿No vió su producto?" AND "deseleccionarán".

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AJ1048[TC/CG/FC]_BRAND.

FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AJ1048[TC/CG/FC]_BRAND.

IF R09_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma normalmente".

ELSE, DISPLAY "fumó la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AJ1071[TC/CG/FC], set R09_AJ1070[TC/CG/FC]_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJR02

Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R09_AJ2070[TC/CG/FC]_PRODUCT.
Else, go to Box R09_AJR04.

IF LOOP = BTRAD:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ2048TC_BRAND != 9995, -8, -7, GO TO R09_AJ2070TC_PRODUCT.
ELSE, GO TO BOX R09_AJR04.

IF LOOP = BRILLO:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ2048CG_BRAND != 9995, -8, -7, GO TO R09_AJ2070CG_PRODUCT.
ELSE, GO TO BOX R09_AJR04.

IF LOOP = BFILTR:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ2048FC_BRAND != 9995, -8, -7, GO TO R09_AJ2070FC_PRODUCT.
ELSE, GO TO BOX R09_AJR04.

PATH ID: R09_AJ2070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez] como si fuera un toque o blunt?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

99995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R09_AJ2070TC_PRODUCT: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ2048TC_BRAND != 9995, -8, -7.

FOR R09_AJ2070CG_PRODUCT: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ2048CG_BRAND != 9995, -8, -7.

FOR R09_AJ2070FC_PRODUCT: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ2048FC_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AJ2048[TC/CG/FC]_BRAND.

IF R09_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AJ1047[TC/CG/FC] = 1, DISPLAY "fuma" AND "normalmente".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJR103

Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R09_AJ2070[TC/CG/FC]_CONF. Else, adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their sub-brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R09_AJ2071[TC/CG/FC]. Else, go to Box R09_AJR04.

FOR LOOP = BTRAD:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ2048TC_BRAND != 9995, -8, -7 AND R09_AJ2070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AJ2070TC_CONF.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ2048TC_BRAND != 9995, -8, -7 AND R09_AJ2070TC_PRODUCT = 99995, GO TO R09_AJ2071TC.

ELSE, GO TO BOX R09_AJR04.

FOR LOOP = BRILLO:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ2048CG_BRAND != 9995, -8, -7 AND R09_AJ2070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AJ2070CG_CONF.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ2048CG_BRAND != 9995, -8, -7 AND R09_AJ2070CG_PRODUCT = 99995, GO TO R09_AJ2071CG.

ELSE, GO TO BOX R09_AJR04.

FOR LOOP = BFILTR:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ2048FC_BRAND != 9995, -8, -7 AND R09_AJ2070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AJ2070FC_CONF.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ2048FC_BRAND != 9995, -8, -7 AND R09_AJ2070FC_PRODUCT = 99995, GO TO R09_AJ2071FC.

ELSE, GO TO BOX R09_AJR04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ2070_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su marca.

[SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS]

1 BACK

GO TO R09_AJ2070[TC/CG/
FC]

2 NEXT

GO TO BOX R09_AJR04

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R09_AJ2070TC_CONF: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ2048TC_BRAND != 9995, -8, -7 AND R09_AJ2070TC_PRODUCT != 99990, 99995, -8, -7.

FOR R09_AJ2070CG_CONF: R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ2048CG_BRAND != 9995, -8, -7 AND R09_AJ2070CG_PRODUCT != 99990, 99995, -8, -7.

FOR R09_AJ2070FC_CONF: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ2048FC_BRAND != 9995, -8, -7 AND R09_AJ2070FC_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: FILL [NEQBRAND] WITH R09_AJ2070[TC/CG/FC]_PRODUCT RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS.

PATH ID: R09_AJ2071

Usted dijo que el tipo de [BRANDFILL] que usted fuma como si fueran toques o blunts no aparece en la lista. ¿Qué tipo es?

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their sub-brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R09_AJ2071TC: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BTRAD = 1 AND R09_AJ1945TC = 1 AND R09_AJ2048TC_BRAND != 9995, -8, -7 AND R09_AJ2070TC_PRODUCT = 99995.

FOR R09_AJ2071CG: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BRILLO = 1 AND R09_AJ1945CG = 1 AND R09_AJ2048CG_BRAND != 9995, -8, -7 AND R09_AJ2070CG_PRODUCT = 99995.

FOR R09_AJ2071FC: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_12MBLUNT_ONLY_BFILTR = 1 AND R09_AJ1945FC = 1 AND R09_AJ2048FC_BRAND != 9995, -8, -7 AND R09_AJ2070FC_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R09_AJ2048[TC/CG/FC]_BRAND.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AJR04

END BLUNT LOOP:

Adult respondents who have remaining blunt-only traditional cigar/cigarillo/filtered cigar loops to complete, return to Box R09_AJT03 and complete remaining blunt-only traditional cigar/cigarillo/filtered cigar loops.

Else, adult respondents who have traditional cigar/cigarillo/filtered cigar loops to complete, go to Box R09_AGR10.

Else, adult respondents who have no more remaining blunt-only traditional cigar/cigarillo/filtered cigar loops to complete and have no traditional cigar/cigarillo/filtered cigar loops to complete, go to the next section.

IF THERE ARE REMAINING BLUNT-ONLY CIGAR LOOPS TO BE COMPLETED, GO BACK TO BOX R09_AJT03 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES.

ELSE, IF THERE ARE NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO TO BOX R09_AGR10.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR BLUNTS OR CIGARS, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR10

Adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are not long-term former traditional cigar/cigarillo/filtered cigar smokers, or continuing and aged-up adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are long-term former traditional cigar/cigarillo/filtered cigar smokers and are not persistent former traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview or had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, continue with Box R09_AGT03.

Else, go to Box R09_AGR04.

IF LOOP = GTRAD:

IF (R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_GTRAD_USER_STATUS != 5) OR (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_GTRAD_USER_STATUS = 5 AND R09_PERSISTENT_FORMER_GTRAD != 1 AND (R08_NUMLIFE_GTRAD != 1 OR R08_REGUSE_GTRAD != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1), GO TO BOX R09_AGT03.
ELSE, GO TO BOX R09_AGR04.

IF LOOP = GRILLO:

IF (R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_GRILLO_USER_STATUS != 5) OR (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_GRILLO_USER_STATUS = 5 AND R09_PERSISTENT_FORMER_GRILLO != 1 AND (R08_NUMLIFE_GRILLO != 1 OR R08_REGUSE_GRILLO != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1), GO TO BOX R09_AGT03.
ELSE, GO TO BOX R09_AGR04.

IF LOOP = GFILTR:

IF (R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_GFILTR_USER_STATUS != 5) OR (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_GFILTR_USER_STATUS = 5 AND R09_PERSISTENT_FORMER_GFILTR != 1 AND (R08_NUMLIFE_GFILTR != 1 OR R08_REGUSE_GFILTR != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1), GO TO BOX R09_AGT03.
ELSE, GO TO BOX R09_AGR04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGT03

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD (Traditional Cigars):

Las siguientes preguntas son acerca de los puros tradicionales o "grandes".

Los puros tradicionales o "grandes" contienen tabaco envuelto en una hoja de tabaco.

Cuando conteste estas preguntas, por favor, piense únicamente en su consumo de puros tradicionales como los que se muestran. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] Más adelante habrá otra sección acerca de otras clases de puros.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

IF LOOP=GRILLO (Cigarillos):

Las siguientes preguntas son acerca de los puritos.

Los puritos son puros de tamaño mediano y a veces vienen con boquillas de plástico o madera.

Cuando conteste estas preguntas, por favor, piense únicamente en su consumo de puritos como los que se muestran. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] Más adelante habrá otra sección acerca de otras clases de puros.

[SHOW GENERIC IMAGE OF CIGARILLOS].

IF LOOP=GFILTR (Filtered Cigars):

Las siguientes preguntas son acerca de los puros con filtro.

Los puros con filtro normalmente son de color café y tienen un filtro como el de un cigarrillo. Cuando conteste estas preguntas, por favor, piense únicamente en su consumo de puros con filtro como los que se muestran.

[SHOW GENERIC IMAGE OF FILTERED CIGARS].

BOX ID: R09_AGR62

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AGT20.
Else, go to Box R09_AGR01.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AGT20.
ELSE, GO TO BOX R09_AGR01.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

BOX ID: R09_AGT20

IF LOOP=BTRAD Traditional Cigars (non-blunts):

Piense ahora en los PUROS TRADICIONALES, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

IF LOOP=BRILLO Cigarillos (non-blunts):

Piense ahora en los PURITOS, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF CIGARILLOS]

IF LOOP=BFILTR Filtered Cigars (non-blunts):

Piense ahora en los PUROS CON FILTRO, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR01

Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1006[TC/CG/FC].

Else, continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview and are not persistent former traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1005[TC/CG/FC].

Else, continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not persistent former traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1100[TC/CG/FC].

Else, go to Box R09_AGR12.

IF LOOP = GTRAD:

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1), GO TO R09_AG1006TC.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_NUMLIFE_GTRAD != 1 AND R09_PERSISTENT_FORMER_GTRAD != 1, GO TO R09_AG1005TC.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_REGUSE_GTRAD != 1 AND R09_PERSISTENT_FORMER_GTRAD != 1, GO TO R09_AG1100TC.

ELSE, GO TO BOX R09_AGR12.

IF LOOP = GRILLO:

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1), GO TO R09_AG1006CG.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_NUMLIFE_GRILLO != 1 AND R09_PERSISTENT_FORMER_GRILLO != 1, GO TO R09_AG1005CG.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_REGUSE_GRILLO != 1 AND R09_PERSISTENT_FORMER_GRILLO != 1, GO TO R09_AG1100CG.

ELSE, GO TO BOX R09_AGR12.

IF LOOP = GFILTR:

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1), GO TO R09_AG1006FC.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_NUMLIFE_GFILTR != 1 AND R09_PERSISTENT_FORMER_GFILTR != 1, GO TO R09_AG1005FC.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_REGUSE_GFILTR != 1 AND R09_PERSISTENT_FORMER_GFILTR != 1, GO TO R09_AG1100FC.

ELSE, GO TO BOX R09_AGR12.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1006

¿Qué edad tenía la primera vez que fumó parte o todo un [CIGARFILL], incluso si solo fueron una o dos probaditas?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AG1120[TC/CG/FC]

-7 REFUSED

GO TO R09_AG1120[TC/CG/FC]

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1006TC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1).

FOR R09_AG1006CG: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1).

FOR R09_AG1006FC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AG1006TC_LC1

Usted contestó que la primera vez que usted fumó un puro tradicional fue a la edad de [R09_AG1006TC] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1006TC

2 NEXT

GO TO R09_AG1006TC_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1006TC <= 12) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1006TC <= 12).

PROGRAM: TRIGGER CHECK IF R09_AG1006TC <= 12.

ELSE, GO TO R09_AG1006TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1006TC_LC2

Usted contestó que la primera vez que fumó un puro tradicional fue a la edad de [R09_AG1006TC] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1006TC
2 NEXT	GO TO R09_AG1005TC

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1006TC > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1006TC > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AG1006TC > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AG1005TC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1006CG_LC1

Usted contestó que la primera vez que fumó un purito fue a la edad de [R09_AG1006TC] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1006CG
2 NEXT	GO TO R09_AG1006CG_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1006CG <= 10) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1006CG <= 10).

PROGRAM: TRIGGER CHECK IF R09_AG1006CG <= 10.

ELSE, GO TO R09_AG1006CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1006CG_LC2

Usted contestó que la primera vez que fumó un purito fue a la edad de [R09_AG1006CG] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1006CG
2 NEXT	GO TO R09_AG1005CG

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1006CG > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1006CG > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AG1006CG > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AG1005CG AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1006FC_LC1

Usted contestó que la primera vez que fumó un puro con filtro fue a la edad de [R09_AG1006FC] años.
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1006FC

2 NEXT

GO TO R09_AG1006FC_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1006FC <= 10) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1006FC <= 10).

PROGRAM: TRIGGER CHECK IF R09_AG1006FC <= 10.
ELSE, GO TO R09_AG1006FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1006FC_LC2

Usted contestó que la primera vez que fumó un puro con filtro fue a la edad de [R09_AG1006FC] años.
Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1006FC

2 NEXT

GO TO R09_AG1005FC

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1006FC > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1006FC > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AG1006FC > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.
ELSE, GO TO R09_AG1005FC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1120

La primera vez que fumó parte o todo un [CIGARFILL], incluso si fueron una o dos probaditas, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first smoked a traditional cigar/cigarillo/filtered cigar, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first smoked a traditional cigar/cigarillo/filtered cigar.

ASK Specification: FOR R09_AG1120TC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1006TC = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1006TC = -8, -7).

FOR R09_AG1120CG: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1006CG = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1006CG = -8, -7).

FOR R09_AG1120FC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1006FC = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1006FC = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1005

¿Cuántos [CIGARFILL]s ha fumado en toda su vida?

- 1 Una o más probaditas pero nunca uno entero
- 2 1 a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview and are not persistent former traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1005TC: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_NUMLIFE_GTRAD != 1 AND R09_PERSISTENT_FORMER_GTRAD != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1).
FOR R09_AG1005CG: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_NUMLIFE_GRILLO != 1 AND R09_PERSISTENT_FORMER_GRILLO != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1).
FOR R09_AG1005FC: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_NUMLIFE_GFILTR != 1 AND R09_PERSISTENT_FORMER_GFILTR != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR26

Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not persistent former traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1100[TC/CG/FC].
Else, go to Box R09_AGR02.

IF LOOP = GTRAD:

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND
R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_REGUSE_GTRAD != 1 AND
R09_PERSISTENT_FORMER_GTRAD != 1) OR (R09_ADULTTYPE = 3 AND
R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1), GO TO R09_AG1100TC.
ELSE, GO TO BOX R09_AGR02.

IF LOOP = GRILLO:

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_REGUSE_GRILLO != 1 AND
R09_PERSISTENT_FORMER_GRILLO != 1) OR (R09_ADULTTYPE = 3 AND
R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1), GO TO
R09_AG1100CG.
ELSE, GO TO BOX R09_AGR02.

IF LOOP = GFILTR:

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_REGUSE_GFILTR != 1 AND
R09_PERSISTENT_FORMER_GFILTR != 1) OR (R09_ADULTTYPE = 3 AND
R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1), GO TO R09_AG1100FC.
ELSE, GO TO BOX R09_AGR02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1100

¿Alguna vez ha fumado [CIGARFILL]s de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not persistent former traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1100TC: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_REGUSE_GTRAD != 1 AND R09_PERSISTENT_FORMER_GTRAD != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1).
 FOR R09_AG1100CG: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_REGUSE_GRILLO != 1 AND R09_PERSISTENT_FORMER_GRILLO != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1).
 FOR R09_AG1100FC: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_REGUSE_GFILTR != 1 AND R09_PERSISTENT_FORMER_GFILTR != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR12

Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not persistent former traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, go to R09_AG1007[TC/CG/FC].
Else, go to Box R09_AGR02.

IF LOOP = GTRAD:

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND
R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_REGUSE_GTRAD != 1 AND
R09_PERSISTENT_FORMER_GTRAD != 1 AND R09_AG1100TC = 1) OR (R09_ADULTTYPE = 3 AND
R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1100TC =
1), GO TO R09_AG1007TC.
ELSE, GO TO BOX R09_AGR02.

IF LOOP = GRILLO:

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_REGUSE_GRILLO != 1 AND
R09_PERSISTENT_FORMER_GRILLO != 1 AND R09_AG1100CG = 1) OR (R09_ADULTTYPE = 3
AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R09_AG1100CG = 1), GO TO R09_AG1007CG.
ELSE, GO TO BOX R09_AGR02.

IF LOOP = GFILTR:

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_REGUSE_GFILTR != 1 AND
R09_PERSISTENT_FORMER_GFILTR != 1 AND R09_AG1100FC = 1) OR (R09_ADULTTYPE = 3 AND
R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1100FC =
1), GO TO R09_AG1007FC.
ELSE, GO TO BOX R09_AGR02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1007

¿Qué edad tenía la primera vez que comenzó a fumar [CIGARFILL]s habitualmente?

1 |___|___| Años

-8 DON'T KNOW

GO TO R09_AG1121[TC/CG/
FC]

-7 REFUSED

GO TO R09_AG1121[TC/CG/
FC]

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/ filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not persistent former traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/ cigarillos/filtered cigars fairly regularly.

ASK Specification: FOR R09_AG1007TC: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_REGUSE_GTRAD != 1 AND R09_PERSISTENT_FORMER_GTRAD != 1 AND R09_AG1100TC = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1100TC = 1).

FOR R09_AG1007CG: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_REGUSE_GRILLO != 1 AND R09_PERSISTENT_FORMER_GRILLO != 1 AND R09_AG1100CG = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1100CG = 1).

FOR R09_AG1007FC: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_REGUSE_GFILTR != 1 AND R09_PERSISTENT_FORMER_GFILTR != 1 AND R09_AG1100FC = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1100FC = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AG1007TC_LC1

Usted contestó que comenzó a fumar puros tradicionales de manera habitual a la edad de [R09_AG1007TC] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1007TC

2 NEXT

GO TO R09_AG1007TC_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_REGUSE_GTRAD != 1 AND R09_PERSISTENT_FORMER_GTRAD != 1 AND R09_AG1100TC = 1 AND R09_AG1007TC <= 12) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1100TC = 1 AND R09_AG1007TC <= 12).

PROGRAM: TRIGGER CHECK IF R09_AG1007TC <= 12.

ELSE, GO TO R09_AG1007TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1007TC_LC2

Usted contestó que comenzó a fumar puros tradicionales de manera habitual a la edad de [R09_AG1007TC] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1007TC

2 NEXT

GO TO BOX R09_AGR02

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_REGUSE_GTRAD != 1 AND R09_PERSISTENT_FORMER_GTRAD != 1 AND R09_AG1100TC = 1 AND R09_AG1007TC > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1100TC = 1 AND R09_AG1007TC > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AG1007TC > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AGR02 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1007CG_LC1

Usted contestó que comenzó a fumar puritos de manera habitual a la edad de [R09_AG1007CG] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1007CG

2 NEXT

GO TO R09_AG1007CG_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_REGUSE_GRILLO != 1 AND R09_PERSISTENT_FORMER_GRILLO != 1 AND R09_AG1100CG = 1 AND R09_AG1007CG <= 10) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1100CG = 1 AND R09_AG1007CG <= 10).

PROGRAM: TRIGGER CHECK IF R09_AG1007CG <= 10.
ELSE, GO TO R09_AG1007CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1007CG_LC2

Usted contestó que comenzó a fumar puritos de manera habitual a la edad de [R09_AG1007CG] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1007CG

2 NEXT

GO TO BOX R09_AGR02

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_REGUSE_GRILLO != 1 AND R09_PERSISTENT_FORMER_GRILLO != 1 AND R09_AG1100CG = 1 AND R09_AG1007CG > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1100CG = 1 AND R09_AG1007CG > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AG1007CG > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AGR02 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1007FC_LC1

Usted contestó que comenzó a fumar puros con filtro de manera habitual a la edad de [R09_AG1007FC] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1007FC

2 NEXT

GO TO R09_AG1007FC_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_REGUSE_GFILTR != 1 AND R09_PERSISTENT_FORMER_GFILTR != 1 AND R09_AG1100FC = 1 AND R09_AG1007FC <= 10) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1100FC = 1 AND R09_AG1007FC <= 10).

PROGRAM: TRIGGER CHECK IF R09_AG1007FC <= 10.
ELSE, GO TO R09_AG1007FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1007FC_LC2

Usted contestó que comenzó a fumar puros con filtro de manera habitual a la edad de [R09_AG1007FC] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1007FC

2 NEXT

GO TO BOX R09_AGR02

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_REGUSE_GFILTR != 1 AND
R09_PERSISTENT_FORMER_GFILTR != 1 AND R09_AG1100FC = 1 AND R09_AG1007FC >
R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1100FC = 1 AND R09_AG1007FC >
R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AG1007FC > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AGR02 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1121

La primera vez que comenzó a fumar [CIGARFILL]s habitualmente, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and are not persistent former traditional cigar/cigarillo/filtered cigar smokers and have ever traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age when they first started smoking traditional cigars/cigarillos/filtered cigars fairly regularly, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age when they first started smoking traditional cigars/cigarillos/filtered cigars fairly regularly.

ASK Specification: FOR R09_AG1121TC: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R08_REGUSE_GTRAD != 1 AND R09_PERSISTENT_FORMER_GTRAD != 1 AND R09_AG1100TC = 1 AND R09_AG1007TC = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1100TC = 1 AND R09_AG1007TC = -8, -7).
FOR R09_AG1121CG: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R08_REGUSE_GRILLO != 1 AND R09_PERSISTENT_FORMER_GRILLO != 1 AND R09_AG1100CG = 1 AND R09_AG1007CG = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1100CG = 1 AND R09_AG1007CG = -8, -7).
FOR R09_AG1121FC: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R08_REGUSE_GFILTR != 1 AND R09_PERSISTENT_FORMER_GFILTR != 1 AND R09_AG1100FC = 1 AND R09_AG1007FC = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1100FC = 1 AND R09_AG1007FC = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR02

Continuing adult respondents who have not reported the age when they first started smoking traditional cigars/cigarillos/filtered cigars every day as of their last completed interview and smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new baseline adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1020[TC/CG/FC].

Else, continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1008[TC/CG/FC].

Else, adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1021[TC/CG/FC].

Else, adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1022[TC/CG/FC].

Else, adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG9040[TC/CG/FC].

Else, go to Box R09_AGR04.

IF LOOP = GTRAD:

IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GTRAD != 1 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1), GO TO R09_AG1020TC.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1), GO TO R09_AG1008TC.

ELSE, IF R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG1021TC.

ELSE, IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG1022TC.

ELSE, IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG9040TC.

ELSE, GO TO BOX R09_AGR04.

IF LOOP = GRILLO:

IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GRILLO != 1 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1), GO TO R09_AG1020CG.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1), GO TO R09_AG1008CG.

ELSE, IF R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG1021CG.

ELSE, IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG1022CG.

ELSE, IF (R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG9040CG.

ELSE, GO TO BOX R09_AGR04.

IF LOOP = GFILTR:

IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GFILTR != 1 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1), GO TO R09_AG1020FC.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR =

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

1 AND R09_12MBLUNT_ONLY_BFILTR != 1), GO TO R09_AG1008FC.
 ELSE, IF R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG1021FC.
 ELSE, IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND
 R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG1022FC.
 ELSE, IF (R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO
 R09_AG9040FC.
 ELSE, GO TO BOX R09_AGR04.

PATH ID: R09_AG1020

¿Qué edad tenía la primera vez que comenzó a fumar [CIGARFILL]s todos los días?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AG1122[TC/CG/
FC]

-7 REFUSED

GO TO R09_AG1122[TC/CG/
FC]

ASK: Continuing adult respondents who have not reported the age when they first started smoking traditional cigars/cigarillos/filtered cigars every day as of their last completed interview and smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new baseline adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1020TC: IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GTRAD != 1 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1).

FOR R09_AG1020CG: IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GRILLO != 1 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1).

FOR R09_AG1020FC: IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GFILTR != 1 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1020TC_LC1

Usted contestó que comenzó a fumar puros tradicionales todos los días a la edad de [R09_AG1020TC] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1020TC

2 NEXT

GO TO R09_AG1020TC_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GTRAD != 1 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1)) AND (R09_AG1020TC <= 12 OR R09_AG1020TC < R09_AG1007TC).

PROGRAM: TRIGGER CHECK IF R09_AG1020TC <= 12 OR R09_AG1020TC < R09_AG1007TC. ELSE, GO TO R09_AG1020TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1020TC_LC2

Usted contestó que comenzó a fumar puros tradicionales todos los días a la edad de [R09_AG1020TC] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1020TC

2 NEXT

GO TO BOX R09_AGR27

ASK: IF ((R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GTRAD != 1 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1)) AND R09_AG1020TC > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AG1020TC > R09_ACHIEVEDAGE. ELSE, GO TO BOX R09_AGR27 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1020CG_LC1

Usted contestó que comenzó a fumar puritos todos los días a la edad de [R09_AG1020CG] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1020CG

2 NEXT

GO TO R09_AG1020CG_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_GRILLO != 1 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1)) AND (R09_AG1020CG <= 10 OR R09_AG1020CG < R09_AG1007CG).

PROGRAM: TRIGGER CHECK IF R09_AG1020CG <= 10 OR R09_AG1020CG < R09_AG1007CG. ELSE, GO TO R09_AG1020CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1020CG_LC2

Usted contestó que comenzó a fumar puritos todos los días a la edad de [R09_AG1020CG] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1020CG
2 NEXT	GO TO BOX R09_AGR27

ASK: IF ((R09_ADULTTYPE = 1 AND R08 Everyday_Age_Grillo != 1 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1)) AND R09_AG1020CG > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AG1020CG > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AGR27 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1020FC_LC1

Usted contestó que comenzó a fumar puros con filtro todos los días a la edad de [R09_AG1020FC] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1020FC
2 NEXT	GO TO R09_AG1020FC_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08 Everyday_Age_GFilter != 1 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFilter != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFilter != 1)) AND (R09_AG1020FC <= 5 OR R09_AG1020FC < R09_AG1007FC).

PROGRAM: TRIGGER CHECK IF R09_AG1020FC <= 5 OR R09_AG1020FC < R09_AG1007FC.
ELSE, GO TO R09_AG1020FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1020FC_LC2

Usted contestó que comenzó a fumar puros con filtro todos los días a la edad de [R09_AG1020FC] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1020FC
2 NEXT	GO TO BOX R09_AGR27

ASK: IF ((R09_ADULTTYPE = 1 AND R08 Everyday_Age_GFilter != 1 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFilter != 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFilter != 1)) AND R09_AG1020FC > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AG1020FC > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AGR27 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1122

La primera vez que comenzó a fumar [CIGARFILL]s todos los días, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have not reported the age when they first started smoking traditional cigars/cigarillos/filtered cigars every day as of their last completed interview and smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first started smoking traditional cigars/cigarillos/filtered cigars every day, or new baseline adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first started smoking traditional cigars/cigarillos/filtered cigars every day.

ASK Specification: FOR R09_AG1122TC: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_GTRAD != 1 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1020TC = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1020TC = -8, -7).
FOR R09_AG1122CG: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_GRILLO != 1 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1020CG = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1020CG = -8, -7).
FOR R09_AG1122FC: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_GFILTR != 1 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1020FC = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1020FC = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR27

Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers smokers, go to R09_AG1008[TC/CG/FC].

Else, go to Box R09_AGR11.

IF LOOP = GTRAD:

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1), GO TO R09_AG1008TC.

ELSE, GO TO BOX R09_AGR11.

IF LOOP = GRILLO:

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1), GO TO R09_AG1008CG.

ELSE, GO TO BOX R09_AGR11.

IF LOOP = GFILTR:

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1), GO TO R09_AG1008FC.

ELSE, GO TO BOX R09_AGR11.

PATH ID: R09_AG1008

La primera vez que comenzó a fumar [CIGARFILL]s, ¿fumó [CIGARFILL]s con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO BOX R09_AGR64
3	No sé	GO TO BOX R09_AGR64
-7	REFUSED	GO TO BOX R09_AGR64

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers smokers.

ASK Specification: FOR R09_AG1008TC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1).

FOR R09_AG1008CG: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1).

FOR R09_AG1008FC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1011

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R09_AG1011TC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1008TC = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1008TC = 1).

FOR R09_AG1011CG: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1008CG = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1008CG = 1).

FOR R09_AG1011FC: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1008FC = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1008FC = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR64

New cohort adult respondents who are current, recent former, or long-term former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1025[TC/CG/FC]_RS.
Else, go to Box R09_AGR11

IF LOOP = GTRAD:

IF (R09_ADULTTYPE = 3 AND R09_GTRAD_USER_STATUS = 1, 4, 5 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG1025TC_RS.
ELSE, GO TO BOX R09_AGR11.

IF LOOP = GRILLO:

IF (R09_ADULTTYPE = 3 AND R09_GRILLO_USER_STATUS = 1, 4, 5 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG1025CG_RS.
ELSE, GO TO BOX R09_AGR11.

IF LOOP = GFILTR:

IF (R09_ADULTTYPE = 3 AND R09_GFILTR_USER_STATUS = 1, 4, 5 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG1025FC_RS.
ELSE, GO TO BOX R09_AGR11.

PATH ID: R09_AG1025_RS

Alrededor de esta época hace 12 meses, ¿fumaba [CIGARFILL]s...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, recent former, or long-term former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1025TC_RS: IF R09_ADULTTYPE = 3 AND R09_GTRAD_USER_STATUS = 1, 4, 5 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1025CG_RS: IF R09_ADULTTYPE = 3 AND R09_GRILLO_USER_STATUS = 1, 4, 5 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1025FC_RS: IF R09_ADULTTYPE = 3 AND R09_GFILTR_USER_STATUS = 1, 4, 5 AND R09_12MBLUNT_ONLY_BFILTR != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR11

Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1021[TC/CG/FC].
Else, adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1022[TC/CG/FC].
Else, adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG9040 [TC/CG/FC].
Else, go to Box R09_AGR04.

IF LOOP = GTRAD:
IF R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG1021TC.
ELSE, IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND
R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG1022TC.
ELSE, IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO
R09_AG9040TC.
ELSE, GO TO BOX R09_AGR04.

IF LOOP = GRILLO:
IF R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG1021CG.
ELSE, IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND
R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG1022CG.
ELSE, IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO
R09_AG9040CG.
ELSE, GO TO BOX R09_AGR04.

IF LOOP = GFILTR:
IF R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG1021FC.
ELSE, IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG1022FC.
ELSE, IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO
R09_AG9040FC.
ELSE, GO TO BOX R09_AGR04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1021

En promedio, aproximadamente, ¿cuántos [CIGARFILL]s fuma cada día actualmente?

-2	Menos de un cada día	GO TO R09_AG1024[TC/CG/FC]
1	_ _ _ _ Cantidad de [CIGARFILL]s cada día	
-8	DON'T KNOW	GO TO R09_AG1024[TC/CG/FC]
-7	REFUSED	GO TO R09_AG1024[TC/CG/FC]

ASK: Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1021TC: IF R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1021CG: IF R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1021FC: IF R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Cantidad de [CIGARFILL]s cada día" AS A TITLE.

DISPLAY AS A NUMERIC QUANTITY FIELD, WITH SPECIAL BUTTON "Menos de 1 cada día".

PROGRAM: Allow 2 digits.

PATH ID: R09_AG1021TC_LC1

Usted contestó que actualmente usted fuma [R09_AG1021TC] puros tradicionales cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AG1021TC
2	NEXT	GO TO R09_AG1024TC

ASK: IF R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1021TC > 20.

PROGRAM: TRIGGER CHECK IF R09_AG1021TC > 20.

ELSE, GO TO R09_AG1024TC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1021CG_LC1

Usted contestó que actualmente usted fuma [R09_AG1021CG] puritos cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AG1021CG
2	NEXT	GO TO R09_AG1024CG

ASK: IF R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1021CG > 20.

PROGRAM: TRIGGER CHECK IF R09_AG1021CG > 20.

ELSE, GO TO R09_AG1024CG AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1021FC_LC1

Usted contestó que actualmente fuma [R09_AG1021FC] puros con filtro cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1021FC

2 NEXT

GO TO R09_AG1024FC

ASK: IF R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1021FC > 20.

PROGRAM: TRIGGER CHECK IF R09_AG1021FC > 20.

ELSE, GO TO R09_AG1024FC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1022

¿En cuántos de los últimos 30 días fumó usted [CIGARFILL]s?

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1022TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1022CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1022FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR13

Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days, go to R09_AG9029[TC/CG/FC].

Else, adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R09_AG1023 [TC/CG/FC].

Else, go to Box R09_AGR30.

IF LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND
R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC = 0, GO TO R09_AG9029TC.
ELSE, IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND
R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0, GO TO R09_AG1023TC.
ELSE, GO TO BOX R09_AGR30.

IF LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG = 0, GO TO R09_AG9029CG.
ELSE, IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0, GO TO R09_AG1023CG.
ELSE, GO TO BOX R09_AGR30.

IF LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC = 0, GO TO R09_AG9029FC.
ELSE, IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0, GO TO R09_AG1023FC.
ELSE, GO TO BOX R09_AGR30.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9029

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó [CIGARFILL]s? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Días	
2	_ _	Meses	
3	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_AGR30
-7	REFUSED		GO TO BOX R09_AGR30

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R09_AG9029TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC = 0.
FOR R09_AG9029CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG = 0.
FOR R09_AG9029FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AG9029TC_LC1

Usted contestó que la última vez que fumó puros tradicionales fue hace [R09_AG9029TC_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AG9029TC
2	NEXT	GO TO BOX R09_AGR30

ASK: IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC = 0 AND ((R09_AG9029TC_NN < 30 AND R09_AG9029TC_UN = 1) OR (R09_AG9029TC_NN < 1 AND R09_AG9029TC_UN = 2) OR (R09_AG9029TC_NN > 18 AND R09_AG9029TC_UN = 2) OR (R09_AG9029TC_NN > (R09_ACHIEVEDAGE - 10) AND R09_AG9029TC_UN = 3)).

DISPLAY: IF R09_AG9029TC_UN = 1, DISPLAY "días".
ELSE, IF R09_AG9029TC_UN = 2, DISPLAY "meses".
ELSE, IF R09_AG9029TC_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AG9029TC_NN < 30 AND R09_AG9029TC_UN = 1) OR (R09_AG9029TC_NN < 1 AND R09_AG9029TC_UN = 2) OR (R09_AG9029TC_NN > 18 AND R09_AG9029TC_UN = 2) OR (R09_AG9029TC_NN > (R09_ACHIEVEDAGE - 10) AND R09_AG9029TC_UN = 3).
ELSE, GO TO BOX R09_AGR30 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9029CG_LC1

Usted contestó que la última vez que fumó puritos fue hace [R09_AG9029CG_NN] [días/meses/años].
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AG9029CG
2	NEXT	GO TO BOX R09_AGR30

ASK: IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG = 0 AND ((R09_AG9029CG_NN < 30 AND
R09_AG9029CG_UN = 1) OR (R09_AG9029CG_NN < 1 AND R09_AG9029CG_UN = 2) OR
(R09_AG9029CG_NN > 18 AND R09_AG9029CG_UN = 2) OR (R09_AG9029CG_NN >
(R09_ACHIEVEDAGE - 10) AND R09_AG9029CG_UN = 3)).

DISPLAY: IF R09_AG9029CG_UN = 1, DISPLAY "días".
ELSE, IF R09_AG9029CG_UN = 2, DISPLAY "meses".
ELSE, IF R09_AG9029CG_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AG9029CG_NN < 30 AND R09_AG9029CG_UN = 1) OR
(R09_AG9029CG_NN < 1 AND R09_AG9029CG_UN = 2) OR (R09_AG9029CG_NN > 18 AND
R09_AG9029CG_UN = 2) OR (R09_AG9029CG_NN > (R09_ACHIEVEDAGE - 10) AND
R09_AG9029CG_UN = 3).
ELSE, GO TO BOX R09_AGR30 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG9029FC_LC1

Usted contestó que la última vez que fumó puros con filtro fue hace [R09_AG9029FC_NN] días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AG9029FC
2	NEXT	GO TO BOX R09_AGR30

ASK: IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC = 0 AND ((R09_AG9029FC_NN < 30 AND
R09_AG9029FC_UN = 1) OR (R09_AG9029FC_NN < 1 AND R09_AG9029FC_UN = 2) OR
(R09_AG9029FC_NN > 18 AND R09_AG9029FC_UN = 2) OR (R09_AG9029FC_NN >
(R09_ACHIEVEDAGE - 10) AND R09_AG9029FC_UN = 3)).

DISPLAY: IF R09_AG9029FC_UN = 1, DISPLAY "días".
ELSE, IF R09_AG9029FC_UN = 2, DISPLAY "meses".
ELSE, IF R09_AG9029FC_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AG9029FC_NN < 30 AND R09_AG9029FC_UN = 1) OR
(R09_AG9029FC_NN < 1 AND R09_AG9029FC_UN = 2) OR (R09_AG9029FC_NN > 18 AND
R09_AG9029FC_UN = 2) OR (R09_AG9029FC_NN > (R09_ACHIEVEDAGE - 10) AND
R09_AG9029FC_UN = 3).
ELSE, GO TO BOX R09_AGR30 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1023

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AG1022 días/días en que fumó], ¿cuántos [CIGARFILL]s normalmente fumó cada día?

-2 Menos de un cada día

1 |__|__| Cantidad de
[CIGARFILL]s cada día

-8 DON'T KNOW

GO TO BOX R09_AGR30

-7 REFUSED

GO TO BOX R09_AGR30

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R09_AG1023TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0.
FOR R09_AG1023CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0.
FOR R09_AG1023FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de [CIGARFILL]s cada día" AS A TITLE.

DISPLAY AS NUMERIC QUANTITY FIELD, WITH SPECIAL BUTTON "Menos de 1 cada día".

IF R09_AG1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "días en que fumó".

ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R09_AG1022[TC/CG/FC].

PROGRAM: Range check: 0-99.

PATH ID: R09_AG1023TC_LC1

Usted contestó que en los días en que ha fumado en los últimos 30 días, usted fumó [R09_AG1023TC] puros tradicionales cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1023TC

2 NEXT

GO TO BOX R09_AGR30

ASK: IF R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0 AND R09_AG1023TC > 20.

PROGRAM: TRIGGER CHECK IF R09_AG1023TC > 20.

ELSE, GO TO BOX R09_AGR30 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1023CG_LC1

Usted contestó que en los días en que ha fumado en los últimos 30 días, usted fumó [R09_AG1023CG] puritos cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1023CG

2 NEXT

GO TO BOX R09_AGR30

ASK: IF R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0 AND R09_AG1023CG > 20.

PROGRAM: TRIGGER CHECK IF R09_AG1023CG > 20.
ELSE, GO TO BOX R09_AGR30 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1023FC_LC1

Usted contestó que en los días en que ha fumado en los últimos 30 días, usted fumó [R09_AG1023FC] puros con filtro cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1023FC

2 NEXT

GO TO BOX R09_AGR30

ASK: IF R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0 AND R09_AG1023FC > 20.

PROGRAM: TRIGGER CHECK IF R09_AG1023FC > 20.
ELSE, GO TO BOX R09_AGR30 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR30

Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1024[TC/CG/FC].
Else, adult respondents who recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG9040[TC/CG/FC].

Else, go to the next section.

IF LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG1024TC.

ELSE, IF R09_GTRAD_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG9040TC.

ELSE, GO TO THE NEXT SECTION.

IF LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG1024CG.

ELSE, IF R09_GRILLO_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG9040CG.

ELSE, GO TO THE NEXT SECTION.

IF LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG1024FC.

ELSE, IF R09_GFILTR_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG9040FC.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1024

[En los días en que fuma [CIGARFILL]s, ¿qué/¿Qué tan pronto después de que se despierta fuma normalmente su primer [CIGARFILL] del día? Conteste con la cantidad de minutos o horas. Anote un número entero y seleccione una de las opciones a continuación.

1	I__I__I Minutos después de despertarse	
2	I__I__I Horas después de despertarse	
-8	DON'T KNOW	GO TO R09_AG1092[TC/CG/FC]
-7	REFUSED	GO TO R09_AG1092[TC/CG/FC]

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1024TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1024CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1024FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_AG1003TC = 1) OR (LOOP = GRILLO AND R09_AG1003CG = 1) OR (LOOP = GFILTR AND R09_AG1003FC = 1), DISPLAY "Qué".

ELSE, DISPLAY "En los días en que fuma [CIGARFILL]s, ¿qué".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

PATH ID: R09_AG1024TC_LC1

Usted contestó que normalmente fuma su primer puro tradicional del día [R09_AG1024TC_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AG1024TC
2	NEXT	GO TO R09_AG1024TC_LC2

ASK: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND ((R09_AG1003TC = 1 AND (R09_AG1024TC_NN > 60 AND R09_AG1024TC_UN = 1) OR (R09_AG1024TC_NN > 4 AND R09_AG1024TC_UN = 2)) OR (R09_AG1003TC != 1 AND (R09_AG1024TC_NN > 60 AND R09_AG1024TC_UN = 1) OR (R09_AG1024TC_NN > 12 AND R09_AG1024TC_UN = 2))).

DISPLAY: IF R09_AG1024TC_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AG1024TC_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF (R09_AG1003TC = 1 AND (R09_AG1024TC_NN > 60 AND R09_AG1024TC_UN = 1) OR (R09_AG1024TC_NN > 4 AND R09_AG1024TC_UN = 2)) OR (R09_AG1003TC != 1 AND (R09_AG1024TC_NN > 60 AND R09_AG1024TC_UN = 1) OR (R09_AG1024TC_NN > 12 AND R09_AG1024TC_UN = 2)).

ELSE, GO TO R09_AG1024TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1024TC_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer puro tradicional del día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1024TC
2 NEXT	GO TO BOX R09_AGR34

ASK: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1024TC_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AG1024TC_NN = 0.
ELSE, GO TO BOX R09_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1024CG_LC1

Usted contestó que normalmente fuma su primer purito del día [R09_AG1024CG_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1024CG
2 NEXT	GO TO R09_AG1024CG_LC2

ASK: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND ((R09_AG1003CG = 1 AND (R09_AG1024CG_NN > 60 AND R09_AG1024CG_UN = 1) OR (R09_AG1024CG_NN > 4 AND R09_AG1024CG_UN = 2)) OR (R09_AG1003CG != 1 AND (R09_AG1024CG_NN > 60 AND R09_AG1024CG_UN = 1) OR (R09_AG1024CG_NN > 12 AND R09_AG1024CG_UN = 2))).

DISPLAY: IF R09_AG1024TC_UN = 1, DISPLAY "minutos".
ELSE, IF R09_AG1024TC_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF (R09_AG1003CG = 1 AND (R09_AG1024CG_NN > 60 AND R09_AG1024CG_UN = 1) OR (R09_AG1024CG_NN > 4 AND R09_AG1024CG_UN = 2)) OR (R09_AG1003CG != 1 AND (R09_AG1024CG_NN > 60 AND R09_AG1024CG_UN = 1) OR (R09_AG1024CG_NN > 12 AND R09_AG1024CG_UN = 2)).
ELSE, GO TO R09_AG1024CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1024CG_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer purito del día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1024CG
2 NEXT	GO TO BOX R09_AGR34

ASK: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1024CG_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AG1024CG_NN = 0.
ELSE, GO TO BOX R09_AGR34 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1024FC_LC1

Usted contestó que normalmente fuma su primer puro con filtro del día [R09_AG1024FC_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1024FC

2 NEXT

GO TO R09_AG1024FC_LC2

ASK: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND ((R09_AG1003FC = 1 AND (R09_AG1024FC_NN > 60 AND R09_AG1024FC_UN = 1) OR (R09_AG1024FC_NN > 4 AND R09_AG1024FC_UN = 2)) OR (R09_AG1003FC != 1 AND (R09_AG1024FC_NN > 60 AND R09_AG1024FC_UN = 1) OR (R09_AG1024FC_NN > 12 AND R09_AG1024FC_UN = 2))).

DISPLAY: IF R09_AG1024TC_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AG1024TC_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF (R09_AG1003FC = 1 AND (R09_AG1024FC_NN > 60 AND R09_AG1024FC_UN = 1) OR (R09_AG1024FC_NN > 4 AND R09_AG1024FC_UN = 2)) OR (R09_AG1003FC != 1 AND (R09_AG1024FC_NN > 60 AND R09_AG1024FC_UN = 1) OR (R09_AG1024FC_NN > 12 AND R09_AG1024FC_UN = 2)).

ELSE, GO TO R09_AG1024FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1024FC_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted fuma su primer puro con filtro del día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1024FC

2 NEXT

GO TO BOX R09_AGR34

ASK: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1024FC_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AG1024FC_NN = 0.

ELSE, GO TO BOX R09_AGR34 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1092

[En los días en que fuma [CIGARFILL]s, ¿diría/¿Diría] usted que fuma su primer [CIGARFILL] del día durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: FOR R09_AG1092TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1024TC_NN = -8, -7.

FOR R09_AG1092CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1024CG_NN = -8, -7.

FOR R09_AG1092FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1024FC_NN = -8, -7.

DISPLAY: IF (LOOP = GTRAD AND R09_AG1003TC = 1) OR (LOOP = GRILLO AND R09_AG1003CG = 1) OR (LOOP = GFILTR AND R09_AG1003FC = 1), DISPLAY "¿Diría".

ELSE, DISPLAY "En los días en que fuma [CIGARFILL]s, ¿diría".

BOX ID: R09_AGR34

Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R09_AG0100[TC/CG/FC].
Else, go to Box R09_AGR14.

IF LOOP = GTRAD:

IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0), GO TO R09_AG0100TC.

ELSE, GO TO BOX R09_AGR14.

IF LOOP = GRILLO:

IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0), GO TO R09_AG0100CG.

ELSE, GO TO BOX R09_AGR14.

IF LOOP = GFILTR:

IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0), GO TO R09_AG0100FC.

ELSE, GO TO BOX R09_AGR14.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG0100

¿Cuándo fue la última vez que fumó un [CIGARFILL]?

1 Hace menos de una hora	GO TO R09_AG0103[TC/CG/FC]
2 Hoy, pero hace más de una hora	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO R09_AG1130[TC/CG/FC]
-8 DON'T KNOW	GO TO R09_AG1130[TC/CG/FC]
-7 REFUSED	GO TO R09_AG1130[TC/CG/FC]

ASK: Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R09_AG0100TC: IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0).

FOR R09_AG0100CG: IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0).

FOR R09_AG0100FC: IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG0102

La última vez que fumó un [[CIGARFILL] [FILL BASED ON R09_AG0100[TC/CG/FC]], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R09_AG0102TC: IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG0100TC = 2, 3, 4) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0 AND R09_AG0100TC = 2, 3, 4).

FOR R09_AG0102CG: IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG0100CG = 2, 3, 4) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0 AND R09_AG0100CG = 2, 3, 4).

FOR R09_AG0102FC: IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG0100FC = 2, 3, 4) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0 AND R09_AG0100FC = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R09_AG0100[TC/CG/FC]]:

IF R09_AG0100[TC/CG/FC] = 2, DISPLAY "hoy".

ELSE, IF R09_AG0100[TC/CG/FC] = 3, DISPLAY "ayer".

ELSE, IF R09_AG0100[TC/CG/FC] = 4, DISPLAY "hace dos días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG0103

¿Cuántos [CIGARFILL]s [ha fumado/fumó] [FILL BASED ON R09_AG0100][TC/CG/FC]]? (Si fumó menos de 1, anote 1.)

1 |__|__|__| Cantidad de
[CIGARFILL]s

-8 DON'T KNOW

GO TO R09_AG1130[TC/CG/FC]

-7 REFUSED

GO TO R09_AG1130[TC/CG/FC]

ASK: Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R09_AG0103TC: IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG0100TC = 1, 2, 3, 4) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0 AND R09_AG0100TC = 1, 2, 3, 4).

FOR R09_AG0103CG: IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG0100CG = 1, 2, 3, 4) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0 AND R09_AG0100CG = 1, 2, 3, 4).

FOR R09_AG0103FC: IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTER != 1 AND R09_AG0100FC = 1, 2, 3, 4) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTER != 1 AND R09_AG1022FC != 0 AND R09_AG0100FC = 1, 2, 3, 4).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de [CIGARFILL]s" AS A TITLE.

IF (R09_AG0100[TC/CG/FC] = 1, 2, DISPLAY "ha fumado" AND "".

ELSE, IF R09_AG0100[TC/CG/FC] = 3, 4, DISPLAY "fumó" AND "".

FOR [FILL BASED ON R09_AG0100[TC/CG/FC]]:

IF R09_AG0100[TC/CG/FC] = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AG0100[TC/CG/FC] = 3, DISPLAY "ayer".

ELSE, IF R09_AG0100[TC/CG/FC] = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG0103TC_LC1

Usted contestó que fumó [R09_AG0103TC] puros tradicionales [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG0103TC

2 NEXT

GO TO R09_AG1130TC

ASK: IF ((R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG0100TC = 1, 2, 3, 4) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0 AND R09_AG0100TC = 1, 2, 3, 4)) AND (R09_AG0103TC > 15 OR R09_AG0103TC = 11).

DISPLAY: IF R09_AG0100TC = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AG0100TC = 3, DISPLAY "ayer".

ELSE, IF R09_AG0100TC = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AG0103TC > 15 OR R09_AG0103TC = 11.

ELSE, GO TO R09_AG1130TC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG0103CG_LC1

Usted contestó que fumó [R09_AG0103CG] puritos [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG0103CG

2 NEXT

GO TO R09_AG1130CG

ASK: IF ((R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG0100CG = 1, 2, 3, 4) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0 AND R09_AG0100CG = 1, 2, 3, 4)) AND (R09_AG0103CG > 15 OR R09_AG0103CG = 11).

DISPLAY: IF R09_AG0100CG = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AG0100CG = 3, DISPLAY "ayer".

ELSE, IF R09_AG0100CG = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AG0103CG > 15 OR R09_AG0103CG = 11.

ELSE, GO TO R09_AG1130CG AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG0103FC_LC1

Usted contestó que fumó [R09_AG0103FC] puros con filtro [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG0103FC

2 NEXT

GO TO R09_AG1130FC

ASK: IF ((R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG100FC = 1, 2, 3, 4) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0 AND R09_AG100FC = 1, 2, 3, 4)) AND (R09_AG0103FC > 15 OR R09_AG0103FC = 11).

DISPLAY: IF R09_AG100FC = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AG100FC = 3, DISPLAY "ayer".

ELSE, IF R09_AG100FC = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AG0103FC > 15 OR R09_AG0103FC = 11.

ELSE, GO TO R09_AG1130FC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1130

En los últimos 30 días, ¿tenía alguno de los [CIGARFILL]s que fumó sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1 Sí

2 No

GO TO BOX R09_AGR14

3 No sé

GO TO BOX R09_AGR14

-7 REFUSED

GO TO BOX R09_AGR14

ASK: Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R09_AG1130TC: IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0).

FOR R09_AG1130CG: IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0).

FOR R09_AG1130FC: IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1131

¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R09_AG1131TC: IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1130TC = 1) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0 AND R09_AG1130TC = 1).

FOR R09_AG1131CG: IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1130CG = 1) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0 AND R09_AG1130CG = 1).

FOR R09_AG1131FC: IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1130FC = 1) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0 AND R09_AG1130FC = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1147

En los días en que fumó [CIGARFILL]s en los últimos 30 días, ¿con qué frecuencia fumó [CIGARFILL]s **con sabor**?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R09_AG1147TC: IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1130TC = 1) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1022TC != 0 AND R09_AG1130TC = 1).

FOR R09_AG1147CG: IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1130CG = 1) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0 AND R09_AG1130CG = 1).

FOR R09_AG1147FC: IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1130FC = 1) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0 AND R09_AG1130FC = 1).

DISPLAY: BOLD "con sabor".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR37

Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, go to R09_AG1133[TC/CG/FC].
Else, go to Box R09_AGR14.

IF LOOP = GTRAD:

IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1130TC = 1 AND (R09_AG1131TC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131TC_[01/.../09] = -8, -7)) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_AG1022TC != 0 AND R09_AG1130TC = 1 AND (R09_AG1131TC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131TC_[01/.../09] = -8, -7)), GO TO R09_AG1133TC.
ELSE, GO TO BOX R09_AGR14.

IF LOOP = GRILLO:

IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1130CG = 1 AND (R09_AG1131CG_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131CG_[01/.../09] = -8, -7)) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0 AND R09_AG1130CG = 1 AND (R09_AG1131CG_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131CG_[01/.../09] = -8, -7)), GO TO R09_AG1133CG.
ELSE, GO TO BOX R09_AGR14.

IF LOOP = GFILTR:

IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1130FC = 1 AND (R09_AG1131FC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131FC_[01/.../09] = -8, -7)) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0 AND R09_AG1130FC = 1 AND (R09_AG1131FC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131FC_[01/.../09] = -8, -7)), GO TO R09_AG1133FC.
ELSE, GO TO BOX R09_AGR14.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1133

En los últimos 30 días, ¿qué sabor de [CIGARFILL]s ha fumado con más frecuencia? Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and do not smoke traditional cigars/cigarillos/filtered cigars every day and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: FOR R09_AG1133TC: IF (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1130TC = 1 AND (R09_AG1131TC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131TC_[01/.../09] = -8, -7)) OR (R09_GTRAD_USER_STATUS = 1 AND R09_AG1003TC != 1 AND R09_AG1022TC != 0 AND R09_AG1130TC = 1 AND (R09_AG1131TC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131TC_[01/.../09] = -8, -7)).

FOR R09_AG1133CG: IF (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1130CG = 1 AND (R09_AG1131CG_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131CG_[01/.../09] = -8, -7)) OR (R09_GRILLO_USER_STATUS = 1 AND R09_AG1003CG != 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1022CG != 0 AND R09_AG1130CG = 1 AND (R09_AG1131CG_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131CG_[01/.../09] = -8, -7)).

FOR R09_AG1133FC: IF (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1130FC = 1 AND (R09_AG1131FC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131FC_[01/.../09] = -8, -7)) OR (R09_GFILTR_USER_STATUS = 1 AND R09_AG1003FC != 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1022FC != 0 AND R09_AG1130FC = 1 AND (R09_AG1131FC_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AG1131FC_[01/.../09] = -8, -7)).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR14

Adult 18-20 year old respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1142[TC/CG/FC].

Else, go to R09_AG1030[TC/CG/FC].

IF LOOP = GTRAD:

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG1142TC.

ELSE, GO TO R09_AG1030TC.

IF LOOP = GRILLO:

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG1142CG.

ELSE, GO TO R09_AG1030CG.

IF LOOP = GFILTR:

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG1142FC.

ELSE, GO TO R09_AG1030FC.

PATH ID: R09_AG1142

Las siguientes preguntas son acerca de su experiencia al comprar [CIGARFILL]s.

En los últimos 30 días, ¿le vendió alguien [CIGARFILL]s?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1142TC: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1142CG: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1142FC: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1123

En los últimos 30 días, ¿le negó alguien la venta de [CIGARFILL]s debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar [CIGARFILL]s en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1123TC: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1123CG: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1123FC: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1.

PATH ID: R09_AG1030

[Las siguientes preguntas son acerca de su experiencia al comprar [CIGARFILL]s.

]Normalmente, ¿cómo compra sus [CIGARFILL]s?

1 En persona (en una tienda o bar de fumadores)	GO TO R09_AG1032[TC/CG/FC]
2 En Internet	GO TO R09_AG1039[TC/CG/FC]
3 Por teléfono	GO TO R09_AG1039[TC/CG/FC]
4 No compro mis propios [CIGARFILL]s	
-8 DON'T KNOW	GO TO R09_AG9040[TC/CG/FC]
-7 REFUSED	GO TO R09_AG9040[TC/CG/FC]

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1030TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1030CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1030FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar [CIGARFILL]s."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1118

¿Cómo obtiene normalmente [CIGARFILL]s para usted?

1	Le doy dinero a otra persona para que me los compre	
2	Le pido a una persona que me dé uno	GO TO R09_AG9040[TC/CG/FC]
3	Alguien me lo ofrece	GO TO R09_AG9040[TC/CG/FC]
4	Me los llevo de una tienda o se los quito a alguien sin que se den cuenta	GO TO R09_AG9040[TC/CG/FC]
5	Los obtengo de otra manera (ESPECIFIQUE)	GO TO R09_AG9040[TC/CG/FC]
-8	DON'T KNOW	GO TO R09_AG9040[TC/CG/FC]
-7	REFUSED	GO TO R09_AG9040[TC/CG/FC]

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and do not buy their own traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG1118TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1030TC = 4.

FOR R09_AG1118CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1030CG = 4.

FOR R09_AG1118FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1030FC = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AG1032

Normalmente, ¿[le compran/compra] [CIGARFILL]s...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person or give someone else money to buy for them.

ASK Specification: FOR R09_AG1032TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1 OR R09_AG1118TC = 1).

FOR R09_AG1032CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1 OR R09_AG1118CG = 1).

FOR R09_AG1032FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1 OR R09_AG1118FC = 1).

DISPLAY: IF R09_AG1118[TC/CG/FC] = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1033

¿Dónde [le compran/compra] [CIGARFILL]s para usted la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 1 Un bar de fumadores
- 2 Una tienda de conveniencia o estación de gasolina
- 3 Un supermercado, tienda de comestibles o farmacia
- 4 Una tienda mayorista como Sam's o Costco
- 5 Una tienda especializada o un almacén de tabaco o una tabaquería
- 6 Una tienda libre de impuestos o un economato militar
- 7 Un bar, restaurante, casino o una taberna
- 8 Un amigo o familiar
- 9 Un mercadillo o mercado de pulgas
- 10 Una tienda de licores
- 11 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person or give someone else money to buy for them.

ASK Specification: FOR R09_AG1033TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1 OR R09_AG1118TC = 1).
FOR R09_AG1033CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1 OR R09_AG1118CG = 1).
FOR R09_AG1033FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1 OR R09_AG1118FC = 1).

DISPLAY: IF R09_AG1118[TC/CG/FC] = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1039

[Piense en la última vez que le dio dinero a alguien para que le compre [CIGARFILL]s .]¿Compra normalmente [CIGARFILL]s por caja o paquete o como [CIGARFILL]s sueltos?

- 1 Caja o paquete
- 2 [CIGARFILL]s sueltos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: FOR R09_AG1039TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1).
FOR R09_AG1039CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1).
FOR R09_AG1039FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1).

DISPLAY: IF R09_AG1118[TC/CG/FC] = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre [CIGARFILL]s. ".
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR58

Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack, go to R09_AG1040[TC/CG/FC].

Else, adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy single traditional cigars/cigarillos/filtered cigars, go to R09_AG1043[TC/CG/FC].

Else, go to R09_AG9040[TC/CG/FC].

IF LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1) AND R09_AG1039TC = 1, GO TO R09_AG1040TC.

ELSE, IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1) AND R09_AG1039TC = 2, GO TO R09_AG1043TC.

ELSE, GO TO R09_AG9040TC.

IF LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1) AND R09_AG1039CG = 1, GO TO R09_AG1040CG.

ELSE, IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1) AND R09_AG1039CG = 2, GO TO R09_AG1043CG.

ELSE, GO TO R09_AG9040CG.

IF LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1) AND R09_AG1039FC = 1, GO TO R09_AG1040FC.

ELSE, IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1) AND R09_AG1039FC = 2, GO TO R09_AG1043FC.

ELSE, GO TO R09_AG9040FC.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1040

¿Cuántos [CIGARFILL]s vienen en la caja o paquete que compra normalmente?

- 1 |__|__|__| Cantidad de [CIGARFILL]s
 -8 DON'T KNOW
 -7 REFUSED

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R09_AG1040TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1) AND R09_AG1039TC = 1.

FOR R09_AG1040CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1) AND R09_AG1039CG = 1.

FOR R09_AG1040FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1) AND R09_AG1039FC = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de [CIGARFILL]s" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AG1040TC_LC1

Usted contestó que vienen [R09_AG1040TC] puros tradicionales en la caja o paquete que usted compra normalmente. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1040TC
2 NEXT	GO TO R09_AG1042TC

ASK: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1) AND R09_AG1039TC = 1 AND R09_AG1040TC > 50.

PROGRAM: TRIGGER CHECK IF R09_AG1040TC > 50.

ELSE, GO TO R09_AG1042TC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1040CG_LC1

Usted contestó que vienen [R09_AG1040CG] puritos en la caja o paquete que usted compra normalmente. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1040CG

2 NEXT

GO TO R09_AG1042CG

ASK: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1) AND R09_AG1039CG = 1 AND R09_AG1040CG > 20.

PROGRAM: TRIGGER CHECK IF R09_AG1040CG > 20.

ELSE, GO TO R09_AG1042CG AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1040FC_LC1

Usted contestó que vienen [R09_AG1040FC] puros con filtro en la caja o paquete que usted compra normalmente. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1040FC

2 NEXT

GO TO R09_AG1042FC

ASK: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1) AND R09_AG1039FC = 1 AND R09_AG1040FC > 100.

PROGRAM: TRIGGER CHECK IF R09_AG1040FC > 100.

ELSE, GO TO R09_AG1042FC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1042

¿Cuánto paga normalmente por una caja o paquete de [CIGARFILL]s?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

GO TO R09_AG9040[TC/CG/
FC]

-7 REFUSED

GO TO R09_AG9040[TC/CG/
FC]

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R09_AG1042TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1) AND R09_AG1039TC = 1.

FOR R09_AG1042CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1) AND R09_AG1039CG = 1.

FOR R09_AG1042FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1) AND R09_AG1039FC = 1.

DISPLAY: ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AG1042TC_LC1

Usted contestó que normalmente paga \$[R09_AG1042TC] por una caja de puros tradicionales. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1042TC

2 NEXT

GO TO R09_AG9040TC

ASK: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1) AND R09_AG1039TC = 1 AND (R09_AG1042TC > 300.00 OR R09_AG1042TC < 10.00).

PROGRAM: TRIGGER CHECK IF R09_AG1042TC > 300.00 OR R09_AG1042TC < 10.00.

ELSE, GO TO R09_AG9040TC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1042CG_LC1

Usted contestó que normalmente paga \$[R09_AG1042CG] por una caja de puritos. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1042CG

2 NEXT

GO TO R09_AG9040CG

ASK: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1) AND R09_AG1039CG = 1 AND (R09_AG1042CG > 11.00 OR R09_AG1042CG < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AG1042CG > 11.00 OR R09_AG1042CG < 1.00.
ELSE, GO TO R09_AG9040CG AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1042FC_LC1

Usted contestó que normalmente paga \$[R09_AG1042FC] por una caja de puros con filtro. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1042FC

2 NEXT

GO TO R09_AG9040FC

ASK: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1) AND R09_AG1039FC = 1 AND (R09_AG1042FC > 100.00 OR R09_AG1042FC < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AG1042FC > 100.00 OR R09_AG1042FC < 1.00.
ELSE, GO TO R09_AG9040FC AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1043

¿Cuánto paga normalmente por un [CIGARFILL] suelto?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone or give someone else money to buy for them, and usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG1043TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1) AND R09_AG1039TC = 2.

FOR R09_AG1043CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1) AND R09_AG1039CG = 2.

FOR R09_AG1043FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1) AND R09_AG1039FC = 2.

DISPLAY: ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AG1043TC_LC1

Usted contestó que normalmente paga \$[R09_AG1043TC] por un puro tradicional suelto. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1043TC

2 NEXT

GO TO R09_AG9040TC

ASK: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND (R09_AG1030TC = 1, 2, 3 OR R09_AG1118TC = 1) AND R09_AG1039TC = 2 AND (R09_AG1043TC > 15.00 OR R09_AG1043TC < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AG1043TC > 15.00 OR R09_AG1043TC < 1.00.
ELSE, GO TO R09_AG9040TC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1043CG_LC1

Usted contestó que normalmente paga \$[R09_AG1043CG] por un purito suelto. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1043CG

2 NEXT

GO TO R09_AG9040CG

ASK: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND (R09_AG1030CG = 1, 2, 3 OR R09_AG1118CG = 1) AND R09_AG1039CG = 2 AND (R09_AG1043CG > 3.00 OR R09_AG1043CG < 0.50).

PROGRAM: TRIGGER CHECK IF R09_AG1043CG > 3.00 OR R09_AG1043CG < 0.50.
ELSE, GO TO R09_AG9040CG AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1043FC_LC1

Usted contestó que normalmente paga \$[R09_AG1043FC] por un puro con filtro suelto. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1043FC

2 NEXT

GO TO R09_AG9040FC

ASK: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND (R09_AG1030FC = 1, 2, 3 OR R09_AG1118FC = 1) AND R09_AG1039FC = 2 AND (R09_AG1043FC > 3.00 OR R09_AG1043FC < 0.50).

PROGRAM: TRIGGER CHECK IF R09_AG1043FC > 3.00 OR R09_AG1043FC < 0.50.
ELSE, GO TO R09_AG9040FC AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG9040

Por favor, mire esta imagen. ¿Qué grupo se parece más al [CIGARFILL] que usted [fuma normalmente/ fumó la última vez]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

1 Grupo 1

2 Grupo 2

3 Grupo 3

4 Grupo 4

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG9040TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG9040CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG9040FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1),
DISPLAY "fuma normalmente".

ELSE, DISPLAY "fumó la última vez".

IMAGE: SHOW GENERIC IMAGE OF 4 CIGAR GROUPS.

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1047

¿[Tiene/Tenía] una marca habitual de [[CIGARFILL]s] que normalmente [fuma/fumaba]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1047TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1047CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1047FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "Tiene", "fuma" AND "[CIGARFILL]s".

ELSE, DISPLAY "Tenía", "fumaba" AND "[CIGARFILL]s".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1050

[Su marca habitual/La última marca] que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1 Sí	
2 No	GO TO R09_AG1945[TC/CG/FC]
3 No sé	GO TO R09_AG1945[TC/CG/FC]
-7 REFUSED	GO TO R09_AG1945[TC/CG/FC]

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1050TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1050CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1050FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF R09_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)), DISPLAY "Su marca habitual", "fuma", AND "tiene".

ELSE, IF R09_AG1047[TC/CG/FC] = 2, -8, -7 AND ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)), DISPLAY "La última marca", "fumaba", AND "tenía".

ELSE, IF ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 4) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 4) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 4) AND R09_AG1047[TC/CG/FC] = 1, DISPLAY "Su marca habitual", "fumaba", AND "tenía".

ELSE, IF ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 4) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 4) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 4)) AND R09_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "La última marca", "fumaba", AND "tenía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1012

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: FOR R09_AG1012TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1050TC = 1.

FOR R09_AG1012CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1050CG = 1.

FOR R09_AG1012FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1050FC = 1.

DISPLAY: IF R09_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)), DISPLAY "es".

ELSE, DISPLAY "era".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1945

¿Sabe el **nombre de la marca** de [CIGARFILL]s que [fuma normalmente/fumó normalmente/fumó la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1945TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1945CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1945FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF R09_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)), DISPLAY "fuma normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 1, DISPLAY "fumó normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó la última vez".

BOLD "nombre de la marca".

BOX ID: R09_AGR33

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, go to Box R09_AGD48.

Else, go to Box R09_AGR16.

IF LOOP = GTRAD:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1, GO TO BOX R09_AGD48.

ELSE, GO TO BOX R09_AGR16.

IF LOOP = GRILLO:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1, GO TO BOX R09_AGD48.

ELSE, GO TO BOX R09_AGR16.

IF LOOP = GFILTR:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1, GO TO BOX R09_AGD48.

ELSE, GO TO BOX R09_AGR16.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AG1048[TC/CG/FC] and R09_AG1049[TC/CG/FC] on one screen.

Show the question text from R09_AG1048[TC/CG/FC] at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AG1049[TC/CG/FC], and 5) text entry for R09_AG1049[TC/CG/FC].

PATH ID: R09_AG1048

¿Qué marca de [CIGARFILL] [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: FOR R09_AG1048TC_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1.

FOR R09_AG1048CG_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1.

FOR R09_AG1048FC_BRAND: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1.

DISPLAY: IF R09_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)), DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 1, DISPLAY "fumaba" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AG1049[TC/CG/FC], set R09_AG1048[TC/CG/FC]_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1049

¿No vio su marca?

Escriba el nombre de la marca de [CIGARFILL] que [fuma/fumó] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: FOR R09_AG1049TC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1.

FOR R09_AG1049CG: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1.

FOR R09_AG1049FC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1.

DISPLAY: BOLD "No vio su marca?" AND "deseleccionarán".

IF R09_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)), DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, DISPLAY "fumó la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AG1049[TC/CG/FC], set R09_AG1048[TC/CG/FC]_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR16

Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, go to R09_AG2048[TC/CG/FC].
Else, go to Box R09_AGR102.

IF LOOP = GTRAD:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1, GO TO R09_AG2048TC.
ELSE, GO TO BOX R09_AGR102.

IF LOOP = GRILLO:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1, GO TO R09_AG2048CG.
ELSE, GO TO BOX R09_AGR102.

IF LOOP = GFILTR:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1, GO TO R09_AG2048FC.
ELSE, GO TO BOX R09_AGR102.

PATH ID: R09_AG2048

¿Qué marca de [CIGARFILL] [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

9995 Otra

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: FOR R09_AG2048TC_BRAND: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1.

FOR R09_AG2048CG_BRAND: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1.

FOR R09_AG2048FC_BRAND: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1.

DISPLAY: IF R09_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)), DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR101

Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R09_AG2049[TC/CG/FC].

Else, go to Box R09_AGR102.

FOR LOOP = GTRAD:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1 AND R09_AG2048TC_BRAND = 9995, GO TO R09_AG2049TC.

ELSE, GO TO BOX R09_AGR102.

FOR LOOP = GRILLO:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1 AND R09_AG2048CG_BRAND = 9995, GO TO R09_AG2049CG.

ELSE, GO TO BOX R09_AGR102.

FOR LOOP = GFILTR:

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1 AND R09_AG2048FC_BRAND = 9995, GO TO R09_AG2049FC.

ELSE, GO TO BOX R09_AGR102.

PATH ID: R09_AG2049

Usted dijo que su marca no estaba en las opciones. ¿Qué marca es?

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG2049TC: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1 AND R09_AG2048TC_BRAND = 9995.

FOR R09_AG2049CG: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1 AND R09_AG2048CG_BRAND = 9995.

FOR R09_AG2049FC: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1 AND R09_AG2048FC_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars, go to Box R09_AGD70.

Else, go to Box R09_AGR17.

FOR LOOP = GTRAD:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC
= 1 AND R09_AG1048TC_BRAND != 9995, -8, -7, GO TO BOX R09_AGD70.

ELSE, GO TO BOX R09_AGR17.

FOR LOOP = GRILLO:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R09_AG1945CG = 1 AND R09_AG1048CG_BRAND != 9995, -8, -7, GO TO BOX R09_AGD70.

ELSE, GO TO BOX R09_AGR17.

FOR LOOP = GFILTR:

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC
= 1 AND R09_AG1048FC_BRAND != 9995, -8, -7, GO TO BOX R09_AGD70.

ELSE, GO TO BOX R09_AGR17.

BOX ID: R09_AGD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AG1070[TC/CG/FC] and R09_AG1071
[TC/CG/FC] on one screen.

Show the question text from R09_AG1070[TC/CG/FC] at the top of the screen. Then allow vertical
scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question
text for R09_AG1071[TC/CG/FC], and 5) text entry for R09_AG1071[TC/CG/FC].

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó]
[normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG1070TC_PRODUCT: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1 AND R09_AG1048TC_BRAND != 9995, -8, -7.

FOR R09_AG1070CG_PRODUCT: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1 AND R09_AG1048CG_BRAND != 9995, -8, -7.

FOR R09_AG1070FC_PRODUCT: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1 AND R09_AG1048FC_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AG1048[TC/CG/FC]_BRAND.

IF R09_AG1047[TC/CG/FC] = 1 AND (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN.

If text is entered in R09_AG1071[TC/CG/FC], set R09_AG1070[TC/CG/FC]_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1071

¿No vio su producto?

Escriba el tipo de [BRANDFILL] que [fuma/fumó] [normalmente/la última vez].

*Al escribir el texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG1071TC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1 AND R09_AG1048TC_BRAND != 9995, -8, -7.

FOR R09_AG1071CG: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1 AND R09_AG1048CG_BRAND != 9995, -8, -7.

FOR R09_AG1071FC: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1 AND R09_AG1048FC_BRAND != 9995, -8, -7.

DISPLAY: BOLD "¿No vio su producto?" AND "deseleccionarán".

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AG1048[TC/CG/FC]_BRAND.

IF ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)) AND R09_AG1047[TC/CG/FC] = 1, DISPLAY "fuma" AND "normalmente". ELSE, IF R09_AG1047[TC/CG/FC] = 1, DISPLAY "fuma" AND "normalmente".

ELSE, DISPLAY "fumó" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AG1071[TC/CG/FC], set R09_AG1070[TC/CG/FC]_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR17

Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R09_AG2070[TC/CG/FC].

Else, go to Box R09_AGR31.

IF LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND
R09_AG1945TC = 1 AND R09_AG2048TC_BRAND != 9995, -8, -7, GO TO R09_AG2070TC.
ELSE, GO TO BOX R09_AGR31.

IF LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R09_AG1945CG = 1 AND R09_AG2048CG_BRAND != 9995, -8, -7, GO TO R09_AG2070CG.
ELSE, GO TO BOX R09_AGR31.

IF LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND
R09_AG1945FC = 1 AND R09_AG2048FC_BRAND != 9995, -8, -7, GO TO R09_AG2070FC.
ELSE, GO TO BOX R09_AGR31.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG2070

Usted seleccionó [BRANDFILL] como su marca.

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

99995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG2070TC_PRODUCT: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1 AND R09_AG2048TC_BRAND != 9995, -8, -7.

FOR R09_AG2070CG_PRODUCT: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1 AND R09_AG2048CG_BRAND != 9995, -8, -7.

FOR R09_AG2070FC_PRODUCT: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1 AND R09_AG2048FC_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AG2048[TC/CG/FC]_BRAND.

IF R09_AG1047[TC/CG/FC] = 1 AND (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)), DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR103

Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars, go to R09_AG2070[TC/CG/FC]_CONF.

Else, adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their sub-brand of traditional cigars/cigarillos/filtered cigars, go to R09_AG2071.

Else, go to Box R09_AGR31.

FOR LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND

R09_AG1945TC = 1 AND R09_AG2048TC_BRAND != 9995, -8, -7 AND

R09_AG2070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AG2070TC_CONF.

ELSE, IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND

R09_AG1945TC = 1 AND R09_AG2048TC_BRAND != 9995, -8, -7 AND R09_AG2070TC_PRODUCT = 99995, GO TO R09_AG2071TC.

ELSE, GO TO BOX R09_AGR31.

FOR LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND

R09_AG1945CG = 1 AND R09_AG2048CG_BRAND != 9995, -8, -7 AND

R09_AG2070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AG2070CG_CONF.

ELSE, IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND

R09_AG1945CG = 1 AND R09_AG2048CG_BRAND != 9995, -8, -7 AND R09_AG2070CG_PRODUCT = 99995, GO TO R09_AG2071CG.

ELSE, GO TO BOX R09_AGR31.

FOR LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND

R09_AG1945FC = 1 AND R09_AG2048FC_BRAND != 9995, -8, -7 AND

R09_AG2070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AG2070FC_CONF.

ELSE, IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND

R09_AG1945FC = 1 AND R09_AG2048FC_BRAND != 9995, -8, -7 AND R09_AG2070FC_PRODUCT = 99995, GO TO R09_AG2071FC.

ELSE, GO TO BOX R09_AGR31.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG2070_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor seleccione el botón que dice ATRÁS y vuelva a seleccionar su marca.

[SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS]

1 BACK

GO TO R09_AG2070[TC/CG/
FC]

2 NEXT

GO TO BOX R09_AGR31

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG2070TC_CONF: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1 AND R09_AG2048TC_BRAND != 9995, -8, -7 AND R09_AG2070TC_PRODUCT != 99990, 99995, -8, -7.

FOR R09_AG2070CG_CONF: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1 AND R09_AG2048CG_BRAND != 9995, -8, -7 AND R09_AG2070CG_PRODUCT != 99990, 99995, -8, -7.

FOR R09_AG2070FC_CONF: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1 AND R09_AG2048FC_BRAND != 9995, -8, -7 AND R09_AG2070FC_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: FILL [NEQBRAND] WITH RESPONSE TO R09_AG2070 [TC/CG/FC]_PRODUCT.

PROGRAM: SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG2071

Usted dijo que el tipo de [BRANDFILL] que [fuma/fumaba] no aparece en la lista. ¿Qué tipo es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their sub-brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG2071TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1945TC = 1 AND R09_AG2048TC_BRAND != 9995, -8, -7 AND R09_AG2070TC_PRODUCT = 99995.

FOR R09_AG2071CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1945CG = 1 AND R09_AG2048CG_BRAND != 9995, -8, -7 AND R09_AG2070CG_PRODUCT = 99995.

FOR R09_AG2071FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1945FC = 1 AND R09_AG2048FC_BRAND != 9995, -8, -7 AND R09_AG2070FC_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R09_AG2048[TC/CG/FC]_BRAND.
IF ((LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1)) AND R09_AG1047[TC/CG/FC] = 1, DISPLAY "fuma".
ELSE, DISPLAY "fumaba".

BOX ID: R09_AGR31

Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R09_AG1051[TC/CG/FC].
Else, go to Box R09_AGR29.

IF LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1047TC = 1, GO TO R09_AG1051TC.
ELSE, GO TO BOX R09_AGR29.

IF LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1047CG = 1, GO TO R09_AG1051CG.
ELSE, GO TO BOX R09_AGR29.

IF LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1047FC = 1, GO TO R09_AG1051FC.
ELSE, GO TO BOX R09_AGR29.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1051

Aproximadamente, ¿cuánto tiempo [fumó/lleva fumando] su marca habitual de [CIGARFILL]? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Meses
- 3 |__|__| Años
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG1051TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1047TC = 1.

FOR R09_AG1051CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1047CG = 1.

FOR R09_AG1051FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1047FC = 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AG1051TC_LC1

Usted contestó que [lleva fumando/fumó] su marca habitual de puros tradicionales por [R09_AG1051TC_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1051TC
2 NEXT	GO TO R09_AG1051TC_LC2

ASK: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1047TC = 1 AND R09_AG1051TC_NN > R09_ACHIEVEDAGE AND R09_AG1051TC_UN = 3.

DISPLAY: IF R09_GTRAD_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AG1051TC_NN > R09_ACHIEVEDAGE AND R09_AG1051TC_UN = 3.

ELSE, GO TO R09_AG1051TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1051TC_LC2

Usted contestó "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de puros tradicionales. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1051TC
2 NEXT	GO TO BOX R09_AGR29

ASK: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1047TC = 1 AND R09_AG1051TC_NN = 0.

DISPLAY: IF R09_GTRAD_USER_STATUS = 1, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AG1051TC_NN = 0.
ELSE, GO TO BOX R09_AGR29 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1051CG_LC1

Usted contestó que [lleva fumando/fumó] su marca habitual de purito por [R09_AG1051CG_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1051CG
2 NEXT	GO TO R09_AG1051CG_LC2

ASK: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1047CG = 1 AND R09_AG1051CG_NN > R09_ACHIEVEDAGE AND R09_AG1051CG_UN = 3.

DISPLAY: IF R09_GRILLO_USER_STATUS = 1, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AG1051CG_NN > R09_ACHIEVEDAGE AND R09_AG1051CG_UN = 3.
ELSE, GO TO R09_AG1051CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1051CG_LC2

Usted contestó "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de purito. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AG1051CG
2 NEXT	GO TO BOX R09_AGR29

ASK: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1047CG = 1 AND R09_AG1051CG_NN = 0.

DISPLAY: IF R09_GRILLO_USER_STATUS = 1, DISPLAY "lleva fumando".
ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AG1051CG_NN = 0.
ELSE, GO TO BOX R09_AGR29 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1051FC_LC1

Usted contestó que [lleva fumando/fumó] su marca habitual de puro con filtro por [R09_AG1051FC_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1051FC

2 NEXT

GO TO R09_AG1051FC_LC2

ASK: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1047FC = 1 AND R09_AG1051FC_NN > R09_ACHIEVEDAGE AND R09_AG1051FC_UN = 3.

DISPLAY: IF R09_GFILTR_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AG1051FC_NN > R09_ACHIEVEDAGE AND R09_AG1051FC_UN = 3.

ELSE, GO TO R09_AG1051FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AG1051FC_LC2

Usted contestó "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de puro con filtro. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AG1051FC

2 NEXT

GO TO BOX R09_AGR29

ASK: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1047FC = 1 AND R09_AG1051FC_NN = 0.

DISPLAY: IF R09_GFILTR_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AG1051FC_NN = 0.

ELSE, GO TO BOX R09_AGR29 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR29

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars, or adult respondents who are completing a web interview on a mobile device and are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars, go to R09_AG0104[TC/CG/FC].

Else, go to Box R09_AGD03.

IF LOOP = GTRAD:

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG0100TC = 1, 2, 3, 4 AND R09_AG1945TC = 1 AND R09_AG1048TC_BRAND != 9995, -8, -7 AND R09_AG1070TC_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG0100TC = 1, 2, 3, 4 AND R09_AG1945TC = 1 AND R09_AG2048TC_BRAND != 9995, -8, -7 AND R09_AG2070TC_PRODUCT != 99990, 99995, -8, -7), GO TO R09_AG0104TC.
ELSE, GO TO BOX R09_AGD03.

IF LOOP = GRILLO:

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG0100CG = 1, 2, 3, 4 AND R09_AG1945CG = 1 AND R09_AG1048CG_BRAND != 9995, -8, -7 AND R09_AG1070CG_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG0100CG = 1, 2, 3, 4 AND R09_AG1945CG = 1 AND R09_AG2048CG_BRAND != 9995, -8, -7 AND R09_AG2070CG_PRODUCT != 99990, 99995, -8, -7), GO TO R09_AG0104CG.
ELSE, GO TO BOX R09_AGD03.

IF LOOP = GFILTR:

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG0100FC = 1, 2, 3, 4 AND R09_AG1945FC = 1 AND R09_AG1048FC_BRAND != 9995, -8, -7 AND R09_AG1070FC_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG0100FC = 1, 2, 3, 4 AND R09_AG1945FC = 1 AND R09_AG2048FC_BRAND != 9995, -8, -7 AND R09_AG2070FC_PRODUCT != 99990, 99995, -8, -7), GO TO R09_AG0104FC.
ELSE, GO TO BOX R09_AGD03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG0104

Usted dijo anteriormente que fumó un [CIGARFILL] [TIME OF LAST USE].

Piense en el último [CIGARFILL] que fumó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars, or
Adult respondents who are completing a web interview on a mobile device and are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and sub-brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R09_AG0104TC: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG0100TC = 1, 2, 3, 4 AND R09_AG1945TC = 1 AND R09_AG1048TC_BRAND != 9995, -8, -7 AND R09_AG1070TC_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG0100TC = 1, 2, 3, 4 AND R09_AG1945TC = 1 AND R09_AG2048TC_BRAND != 9995, -8, -7 AND R09_AG2070TC_PRODUCT != 99990, 99995, -8, -7).
FOR R09_AG0104CG: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG0100CG = 1, 2, 3, 4 AND R09_AG1945CG = 1 AND R09_AG1048CG_BRAND != 9995, -8, -7 AND R09_AG1070CG_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG0100CG = 1, 2, 3, 4 AND R09_AG1945CG = 1 AND R09_AG2048CG_BRAND != 9995, -8, -7 AND R09_AG2070CG_PRODUCT != 99990, 99995, -8, -7).
FOR R09_AG0104FC: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG0100FC = 1, 2, 3, 4 AND R09_AG1945FC = 1 AND R09_AG1048FC_BRAND != 9995, -8, -7 AND R09_AG1070FC_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG0100FC = 1, 2, 3, 4 AND R09_AG1945FC = 1 AND R09_AG2048FC_BRAND != 9995, -8, -7 AND R09_AG2070FC_PRODUCT != 99990, 99995, -8, -7).

DISPLAY: IF R09_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R09_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R09_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R09_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL [NEQBRAND] WITH R09_AG1070[TC/CG/FC]_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AG2070[TC/CG/FC]_PRODUCT RESPONSE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGD03

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER:
R09_AG1060[TC/CG/FC], R09_AG1085[TC/CG/FC], R09_AG1062[TC/CG/FC], R09_AG1075[TC/CG/FC], R09_AG1063[TC/CG/FC], (R09_AG1064[TC/CG/FC]), R09_AG1066[TC/CG/FC], (R09_AG1077[TC/CG/FC]).

CONDITIONAL LEAVES: R09_AG1064[TC/CG/FC], R09_AG1077[TC/CG/FC]. (See routing boxes for details: R09_AGR15, R09_AGR59.)

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AG1060[TC/CG/FC] is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AG1060[TC/CG/FC] on each screen. Randomize the order.

PATH ID: R09_AG1060

Las siguientes preguntas son acerca de las razones por las que la gente fuma [CIGARFILL]s. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba [CIGARFILL]s]. [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

[Fumo/Fumaba] [CIGARFILL]s porque...

[Son/Eran] económicos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1060TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1060CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1060FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "aplican a usted", "Fumo" AND "Son".

ELSE, DISPLAY "aplicaban a usted cuando fumaba [CIGARFILL]", "Fumaba" AND "Eran".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1085

[Puedo/Podía] fumar [CIGARFILL]s en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1085TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1085CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1085FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1),
DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

PATH ID: R09_AG1062

Podrían [ser/haber sido] menos dañinos para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1062TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1062CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1062FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND

R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1),
DISPLAY "ser".

ELSE, DISPLAY "haber sido".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1075

Podrían [ser/haber sido] menos dañinos que fumar cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1075TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1075CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1075FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "ser".

ELSE, DISPLAY "haber sido".

PATH ID: R09_AG1063

Los [CIGARFILL]s [vienen/venían] en sabores que me [gustan/gustaban].

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1063TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1063CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1063FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "vienen" AND "gustan".

ELSE, DISPLAY "venía" AND "gustaban".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR15

Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current or recent former cigarette smokers, go to R09_AG1064[TC/CG/FC].
Else, go to R09_AG1066[TC/CG/FC].

IF LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND
R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1064TC.
ELSE, GO TO R09_AG1066TC.

IF LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND
R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1064CG.
ELSE, GO TO R09_AG1066CG.

IF LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND
R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1064FC.
ELSE, GO TO R09_AG1066FC.

PATH ID: R09_AG1064

Fumar [CIGARFILL]s le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current or recent former cigarette smokers.

ASK Specification: FOR R09_AG1064TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND
R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_CIG_USER_STATUS = 1, 4.
FOR R09_AG1064CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND
R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_CIG_USER_STATUS = 1, 4.
FOR R09_AG1064FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND
R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_CIG_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1066

Fumar [CIGARFILL] [se siente/se sentía] como si estuviese fumando un cigarrillo tradicional.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1066TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1066CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1066FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "se siente".

ELSE, DISPLAY "se sentía".

BOX ID: R09_AGR59

Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current or recent former cigarette smokers, go to R09_AG1077[TC/CG/FC].

Else, go to Box R09_AGR28.

IF LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1077TC.

ELSE, GO TO BOX R09_AGR28.

IF LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1077CG.

ELSE, GO TO BOX R09_AGR28.

IF LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1077FC.

ELSE, GO TO BOX R09_AGR28.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1077

Fumar [CIGARFILL]s [satisface/satisfacía] mi deseo de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current or recent former cigarette smokers.

ASK Specification: FOR R09_AG1077TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_CIG_USER_STATUS = 1, 4.
FOR R09_AG1077CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_CIG_USER_STATUS = 1, 4.
FOR R09_AG1077FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1),
DISPLAY "satisface".
ELSE, DISPLAY "satisfacía".

BOX ID: R09_AGR28

Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current or recent former cigarette smokers, go to R09_AG1080[TC/CG/FC].
Else, go to R09_AG1139[TC/CG/FC].

IF LOOP = GTRAD:
IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1080TC.
ELSE, GO TO R09_AG1139TC.

IF LOOP = GRILLO:
IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1080CG.
ELSE, GO TO R09_AG1139CG.

IF LOOP = GFILTR:
IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AG1080FC.
ELSE, GO TO R09_AG1139FC.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1080

¿[Fuma/Fumaba] [CIGARFILL]s como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current or recent former cigarette smokers.

ASK Specification: FOR R09_AG1080TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_CIG_USER_STATUS = 1, 4.
FOR R09_AG1080CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_CIG_USER_STATUS = 1, 4.
FOR R09_AG1080FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1),
DISPLAY "Fuma".
ELSE, DISPLAY "Fumaba".

PATH ID: R09_AG1082

¿[Está fumando/Fumaba] [CIGARFILL]s como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current or recent former cigarette smokers.

ASK Specification: FOR R09_AG1082TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_CIG_USER_STATUS = 1, 4.
FOR R09_AG1082CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_CIG_USER_STATUS = 1, 4.
FOR R09_AG1082FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1),
DISPLAY "Está fumando" AND "".
ELSE, DISPLAY "Fumaba" AND "".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1139

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas al fumar un [CIGARFILL].

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1139TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1139CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1139FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "Es".
ELSE, DISPLAY "Era".

PATH ID: R09_AG1140

Al fumar un [CIGARFILL], me [siento/sentía] más seguro con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1140TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1140CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1140FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "siento".
ELSE, DISPLAY "sentía".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1141

[Fumo/Fumaba] [CIGARFILL]s mucho más cuando [estoy/estaba] con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1141TC: IF R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1141CG: IF R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1141FC: IF R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R09_GTRAD_USER_STATUS = 1) OR (LOOP = GRILLO AND R09_GRILLO_USER_STATUS = 1) OR (LOOP = GFILTR AND R09_GFILTR_USER_STATUS = 1), DISPLAY "Fumo" AND "estoy".
ELSE, DISPLAY "Fumaba" AND "estaba".

BOX ID: R09_AGR43

Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R09_AG1144[TC/CG/FC].
Else, go to Box R09_AGR04.

IF LOOP = GTRAD:

IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1, GO TO R09_AG1144TC.
ELSE, GO TO BOX R09_AGR04.

IF LOOP = GRILLO:

IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1, GO TO R09_AG1144CG.
ELSE, GO TO BOX R09_AGR04.

IF LOOP = GFILTR:

IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1, GO TO R09_AG1144FC.
ELSE, GO TO BOX R09_AGR04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1144

¿Qué tan dañino cree que es fumar [CIGARFILL]s para SU salud?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R09_AG1144TC: IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1.

FOR R09_AG1144CG: IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1.

FOR R09_AG1144FC: IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1.

BOX ID: R09_AGR04

END CIGAR LOOP:

Adult respondents who have remaining traditional cigar/cigarillo/filtered cigar loops to complete, return to Box R09_AGR10 and complete remaining traditional cigar/cigarillo/filtered cigar loops.

Else, adult respondents who have no more remaining traditional cigar/cigarillo/filtered cigar loops to complete, go to the next section.

IF THERE ARE REMAINING NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO BACK TO R09_AGR10 AND REPEAT SECTION.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED, GO TO THE NEXT SECTION.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PIPE

BOX ID: R09_APR04
Adult respondents who have ever smoked a pipe and are not long-term former pipe smokers, or continuing adult respondents who have ever smoked a pipe and are long-term former pipe smokers and are not persistent former pipe smokers and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview or had not reported ever smoking pipes fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked a pipe, continue with Box R09_APT02. Else, go to the next section.
IF (R09_EVER_NEVER_PIPE = 1 AND R09_PIPE_USER_STATUS != 5) OR (R09_ADULTTYPE = 1, AND R09_EVER_NEVER_PIPE = 1 AND R09_PIPE_USER_STATUS = 5 AND R09_PERSISTENT_FORMER_PIPE != 1 AND (R08_NUMLIFE_PIPE != 1 OR R08_REGUSE_PIPE != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1), GO TO BOX R09_APT02. ELSE, GO TO THE NEXT SECTION.

BOX ID: R09_APT02
Las siguientes preguntas son acerca de fumar tabaco en pipas . Las pipas vienen en distintos tamaños y formas. Todas tienen una cánula y una cazoleta donde se pone el tabaco. El tabaco para pipas normalmente se vende suelto en paquetes o latas. En la siguiente sección, solo le vamos a preguntar sobre el consumo de pipas con tabaco. [SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO] BOLD "pipas". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_APR11
Adult respondents who are completing a web interview on a mobile device, go to Box R09_APT04. Else, go to Box R09_APR03.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_APT04. ELSE, GO TO BOX R09_APR03.

BOX ID: R09_APT04
Piense ahora en las pipas, como la que se muestra a continuación... [SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR03

Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe, go to R09_AP1006.
Else, continuing and aged-up adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview and are not persistent former pipe smokers, go to R09_AP1005.
Else, go to Box R09_APR08.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1), GO TO R09_AP1006.
ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_NUMLIFE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1, GO TO R09_AP1005.
ELSE, GO TO BOX R09_APR08.

PATH ID: R09_AP1006

¿Qué edad tenía la primera vez que fumó una pipa con tabaco, incluso si solo fueron una o dos probaditas?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AP1120

-7 REFUSED

GO TO R09_AP1120

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AP1006_LC1

Usted contestó que la primera vez que fumó una pipa fue a la edad de [R09_AP1006] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP1006

2 NEXT

GO TO R09_AP1006_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1 AND R09_AP1006 <= 10) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1006 <= 10).

PROGRAM: TRIGGER CHECK IF R09_AP1006 <= 10.

ELSE, GO TO R09_AP1006_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1006_LC2

Usted contestó que la primera vez que fumó tabaco en pipa fue a la edad de [R09_AP1006] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP1006

2 NEXT

GO TO R09_AP1005

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1 AND R09_AP1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AP1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AP1005 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1120

La primera vez que fumó una pipa con tabaco, incluso si fueron una o dos probaditas, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and did not know or refused to report the age they first smoked a pipe filled with tobacco, or new cohort adult respondents who have ever smoked a pipe and did not know or refused to report the age they first smoked a pipe filled with tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1 AND R09_AP1006 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1006 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1005

¿Cuántas cazoletas con tabaco para pipa se ha fumado en toda su vida?

- 1 Una o más probaditas pero nunca una entera
- 2 Una a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview and are not persistent former pipe smokers, or new cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_NUMLIFE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1).

BOX ID: R09_APR08

Continuing and aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as their last completed interview and are not persistent former pipe smokers, or new cohort adult respondents who have ever smoked a pipe, go to R09_AP1100.
Else, go to Box R09_APR01.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_REGUSE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1), GO TO R09_AP1100.
ELSE, GO TO BOX R09_APR01.

PATH ID: R09_AP1100

¿Alguna vez ha fumado de manera habitual una pipa con tabaco?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and are not persistent former pipe smokers, or new cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_REGUSE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR09

Continuing and aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and are not persistent former pipe smokers and have ever smoked a pipe fairly regularly, or new cohort adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly, go to R09_AP1007.
Else, go to Box R09_APR01.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_REGUSE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1 AND R09_AP1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1100 = 1), GO TO R09_AP1007.
ELSE, GO TO BOX R09_APR01.

PATH ID: R09_AP1007

¿Qué edad tenía la primera vez que comenzó a fumar habitualmente una pipa con tabaco?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AP1121

-7 REFUSED

GO TO R09_AP1121

ASK: Continuing and aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and are not persistent former pipe smokers and have ever smoked a pipe fairly regularly, or new cohort adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_REGUSE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1 AND R09_AP1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1100 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AP1007_LC1

Usted contestó que comenzó a fumar en pipa de manera habitual a la edad de [R09_AP1007] años.
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP1007

2 NEXT

GO TO R09_AP1007_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_REGUSE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1 AND R09_AP1100 = 1 AND R09_AP1007 <= 10) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1100 = 1 AND R09_AP1007 <= 10).

PROGRAM: TRIGGER CHECK IF R09_AP1007 <= 10.

ELSE, GO TO R09_AP1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1007_LC2

Usted contestó que comenzó a fumar en pipa de manera habitual a la edad de [R09_AP1007] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP1007

2 NEXT

GO TO BOX R09_APR01

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_REGUSE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1 AND R09_AP1100 = 1 AND R09_AP1007 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1100 = 1 AND R09_AP1007 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AP1007 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_APR01 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1121

La primera vez que comenzó a fumar una pipa con tabaco habitualmente, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and are not persistent former pipe smokers and have ever smoked a pipe fairly regularly and did not know or refused to report the age they first started smoking a pipe fairly regularly, or new cohort adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly and did not know or refused to report the age they first started smoking a pipe fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_PIPE = 1 AND R08_REGUSE_PIPE != 1 AND R09_PERSISTENT_FORMER_PIPE != 1 AND R09_AP1100 = 1 AND R09_AP1007 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1100 = 1 AND R09_AP1007 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR01

Continuing adult respondents who have not reported the age when they first started smoking a pipe every day as of their last completed interview and smoke a pipe every day, or new baseline adult respondents who smoke a pipe every day, go to R09_AP1020.

Else, continuing and aged-up adult respondents who have initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe, go to R09_AP1008.

Else, adult respondents who smoke a pipe every day, go to R09_AP1021.

Else, adult respondents who are current pipe smokers and do not smoke a pipe every day, go to R09_AP1022.

Else, adult respondents who are recent former pipe smokers, go to R09_AP1047.

Else, go to the next section.

IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_PIPE != 1 AND R09_AP1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AP1003 = 1, GO TO R09_AP1020.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE= 1), GO TO R09_AP1008.

ELSE, IF R09_AP1003 = 1, GO TO R09_AP1021.

ELSE, IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1, GO TO R09_AP1022.

ELSE, IF R09_PIPE_USER_STATUS = 4, GO TO R09_AP1047.

ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AP1020

¿Qué edad tenía la primera vez que comenzó a fumar una pipa con tabaco todos los días?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AP1122

-7 REFUSED

GO TO R09_AP1122

ASK: Continuing adult respondents who have not reported the age when they first started smoking a pipe every day as of their last completed interview and smoke a pipe every day, or new baseline adult respondents who smoke a pipe every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_PIPE != 1 AND R09_AP1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AP1003 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1020_LC1

Usted contestó que comenzó a fumar en pipa todos los días a la edad de [R09_AP1020] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AP1020
2 NEXT	GO TO R09_AP1020_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_PIPE != 1 AND R09_AP1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AP1003 = 1)) AND (R09_AP1020 <= 10 OR R09_AP1020 < R09_AP1007).

PROGRAM: TRIGGER CHECK IF R09_AP1020 <= 10 OR R09_AP1020 < R09_AP1007.
ELSE, GO TO R09_AP1020_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1020_LC2

Usted contestó que comenzó a fumar en pipa todos los días a la edad de [R09_AP1020] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AP1020
2 NEXT	GO TO BOX R09_APR12

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_PIPE != 1 AND R09_AP1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AP1003 = 1)) AND R09_AP1020 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AP1020 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_APR12 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1122

La primera vez que comenzó a fumar una pipa con tabaco todos los días, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have not reported the age when they first started smoking a pipe every day as of their last completed interview and smoke a pipe every day and did not know or refused to report the age they first started smoking a pipe every day, or new baseline adult respondents who smoke a pipe every day and did not know or refused to report the age they first started smoking a pipe every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_PIPE != 1 AND R09_AP1003 = 1 AND R09_AP1020 = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AP1003 = 1 AND R09_AP1020 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR12

Continuing and aged-up adult respondents who have initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe, go to R09_AP1008.
Else, go to Box R09_APR13.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1), GO TO R09_AP1008.
ELSE, GO TO BOX R09_APR13.

PATH ID: R09_AP1008

La primera vez que comenzó a fumar una pipa con tabaco, ¿comenzó con tabaco para pipa con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO BOX R09_APR39
3	No sé	GO TO BOX R09_APR39
-7	REFUSED	GO TO BOX R09_APR39

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1011

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1 AND R09_AP1008 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_PIPE = 1 AND R09_AP1008 = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_APR39

New cohort adult respondents who are current, recent former, or long-term former pipe smokers, go to R09_AP1025_RS.

Else, go to Box R09_APR13.

IF R09_ADULTTYPE = 3 AND R09_PIPE_USER_STATUS = 1, 4, 5, GO TO R09_AP1025_RS.
ELSE, GO TO BOX R09_APR13.

PATH ID: R09_AP1025_RS

Alrededor de esta época hace 12 meses, ¿fumaba tabaco en pipa...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, recent former, or long-term former pipe smokers.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_PIPE_USER_STATUS = 1, 4, 5.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR13

Adult respondents who smoke a pipe every day, go to R09_AP1021.
Else, adult respondents who are current pipe smokers and do not smoke a pipe every day, go to R09_AP1022.
Else, adult respondents who are recent former pipe smokers, go to Box R09_APR29.
Else, go to the next section.

IF R09_AP1003 = 1, GO TO R09_AP1021.
ELSE, IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1, GO TO R09_AP1022.
ELSE, IF PIPE_USER_STATUS = 4, GO TO BOX R09_APR29.
ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AP1021

En promedio, aproximadamente, ¿cuántas cazoletas con tabaco para pipa fuma cada día actualmente?

-2	Menos de una cada día	GO TO R09_AP1024
1	_ _ _ Cantidad de cazoletas cada día	
-8	DON'T KNOW	GO TO R09_AP1024
-7	REFUSED	GO TO R09_AP1024

ASK: Adult respondents who smoke a pipe every day.

ASK Specification: IF R09_AP1003 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de cazoletas cada día" AS A TITLE.

DISPLAY AS NUMERIC QUANTITY FIELD, WITH SPECIAL BUTTON "Menos de una cada día".

PROGRAM: Allow 2 digits.

PATH ID: R09_AP1021_LC1

Usted contestó que fuma actualmente [R09_AP1021] cazoletas con tabaco para pipa cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AP1021
2	NEXT	GO TO R09_AP1024

ASK: IF R09_AP1003 = 1 AND R09_AP1021 > 10.

PROGRAM: TRIGGER CHECK IF R09_AP1021 > 10.

ELSE, GO TO R09_AP1024 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1022

¿En cuántos de los últimos 30 días fumó usted una pipa con tabaco?

- 1 |__|__| Cantidad de días
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current pipe smokers and do not smoke a pipe every day.

ASK Specification: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R09_APR15

Adult respondents who are current pipe smokers and do not smoke a pipe every day and smoked on 0 days of the past 30 days, go to R09_AP9029.

Else, adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R09_AP1023.

Else, go to Box R09_APR29.

IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 = 0, GO TO R09_AP9029.

ELSE, IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0, GO TO R09_AP1023.

ELSE, GO TO BOX R09_APR29.

PATH ID: R09_AP9029

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó una pipa con tabaco? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
2 |__|__| Meses
3 |__|__| Años
-8 DON'T KNOW GO TO BOX R09_APR29
-7 REFUSED GO TO BOX R09_APR29

ASK: Adult respondents who are current pipe smokers and do not smoke a pipe every day and smoked on 0 days of the past 30 days.

ASK Specification: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP9029_LC1

Usted contestó que la última vez que fumó en pipa fue hace [R09_AP9029_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP9029

2 NEXT

GO TO BOX R09_APR29

ASK: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 = 0 AND ((R09_AP9029_NN < 30 AND R09_AP9029_UN = 1) OR (R09_AP9029_NN < 1 AND R09_AP9029_UN = 2) OR (R09_AP9029_NN > 18 AND R09_AP9029_UN = 2) OR (R09_AP9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AP9029_UN = 3)).

DISPLAY: IF R09_AP9029_UN = 1, DISPLAY "días".

ELSE, IF R09_AP9029_UN = 2, DISPLAY "meses".

ELSE, IF R09_AP9029_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AP9029_NN < 30 AND R09_AP9029_UN = 1) OR (R09_AP9029_NN < 1 AND R09_AP9029_UN = 2) OR (R09_AP9029_NN > 18 AND R09_AP9029_UN = 2) OR (R09_AP9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AP9029_UN = 3).

ELSE, GO TO BOX R09_APR29 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1023

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AP1022 días/días en que fumó], ¿cuántas cazoletas con tabaco para pipa normalmente fumó cada día?

-2 Menos de una cada día

GO TO BOX R09_APR29

1 |__| |__| Cantidad de
cazoletas cada día

-8 DON'T KNOW

GO TO BOX R09_APR29

-7 REFUSED

GO TO BOX R09_APR29

ASK: Adult respondents who are current pipe smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0.

DISPLAY: IF R09_AP1022 = 1, -8, -7, DISPLAY "días en que fumó".

ELSE, DISPLAY "# días" WHERE # = NUMBER OF DAYS REPORTED IN R09_AP1022.

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Cantidad de cazoletas cada día" AS A TITLE.

DISPLAY AS NUMERIC QUANTITY FIELD, WITH SPECIAL BUTTON "Menos de una cada día".

PROGRAM: Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1023_LC1

Usted contestó que en los días en que ha fumado en los últimos 30 días, usted fumó [R09_AP1023] cazoletas con tabaco para pipa cada día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP1023

2 NEXT

GO TO BOX R09_APR29

ASK: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0 AND R09_AP1023 > 10.

PROGRAM: TRIGGER CHECK IF R09_AP1023 > 10.

ELSE, GO TO BOX R09_APR29 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_APR29

Adult respondents who are current pipe smokers, go to R09_AP1024.

Else, adult respondents who are recent former pipe smokers, go to R09_AP1047.

Else, go to the next section.

IF R09_PIPE_USER_STATUS = 1, GO TO R09_AP1024.

ELSE, IF R09_PIPE_USER_STATUS = 4, GO TO R09_AP1047.

ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AP1024

[En los días en que fuma tabaco en pipa, ¿qué/¿Qué] tan pronto después de que se despierta fuma normalmente su primera probadita? Conteste con la cantidad de minutos o horas. Anote un número entero y seleccione una de las opciones a continuación.

1 |_|_|_| Minutos después de despertarse

2 |_|_|_| Horas después de despertarse

-8 DON'T KNOW

GO TO R09_AP1092

-7 REFUSED

GO TO R09_AP1092

ASK: Adult respondents who are current pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1.

DISPLAY: IF R09_AP1003 = 1, DISPLAY "¿Qué".

ELSE, DISPLAY "En los días en que fuma pipa con tabaco, ¿qué".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1024_LC1

Usted contestó que normalmente fuma en pipa su primera cazoleta del día [R09_AP1024] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AP1024
2	NEXT	GO TO R09_AP1024_LC2

ASK: IF [R09_PIPE_USER_STATUS = 1 AND R09_AP1003 = 1 AND ((R09_AP1024_NN > 60 AND R09_AP1024_UN = 1) OR (R09_AP1024_NN > 4 AND R09_AP1024_UN = 2))] OR [R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND ((R09_AP1024_NN > 60 AND R09_AP1024_UN = 1) OR (R09_AP1024_NN > 12 AND R09_AP1024_UN = 2))].

DISPLAY: IF R09_AP1024_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AP1024_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF [R09_AP1003 = 1 AND ((R09_AP1024_NN > 60 AND R09_AP1024_UN = 1) OR (R09_AP1024_NN > 4 AND R09_AP1024_UN = 2))] OR [R09_AP1003 != 1 AND ((R09_AP1024_NN > 60 AND R09_AP1024_UN = 1) OR (R09_AP1024_NN > 12 AND R09_AP1024_UN = 2))].

ELSE, GO TO R09_AP1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1024_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted toma su primera probadita de una pipa del día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AP1024
2	NEXT	GO TO BOX R09_APR31

ASK: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AP1024_NN = 0.

ELSE, GO TO BOX R09_APR31 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1092

[En los días en que fuma pipa con tabaco, ¿diría/¿Diría] usted que fuma su primera probadita de una pipa durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current pipe smokers and did not know or refused to report how soon after waking up they first smoke a pipe.

ASK Specification: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1024_NN = -8, -7.

DISPLAY: IF R09_AP1003 = 1, DISPLAY "¿Diría".

ELSE, DISPLAY "En los días en que fuma pipa con tabaco, ¿diría".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR31

Adult respondents who smoke a pipe every day, or adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, go to R09_AP0100.
Else, go to Box R09_APR06.

IF R09_AP1003 = 1 OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0), GO TO R09_AP0100.
ELSE, GO TO BOX R09_APR06.

PATH ID: R09_AP0100

¿Cuándo fue la última vez que fumó pipa con tabaco?

1	Hace menos de una hora	GO TO R09_AP0103
2	Hoy, pero hace más de una hora	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R09_AP1130
-8	DON'T KNOW	GO TO R09_AP1130
-7	REFUSED	GO TO R09_AP1130

ASK: Adult respondents who smoke a pipe every day, or adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R09_AP1003 = 1 OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0).

PATH ID: R09_AP0102

La última vez que fumó una pipa con tabaco [FILL BASED ON R09_AP0100], ¿fue...?

1	Entre la medianoche y las 6 de la mañana
2	Entre las 6 de la mañana y el mediodía
3	Entre el mediodía y las 6 de la tarde
4	Entre las 6 de la tarde y la medianoche
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who smoke a pipe every day and last smoked a pipe sometime today, yesterday, or the day before yesterday, or adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AP1003 = 1 AND R09_AP0100 = 2, 3, 4) OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0 AND R09_AP0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R09_AP0100]:

IF R09_AP0100 = 2, DISPLAY "hoy".

ELSE, IF R09_AP0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AP0100 = 4, DISPLAY "hace dos días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP0103

¿Cuántas cazoletas con tabaco para pipa [ha fumado/fumó] [FILL BASED ON R09_AP0100]? (Si fumó menos de una, anote una.)

1 |__|__|__| Cantidad de
cazoletas

-8 DON'T KNOW

GO TO R09_AP1130

-7 REFUSED

GO TO R09_AP1130

ASK: Adult respondents who smoke a pipe every day and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AP1003 = 1 AND R09_AP0100 = 1, 2, 3, 4) OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0 AND R09_AP0100 = 1, 2, 3, 4).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de cazoletas" AS A TITLE.

IF R09_AP0100 = 1, 2, DISPLAY "ha fumado" AND "".

ELSE, IF R09_AP0100 = 3, 4, DISPLAY "fumó" AND "".

FOR [FILL BASED ON R09_AP0100]:

IF R09_AP0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AP0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AP0100 = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

PATH ID: R09_AP0103_LC1

Usted contestó que fumó [R09_AP0103] cazoletas con tabaco para pipa [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP0103

2 NEXT

GO TO R09_AP1130

ASK: IF ((R09_AP1003 = 1 AND R09_AP0100 = 1, 2, 3, 4) OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0 AND R09_AP0100 = 1, 2, 3, 4)) AND R09_AP0103 > 10.

DISPLAY: IF R09_AP0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AP0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AP0100 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AP0103 > 10.

ELSE, GO TO R09_AP1130 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1130

En los últimos 30 días, ¿tenía el tabaco para pipa que fumó sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO BOX R09_APR06
3	No sé	GO TO BOX R09_APR06
-7	REFUSED	GO TO BOX R09_APR06

ASK: Adult respondents who smoke a pipe every day, or adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R09_AP1003 = 1 OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AP1131

¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoke a pipe every day and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R09_AP1003 = 1 AND R09_AP1130 = 1) OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0 AND R09_AP1130 = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR37

Adult respondents who smoke a pipe every day and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, go to R09_AP1133.
Else, go to Box R09_APR06.

IF (R09_AP1003 = 1 AND R09_AP1130 = 1 AND (R09_AP1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AP1131_[01/.../09] = -8, -7)) OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0 AND R09_AP1130 = 1 AND (R09_AP1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AP1131_[01/.../09] = -8, -7)), GO TO R09_AP1133.
ELSE, GO TO BOX R09_APR06.

PATH ID: R09_AP1133

En los últimos 30 días, ¿qué sabor de tabaco para pipa ha fumado con más frecuencia? Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who smoke a pipe every day and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are current pipe smokers and do not smoke a pipe every day and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF (R09_AP1003 = 1 AND R09_AP1130 = 1 AND (R09_AP1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AP1131_[01/.../09] = -8, -7)) OR (R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1 AND R09_AP1022 != 0 AND R09_AP1130 = 1 AND (R09_AP1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AP1131_[01/.../09] = -8, -7)).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR06

Adult 18-20 year old respondents who are current pipe smokers, go to R09_AP1142.
Else, go to R09_AP1030.

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_PIPE_USER_STATUS = 1, GO TO R09_AP1142.
ELSE, GO TO R09_AP1030.

PATH ID: R09_AP1142

Las siguientes preguntas son acerca de su experiencia al comprar tabaco para pipa.

En los últimos 30 días, ¿le vendió alguien tabaco para pipa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current pipe smokers.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_PIPE_USER_STATUS = 1.

PATH ID: R09_AP1123

En los últimos 30 días, ¿le negó alguien la venta de tabaco para pipa debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar tabaco para pipa en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current pipe smokers.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_PIPE_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1030

[Las siguientes preguntas son acerca de su experiencia al comprar tabaco para pipa.

]¿Cómo compra normalmente tabaco para pipa para usted?

1	En persona	GO TO R09_AP1032
2	En Internet	GO TO R09_AP1034
3	Por teléfono	GO TO R09_AP1034
4	No me compro mi propio tabaco para pipa	
-8	DON'T KNOW	GO TO R09_AP1047
-7	REFUSED	GO TO R09_AP1047

ASK: Adult respondents who are current pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar tabaco para pipa."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AP1118

¿Cómo obtiene normalmente tabaco para pipa para usted?

1	Le doy dinero a otra persona para que me lo compre	
2	Le pido a una persona que me dé un poco	GO TO R09_AP1047
3	Alguien me lo ofrece	GO TO R09_AP1047
4	Me lo llevo de una tienda o se lo quito a alguien sin que se den cuenta	GO TO R09_AP1047
5	Lo obtengo de otra manera (ESPECIFIQUE)	GO TO R09_AP1047
-8	DON'T KNOW	GO TO R09_AP1047
-7	REFUSED	GO TO R09_AP1047

ASK: Adult respondents who are current pipe smokers and do not buy their own pipe tobacco.

ASK Specification: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1030 = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1032

Normalmente, ¿[le compran/compra] tabaco para pipa...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current pipe smokers and usually buy their pipe tobacco in person or give someone else money to buy for them.

ASK Specification: IF R09_PIPE_USER_STATUS = 1 AND (R09_AP1030 = 1 OR R09_AP1118 = 1).

DISPLAY: IF R09_AP1118 = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

PATH ID: R09_AP1033

¿Dónde [le compran/compra] tabaco para pipa para usted la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda de licores
- 10 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current pipe smokers and usually buy their pipe tobacco in person or give someone else money to buy for them.

ASK Specification: IF R09_PIPE_USER_STATUS = 1 AND (R09_AP1030 = 1 OR R09_AP1118 = 1).

DISPLAY: IF R09_AP1118 = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1034

[Piense en la última vez que le dio dinero a alguien para que le compre tabaco para pipa.]¿Cuánto paga normalmente por una bolsa de tabaco para pipa?

- 1 \$ |__|__|__| . |__|__|
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current pipe smokers and usually buy their pipe tobacco in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_PIPE_USER_STATUS = 1 AND (R09_AP1030 = 1, 2, 3 OR R09_AP1118 = 1).

DISPLAY: IF R09_AP1118 = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre tabaco para pipa. ".
ELSE, DO NOT DISPLAY THIS TEXT.

ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AP1034_LC1

Usted contestó que pagó \$[R09_AP1034] por una bolsa de tabaco para pipa. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AP1034
2 NEXT	GO TO R09_AP1047

ASK: IF R09_PIPE_USER_STATUS = 1 AND (R09_AP1030 = 1, 2, 3 OR R09_AP1118 = 1) AND R09_AP1034 > 50.00.

PROGRAM: TRIGGER CHECK IF R09_AP1034 > 50.00.

ELSE, GO TO R09_AP1047 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AP1047

¿[Tiene/Tenía] una marca habitual de tabaco para pipa que normalmente [fuma/fumaba]?

- 1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "Tiene" AND "fuma".

ELSE, DISPLAY "Tenía" AND "fumaba".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1050

[Su marca habitual/La última marca] que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO R09_AP1945
3	No sé	GO TO R09_AP1945
-7	REFUSED	GO TO R09_AP1945

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "Su marca habitual" AND "fuma" AND "tiene".

ELSE, IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".

ELSE, IF R09_PIPE_USER_STATUS = 4 AND R09_AP1047 = 1, DISPLAY "Su marca habitual" AND "fumaba" AND "tenía".

ELSE, IF R09_PIPE_USER_STATUS = 4 AND R09_AP1047 = 2, -8, -7, DISPLAY "La última marca" AND "fumaba" AND "tenía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AP1012

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

1	Mentol
2	Menta, wintergreen, hierbabuena o peppermint
9	Hielo o frost
4	Fruta
3	Clavo de olor o especias
5	Chocolate
6	Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
7	Caramelos, postres u otros sabores dulces
8	Otro sabor (ESPECIFIQUE)
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current or recent former pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1050 = 1.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "es".

ELSE, DISPLAY "era".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1945

¿Sabe el **nombre de la marca** de tabaco para pipa que [fuma normalmente/fumó normalmente/fumó la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_AP1047 = 1 AND R09_PIPE_USER_STATUS = 1, DISPLAY "fuma normalmente".

ELSE, IF R09_AP1047 = 1 AND R09_PIPE_USER_STATUS != 1, DISPLAY "fumó normalmente".

ELSE, IF R09_AP1047 = 2, -8, -7, DISPLAY "fumó la última vez".

BOLD "nombre de la marca".

BOX ID: R09_APR30

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked, go to Box R09_APD48.

Else, go to Box R09_APR22.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND

R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1, GO TO BOX R09_APD48.

ELSE, GO TO BOX R09_APR22.

BOX ID: R09_APD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AP1048 and R09_AP1049 on one screen.

Show the question text from R09_AP1048 at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AP1049, and 5) text entry for R09_AP1049.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1048

¿Qué marca de tabaco para pipa [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AP1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL BRANDS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AP1049, set R09_AP1048_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1049

¿No vio su marca?

Escriba el nombre de la marca de tabaco para pipa que [fuma/fumó] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked .

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1.

DISPLAY: BOLD "¿No vio su marca?" AND "deseleccionarán".

IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R08_AP1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, DISPLAY "fumó" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán." ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AP1049, set R09_AP1048_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_APR22

Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked, go to R09_AP2048.

Else, go to Box R09_APR102.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1, GO TO R09_AP2048.

ELSE, GO TO BOX R09_APR102.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP2048

¿Qué marca de tabaco para pipa [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 9995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AP1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

BOX ID: R09_APR101

Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected "Something else" for their brand of pipe tobacco, go to R09_AP2049.
Else, go to Box R09_APR102.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND = 9995, GO TO R09_AP2049.
ELSE, GO TO BOX R09_APR102.

PATH ID: R09_AP2049

Dijo que su marca no aparece en la lista. ¿Cuál marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected "Something else" for their brand of pipe tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco, go to Box R09_APD70.

Else, go to Box R09_APR28.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP1048_BRAND != 9995, -8, -7,
GO TO BOX R09_APD70.
ELSE, GO TO BOX R09_APR28.

BOX ID: R09_APD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AP1070 and R09_AP1071 on one screen.

Show the question text from R09_AP1070 at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AP1071, and 5) text entry for R09_AP1071.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó]
[normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1))
AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP1048_BRAND !=
9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AP1048_BRAND.

IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la
última vez".

ELSE, IF R09_PIPE_USER_STATUS = 4 AND R09_AP1047 = 1, DISPLAY "fumó" AND
"normalmente".

ELSE, IF R09_PIPE_USER_STATUS = 4 AND R09_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la
última vez".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS,
DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED
WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN.

If text is entered in R09_AP1071, set R09_AP1070_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1071

¿No vio su producto?

Escriba el tipo de [BRANDFILL] que [fuma/fumó] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP1048_BRAND != 9995, -8, -7.

DISPLAY: BOLD "¿No vio su producto?" AND "deseleccionarán".

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AP1048_BRAND.

IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AP1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, DISPLAY "fumó" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AP1071, set R09_AP1070_PRODUCT = 99995 (SOMETHING ELSE).

BOX ID: R09_APR28

Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco, go to R09_AP2070.

Else, go to Box R09_APR23.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND != 9995, -8, -7, GO TO R09_AP2070.

ELSE, GO TO BOX R09_APR23.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP2070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

99995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AP2048_BRAND.

IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_PIPE_USER_STATUS = 4 AND R09_AP1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_PIPE_USER_STATUS = 4 AND R09_AP1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

BOX ID: R09_APR103

Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and sub-brand of pipe tobacco, go to R09_AP2070_CONF.

Else, adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco and selected "Something else" for their sub-brand of pipe tobacco, go to R09_AP2071.

Else, go to Box R09_APR104.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND != 9995, -8, -7 AND R09_AP2070_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AP2070_CONF.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND != 9995, -8, -7 AND R09_AP2070_PRODUCT = 99995, GO TO R09_AP2071.

ELSE, GO TO BOX R09_APR104.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP2070_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor seleccione el botón que dice ATRÁS y vuelva a seleccionar su marca.

[SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS]

1 BACK

GO TO R09_AP2070

2 NEXT

GO TO BOX R09_APR104

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and sub-brand of pipe tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND != 9995, -8, -7 AND R09_AP2070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: FILL [NEQBRAND] WITH R09_AP2070_PRODUCT RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS.

PATH ID: R09_AP2071

Usted dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba] no aparece en la lista. ¿Qué tipo es?

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco and selected "Something else" for their sub-brand of pipe tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND != 9995, -8, -7 AND R09_AP2070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R09_AP2048_BRAND.

IF R09_PIPE_USER_STATUS = 1 AND R09_AP1047 = 1, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

BOX ID: R09_APR23

Adult respondents who are current or recent former pipe smokers and have a regular brand of pipe tobacco, go to R09_AP1051.
Else, go to Box R09_APR25.

IF R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1047 = 1, GO TO R09_AP1051.
ELSE, GO TO BOX R09_APR25.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1051

Aproximadamente, ¿cuánto tiempo [fumó/lleva fumando] su marca habitual de tabaco para pipa? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Días	
2	_ _	Meses	
3	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_APR25
-7	REFUSED		GO TO BOX R09_APR25

ASK: Adult respondents who are current or recent former pipe smokers and have a regular brand of pipe tobacco.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1047 = 1.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AP1051_LC1

Usted contestó que [lleva fumando/fumó] su marca habitual de tabaco para pipa por [R09_AP1051_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AP1051
2	NEXT	GO TO R09_AP1051_LC2

ASK: IF R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1047 = 1 AND R09_AP1051_NN > R09_ACHIEVEDAGE AND R09_AP1051_UN = 3.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AP1051_NN > R09_ACHIEVEDAGE AND R09_AP1051_UN = 3.

ELSE, GO TO R09_AP1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1051_LC2

Usted contestó "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de tabaco para pipa. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AP1051

2 NEXT

GO TO BOX R09_APR25

ASK: IF R09_PIPE_USER_STATUS = 1, 4 AND R09_AP1047 = 1 AND R09_AP1051_NN = 0.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AP1051_NN = 0.

ELSE, GO TO BOX R09_APR25 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_APR25

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and sub-brand of pipe tobacco, or adult respondents who are completing a web interview on a mobile device and are current pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and sub-brand of pipe tobacco, go to R09_AP0104.

Else, go to Box R09_APD01.

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_PIPE_USER_STATUS = 1 AND R09_AP0100 = 1, 2, 3, 4 AND R09_AP1945 = 1 AND R09_AP1048_BRAND != 9995, -8, -7 AND R09_AP1070_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1 AND R09_AP0100 = 1, 2, 3, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND != 9995, -8, -7 AND R09_AP2070_PRODUCT != 99995, -8, -7), GO TO R09_AP0104.

ELSE, GO TO BOX R09_APD01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP0104

Anteriormente usted dijo que la última vez que fumó una pipa fue [TIME OF LAST USE].

Piense en la última cazoleta con tabaco para pipa que fumó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and sub-brand of pipe tobacco, or
Adult respondents who are completing a web interview on a mobile device and are current pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and sub-brand of pipe tobacco.

ASK Specification: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_PIPE_USER_STATUS = 1 AND R09_AP0100 = 1, 2, 3, 4 AND R09_AP1945 = 1 AND R09_AP1048_BRAND != 9995, -8, -7 AND R09_AP1070_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_PIPE_USER_STATUS = 1 AND R09_AP0100 = 1, 2, 3, 4 AND R09_AP1945 = 1 AND R09_AP2048_BRAND != 9995, -8, -7 AND R09_AP2070_PRODUCT != 99990, 99995, -8, -7).

DISPLAY: IF R09_AP0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R09_AP0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R09_AP0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R09_AP0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL [NEQBRAND] WITH R09_AP1070_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AP2070_PRODUCT RESPONSE.

BOX ID: R09_APD01

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER: R09_AP1060, R09_AP1085, R09_AP1062, R09_AP1075, R09_AP1063, (R09_AP1064), (R09_AP1077).

CONDITIONAL LEAVES: R09_AP1064, R09_AP1077. (See routing box for details: R09_APR26.)

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AP1060 is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AP1060 on each screen. Randomize the order.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1060

Las siguientes preguntas son acerca de las razones por las que la gente fuma en pipas. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba en pipas]. [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

[Fumo/Fumaba] una pipa con tabaco porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 DISPLAY "aplican a usted", "Fumo", AND "Es".

ELSE, DISPLAY "aplicaban a usted cuando fumaba en pipas", "Fumaba", AND "Era".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación.

Desplace para ver más afirmaciones."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AP1085

[Puedo/Podía] fumar en pipa en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

PATH ID: R09_AP1062

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 DISPLAY "ser".

ELSE, DISPLAY "haber sido".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1075

Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 DISPLAY "ser".

ELSE, DISPLAY "haber sido".

PATH ID: R09_AP1063

El tabaco para pipa [viene/venía] en sabores que me [gustan /gustaban].

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 DISPLAY "viene" AND "gustan".

ELSE, DISPLAY "venía" AND "gustaban".

BOX ID: R09_APR26

Adult respondents who are current or recent former pipe smokers and are current or recent former cigarette smokers, go to R09_AP1064.

Else, go to R09_AP1139.

IF R09_PIPE_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AP1064.

ELSE, GO TO R09_AP1139.

PATH ID: R09_AP1064

Fumar en pipa ayuda a las personas a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers and are current or recent former cigarette smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1077

Fumar en pipa [satisface/satisfacía] mi deseo de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers and are current or recent former cigarette smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "satisface".

ELSE, DISPLAY "satisfacía".

BOX ID: R09_APR27

Adult respondents who are current or recent former pipe smokers and are current or recent former cigarette smokers, go to R09_AP1080.

Else, go to R09_AP1139.

IF R09_PIPE_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AP1080.

ELSE, GO TO R09_AP1139.

PATH ID: R09_AP1080

¿[Fuma/Fumaba] pipas con tabaco como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers and are current or recent former cigarette smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1 DISPLAY "Fuma".

ELSE, DISPLAY "Fumaba".

PATH ID: R09_AP1082

¿[Está fumando/Fumaba] tabaco en pipa como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers and are current or recent former cigarette smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "Está fumando" AND "".

ELSE, DISPLAY "Fumaba" AND "".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AP1139

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas al fumar en pipa.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "Es".
ELSE, DISPLAY "Era".

PATH ID: R09_AP1140

Al fumar en pipa, me [siento/sentía] más seguro con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "siento".
ELSE, DISPLAY "sentía".

PATH ID: R09_AP1141

[Fumo/Fumaba] una pipa mucho más cuando [estoy/estaba] con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1, 4.

DISPLAY: IF R09_PIPE_USER_STATUS = 1, DISPLAY "Fumo" AND "estoy".
ELSE, DISPLAY "Fumaba" AND "estaba".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_APR38

Adult respondents who are current pipe smokers, go to R09_AP1144.
Else, go to the next section.

IF R09_PIPE_USER_STATUS = 1, GO TO R09_AP1144.
ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AP1144

¿Qué tan dañino cree que es fumar pipa con tabaco para SU salud?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current pipe smokers.

ASK Specification: IF R09_PIPE_USER_STATUS = 1.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

HOOKAH

BOX ID: R09_AHR32

Adult respondents who have ever smoked hookah and are not long-term former hookah smokers, or continuing adult respondents who have ever smoked hookah and are long-term former hookah smokers and are not persistent former hookah smokers and had not smoked hookah 100 or more times as of their last completed interview or had not reported ever smoking hookah fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked hookah, continue with Box R09_AHT02.

Else, go to the next section.

IF (R09_EVER_NEVER_HOOK = 1 AND R09_HOOK_USER_STATUS != 5) OR
(R09_EVER_NEVER_HOOK = 1 AND R09_HOOK_USER_STATUS = 5 AND
R09_PERSISTENT_FORMER_HOOK != 1 AND (R08_NUMLIFE_HOOK != 1 OR
R08_REGUSE_HOOK != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1), GO TO
BOX R09_AHT02.
ELSE, GO TO THE NEXT SECTION.

BOX ID: R09_AHT02

Las siguientes preguntas son acerca de fumar tabaco en una **hookah**, que es un tipo de pipa de agua. También se conoce como "narguile". De ahora en adelante usaremos la palabra "hookah" para referirnos a la pipa de agua o narguile.

La gente fuma **shisha** o **el tabaco para hookah** en una hookah. La shisha viene en distintos sabores. Algunos tipos de shisha contienen tabaco y otros no.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

BOLD "hookah", "shisha" AND "el tabaco para hookah".
IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AHR38

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AHT05.
Else, go to Box R09_AHR04.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AHT05.
ELSE, GO TO BOX R09_AHR04.

BOX ID: R09_AHT05

Piense ahora en la shisha y tabaco para hookah, como el que se muestra a continuación...

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHR04

Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah, go to R09_AH1006.
Else, continuing and aged-up adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times as of their last completed interview and are not persistent former hookah smokers, go to R09_AH1005.
Else, go to Box R09_AHR09.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1), GO TO R09_AH1006.
ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_NUMLIFE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1, GO TO R09_AH1005.
ELSE, GO TO BOX R09_AHR09.

PATH ID: R09_AH1006

¿Qué edad tenía la primera vez que fumó tabaco en una hookah, incluso si solo fueron una o dos probaditas?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AH1120

-7 REFUSED

GO TO R09_AH1120

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AH1006_LC1

Usted contestó que la primera vez que fumó tabaco en una hookah fue a la edad de [R09_AH1006] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1006

2 NEXT

GO TO R09_AH1006_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1 AND R09_AH1006 <= 12) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1006 <= 12).

PROGRAM: TRIGGER CHECK IF R09_AH1006 <= 12.

ELSE, GO TO R09_AH1006_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1006_LC2

Usted contestó que la primera vez que fumó tabaco en una hookah fue a la edad de [R09_AH1006] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1006

2 NEXT

GO TO R09_AH1005

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1 AND R09_AH1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AH1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AH1005 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AH1120

La primera vez que fumó tabaco en una hookah, incluso si solo fueron una o dos probaditas, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and did not know or refused to report the age they first smoked hookah, or new cohort adult respondents who have ever smoked hookah and did not know or refused to report the age they first smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1 AND R09_AH1006 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1006 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1005

¿Cuántas veces ha fumado tabaco en una hookah en toda su vida? Cuente cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.

- 1 Una a 10
- 2 11 a 20
- 3 21 a 50
- 4 51 a 99
- 5 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times as of their last completed interview and are not persistent former hookah smokers, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_NUMLIFE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1).

BOX ID: R09_AHR09

Continuing and aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and are not persistent former hookah smokers, or new cohort adult respondents who have ever smoked hookah, go to R09_AH1100. Else, go to Box R09_AHR10.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_REGUSE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1), GO TO R09_AH1100. ELSE, GO TO BOX R09_AHR10.

PATH ID: R09_AH1100

¿Alguna vez ha fumado tabaco en una hookah habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and are not persistent former hookah smokers, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_REGUSE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHR10

Continuing and aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and are not persistent former hookah smokers and have ever smoked hookah fairly regularly, or new cohort adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly, go to R09_AH1007.
Else, go to Box R09_AHR01.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_REGUSE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1 AND R09_AH1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1100 = 1), GO TO R09_AH1007.
ELSE, GO TO BOX R09_AHR01.

PATH ID: R09_AH1007

¿Qué edad tenía la primera vez que comenzó a fumar tabaco en una hookah habitualmente?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AH1121

-7 REFUSED

GO TO R09_AH1121

ASK: Continuing and aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and are not persistent former hookah smokers and have ever smoked hookah fairly regularly, or new cohort adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_REGUSE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1 AND R09_AH1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1100 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AH1007_LC1

Usted contestó que comenzó a fumar tabaco en una hookah de manera habitual a la edad de [R09_AH1007] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1007

2 NEXT

GO TO R09_AH1007_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_REGUSE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1 AND R09_AH1100 = 1 AND R09_AH1007 <= 12) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1100 = 1 AND R09_AH1007 <= 12).

PROGRAM: TRIGGER CHECK IF R09_AH1007 <= 12.

ELSE, GO TO R09_AH1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1007_LC2

Usted contestó que comenzó a fumar tabaco en una hookah de manera habitual a la edad de [R09_AH1007] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1007

2 NEXT

GO TO BOX R09_AHR01

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_REGUSE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1 AND R09_AH1100 = 1 AND R09_AH1007 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1100 = 1 AND R09_AH1007 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AH1007 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AHR01 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AH1121

La primera vez que comenzó a fumar tabaco en una hookah habitualmente, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and are not persistent former hookah smokers and have ever smoked hookah fairly regularly and did not know or refused to report the age they first started smoking hookah fairly regularly, or new cohort adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly and did not know or refused to report the age they first started smoking hookah fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_HOOK = 1 AND R08_REGUSE_HOOK != 1 AND R09_PERSISTENT_FORMER_HOOK != 1 AND R09_AH1100 = 1 AND R09_AH1007 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1100 = 1 AND R09_AH1007 = -8, -7).

BOX ID: R09_AHR01

Continuing adult respondents who have not reported the age when they first started smoking hookah every day as of their last completed interview and now smoke hookah every day, or new baseline adult respondents who now smoke hookah every day, go to R09_AH1020.
Else, go to Box R09_AHR11.

IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_HOOK != 1 AND R09_AH1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AH1003 = 1), GO TO R09_AH1020.
ELSE, GO TO BOX R09_AHR11.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1020

¿Qué edad tenía la primera vez que comenzó a fumar tabaco en una hookah todos los días?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AH1122

-7 REFUSED

GO TO R09_AH1122

ASK: Continuing adult respondents who have not reported the age when they first started smoking hookah every day as of their last completed interview and now smoke hookah every day, or new baseline adult respondents who now smoke hookah every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_HOOK != 1 AND R09_AH1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AH1003 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AH1020_LC1

Usted contestó que comenzó a fumar tabaco en una hookah todos los días a la edad de [R09_AH1020] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1020

2 NEXT

GO TO R09_AH1020_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_HOOK != 1 AND R09_AH1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AH1003 = 1)) AND (R09_AH1020 <= 12 OR R09_AH1020 < R09_AH1007).

PROGRAM: TRIGGER CHECK IF R09_AH1020 <= 12 OR R09_AH1020 < R09_AH1007.
ELSE, GO TO R09_AH1020_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AH1020_LC2

Usted contestó que comenzó a fumar tabaco en una hookah todos los días a la edad de [R09_AH1020] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1020

2 NEXT

GO TO BOX R09_AHR11

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_HOOK != 1 AND R09_AH1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AH1003 = 1)) AND R09_AH1020 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AH1020 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AHR11 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1122

La primera vez que comenzó a fumar tabaco en una hookah todos los días, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have not reported the age when they first started smoking hookah every day as of their last completed interview and now smoke hookah every day and did not know or refused to report the age they first started smoking tobacco in a hookah every day, or new baseline adult respondents who now smoke hookah every day and did not know or refused to report the age they first started smoking tobacco in a hookah every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_HOOK != 1 AND R09_AH1003 = 1 AND R09_AH1020 = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AH1003 = 1 AND R09_AH1020 = -8, -7).

BOX ID: R09_AHR11

Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah, go to R09_AH1008. Else, go to Box R09_AHR24.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1), GO TO R09_AH1008.
ELSE, GO TO BOX R09_AHR24.

PATH ID: R09_AH1008

La primera vez que comenzó a fumar en hookah, ¿fumó shisha o tabaco para hookah con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

- 1 Sí
- 2 No GO TO R09_AH9045
- 3 No sé GO TO R09_AH9045
- 7 REFUSED GO TO R09_AH9045

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1011

¿Cuál fue el primer sabor que comenzó a fumar? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1 AND R09_AH1008 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1 AND R09_AH1008 = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9045

¿Dónde estaba la primera vez que probó fumar tabaco en una hookah, incluso si solo fueron una o dos probaditas?

- 1 En su casa
- 2 En casa de otra persona
- 3 En un café o bar de hookah
- 4 En una discoteca o un bar cafetería
- 5 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_HOOK = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_AHR56

New cohort adult respondents who are current, recent former, or long-term former hookah smokers, go to R09_AH1025_RS.
Else, go to Box R09_AHR24.

IF R09_ADULTTYPE = 3 AND R09_HOOK_USER_STATUS = 1, 4, 5, GO TO R09_AH1025_RS.
ELSE, GO TO BOX R09_AHR24.

PATH ID: R09_AH1025_RS

Alrededor de esta época hace 12 meses, ¿fumaba tabaco en hookah...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, recent former, or long-term former hookah smokers.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_HOOK_USER_STATUS = 1, 4, 5.

BOX ID: R09_AHR24

Adult respondents who are current or recent former hookah smokers, go to R09_AH9011.
Else, go to Box R09_AHR12.

IF R09_HOOK_USER_STATUS = 1, 4, GO TO R09_AH9011.
ELSE, GO TO BOX R09_AHR12.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9011

¿Dónde [fuma/fumaba] normalmente en hookah? Escoja todas las opciones que correspondan.

- 1 En su casa
- 2 En casa de otra persona
- 3 En un café o bar de hookah
- 4 En una discoteca o un bar cafetería
- 5 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AH9048

Cuando [fuma/fumaba] tabaco en una hookah, ¿con qué frecuencia [siente/sentía] sensaciones desagradables, como dolor de cabeza, mareo, náuseas o dificultad para respirar?

- 1 Siempre
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "fuma" AND "siente".

ELSE, DISPLAY "fumaba" AND "sentía".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9012

Normalmente, ¿[comparte/compartía] una hookah con otros cuando [fuma/fumaba]?

1	Sí	
2	No	GO TO R09_AH9014
-8	DON'T KNOW	GO TO R09_AH9014
-7	REFUSED	GO TO R09_AH9014

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "comparte" AND "fuma".
ELSE, DISPLAY "compartía" AND "fumaba".

PATH ID: R09_AH9013

Normalmente, ¿con cuántas personas [comparte/compartía] una hookah?

1	Una persona
2	2 personas
3	3 personas
4	4 personas o más
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current or recent former hookah smokers and usually share a hookah with others.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_AH9012 = 1.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "comparte".
ELSE, DISPLAY "compartía".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9014

Aproximadamente, ¿cuánto tiempo [dura/duraba] una sesión de hookah para usted[y para las personas que [la comparten/la compartían] con usted]?

- 1 Menos de 30 minutos
- 2 Más de 30 minutos a una hora
- 3 Una a 2 horas
- 4 Más de 2 horas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1 AND R09_AH9012 = 1, DISPLAY "dura" AND "y para las personas que la comparten".

ELSE, IF R09_HOOK_USER_STATUS = 1 AND R09_AH9012 != 1, DISPLAY "dura" AND DO NOT DISPLAY "y para las personas que la comparten".

ELSE, IF R09_HOOK_USER_STATUS = 4 AND R09_AH9012 = 1, DISPLAY "duraba" AND "y para las personas que la compartían";

ELSE, IF R09_HOOK_USER_STATUS = 4 AND R09_AH9012 != 1, DISPLAY "duraba" AND DO NOT DISPLAY "y para las personas que la compartían".

PATH ID: R09_AH9015

Aproximadamente, cuando [fuma/fumaba/comparte/compartía] una hookah, ¿cuántas veces se [vuelve/volvía] a llenar la hookah con tabaco durante una sesión?

- 1 Ninguna
- 2 Una vez
- 3 2 a 3 veces
- 4 4 veces o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1 AND R09_AH9012 = 1, DISPLAY "comparte" AND "vuelve".

ELSE, IF R09_HOOK_USER_STATUS = 1 AND R09_AH9012 = 2, DISPLAY "fuma" AND "vuelve".

ELSE, IF R09_HOOK_USER_STATUS = 4 AND R09_AH9012 = 1, DISPLAY "compartía" AND "volvía".

ELSE, IF R09_HOOK_USER_STATUS = 4 AND R09_AH9012 = 2, DISPLAY "fumaba" AND "volvía".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9016

¿Con qué frecuencia [prepara/preparaba] usted mismo la hookah?

- 1 Siempre
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca, otra persona siempre me la [preparaba/prepara]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "prepara" AND "prepara".
ELSE, DISPLAY "preparaba" AND "preparaba".

PATH ID: R09_AH9043

Cuando [fuma/fumaba] en hookah, ¿[tiene/tenía] normalmente tabaco la shisha?

- 1 Sí
- 2 No
- 3 No sé
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "fuma" AND "tiene".
ELSE, IF R09_HOOK_USER_STATUS = 4, DISPLAY "fumaba" AND "tenía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AH9042

¿Alguna vez ha usado otro líquido aparte de agua en la base de la hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHR12

Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly, go to R09_AH9004.

Else, adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly, go to R09_AH9005.

Else, adult respondents who have ever smoked hookah and smoke hookah every day, go to R09_AH9006.

Else, go to Box R09_AHR25.

IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 != 1 AND R09_AH9003 = 3, GO TO R09_AH9004.

ELSE, IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 != 1 AND R09_AH9003 = 2, GO TO R09_AH9005.

ELSE, IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1003 = 1 OR R09_AH9003 = 1), GO TO R09_AH9006.

ELSE, GO TO BOX R09_AHR25.

PATH ID: R09_AH9004

En promedio, aproximadamente, ¿cuántas veces fuma en hookah en un mes? Cuenté cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.

1 |__|__|__| Cantidad de
veces cada mes

-8 DON'T KNOW

GO TO BOX R09_AHR25

-7 REFUSED

GO TO BOX R09_AHR25

ASK: Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly.

ASK Specification: IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 != 1 AND R09_AH9003 = 3.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces cada mes" AS A TITLE.

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9004_LC1

Usted contestó que, en promedio, usted fuma tabaco en una hookah [R09_AH9004] veces al mes. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH9004

2 NEXT

GO TO BOX R09_AHR25

ASK: IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 != 1 AND R09_AH9003 = 3 AND R09_AH9004 > 100.

PROGRAM: TRIGGER CHECK IF R09_AH9004 > 100.

ELSE, GO TO BOX R09_AHR25 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AH9005

En promedio, aproximadamente, ¿cuántas veces fuma en hookah en una semana? Cuente cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.

1 |__|__| Cantidad de veces
cada semana

-8 DON'T KNOW

GO TO BOX R09_AHR25

-7 REFUSED

GO TO BOX R09_AHR25

ASK: Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly.

ASK Specification: IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 != 1 AND R09_AH9003 = 2.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces cada semana" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AH9005_LC1

Usted contestó que, en promedio, usted fuma tabaco en una hookah [R09_AH9005] veces a la semana. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH9005

2 NEXT

GO TO BOX R09_AHR25

ASK: IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1004 = 1 OR R09_AH1002_12M = 1) AND R09_AH1003 != 1 AND R09_AH9003 = 2 AND R09_AH9005 > 15.

PROGRAM: TRIGGER CHECK IF R09_AH9005 > 15.

ELSE, GO TO BOX R09_AHR25 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9006

En promedio, aproximadamente, ¿cuántas veces fuma en hookah cada día? Cuente cada sesión o vez en la que fumó tabaco en una hookah, ya sea solo o acompañado.

1 |__|__| Cantidad de veces
cada día

-8 DON'T KNOW

GO TO BOX R09_AHR25

-7 REFUSED

GO TO BOX R09_AHR25

ASK: Adult respondents who have ever smoked hookah and smoke hookah every day.

ASK Specification: IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1003 = 1 OR R09_AH9003 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces cada día" AS A TITLE.

PROGRAM: Allow 2 digits

PATH ID: R09_AH9006_LC1

Usted contestó que, en promedio, usted fuma tabaco en una hookah [R09_AH9006] veces al día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH9006

2 NEXT

GO TO BOX R09_AHR25

ASK: IF R09_EVER_NEVER_HOOK = 1 AND (R09_AH1003 = 1 OR R09_AH9003 = 1) AND R09_AH9006 > 2.

PROGRAM: TRIGGER CHECK IF R09_AH9006 > 2.

ELSE, GO TO BOX R09_AHR25 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AHR25

Adult respondents who are past 30-day hookah smokers and do not smoke hookah every day, go to R09_AH1022.

Else, go to Box R09_AHR51.

IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1, GO TO R09_AH1022.

ELSE, GO TO BOX R09_AHR51.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1022

¿En cuántos de los últimos 30 días fumó usted tabaco en una hookah?

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and do not smoke hookah every day.

ASK Specification: IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R09_AHR51

Adult respondents who are past 30-day hookah smokers and do not smoke hookah every day and smoked on 0 days of the past 30 days, or adult respondents who are current hookah smokers and are not past 30-day hookah smokers and do not smoke hookah every day, go to R09_AH9029. Else, go to Box R09_AHR52.

IF (R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1 AND R09_AH1022 = 0) OR (R09_HOOK_USER_STATUS = 1 AND R09_THIRTY_DAY_USER_HOOK != 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1), GO TO R09_AH9029.
ELSE, GO TO BOX R09_AHR52.

PATH ID: R09_AH9029

¿Aproximadamente cuánto tiempo hace desde la última vez que fumó tabaco en una hookah? Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_AHR52

-7 REFUSED

GO TO BOX R09_AHR52

ASK: Adult respondents who are past 30-day hookah smokers and do not smoke hookah every day and smoked on 0 days of the past 30 days, or adult respondents who are current hookah smokers and are not past 30-day hookah smokers and do not smoke hookah every day.

ASK Specification: IF (R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1 AND R09_AH1022 = 0) OR (R09_HOOK_USER_STATUS = 1 AND R09_THIRTY_DAY_USER_HOOK != 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH9029_LC1

Usted contestó que la última vez que fumó tabaco en una hookah fue hace [R09_AH9029_NN] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AH9029
2	NEXT	GO TO BOX R09_AHR52

ASK: IF ((R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1 AND R09_AH1022 = 0) OR (R09_HOOK_USER_STATUS = 1 AND R09_THIRTY_DAY_USER_HOOK != 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1)) AND ((R09_AH9029_NN < 30 AND R09_AH9029_UN = 1) OR (R09_AH9029_NN < 1 AND R09_AH9029_UN = 2) OR (R09_AH9029_NN > 18 AND R09_AH9029_UN = 2) OR (R09_AH9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AH9029_UN = 3)).

DISPLAY: IF R09_AH9029_UN = 1, DISPLAY "días".

ELSE, IF R09_AH9029_UN = 2, DISPLAY "meses".

ELSE, IF R09_AH9029_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AH9029_NN < 30 AND R09_AH9029_UN = 1) OR (R09_AH9029_NN < 1 AND R09_AH9029_UN = 2) OR (R09_AH9029_NN > 18 AND R09_AH9029_UN = 2) OR (R09_AH9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AH9029_UN = 3).

ELSE, GO TO BOX R09_AHR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AHR52

Adult respondents who are current hookah smokers, go to R09_AH1024.

Else, go to Box R09_AHR02.

IF R09_HOOK_USER_STATUS = 1, GO TO R09_AH1024.

ELSE, GO TO BOX R09_AHR02.

PATH ID: R09_AH1024

[En los días en que fuma en hookah, ¿a qué/¿A qué] hora del día fuma normalmente su primera probadita de tabaco en una hookah?

1	Entre la medianoche y las 6 de la mañana	GO TO BOX R09_AHR02
2	Entre las 6 de la mañana y el mediodía	GO TO BOX R09_AHR02
3	Entre el mediodía y las 6 de la tarde	GO TO BOX R09_AHR02
4	Entre las 6 de la tarde y la medianoche	GO TO BOX R09_AHR02
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who are current hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1.

DISPLAY: IF R09_AH1003 = 1 OR R09_AH9003 = 1, DISPLAY "¿A qué".

ELSE, DISPLAY "En los días en que fuma en hookah, ¿a qué".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1092

[En los días en que fuma en hookah, ¿diría/¿Diría] que fuma su primera probadita de tabaco en una hookah durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current hookah smokers and did not know or refused to report what time of day they smoke hookah.

ASK Specification: IF R09_HOOK_USER_STATUS = 1 AND R09_AH1024 = -8, -7.

DISPLAY: IF R09_AH1003 = 1 OR R09_AH9003 = 1, DISPLAY "¿Diría".

ELSE, DISPLAY "En los días en que fuma en hookah, ¿diría".

BOX ID: R09_AHR02

Adult respondents who are past 30-day hookah smokers, go to R09_AH0100.
Else, go to Box R09_AHR23.

IF R09_THIRTY_DAY_USER_HOOK = 1, GO TO R09_AH0100.
ELSE, GO TO BOX R09_AHR23.

PATH ID: R09_AH0100

¿Cuándo fue la última vez que fumó tabaco en una hookah?

1 Hace menos de una hora	GO TO R09_AH0103
2 Hoy, pero hace más de una hora	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO R09_AH1130
-8 DON'T KNOW	GO TO R09_AH1130
-7 REFUSED	GO TO R09_AH1130

ASK: Adult respondents who are past 30 day hookah smokers.

ASK Specification: IF R09_THIRTY_DAY_USER_HOOK = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH0102

La última vez que fumó tabaco en una hookah [FILL BASED ON R09_AH0100], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R09_AH0100]:

IF R09_AH0100 = 2, DISPLAY "hoy".

ELSE, IF R09_AH0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AH0100 = 4, DISPLAY "hace dos días".

PATH ID: R09_AH0103

¿Cuántas probaditas [ha tomado/tomó] de una hookah [FILL BASED ON R09_AH0100]?

- 1 |__|__|__| Cantidad de probaditas
- 8 DON'T KNOW GO TO R09_AH1130
- 7 REFUSED GO TO R09_AH1130

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH0100 = 1, 2, 3, 4.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de probaditas" AS A TITLE.

IF R09_AH0100 = 1, 2, DISPLAY "ha tomado" AND "".

IF R09_AH0100 = 3, 4, DISPLAY "tomó" AND "".

FOR [FILL BASED ON R09_AH0100]:

IF R09_AH0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AH0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AH0100 = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH0103_LC1

Usted contestó que tomó [R09_AH0103] probaditas a una hookah [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH0103

2 NEXT

GO TO R09_AH1130

ASK: IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH0100 = 1, 2, 3, 4 AND (R09_AH0103 > 50 OR R09_AH0103 = 11, 22, 33, 44).

DISPLAY: IF R09_AH0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AH0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AH0100 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AH0103 > 50 OR R09_AH0103 = 11, 22, 33, 44.

ELSE, GO TO R09_AH1130 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AH1130

En los últimos 30 días, ¿tenía alguna de la shisha o tabaco para hookah que fumó sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1 Sí

2 No

GO TO BOX R09_AHR23

3 No sé

GO TO BOX R09_AHR23

-7 REFUSED

GO TO BOX R09_AHR23

ASK: Adult respondents who are past 30-day hookah smokers.

ASK Specification: IF R09_THIRTY_DAY_USER_HOOK = 1.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AH1131

¿Qué sabores ha fumado en los últimos 30 días? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1130 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AH1147

En los días en que fumó hookah en los últimos 30 días, ¿con qué frecuencia fumó shisha o tabaco para hookah **con sabor**?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1130 = 1.

DISPLAY: BOLD "con sabor".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHR37

Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, go to R09_AH1133.
Else, go to Box R09_AHR23.

IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1130 = 1 AND (R09_AH1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AH1131_[01/.../09] = -8, -7), GO TO R09_AH1133.
ELSE, GO TO BOX R09_AHR23.

PATH ID: R09_AH1133

En los últimos 30 días, ¿qué sabor de shisha o tabaco para hookah ha fumado con más frecuencia?
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R09_THIRTY_DAY_USER_HOOK = 1 AND R09_AH1130 = 1 AND (R09_AH1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AH1131_[01/.../09] = -8, -7).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_AHR23

Adult 18-20 year old respondents who are current hookah smokers, go to R09_AH1142.
Else, adult respondents who are current hookah smokers, go to R09_AH1030.
Else, adult respondents who are recent former hookah smokers, go to R09_AH1047.
Else, go to Box R09_AHR19.

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_HOOK_USER_STATUS = 1, GO TO R09_AH1142.
ELSE, IF R09_HOOK_USER_STATUS = 1, GO TO R09_AH1030.
ELSE, IF R09_HOOK_USER_STATUS = 4, GO TO R09_AH1047.
ELSE, GO TO BOX R09_AHR19.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1142

Las siguientes preguntas son acerca de su experiencia al comprar shisha o tabaco para hookah.

En los últimos 30 días, ¿le vendió alguien shisha o tabaco para hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current hookah smokers.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_HOOK_USER_STATUS = 1.

PATH ID: R09_AH1123

En los últimos 30 días, ¿le negó alguien la venta de shisha o tabaco para hookah debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar shisha o tabaco para hookah en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current hookah smokers.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_HOOK_USER_STATUS = 1.

PATH ID: R09_AH1030

[Las siguientes preguntas son acerca de su experiencia al comprar shisha o tabaco para hookah.

]¿Cómo compra normalmente shisha o tabaco para hookah para usted?

1 En persona (en una tienda o bar de hookah)	GO TO R09_AH1032
2 En Internet	GO TO R09_AH1047
3 Por teléfono	GO TO R09_AH1047
4 No compro mi propia shisha o tabaco para hookah	
-8 DON'T KNOW	GO TO R09_AH1047
-7 REFUSED	GO TO R09_AH1047

ASK: Adult respondents who are current hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar shisha o tabaco para hookah."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1118

¿Cómo obtiene normalmente shisha o tabaco para hookah para usted?

1	Le doy dinero a otra persona para que me lo compre	
2	Le pido a una persona que me dé un poco	GO TO R09_AH1047
3	Alguien me lo ofrece	GO TO R09_AH1047
4	Me lo llevo de una tienda o se lo quito a alguien sin que se den cuenta	GO TO R09_AH1047
5	Lo obtengo de otra manera (ESPECIFIQUE)	GO TO R09_AH1047
-8	DON'T KNOW	GO TO R09_AH1047
-7	REFUSED	GO TO R09_AH1047

ASK: Adult respondents who are current hookah smokers and do not buy their own hookah tobacco.

ASK Specification: IF R09_HOOK_USER_STATUS = 1 AND R09_AH1030 = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AH1032

Normalmente, ¿[le compran/compra] shisha o tabaco para hookah...?

1	En su propio estado
2	En otro estado
3	Fuera de Estados Unidos
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current hookah smokers and usually buy their shisha or hookah tobacco in person or give someone else money to buy for them.

ASK Specification: IF R09_HOOK_USER_STATUS = 1 AND (R09_AH1030 = 1 OR R09_AH1118 = 1).

DISPLAY: IF R09_AH1118 = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1033

¿Dónde [le compran/compra] tabaco para hookah o shisha para usted la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

1	Un bar o café de hookah	
2	Una tienda de conveniencia o estación de gasolina	GO TO R09_AH1047
3	Un supermercado, tienda de comestibles o farmacia	GO TO R09_AH1047
4	Una tienda mayorista como Sam's o Costco	GO TO R09_AH1047
5	Una tienda especializada o un almacén de tabaco o una tabaquería	GO TO R09_AH1047
6	Una tienda libre de impuestos o un economato militar	GO TO R09_AH1047
7	Un bar, restaurante, casino o una taberna	GO TO R09_AH1047
8	Un amigo o familiar	GO TO R09_AH1047
9	Un mercadillo o mercado de pulgas	GO TO R09_AH1047
10	Una tienda de licores	GO TO R09_AH1047
11	En otra parte (ESPECIFIQUE)	GO TO R09_AH1047
-8	DON'T KNOW	GO TO R09_AH1047
-7	REFUSED	GO TO R09_AH1047

ASK: Adult respondents who are current hookah smokers and usually buy their shisha or hookah tobacco in person or give someone else money to buy for them.

ASK Specification: IF R09_HOOK_USER_STATUS = 1 AND (R09_AH1030 = 1 OR R09_AH1118 = 1).

DISPLAY: IF R09_AH1118 = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1035

Piense en la última vez que fumó tabaco en una hookah en un café o bar de hookah. ¿Cuánto costaba una sola sesión?

1 \$ |_|_|_|_| . |_|_|_|_|

-8 DON'T KNOW

GO TO R09_AH1036

-7 REFUSED

GO TO R09_AH1036

ASK: Adult respondents who are current hookah smokers and usually buy their shisha or hookah tobacco in person or give someone else money to buy for them, and buy at a hookah bar or café.

ASK Specification: IF R09_HOOK_USER_STATUS = 1 AND (R09_AH1030 = 1 OR R09_AH1118 = 1) AND R09_AH1033 = 1.

DISPLAY: ALLOW NUMERIC ENTRY;
DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.
Range check: 0.00-999.99

PATH ID: R09_AH1037

Usted informó que la última vez que fumó hookah en un café o bar de hookah, costaba \$[R09_AH1035] dólares. ¿Cuántas recargas de shisha o tabaco para hookah incluía?

1 Ninguna

2 1

3 2

4 3

5 4

6 Más de 4

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current hookah smokers and usually buy their shisha or hookah tobacco in person or give someone else money to buy for them, and buy at a hookah bar or café and reported the cost of a single session the last time they smoked hookah at a hookah bar or café.

ASK Specification: IF R09_HOOK_USER_STATUS = 1 AND (R09_AH1030 = 1 OR R09_AH1118 = 1) AND R09_AH1033 = 1 AND R09_AH1035 != -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1036

[Piense en la última vez que le dio dinero a alguien para que le compre shisha o tabaco para hookah.]
¿Cuánto paga normalmente por un envase de shisha o tabaco para hookah?

- 1 \$ |__|__|__| . |__|__|
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current hookah smokers and usually buy their shisha or hookah tobacco in person or give someone else money to buy for them, and buy at a hookah bar or café.

ASK Specification: IF R09_HOOK_USER_STATUS = 1 AND (R09_AH1030 = 1 OR R09_AH1118 = 1) AND R09_AH1033 = 1.

DISPLAY: IF R09_AH1118 = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre shisha o tabaco para hookah. ".
ELSE, DO NOT DISPLAY THIS TEXT.

ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AH1047

¿[Tiene/Tenía] una marca habitual de shisha o tabaco para hookah que normalmente [fuma/fumaba]?

- 1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "Tiene" AND "fuma".

ELSE, DISPLAY "Tenía" AND "fumaba".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1050

[Su marca habitual/La última marca] de shisha o tabaco para hookah que [fuma/fumaba], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO R09_AH1945
3	No sé	GO TO R09_AH1945
-7	REFUSED	GO TO R09_AH1945

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "Su marca habitual", "fuma" AND "tiene".

ELSE, IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 2, -8, -7, DISPLAY "La última marca", "fumaba" AND "tenía".

ELSE, IF R09_HOOK_USER_STATUS = 4 AND R09_AH1047 = 1, DISPLAY "Su marca habitual", "fumaba" AND "tenía".

ELSE, IF R09_HOOK_USER_STATUS = 4 AND R09_AH1047 = 2, -8, -7, DISPLAY "La última marca", "fumaba" AND "tenía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AH1012

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

1	Mentol
2	Menta, wintergreen, hierbabuena o peppermint
9	Hielo o frost
4	Fruta
3	Clavo de olor o especias
5	Chocolate
6	Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
7	Caramelos, postres u otros sabores dulces
8	Otro sabor (ESPECIFIQUE)
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current or recent former hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1050 = 1.

DISPLAY: IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "Es".

ELSE, DISPLAY "Era".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1945

¿Sabe el **nombre de la marca** de shisha o tabaco para hookah que [fuma normalmente/fumó normalmente/fumó la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_AH1047 = 1 AND R09_HOOK_USER_STATUS = 1, DISPLAY "fuma normalmente".

ELSE, IF R09_AH1047 = 1 AND R09_HOOK_USER_STATUS != 1, DISPLAY "fumó normalmente".

ELSE, IF R09_AH1047 = 2, -8, -7, DISPLAY "fumó la última vez".

BOLD "nombre de la marca".

BOX ID: R09_AHR26

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, go to Box R09_AHD48.
Else, go to Box R09_AHR17.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1, GO TO BOX R09_AHD48.
ELSE, GO TO BOX R09_AHR17.

BOX ID: R09_AHD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AH1048 and R09_AH1049 on one screen.

Show the question text from R09_AH1048 at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AH1049, and 5) text entry for R09_AH1049.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1048

¿Qué marca de shisha o tabaco para hookah [fuma/fumó] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1.

DISPLAY: IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AH1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL BRANDS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AH1049, set R09_AH1048_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1049

¿No vio su marca?

Escriba el nombre de la marca de shisha o tabaco para hookah que [fuma/fumó] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1.

DISPLAY: BOLD "¿No vio su marca?" AND "deseleccionarán."

IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R08_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, DISPLAY "fumó" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AH1049, set R09_AH1048_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_AHR17

Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, go to R09_AH2048.

Else, go to Box R09_AHR102.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1, GO TO R09_AH2048.

ELSE, GO TO BOX R09_AHR102.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH2048

¿Qué marca de shisha o tabaco para hookah [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 9995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1.

DISPLAY: IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AH1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

BOX ID: R09_AHR101

Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco, go to R09_AH2049.

Else, go to Box R09_AHR102.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND = 9995, GO TO R09_AH2049.

ELSE, GO TO BOX R09_AHR102.

PATH ID: R09_AH2049

Dijo que su marca no aparece en la lista. ¿Cuál marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco, go to Box R09_AHD70.
Else, go to Box R09_AHR18.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH1048_BRAND != 9995, -8, -7,
GO TO BOX R09_AHD70.
ELSE, GO TO BOX R09_AHR18.

BOX ID: R09_AHD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AH1070 and R09_AH1071 on one screen.

Show the question text from R09_AH1070 at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AH1071, and 5) text entry for R09_AH1071.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó]
[normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AH1048_BRAND.

IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "fuma" AND "normalmente".
ELSE, IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AH1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS,
DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED
WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE
TOUCHSCREEN.

If text is entered in R09_AH1071, set R09_AH1070_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1071

¿No vio su producto?

Escriba el tipo de [BRANDFILL] que [fuma/fumó] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH1048_BRAND != 9995, -8, -7.

DISPLAY: BOLD "¿No vio su producto?" AND "deseleccionarán".

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AH1048_BRAND.

IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_AH1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, DISPLAY "fumó AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AH1071, set R09_AH1070_PRODUCT = 99995 (SOMETHING ELSE).

BOX ID: R09_AHR18

Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco, go to R09_AH2070.
Else, go to Box R09_AHR20.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND != 9995, -8, -7, GO TO R09_AH2070.
ELSE, GO TO BOX R09_AHR20.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH2070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [fuma/fumó] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

99995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AH2048_BRAND.

IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "fuma" AND "normalmente".

ELSE, IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

ELSE, IF R09_AH1047 = 1, DISPLAY "fumó" AND "normalmente".

ELSE, IF R09_AH1047 = 2, -8, -7, DISPLAY "fumó" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

BOX ID: R09_AHR103

Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand and sub-brand of shisha or hookah tobacco, go to R09_AH2070_CONF.

Else, adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their sub-brand of shisha or hookah tobacco, go to R09_AH2071.

Else, go to Box R09_AHR20.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND != 9995, -8, -7 AND R09_AH2070_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AH2070_CONF.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND != 9995, -8, -7 AND R09_AH2070_PRODUCT = 99995, GO TO R09_AH2071.

ELSE, GO TO BOX R09_AHR20.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH2070_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor seleccione el botón que dice ATRÁS y vuelva a seleccionar su marca.

[SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS]

1 BACK

GO TO R09_AH2070

2 NEXT

GO TO BOX R09_AHR20

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand and sub-brand of shisha or hookah tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND != 9995, -8, -7 AND R09_AH2070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: FILL [NEQBRAND] WITH R09_AH2070_PRODUCT RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS.

PATH ID: R09_AH2071

Dijo que el tipo de [BRANDFILL] que usted [fuma/fumaba] no aparece en la lista. ¿Qué tipo es?

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their sub-brand of shisha or hookah tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND != 9995, -8, -7 AND R09_AH2070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R09_AH2048_BRAND.

IF R09_HOOK_USER_STATUS = 1 AND R09_AH1047 = 1, DISPLAY "fuma".

ELSE, DISPLAY "fumaba".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AHR20

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or wrote in a brand, or adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is, go to R09_AH9108.
Else, go to Box R09_AHR22.

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND (R09_AH1048_BRAND != 9995, -8, -7 OR (R09_AH1048_BRAND = 9995 AND R09_AH1049 != -8, -7))) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND (R09_AH2048_BRAND != 9995, -8, -7 OR (R09_AH2048_BRAND = 9995 AND R09_AH2049 != -1, -8, -7))), GO TO R09_AH9108.
ELSE, GO TO BOX R09_AHR22.

PATH ID: R09_AH9108

¿Contiene tabaco esta marca de shisha?

- 1 Sí
- 2 No
- 3 No sé
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or wrote in a brand, or
Adult respondents who are completing a web interview on a mobile device and are current or recent former hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is.

ASK Specification: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND (R09_AH1048_BRAND != 9995, -8, -7 OR (R09_AH1048_BRAND = 9995 AND R09_AH1049 != -1, -8, -7))) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1945 = 1 AND (R09_AH2048_BRAND != 9995, -8, -7 OR (R09_AH2048_BRAND = 9995 AND R09_AH2049 != -1, -8, -7))).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

BOX ID: R09_AHR22

Adult respondents who are current or recent former hookah smokers and have a regular brand of shisha or hookah tobacco, go to R09_AH1051.
Else, go to Box R09_AHR19.

IF R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1047 = 1, GO TO R09_AH1051.
ELSE, GO TO BOX R09_AHR19.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1051

Aproximadamente, ¿cuánto tiempo [fumó/lleva fumando] su marca habitual de shisha o tabaco para hookah? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |_|_|_| Días
- 2 |_|_|_| Meses
- 3 |_|_|_| Años

-8 DON'T KNOW

GO TO BOX R09_AHR19

-7 REFUSED

GO TO BOX R09_AHR19

ASK: Adult respondents who are current or recent former hookah smokers and have a regular brand of shisha or hookah tobacco.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1047 = 1.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, DISPLAY "fumó".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AH1051_LC1

Usted contestó que [lleva fumando/fumó] su marca habitual de shisha o tabaco para hookah por [R09_AH1051_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1051

2 NEXT

GO TO R09_AH1051_LC2

ASK: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1047 = 1 AND R09_AH1051_NN > R09_ACHIEVEDAGE AND R09_AH1051_UN = 3.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, IF R09_HOOK_USER_STATUS = 4, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AH1051_NN > R09_ACHIEVEDAGE AND R09_AH1051_UN = 3.

ELSE, GO TO R09_AH1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1051_LC2

Usted contestó "cero" para la cantidad de tiempo que usted [lleva fumando/fumó] su marca habitual de shisha o tabaco para hookah. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AH1051

2 NEXT

GO TO BOX R09_AHR19

ASK: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_AH1047 = 1 AND R09_AH1051_NN = 0.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "lleva fumando".

ELSE, IF R09_HOOK_USER_STATUS = 4, DISPLAY "fumó".

PROGRAM: TRIGGER CHECK IF R09_AH1051_NN = 0.

ELSE, GO TO BOX R09_AHR19 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AHR19

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current hookah smokers and last smoked hookah in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and sub-brand of shisha or hookah tobacco, or adult respondents who are completing a web interview on a mobile device and are current hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and sub-brand of shisha or hookah tobacco, go to R09_AH0104. Else, adult respondents who are current or recent former hookah smokers, go to Box R09_AHD01. Else, go to the next section.

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_HOOK_USER_STATUS = 1 AND R09_AH0100 = 1, 2, 3, 4 AND R09_AH1945 = 1 AND R09_AH1048_BRAND != 9995, -8, -7 AND R09_AH1070_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1 AND R09_AH0100 = 1, 2, 3, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND != 9995, -8, -7 AND R09_AH2070_PRODUCT != 99990, 99995, -8, -7), GO TO R09_AH0104.
ELSE, IF R09_HOOK_USER_STATUS = 1, 4, GO TO BOX R09_AHD01.
ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH0104

Anteriormente usted dijo que la última vez que fumó tabaco en una hookah fue [TIME OF LAST USE].

Piense en la última probadita que tomó.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and sub-brand of shisha or hookah tobacco, or

Adult respondents who are completing a web interview on a mobile device and are current hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and sub-brand of shisha or hookah tobacco.

ASK Specification: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_HOOK_USER_STATUS = 1 AND R09_AH0100 = 1, 2, 3, 4 AND R09_AH1945 = 1 AND R09_AH1048_BRAND != 9995, -8, -7 AND R09_AH1070_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_HOOK_USER_STATUS = 1 AND R09_AH0100 = 1, 2, 3, 4 AND R09_AH1945 = 1 AND R09_AH2048_BRAND != 9995, -8, -7 AND R09_AH2070_PRODUCT != 99990, 99995, -8, -7).

DISPLAY: IF R09_AH0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R09_AH0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R09_AH0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R09_AH0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL [NEQBRAND] WITH R09_AH1070_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AH2070_PRODUCT RESPONSE.

BOX ID: R09_AHD01

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER: R09_AH1060, R09_AH1085, R09_AH1062, R09_AH1075, R09_AH1063, (R09_AH1064), R09_AH1073, (R09_AH1077).

CONDITIONAL LEAVES: R09_AH1064, R09_AH1077. (See routing boxes for details: R09_AHR15, R09_AHR53.)

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AH1060 is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AH1060 on each screen. Randomize the order.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1060

Las siguientes preguntas son acerca de las razones por las que la gente fuma tabaco en una hookah. Seleccione las razones que [aplican a usted/aplicaban a usted cuando fumaba tabaco en una hookah]. [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

[Fumo/Fumaba] tabaco en una hookah porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "aplican a usted", "Fumo" AND "Es".
ELSE, DISPLAY "aplicaban a usted cuando fumaba tabaco en una hookah", "Fumaba" AND "Era".
IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación."
Desplace para ver más afirmaciones."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AH1085

[Puedo/Podía] fumar tabaco en una hookah en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "Puedo" AND "permite".
ELSE, DISPLAY "Podía" AND "permitía".

PATH ID: R09_AH1062

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1075

Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

PATH ID: R09_AH1063

La shisha o el tabaco para hookah [viene/venía] en sabores que me [gustan/gustaban].

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "viene" AND "gustan".
ELSE, DISPLAY "venía" AND "gustaban".

BOX ID: R09_AHR15

Adult respondents who are current or recent former hookah smokers and are current or recent former cigarette smokers, go to R09_AH1064.
Else, go to R09_AH1073.

IF R09_HOOK_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AH1064.
ELSE, GO TO R09_AH1073.

PATH ID: R09_AH1064

Fumar en una hookah le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers and are current or recent former cigarette smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1073

Fumar en hookah es parte de mi tradición cultural.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

BOX ID: R09_AHR53

Adult respondents who are current or recent former hookah smokers and are current or recent former cigarette smokers, go to R09_AH1077.
Else, go to Box R09_AHR16.

IF R09_HOOK_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AH1077.
ELSE, GO TO BOX R09_AHR16.

PATH ID: R09_AH1077

Fumar en hookah [satisface/satisfacía] mi deseo de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers and are current or recent former cigarette smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "satisface".
ELSE, DISPLAY "satisfacía".

BOX ID: R09_AHR16

Adult respondents who are current or recent former hookah smokers and are current or recent former cigarette smokers, go to R09_AH1080.
Else, go to R09_AH1139.

IF R09_HOOK_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AH1080.
ELSE, GO TO R09_AH1139.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1080

¿[Fuma/Fumaba] tabaco en una hookah como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers and are current or recent former cigarette smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "Fuma".
ELSE, DISPLAY "Fumaba".

PATH ID: R09_AH1082

¿[Está fumando/Fumaba] tabaco en una hookah como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers and are current or recent former cigarette smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "Está fumando" AND "".
ELSE, DISPLAY "Fumaba" AND "".

PATH ID: R09_AH1139

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas al fumar en hookah.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "Es".
ELSE, DISPLAY "Era".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1140

Al fumar en hookah, me [siento/sentía] más seguro con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "siento".

ELSE, DISPLAY "sentía".

PATH ID: R09_AH1141

[Fumo/Fumaba] hookah mucho más cuando [estoy/estaba] con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1, 4.

DISPLAY: IF R09_HOOK_USER_STATUS = 1, DISPLAY "Fumo" AND "estoy".

ELSE, DISPLAY "Fumaba" AND "estaba".

BOX ID: R09_AHR54

Adult respondents who are current hookah smokers, go to R09_AH1144.

Else, go to the next section.

IF R09_HOOK_USER_STATUS = 1, GO TO R09_AH1144.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1144

¿Qué tan dañino cree que es fumar tabaco en una hookah para SU salud?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current hookah smokers.

ASK Specification: IF R09_HOOK_USER_STATUS = 1.

NICOTINE POUCHES

BOX ID: R09_AAR30

Adult respondents who have ever used nicotine pouches and are not long-term former nicotine pouch users, or continuing adult respondents who have ever used nicotine pouches and are long-term former nicotine pouch users and had not used 100 or more nicotine pouches as of their last completed interview or had not reported ever using nicotine pouches fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used nicotine pouches, continue with Box R09_AAT02.

Else, go to the next section.

IF (R09_EVER_NEVER_NICPOUCH = 1 AND R09_NICPOUCH_USER_STATUS != 5) OR
(R09_ADULTTYPE = 1 AND R09_EVER_NEVER_NICPOUCH = 1 AND
R09_NICPOUCH_USER_STATUS = 5 AND (R08_NUMLIFE_NICPOUCH != 1 OR
R08_REGUSE_NICPOUCH != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH =
1), GO TO BOX R09_AAT02.
ELSE, GO TO THE NEXT SECTION.

BOX ID: R09_AAT02

Las siguientes preguntas son acerca de las **bolsitas de nicotina**, las cuales son bolsitas blancas con nicotina que usted se pone en la boca.

Las bolsitas de nicotina **no contienen hojas molidas de tabaco** y no es necesario escupir cuando se consumen. Algunas marcas conocidas son Zyn, on! y Rogue.

Por favor, piense ÚNICAMENTE en su consumo de bolsitas de nicotina cuando conteste estas preguntas.

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

BOLD FIRST INSTANCE OF "bolsitas de nicotina" AND "no contienen hojas molidas de tabaco".
IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AAR23

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AAT07.
Else, go to Box R09_AAR31.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AAT07.
ELSE, GO TO BOX R09_AAR31.

BOX ID: R09_AAT07

Piense ahora en las bolsitas de nicotina, como las que se muestran a continuación...

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAR31

Continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview, or new cohort adult respondents who have ever used nicotine pouches, go to R09_AA1006NP.

Else, continuing and aged-up adult respondents who have ever used nicotine pouches and had not used 100 or more nicotine pouches as of their last completed interview, go to R09_AA1005NP.

Else, continuing and aged-up adult respondents who have ever used nicotine pouches and had not reported ever using nicotine pouches fairly regularly as of their last completed interview, go to R09_AA1100NP.

Else, go to Box R09_AAR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1), GO TO R09_AA1006NP.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_NUMLIFE_NICPOUCH != 1, GO TO R09_AA1005NP.

ELSE, IF R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_REGUSE_NICPOUCH != 1, GO TO R09_AA1100NP.

ELSE, GO TO BOX R09_AAR02.

PATH ID: R09_AA1006NP

¿Qué edad tenía la primera vez que probó una bolsita de nicotina, incluso si solo fueron una o dos veces?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AA1120NP

-7 REFUSED

GO TO R09_AA1120NP

ASK: Continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview, or new cohort adult respondents who have ever used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AA1006NP_LC1

Usted contestó que la primera vez que probó una bolsita de nicotina fue a la edad de [R09_AA1006NP]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1006NP

2 NEXT

GO TO R09_AA1006NP_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1 AND R09_AA1006NP <= 8) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1006NP <= 8).

PROGRAM: TRIGGER CHECK IF R09_AA1006NP <= 8.

ELSE, GO TO R09_AA1006NP_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1006NP_LC2

Usted contestó que la primera vez que probó una bolsita de nicotina fue a la edad de [R09_AA1006NP]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1006NP

2 NEXT

GO TO R09_AA1005NP

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1 AND R09_AA1006NP > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1 AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AA1006NP > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AA1005NP AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA1120NP

La primera vez que probó una bolsita de nicotina, incluso si solo fueron una o dos veces, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview and did not know or refused to report the age they first used nicotine pouches, or new cohort adult respondents who have ever used nicotine pouches and did not know or refused to report the age they first used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1 AND R09_AA1006NP = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1006NP = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1005NP

¿Cuántas bolsitas de nicotina ha consumido en toda su vida?

- 1 1 a 10
- 2 11 a 20
- 3 21 a 50
- 4 51 a 99
- 5 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used nicotine pouches and had not used 100 or more nicotine pouches as of their last completed interview, or new cohort adult respondents who have ever used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_NUMLIFE_NICPOUCH != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1).

BOX ID: R09_AAR32

Continuing and aged-up adult respondents who have ever used nicotine pouches and had not reported ever using nicotine pouches fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used nicotine pouches, go to R09_AA1100NP.
Else, go to Box R09_AAR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_REGUSE_NICPOUCH != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1), GO TO R09_AA1100NP.
ELSE, GO TO BOX R09_AAR02.

PATH ID: R09_AA1100NP

Alguna vez, ¿ha consumido bolsitas de nicotina habitualmente?

1 Sí	
2 No	GO TO BOX R09_AAR02
-8 DON'T KNOW	GO TO BOX R09_AAR02
-7 REFUSED	GO TO BOX R09_AAR02

ASK: Continuing and aged-up adult respondents who have ever used nicotine pouches and had not reported ever using nicotine pouches fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_REGUSE_NICPOUCH != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1007NP

¿Qué edad tenía la primera vez que comenzó a consumir bolsitas de nicotina habitualmente?

1 |__| |__| Años

-8 DON'T KNOW

GO TO R09_AA1121NP

-7 REFUSED

GO TO R09_AA1121NP

ASK: Continuing and aged-up adult respondents who have ever used nicotine pouches and had not reported ever using nicotine pouches fairly regularly as of their last completed interview and have ever used nicotine pouches fairly regularly, or new cohort adult respondents who have ever used nicotine pouches and have ever used nicotine pouches fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_REGUSE_NICPOUCH != 1 AND R09_AA1100NP = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1100NP = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AA1007NP_LC1

Usted contestó que comenzó a consumir bolsitas de nicotina de manera habitual a la edad de [R09_AA1007NP] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1007NP

2 NEXT

GO TO R09_AA1007NP_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_REGUSE_NICPOUCH != 1 AND R09_AA1100NP = 1 AND R09_AA1007NP <= 8) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1100NP = 1 AND R09_AA1007NP <= 8).

PROGRAM: TRIGGER CHECK IF R09_AA1007NP <= 8.

ELSE, GO TO R09_AA1007NP_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA1007NP_LC2

Usted contestó que comenzó a consumir bolsitas de nicotina de manera habitual a la edad de [R09_AA1007NP] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1007NP

2 NEXT

GO TO BOX R09_AAR02

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_REGUSE_NICPOUCH != 1 AND R09_AA1100NP = 1 AND R09_AA1007NP > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1100NP = 1 AND R09_AA1007NP > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AA1007NP > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AAR02 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1121NP

La primera vez que comenzó a consumir bolsitas de nicotina habitualmente, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used nicotine pouches and had not reported ever using nicotine pouches fairly regularly as of their last completed interview and have ever used nicotine pouches fairly regularly and did not know or refused to report the age they first started using nicotine pouches fairly regularly, or new cohort adult respondents who have ever used nicotine pouches and have ever used nicotine pouches fairly regularly and did not know or refused to report the age they first started using nicotine pouches fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_NICPOUCH = 1 AND R08_REGUSE_NICPOUCH != 1 AND R09_AA1100NP = 1 AND R09_AA1007NP = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1100NP = 1 AND R09_AA1007NP = -8, -7).

BOX ID: R09_AAR02

Continuing adult respondents who have not reported the age when they first started using nicotine pouches every day as of their last completed interview and use nicotine pouches every day, or new baseline adult respondents who use nicotine pouches every day, go to R09_AA1020NP. Else, go to Box R09_AAR33.

IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_NICPOUCH != 1 AND R09_AA1003NP = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AA1003NP = 1), GO TO R09_AA1020NP. ELSE, GO TO BOX R09_AAR33.

PATH ID: R09_AA1020NP

¿Qué edad tenía cuando comenzó a consumir bolsas de nicotina todos los días?

- 1 |__|__| Años
- 8 DON'T KNOW GO TO R09_AA1122NP
- 7 REFUSED GO TO R09_AA1122NP

ASK: Continuing adult respondents who have not reported the age when they first started using nicotine pouches every day as of their last completed interview and use nicotine pouches every day, or new baseline adult respondents who use nicotine pouches every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_NICPOUCH != 1 AND R09_AA1003NP = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AA1003NP = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1020NP_LC1

Usted contestó que comenzó a consumir bolsitas de nicotina todos los días a la edad de [R09_AA1020NP]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1020NP

2 NEXT

GO TO R09_AA1020NP_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY AGE_NICPOUCH != 1 AND R09_AA1003NP = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AA1003NP = 1)) AND (R09_AA1020NP <= 8 OR R09_AA1020NP < R09_AA1007NP).

PROGRAM: TRIGGER CHECK IF R09_AA1020NP <= 8 OR R09_AA1020NP < R09_AA1007NP.
ELSE, GO TO R09_AA1020NP_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA1020NP_LC2

Usted contestó que comenzó a consumir bolsitas de nicotina todos los días a la edad de [R09_AA1020NP]. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1020NP

2 NEXT

GO TO BOX R09_AAR33

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY AGE_NICPOUCH != 1 AND R09_AA1003NP = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AA1003NP = 1)) AND R09_AA1020NP > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AA1020NP > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AAR33 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1122NP

La primera vez que comenzó a consumir bolsitas de nicotina todos los días, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have not reported the age when they first started using nicotine pouches every day as of their last completed interview and use nicotine pouches every day and did not know or refused to report the age they first started using nicotine pouches every day, or new baseline adult respondents who use nicotine pouches every day and did not know or refused to report the age they first started using nicotine pouches every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_NICPOUCH != 1 AND R09_AA1003NP = 1 AND R09_AA1020NP = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AA1003NP = 1 AND R09_AA1020NP = -8, -7).

BOX ID: R09_AAR33

Continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview, go to R09_AA1008NP.
Else, go to Box R09_AAR04.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1), GO TO R09_AA1008NP.
ELSE, GO TO BOX R09_AAR04.

PATH ID: R09_AA1008NP

La primera vez que comenzó a consumir bolsitas de nicotina, ¿consumió bolsitas de nicotina con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, bebidas no alcohólicas, caramelos, postres u otros sabores dulces?

- 1 Sí
- 2 No GO TO BOX R09_AAR03
- 3 No sé GO TO BOX R09_AAR03
- 7 REFUSED GO TO BOX R09_AAR03

ASK: Continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview, or new cohort adult respondents who have ever used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1011NP

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 10 Sabor a tabaco
- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 11 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview and whose first nicotine pouch was flavored, or new cohort adult respondents who have ever used nicotine pouches and whose first nicotine pouch was flavored.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1 AND R09_AA1008NP = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_NICPOUCH = 1 AND R09_AA1008NP = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_AAR03

New cohort adult respondents who are current, recent former, or long-term former nicotine pouch users, go to R09_AA1025NP_RS.

Else, go to Box R09_AAR04.

IF R09_ADULTTYPE = 3 AND R09_NICPOUCH_USER_STATUS = 1, 4, 5, GO TO R09_AA1025NP_RS.

ELSE, GO TO BOX R09_AAR04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1025NP_RS

Alrededor de esta época hace 12 meses, ¿consumía bolsitas de nicotina...?

- 1 Todos los días
- 2 Algunos días
- 3 Para nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, recent former, or long-term former nicotine pouch users.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_NICPOUCH_USER_STATUS = 1, 4, 5.

BOX ID: R09_AAR04

Adult respondents who use nicotine pouches every day, go to R09_AA1021NP.
Else, adult respondents who are current nicotine pouch users and do not use nicotine pouches every day, go to R09_AA1022NP.
Else, adult respondents who are recent former nicotine pouch users, go to R09_AA9156NP.
Else, go to the next section.

IF R09_AA1003NP = 1, GO TO R09_AA1021NP.
ELSE, IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1, GO TO R09_AA1022NP.
ELSE, IF R09_NICPOUCH_USER_STATUS = 4, GO TO R09_AA9156NP.
ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AA1021NP

En promedio, ¿aproximadamente cuántas bolsitas de nicotina consume actualmente cada día?

1	__ __	Cantidad de bolsitas cada día	
-8	DON'T KNOW		GO TO R09_AA1024NP
-7	REFUSED		GO TO R09_AA1024NP

ASK: Adult respondents who use nicotine pouches every day.

ASK Specification: IF R09_AA1003NP = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de bolsitas cada día" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1021NP_LC1

Usted contestó que, en promedio, actualmente consume [R09_AA1021NP] bolsitas de nicotina al día.
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1021NP

2 NEXT

GO TO R09_AA1024NP

ASK: IF R09_AA1003NP = 1 AND R09_AA1021NP > 20.

PROGRAM: TRIGGER CHECK IF R09_AA1021NP > 20.

ELSE, GO TO R09_AA1024NP AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA1022NP

¿En cuántos de los últimos 30 días consumió bolsitas de nicotina?

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and do not use nicotine pouches every day.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R09_AAR05

Adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and used on 0 days of the past 30 days, go to R09_AA9029NP.

Else, adult respondents who are current nicotine pouch users and do not use nicotine pouch every day and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AA1023NP.

Else, go to Box R09_AAR06.

IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP = 0, GO TO R09_AA9029NP.

ELSE, IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0, GO TO R09_AA1023NP.

ELSE, GO TO BOX R09_AAR06.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA9029NP

Aproximadamente, ¿cuánto tiempo hace desde la última vez que consumió bolsitas de nicotina? Anote un número y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Meses
- 3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_AAR06

-7 REFUSED

GO TO BOX R09_AAR06

ASK: Adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and used on 0 days of the past 30 days.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AA9029NP_LC1

Usted contestó que la última vez que consumió una bolsita de nicotina fue hace [R09_AA9029NP] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA9029NP

2 NEXT

GO TO BOX R09_AAR06

ASK: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP = 0 AND ((R09_AA9029NP_NN < 30 AND R09_AA9029NP_UN = 1) OR (R09_AA9029NP_NN < 1 AND R09_AA9029NP_UN = 2) OR (R09_AA9029NP_NN > 18 AND R09_AA9029NP_UN = 2) OR (R09_AA9029NP_NN > (R09_ACHIEVEDAGE - 10) AND R09_AA9029NP_UN = 3)).

DISPLAY: IF R09_AA9029NP_UN = 1, DISPLAY "días".

ELSE, IF R09_AA9029NP_UN = 2, DISPLAY "meses".

ELSE, IF R09_AA9029NP_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AA9029NP_NN < 30 AND R09_AA9029NP_UN = 1) OR (R09_AA9029NP_NN < 1 AND R09_AA9029NP_UN = 2) OR (R09_AA9029NP_NN > 18 AND R09_AA9029NP_UN = 2) OR (R09_AA9029NP_NN > (R09_ACHIEVEDAGE - 10) AND R09_AA9029NP_UN = 3).

ELSE, GO TO BOX R09_AAR06 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1023NP

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AA1022 días/días en que consumió], ¿cuántas bolsitas de nicotina normalmente consumió cada día?

1 |__|__| Cantidad de bolsitas
cada día

-8 DON'T KNOW

GO TO BOX R09_AAR06

-7 REFUSED

GO TO BOX R09_AAR06

ASK: Adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de bolsitas cada día" AS A TITLE.

IF R09_AA1022NP = 1, -8, -7, DISPLAY "días en que consumió".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AA1022NP AND "días" (EX. "2 días").

PROGRAM: Range check: 0-99.

PATH ID: R09_AA1023NP_LC1

Usted contestó que en los días en que consumió bolsitas de nicotina en los últimos 30 días, usted consumió [R09_AA1023NP] bolsitas de nicotina al día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1023NP

2 NEXT

GO TO BOX R09_AAR06

ASK: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0 AND R09_AA1023NP > 20.

PROGRAM: TRIGGER CHECK IF R09_AA1023NP > 20.

ELSE, GO TO BOX R09_AAR06 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AAR06

Adult respondents who are current nicotine pouch users, go to R09_AA1024NP.
Else, go to the next section.

IF R09_NICPOUCH_USER_STATUS = 1, GO TO R09_AA1024NP.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1024NP

[En los días en que consume bolsitas de nicotina, ¿qué tan pronto /¿Qué tan pronto] después de que se despierta consume normalmente su primera bolsita de nicotina del día? Por favor, conteste con la cantidad de minutos u horas. Anote un número entero y seleccione una de las opciones a continuación.

1	_ _ _	Minutos después de despertarse	
2	_ _ _	Horas después de despertarse	
-8	DON'T KNOW		GO TO R09_AA1092NP
-7	REFUSED		GO TO R09_AA1092NP

ASK: Adult respondents who are current nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1.

DISPLAY: IF R09_AA1003NP = 1, DISPLAY "¿Qué tan pronto".

ELSE, DISPLAY "En los días en que consume bolsitas de nicotina, qué tan pronto".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

PATH ID: R09_AA1024NP_LC1

Usted contestó que consume normalmente su primera bolsita de nicotina [R09_AA1024NP_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AA1024NP
2	NEXT	GO TO R09_AA1024NP_LC2

ASK: IF [R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP = 1 AND ((R09_AA1024NP_NN > 60 AND R09_AA1024NP_UN = 1) OR (R09_AA1024NP_NN > 4 AND R09_AA1024NP_UN = 2))] OR [R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND ((R09_AA1024NP_NN > 60 AND R09_AA1024NP_UN = 1) OR (R09_AA1024NP_NN > 12 AND R09_AA1024NP_UN = 2))].

DISPLAY: IF R09_AA1024NP_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AA1024NP_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF [R09_AA1003NP = 1 AND ((R09_AA1024NP_NN > 60 AND R09_AA1024NP_UN = 1) OR (R09_AA1024NP_NN > 4 AND R09_AA1024NP_UN = 2))] OR [R09_AA1003NP != 1 AND ((R09_AA1024NP_NN > 60 AND R09_AA1024NP_UN = 1) OR (R09_AA1024NP_NN > 12 AND R09_AA1024NP_UN = 2))].

ELSE, GO TO R09_AA1024NP_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1024NP_LC2

Usted contestó "cero" para indicar qué tan pronto consume normalmente su primer bolsita de nicotina después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AA1024NP
2 NEXT	GO TO R09_AA1093NP

ASK: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1024NP_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AA1024NP_NN = 0.

ELSE, GO TO R09_AA1093NP AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA1092NP

[En los días en que consume bolsitas de nicotina, ¿diría/¿Diría] que consume su primera bolsita de nicotina del día durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and did not know or refused to report how soon after waking up they first use a nicotine pouch.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1024NP_NN = -8, -7.

DISPLAY: IF R09_AA1003NP = 1, DISPLAY "¿Diría".

ELSE, DISPLAY "En los días en que consume bolsita de nicotina, ¿diría".

PATH ID: R09_AA1093NP

Cuando consume bolsitas de nicotina, ¿cuántas bolsitas se pone normalmente en la boca a la vez?

- 1 Una bolsita a la vez
- 2 2 bolsitas a la vez
- 3 3 bolsitas a la vez
- 4 4 bolsitas a la vez
- 5 5 bolsitas a la vez
- 6 6 o más bolsitas a la vez
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA9156NP

¿Qué concentración de nicotina [tienen/tenían] las bolsitas de nicotina que normalmente [consume/consumía] en una sesión? (Si [consume/consumía] más de una bolsita al mismo tiempo, por favor, informe la cantidad total combinada de nicotina que normalmente [consume/consumía] en una sesión.)

1	No sé la concentración	GO TO BOX R09_AAR07
2	1-2 mg	
3	3-4 mg	
4	5-6 mg	
5	7-8 mg	
6	9-10 mg	
7	11-12 mg	
8	13 mg o más	
-7	REFUSED	GO TO BOX R09_AAR07

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "tienen" AND "consume".

ELSE, DISPLAY "tenían" AND "consumía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AA9056NP

¿[Ha cambiado/Cambió alguna vez] la concentración de nicotina que [consume desde/consumía después de] la primera vez que empezó a consumir bolsitas de nicotina?

1	Sí	
2	No	GO TO BOX R09_AAR07
-8	DON'T KNOW	GO TO BOX R09_AAR07
-7	REFUSED	GO TO BOX R09_AAR07

ASK: Adult respondents who are current or recent former nicotine pouch users and usually use a nicotine concentration of 1-2mg, 3-4mg, 5-6mg, 7-8mg, 9-10mg, 11-12mg, or 13+mg.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA9156NP = 2, 3, 4, 5, 6, 7, 8.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "Ha cambiado" AND "" AND "consume desde".

ELSE, DISPLAY "Cambió alguna vez" AND "" AND "consumía después de".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA9956NP

¿Es la concentración de nicotina [que actualmente consume/a la que se cambió] más alta o más baja que la concentración que consumía la primera vez que comenzó a consumir bolsitas de nicotina?

- 1 Más alta
- 2 Más baja
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users and usually use a nicotine concentration of 1-2mg, 3-4mg, 5-6mg, 7-8mg, 9-10mg, 11-12mg, or 13+mg and have changed their concentration of nicotine.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA9156NP = 2, 3, 4, 5, 6, 7, 8 AND R09_AA9056NP = 1.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "que actualmente consume".
ELSE, DISPLAY "a la que se cambió".

BOX ID: R09_AAR07

Adult respondents who use nicotine pouches every day, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AA0100NP.

Else, adult respondents who are current nicotine pouch users, go to Box R09_AAR09.

Else, go to R09_AA1047NP.

IF R09_AA1003NP = 1 OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0), GO TO R09_AA0100NP.

ELSE, IF R09_NICPOUCH_USER_STATUS = 1, GO TO BOX R09_AAR09.

ELSE, GO TO R09_AA1047NP.

PATH ID: R09_AA0100NP

¿Cuándo fue la última vez que consumió una bolsita de nicotina?

1 Hace menos de una hora	GO TO R09_AA0103NP
2 Hoy, pero hace más de una hora	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO R09_AA1130NP
-8 DON'T KNOW	GO TO R09_AA1130NP
-7 REFUSED	GO TO R09_AA1130NP

ASK: Adult respondents who use nicotine pouches every day, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AA1003NP = 1 OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA0102NP

La última vez que consumió una bolsita de nicotina [FILL BASED ON R09_AA0100NP], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use nicotine pouches every day and last used a nicotine pouch sometime today, yesterday, or the day before yesterday, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used a nicotine pouch sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AA1003NP = 1 AND R09_AA0100NP = 2, 3, 4) OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0 AND R09_AA0100NP = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R09_AA0100NP]:
IF R09_AA0100NP = 2, DISPLAY "hoy".
ELSE, IF R09_AA0100NP = 3, DISPLAY "ayer".
ELSE, IF R09_AA0100NP = 4, DISPLAY "hace dos días".

PATH ID: R09_AA0103NP

¿Cuántas bolsitas de nicotina [ha consumido/consumió] [FILL BASED ON R09_AA0100NP]?

- 1 |__| |__| |__| Cantidad de bolsitas
- 8 DON'T KNOW GO TO R09_AA1130NP
- 7 REFUSED GO TO R09_AA1130NP

ASK: Adult respondents who use nicotine pouches every day and last used a nicotine pouch in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used a nicotine pouch in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AA1003NP = 1 AND R09_AA0100NP = 1, 2, 3, 4) OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0 AND R09_AA0100NP = 1, 2, 3, 4).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de bolsitas" AS A TITLE.
IF R09_AA0100NP = 1, 2, DISPLAY "ha consumido" AND "".
ELSE, IF R09_AA0100NP = 3, 4, DISPLAY "consumió" AND "".
FOR [FILL BASED ON R09_AA0100NP]:
IF R09_AA0100NP = 1, 2, DISPLAY "hoy".
ELSE, IF R09_AA0100NP = 3, DISPLAY "ayer".
ELSE, IF R09_AA0100NP = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA0103NP_LC1

Usted contestó que consumió [R09_AA0103NP] bolsitas de nicotina [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AA0103NP
2	NEXT	GO TO R09_AA1130NP

ASK: IF ((R09_AA0103NP = 1 AND R09_AA0100NP = 1, 2, 3, 4) OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA0103NP != 1 AND R09_AA1022NP != 0 AND R09_AA0100NP = 1, 2, 3, 4)) AND (R09_AA0103NP > 20 OR R09_AA0103NP = 11).

DISPLAY: IF R09_AA0100NP = 1, 2, DISPLAY "hoy".
ELSE, IF R09_AA0100NP = 3, DISPLAY "ayer".
ELSE, IF R09_AA0100NP = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AA0103NP > 20 OR R09_AA0103NP = 11.
ELSE, GO TO R09_AA1130NP AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA1130NP

En los últimos 30 días, ¿tenía alguna de las bolsitas de nicotina que consumió sabor a tabaco, mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, bebidas no alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO BOX R09_AAR09
-8	DON'T KNOW	GO TO BOX R09_AAR09
-7	REFUSED	GO TO BOX R09_AAR09

ASK: Adult respondents who use nicotine pouches every day, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AA0103NP = 1 OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA0103NP != 1 AND R09_AA1022NP != 0).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1131NP

¿Qué sabores ha consumido en los últimos 30 días? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 10 Sabor a tabaco
- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 11 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use nicotine pouches every day and used flavored nicotine pouches in the past 30 days, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored nicotine pouches in the past 30 days.

ASK Specification: IF (R09_AA1003NP = 1 AND R09_AA1130NP = 1) OR
(R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0 AND
R09_AA1130NP = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY
THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF
R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1147NP

En los días en que consumió bolsitas de nicotina en los últimos 30 días, ¿con qué frecuencia consumió bolsitas de nicotina **con sabor**?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use nicotine pouches every day and used flavored nicotine pouches in the past 30 days, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored nicotine pouches in the past 30 days.

ASK Specification: IF (R09_AA1003NP = 1 AND R09_AA1130NP = 1) OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0 AND R09_AA1130NP = 1).

DISPLAY: BOLD "con sabor".

BOX ID: R09_AAR08

Adult respondents who use nicotine pouches every day and used flavored nicotine pouches in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored nicotine pouches in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R09_AA1133NP.
Else, go to Box R09_AAR09.

IF (R09_AA1003NP = 1 AND R09_AA1130NP = 1 AND (R09_AA1131NP_[01/.../11] = 1 FOR 2 OR MORE FLAVORS OR R09_AA1131NP_[01/.../11] = -8, -7)) OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0 AND R09_AA1130NP = 1 AND (R09_AA1131NP_[01/.../11] = 1 FOR 2 OR MORE FLAVORS OR R09_AA1131NP_[01/.../11] = -8, -7)), GO TO R09_AA1133NP.
ELSE, GO TO BOX R09_AAR09.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1133NP

En los últimos 30 días, ¿qué sabor de bolsitas de nicotina ha consumido con más frecuencia? Desplace para ver más opciones, si es necesario.

- 10 Sabor a tabaco
- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 11 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use nicotine pouches every day and used flavored nicotine pouches in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are current nicotine pouch users and do not use nicotine pouches every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored nicotine pouches in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R09_AA1003NP = 1 AND R09_AA1130NP = 1 AND (R09_AA1131NP_[01/.../11] = 1 FOR 2 OR MORE FLAVORS OR R09_AA1131NP_[01/.../11] = -8, -7)) OR (R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1 AND R09_AA1022NP != 0 AND R09_AA1130NP = 1 AND (R09_AA1131NP_[01/.../11] = 1 FOR 2 OR MORE FLAVORS OR R09_AA1131NP_[01/.../11] = -8, -7)).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_AAR09

Adult 18-20 year old respondents who are current nicotine pouch users, go to R09_AA1142NP.
Else, go to R09_AA1030NP.

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_NICPOUCH_USER_STATUS = 1, GO TO R09_AA1142NP.
ELSE, GO TO R09_AA1030NP.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1142NP

Las siguientes preguntas son acerca de su experiencia al comprar bolsitas de nicotina.

En los últimos 30 días, ¿le vendió alguien bolsitas de nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current nicotine pouch users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_NICPOUCH_USER_STATUS = 1.

PATH ID: R09_AA1123NP

En los últimos 30 días, ¿le negó alguien la venta de bolsitas de nicotina debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar bolsitas de nicotina en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current nicotine pouch users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_NICPOUCH_USER_STATUS = 1.

PATH ID: R09_AA1030NP

[Las siguientes preguntas son acerca de su experiencia al comprar bolsitas de nicotina.

]Normalmente, ¿cómo compra bolsitas de nicotina para usted mismo?

1 En persona	GO TO R09_AA1032NP
2 En Internet	GO TO R09_AA1042NP
3 Por teléfono	GO TO R09_AA1042NP
4 No compro mis propias bolsitas de nicotina	
-8 DON'T KNOW	GO TO R09_AA1047NP
-7 REFUSED	GO TO R09_AA1047NP

ASK: Adult respondents who are current nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar bolsitas de nicotina."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1118NP

Normalmente, ¿cómo obtiene bolsitas de nicotina para usted mismo?

1	Le doy dinero a otra persona para que me las compre	
2	Se las pido a una persona	GO TO R09_AA1047NP
3	Alguien me las ofrece	GO TO R09_AA1047NP
4	Me las llevo de una tienda o se las quito a alguien	GO TO R09_AA1047NP
5	Las obtengo de otra manera (ESPECIFIQUE)	GO TO R09_AA1047NP
-8	DON'T KNOW	GO TO R09_AA1047NP
-7	REFUSED	GO TO R09_AA1047NP

ASK: Adult respondents who are current nicotine pouch users and do not buy their own nicotine pouches.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1030NP = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AA1032NP

Normalmente, ¿[compra/le compran] bolsitas de nicotina...?

1	En su propio estado
2	En otro estado
3	Fuera de Estados Unidos
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current nicotine pouch users and usually buy their nicotine pouches in person or give someone else money to buy for them.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1 OR R09_AA1118NP = 1).

DISPLAY: IF R09_AA1118NP = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1033NP

¿Dónde [le compran/compra] sus bolsitas de nicotina la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda de licores
- 10 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and usually buy their nicotine pouches in person or give someone else money to buy for them.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1 OR R09_AA1118NP = 1).

DISPLAY: IF R09_AA1118NP = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AA1042NP

[Piense en la última vez que [le dio dinero a alguien para que le compre bolsitas de nicotina.]¿Cuánto paga normalmente por un envase de bolsitas de nicotina?

1 \$ | | | | | . | | | |

-8 DON'T KNOW

GO TO R09_AA9001NP

-7 REFUSED

GO TO R09_AA9001NP

ASK: Adult respondents who are current nicotine pouch users and usually buy their nicotine pouches in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1, 2, 3 OR R09_AA1118NP = 1).

DISPLAY: IF R09_AA1118NP = 1, DISPLAY "Piense en la última vez que[le dio dinero a alguien para que le compre bolsitas de nicotina. "

ELSE, DO NOT DISPLAY THIS TEXT.

ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1042NP_LC1

Usted contestó que pagó \$[R09_AA1042NP] por un envase de bolsitas de nicotina. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1042NP

2 NEXT

GO TO R09_AA9001NP

ASK: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1, 2, 3 OR R09_AA1118NP = 1) AND (R09_AA1042NP > 6.00 OR R09_AA1042NP < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AA1042NP > 6.00 OR R09_AA1042NP < 1.00.
ELSE, GO TO R09_AA9001NP AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA9001NP

¿Cuántas bolsitas de nicotina hay en el envase que usted compra normalmente?

1 |___|___| Cantidad de bolsitas

-8 DON'T KNOW

GO TO R09_AA1047NP

-7 REFUSED

GO TO R09_AA1047NP

ASK: Adult respondents who are current nicotine pouch users and usually buy their nicotine pouches in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1, 2, 3 OR R09_AA1118NP = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de bolsitas" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AA9001NP_LC1

Usted contestó que hay [R09_AA9001NP] bolsitas de nicotina en el envase que compró. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA9001NP

2 NEXT

GO TO R09_AA9011NP

ASK: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1, 2, 3 OR R09_AA1118NP = 1) AND (R09_AA9001NP > 50 OR R09_AA9001NP < 5).

PROGRAM: TRIGGER CHECK IF R09_AA9001NP > 50 OR R09_AA9001NP < 5.
ELSE, GO TO R09_AA9011NP AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA9011NP

¿De qué tamaño son las bolsitas de nicotina que usted compra usualmente?

- 1 Mini
- 2 Slim
- 3 Regular
- 4 Grande
- 5 No sé
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and usually buy their nicotine pouches in person, from the internet, or by telephone or give someone else money to buy for them and provided the number of nicotine pouches in the container they usually buy.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1, 2, 3 OR R09_AA1118NP = 1) AND R09_AA9001NP != -8, -7.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AA9002NP

Aproximadamente, ¿cuántos días le toma para acabar un envase de bolsitas de nicotina? Por favor, solamente cuente los días en que consume el producto.

- 1 |__|__|__| Cantidad de días
- 8 DON'T KNOW GO TO R09_AA1047NP
- 7 REFUSED GO TO R09_AA1047NP

ASK: Adult respondents who are current nicotine pouch users and usually buy their nicotine pouches in person, from the internet, or by telephone or give someone else money to buy for them and provided the number of nicotine pouches in the container they usually buy.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1, 2, 3 OR R09_AA1118NP = 1) AND R09_AA9001NP != -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA9002NP_LC1

Usted contestó que le tomó [R09_AA9002NP] días para acabar un envase de bolsitas de nicotina. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA9002NP

2 NEXT

GO TO R09_AA1047NP

ASK: IF R09_NICPOUCH_USER_STATUS = 1 AND (R09_AA1030NP = 1, 2, 3 OR R09_AA1118NP = 1) AND R09_AA9001NP != -8, -7 AND (R09_AA9002NP > (R09_AA9001NP*7) OR R09_AA9002NP = 11, 22, 33, 44, 55, 66, 77, 88, 99).

PROGRAM: TRIGGER CHECK IF R09_AA9002NP > (R09_AA9001NP*7) OR R09_AA9002NP = 11, 22, 33, 44, 55, 66, 77, 88, 99.

ELSE, GO TO R09_AA1047NP AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AA1047NP

¿[Tiene/Tenía] una marca habitual de bolsitas de nicotina que [consume/consumía] normalmente?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "Tiene" AND "consume".

ELSE, DISPLAY "Tenía" AND "consumía".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1050NP

[Su marca habitual/La última marca] que [consume/ consumía], ¿[tiene/tenía] sabor a tabaco, mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, bebidas no alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO R09_AA1945NP
3	No sé	GO TO R09_AA1945NP
-7	REFUSED	GO TO R09_AA1945NP

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "Su marca habitual" AND "consume" AND "tiene".

ELSE, IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 1, DISPLAY "Su marca habitual" AND "consumía" AND "tenía".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 2, -8, -7, DISPLAY "La última marca" AND "tenía" AND "consumía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1012NP

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 10 Sabor a tabaco
- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 11 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users whose regular brand or last brand of nicotine pouches used was flavored.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1050NP = 1.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "es".
ELSE, DISPLAY "era".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD ""Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AA1945NP

¿Sabe el **nombre de la marca** de bolsitas de nicotina que [consume normalmente/consumió la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: BOLD "nombre de la marca".

IF R09_AA1047 = 1 AND R09_NICPOUCH_USER_STATUS = 1, DISPLAY "consume normalmente".
ELSE, IF R09_AA1047 = 1 AND R09_NICPOUCH_USER_STATUS != 1, DISPLAY "consumió normalmente".

ELSE, IF R09_AA1047 = 2, -8, -7, DISPLAY "consumió la última vez".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAR10

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used, go to Box R09_AAD48.
Else, go to Box R09_AAR11.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1, GO TO BOX R09_AAD48.
ELSE, GO TO BOX R09_AAR11.

BOX ID: R09_AAD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AA1048NP and R09_AA1049NP on one screen.

Show the question text from R09_AA1048NP at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AA1049NP, and 5) text entry for R09_AA1049NP.

PATH ID: R09_AA1048NP

¿Qué marca de bolsitas de nicotina [consume/consumió] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[**Más opciones/Opciones**]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL BRANDS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AA1049NP, set R09_AA1048NP_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1049NP

¿No vio su marca?

Escriba el nombre de la marca de bolsitas de nicotina que [consume/consumió] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1.

DISPLAY: BOLD "¿No vio su marca?" AND "deseleccionarán".

IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R08_AA1047NP = 1, DISPLAY "consumió" AND "normalmente".

ELSE, DISPLAY "consumió" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."
ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AA1049NP, set R09_AA1048NP_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_AAR11

Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used, go to R09_AA2048NP.
Else, go to Box R09_AAR103.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1, GO TO R09_AA2048NP.
ELSE, GO TO BOX R09_AAR103.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA2048NP

¿Qué marca de bolsitas de nicotina [consume/consumió] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 9995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

BOX ID: R09_AAR101

Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected "Something else" for their brand of nicotine pouches, go to R09_AA2049NP. Else, go to Box R09_AAR103.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND = 9995, GO TO R09_AA2049NP. ELSE, GO TO BOX R09_AAR103.

PATH ID: R09_AA2049NP

Usted dijo que su marca no estaba en la lista. ¿Qué marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected "Something else" for their brand of nicotine pouches.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAR103

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected on! for their brand of nicotine pouches, go to Box R09_AAD70.

Else, go to Box R09_AAR34.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA1048NP_BRAND = 1472, GO TO BOX R09_AAD70.

ELSE, GO TO BOX R09_AAR34.

BOX ID: R09_AAD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AA1070NP and R09_AA1071NP on one screen.

Show the question text from R09_AA1070NP at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AA1071NP, and 5) text entry for R09_AV1071.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1070NP

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected on! for their brand of nicotine pouches.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA1048NP_BRAND = 1472.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AA1048NP_BRAND.

IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN.

If text is entered in R09_AA1071NP, set R09_AA1070NP_PRODUCT = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1071NP

¿No vio su producto?

Escriba el tipo de [BRANDFILL] que [consume/consumió] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected on! for their brand of nicotine pouches.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA1048NP_BRAND = 1472.

DISPLAY: BOLD "¿No vio su producto?" AND "deseleccionarán".

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AA1048NP_BRAND.

IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_AA1047NP = 1, DISPLAY "consumió" AND "normalmente".

ELSE, DISPLAY "consumió" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."
ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AA1071NP, set R09_AA1070NP_PRODUCT = 9995 (SOMETHING ELSE).

BOX ID: R09_AAR34

Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected on! for their brand of nicotine pouches, go to R09_AA2070NP.

Else, adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected a brand of nicotine pouches, go to R09_AA2070NP_CONF.

Else, go to Box R09_AAR13.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND = 1472, GO TO R09_AA2070NP.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND != 9995, -8, -7, GO TO R09_AA2070NP_CONF.

ELSE, GO TO BOX R09_AAR13.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA2070NP

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 9995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected on! for their brand of nicotine pouches.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND = 1472.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AA2048NP_BRAND.

IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1047NP = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

PATH ID: R09_AA2070NP_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

[SHOW PICTURE OF THE SELECTED BRAND FOR MAJOR BRANDS]

1 BACK	GO TO R09_AA2048NP
2 NEXT	GO TO BOX R09_AAR35

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected a brand of nicotine pouches.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND != 9995, -8, -7.

DISPLAY: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_AA2048NP_BRAND = 1472 AND R09_AA2070NP_PRODUCT != 99990, 99995, -8, -7, FILL [NEQBRAND] WITH R09_AA2070NP_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AA2048NP_BRAND RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED BRAND FOR MAJOR BRANDS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAR35

Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected on! for their brand of nicotine pouches and selected "Something else" for their sub-brand of nicotine pouches, go to R09_AA2071NP.
Else, go to Box R09_AAR13.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND = 1472 AND R09_AA2070NP_PRODUCT = 9995, GO TO R09_AA2071NP.
ELSE, GO TO BOX R09_AAR13.

PATH ID: R09_AA2071NP

Usted dijo que el tipo de [BRANDFILL] que usted [consume/consumía] no aparece en la lista. ¿Qué tipo es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former nicotine pouch users and know the name of the brand of nicotine pouches they usually use or last used and selected on! for their brand of nicotine pouches and selected "Something else" for their sub-brand of nicotine pouches.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND = 1472 AND R09_AA2070NP_PRODUCT = 9995.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AA2048NP_BRAND.
IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1047NP = 1, DISPLAY "consume".
ELSE, DISPLAY "consumía".

BOX ID: R09_AAR13

Adult respondents who are current or recent former nicotine pouch users and have a regular brand of nicotine pouches, go to R09_AA1051NP.
Else, go to Box R09_AAR14.

IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1047NP = 1, GO TO R09_AA1051NP.
ELSE, GO TO BOX R09_AAR14.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1051NP

Aproximadamente, ¿cuánto tiempo [consumió/lleva consumiendo] su marca habitual de bolsitas de nicotina? Anote un número y seleccione una de las opciones a continuación.

1	_ _	Días	
2	_ _	Meses	
3	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_AAR14
-7	REFUSED		GO TO BOX R09_AAR14

ASK: Adult respondents who are current or recent former nicotine pouch users and have a regular brand of nicotine pouches.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1047NP = 1.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AA1051NP_LC1

Usted contestó que [lleva consumiendo/consumió] su marca habitual de bolsitas de nicotina por [R09_AA1051NP_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AA1051NP
2	NEXT	GO TO R09_AA1051NP_LC2

ASK: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1047NP = 1 AND R09_AA1051NP_NN > R09_ACHIEVEDAGE AND R09_AA1051NP_UN = 3.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

PROGRAM: TRIGGER CHECK IF R09_AA1051NP_NN > R09_ACHIEVEDAGE AND R09_AA1051NP_UN = 3.

ELSE, GO TO R09_AA1051NP_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1051NP_LC2

Usted contestó "0" para la cantidad de tiempo que [lleva consumiendo/consumió] su marca habitual de bolsitas de nicotina. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AA1051NP

2 NEXT

GO TO BOX R09_AAR14

ASK: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_AA1047NP = 1 AND R09_AA1051NP_NN = 0.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

PROGRAM: TRIGGER CHECK IF R09_AA1051NP_NN = 0.

ELSE, GO TO BOX R09_AAR14 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AAR14

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current nicotine pouch users and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of nicotine pouches they usually use or last used and selected a brand of nicotine pouches, or adult respondents who are completing a web interview on a mobile device and are current nicotine pouch users and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of nicotine pouches they usually use or last used and selected a brand of nicotine pouches, go to R09_AA0104NP.
Else, go to Box R09_AAD03.

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_NICPOUCH_USER_STATUS = 1 AND R09_AA0100NP = 1, 2, 3, 4 AND R09_AA1945NP = 1 AND R09_AA1048NP_BRAND != 9995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1 AND R09_AA0100NP = 1, 2, 3, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND != 9995, -8, -7), GO TO R09_AA0104NP.

ELSE, GO TO BOX R09_AAD03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA0104NP

Usted dijo anteriormente que la última vez que consumió una bolsita de nicotina fue [TIME OF LAST USE].

Piense en la última vez que consumió una bolsita de nicotina.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current nicotine pouch users and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of nicotine pouches they usually use or last used and selected a brand of nicotine pouches, or Adult respondents who are completing a web interview on a mobile device and are current nicotine pouch users and last used nicotine pouches in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of nicotine pouches they usually use or last used and selected a brand of nicotine pouches.

ASK Specification: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_NICPOUCH_USER_STATUS = 1 AND R09_AA0100NP = 1, 2, 3, 4 AND R09_AA1945NP = 1 AND R09_AA1048NP_BRAND != 9995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_NICPOUCH_USER_STATUS = 1 AND R09_AA0100NP = 1, 2, 3, 4 AND R09_AA1945NP = 1 AND R09_AA2048NP_BRAND != 9995, -8, -7).

DISPLAY: IF R09_AA0100NP = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R09_AA0100NP = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R09_AA0100NP = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R09_AA0100NP = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL [NEQBRAND] WITH R09_AA1048NP_BRAND RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AA2048NP_BRAND RESPONSE.

BOX ID: R09_AAD03

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER: R09_AA1060NP, R09_AA1085NP, R09_AA1062NP, R09_AA1078NP, R09_AA1079NP, R09_AA1075NP, R09_AA1063NP, (R09_AA1064NP), R09_AA1065NP, R09_AA1067NP, R09_AA1076NP, (R09_AA1077NP).

CONDITIONAL LEAVES: R09_AA1064NP, R09_AA1077NP. (See routing boxes for details: R09_AAR15, R09_AAR16.)

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AA1060NP is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AA1060NP on each screen. Randomize the order.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1060NP

Las siguientes preguntas son acerca de las razones por las que la gente consume bolsitas de nicotina. Seleccione las razones que [aplican/aplicaban a usted cuando consumía bolsitas de nicotina.] [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

[Consumo/Consumía] bolsitas de nicotina porque...

[Son/Eran] económicas.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "aplican", "Consume" AND "Son".
ELSE, DISPLAY "aplicaban a usted cuando consumía bolsitas de nicotina", "Consumía" AND "Eran".
IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación."
Desplace para ver más afirmaciones."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AA1085NP

[Puedo/Podía] consumir bolsitas de nicotina en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "Puedo" AND "permite".
ELSE, DISPLAY "Podía" AND "permitía".

PATH ID: R09_AA1062NP

Podrían [ser/haber sido] menos dañinas para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1078NP

Podrían [ser/haber sido] menos dañinas para mí que fumar cigarrillos electrónicos u otros productos electrónicos con nicotina.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

PATH ID: R09_AA1079NP

Podrían [ser/haber sido] menos dañinas para mí que consumir tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar).

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

PATH ID: R09_AA1075NP

Podrían [ser/haber sido] menos dañinas que los cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1063NP

Las bolsitas de nicotina [vienen/venían] en sabores que me [gustan/gustaban].

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "vienen" AND "gustan".
ELSE, DISPLAY "venían" AND "gustaban".

BOX ID: R09_AAR15

Adult respondents who are current or recent former nicotine pouch users and are current or recent former cigarette smokers, go to R09_AA1064NP.
Else, go to R09_AA1065NP.

IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AA1064NP.
ELSE, GO TO R09_AA1065NP.

PATH ID: R09_AA1064NP

Consumir bolsitas de nicotina le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users and are current or recent former cigarette smokers.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

PATH ID: R09_AA1065NP

Las bolsitas de nicotina no tienen olor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1067NP

Las bolsitas de nicotina [son/eran] más aceptables por personas que no consumen tabaco.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "son".

ELSE, DISPLAY "eran".

PATH ID: R09_AA1076NP

Nadie se [da/daba] cuenta cuando [consumo/consumía] bolsitas de nicotina.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "da" AND "consumo".

ELSE, DISPLAY "daba" AND "consumía".

BOX ID: R09_AAR16

Adult respondents who are current or recent former nicotine pouch users and are current or recent former cigarette smokers, go to R09_AA1077NP.

Else, go to Box R09_AAR17.

IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AA1077NP.

ELSE, GO TO BOX R09_AAR17.

PATH ID: R09_AA1077NP

Consumir bolsitas de nicotina [satisface/satisfacía] mi deseo de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users and are current or recent former cigarette smokers.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "satisface".

ELSE, DISPLAY "satisfacía".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAR17

Adult respondents who are current nicotine pouch users and are current cigarette smokers, go to R09_AA1086NP.

Else, adult respondents who are current or recent former nicotine pouch users and are current or recent former cigarette smokers, go to R09_AA1080NP.

Else, go to R09_AA1139NP.

IF R09_NICPOUCH_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1, GO TO R09_AA1086NP.

ELSE, IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AA1080NP.

ELSE, GO TO R09_AA1139NP.

PATH ID: R09_AA1086NP

En los últimos 30 días, ¿ha consumido bolsitas de nicotina en ocasiones o en lugares donde no se podía fumar cigarrillos?

1 Sí

2 No

GO TO R09_AA9054NP

-8 DON'T KNOW

GO TO R09_AA9054NP

-7 REFUSED

GO TO R09_AA9054NP

ASK: Adult respondents who are current nicotine pouch users and are current cigarette smokers.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1.

PATH ID: R09_AA1087NP

¿Con qué frecuencia consume bolsitas de nicotina en ocasiones o en lugares donde no podía fumar cigarrillos tradicionales?

1 Todos los días

2 Algunos días

3 Rara vez

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and are current cigarette smokers and used nicotine pouches at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1 AND R09_AA1086NP = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA9054NP

En los días en que fuma cigarrillos y consume bolsitas de nicotina, ¿fuma usted...?

- 1 Menos cigarrillos que lo habitual
- 2 La misma cantidad de cigarrillos
- 3 Más cigarrillos que lo habitual
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and are current cigarette smokers.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1.

PATH ID: R09_AA1080NP

¿[Consume/Consumía] bolsitas de nicotina como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users and are current or recent former cigarette smokers.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "Consume".

ELSE, DISPLAY "Consumía".

PATH ID: R09_AA1082NP

¿[Está consumiendo/Consumía] bolsitas de nicotina como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users and are current or recent former cigarette smokers.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "Está consumiendo" AND "".

ELSE, DISPLAY "Consumía" AND "".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1139NP

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4= es muy cierto

[Es/Era] más fácil hablar y llevarse bien con otras personas cuando consumo bolsitas de nicotina.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "Es".
ELSE, DISPLAY "Era".

PATH ID: R09_AA1140NP

Al consumir bolsitas de nicotina, me [siento/sentía] más seguro con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "siento".
ELSE, DISPLAY "sentía".

PATH ID: R09_AA1141NP

[Consumo/Consumía] bolsitas de nicotina mucho más cuando [estoy/estaba] con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1, 4.

DISPLAY: IF R09_NICPOUCH_USER_STATUS = 1, DISPLAY "Consumo" AND "estoy".
ELSE, DISPLAY "Consumía" AND "estaba".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AAR18

Adult respondents who are current nicotine pouch users, go to R09_AA1144NP.
Else, go to the next section.

IF R09_NICPOUCH_USER_STATUS = 1, GO TO R09_AA1144NP.
ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AA1144NP

¿Qué tan dañino cree que es consumir bolsitas de nicotina para SU salud?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

SNUS

BOX ID: R09_AUR08
Adult respondents who have ever used snus and are not long-term former snus users, or continuing adult respondents who have ever used snus and are long-term former snus users and are not persistent former snus users and had not used snus 100 or more times as of their last completed interview or had not reported ever using snus fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used snus, continue with Box R09_AUT02. Else, go to the next section.
IF (R09_EVER_NEVER_SNUS = 1 AND R09_SNUS_USER_STATUS != 5) OR (R09_ADULTTYPE = 1 AND R09_EVER_NEVER_SNUS = 1 AND R09_SNUS_USER_STATUS = 5 AND R09_PERSISTENT_FORMER_SNUS != 1 AND (R08_NUMLIFE_SNUS != 1 OR R08_REGUSE_SNUS != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1), GO TO BOX R09_AUT02. ELSE, GO TO THE NEXT SECTION.

BOX ID: R09_AUT02
Las siguientes preguntas son acerca del snus , una clase de tabaco que no se fuma y que contiene hojas molidas de tabaco . Por lo general, el snus viene en bolsitas, pero también hay snus que se vende suelto. A diferencia de la mayoría de clases de tabaco que no se fuma, no es necesario escupir el snus. Algunas marcas comunes de snus son Camel Snus, Marlboro Snus y General Snus. Por favor, piense ÚNICAMENTE en su consumo de snus cuando conteste estas preguntas. [SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES] BOLD FIRST INSTANCE OF "snus". BOLD "hojas molidas de tabaco". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_AUR33
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AUT07. Else, go to Box R09_AUR07.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AUT07. ELSE, GO TO BOX R09_AUR07.

BOX ID: R09_AUT07
Piense ahora en el snus, como el que se muestra a continuación... [SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUR07

Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus, go to R09_AU1006.

Else, continuing and aged-up adult respondents who have ever used snus and had not used snus 100 or more times as of their last completed interview and are not persistent former snus users, go to R09_AU1005.

Else, continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and are not persistent former snus users, go to R09_AU1100.

Else, go to Box R09_AUR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1), GO TO R09_AU1006.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND

R08_NUMLIFE_SNUS != 1 AND R09_PERSISTENT_FORMER_SNUS != 1, GO TO R09_AU1005.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R08_REGUSE_SNUS != 1 AND R09_PERSISTENT_FORMER_SNUS != 1, GO TO R09_AU1100.

ELSE, GO TO BOX R09_AUR02.

PATH ID: R09_AU1006

¿Qué edad tenía la primera vez que consumió snus, incluso si solo fueron una o dos veces?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AU1120

-7 REFUSED

GO TO R09_AU1120

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AU1006_LC1

Usted contestó que la primera vez que usted consumió snus fue a la edad de [R09_AU1006] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1006

2 NEXT

GO TO R09_AU1006_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1 AND R09_AU1006 <= 8) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1006 <= 8).

PROGRAM: TRIGGER CHECK IF R09_AU1006 <= 8.

ELSE, GO TO R09_AU1006_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1006_LC2

Usted contestó que la primera vez que usted consumió snus fue a la edad de [R09_AU1006] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1006

2 NEXT

GO TO R09_AU1005

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1 AND R09_AU1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AU1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AU1005 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU1120

La primera vez que consumió snus, incluso si solo fueron una o dos veces, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and did not know or refused to report the age they first used snus, or new cohort adult respondents who have ever used snus and did not know or refused to report the age they first used.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1 AND R09_AU1006 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1006 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1005

¿Cuántas veces ha consumido snus en toda su vida?

- 1 Una a 10
- 2 11 a 20
- 3 21 a 50
- 4 51 a 99
- 5 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used snus and had not used snus 100 or more times as of their last completed interview and are not persistent former snus users, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R08_NUMLIFE_SNUS != 1 AND R09_PERSISTENT_FORMER_SNUS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1).

BOX ID: R09_AUR10

Continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and are not persistent former snus users, or new cohort adult respondents who have ever used snus, go to R09_AU1100.
Else, go to Box R09_AUR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R08_REGUSE_SNUS != 1 AND R09_PERSISTENT_FORMER_SNUS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1), GO TO R09_AU1100.
ELSE, GO TO BOX R09_AUR02.

PATH ID: R09_AU1100

¿Alguna vez ha consumido snus habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and are not persistent former snus users, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R08_REGUSE_SNUS != 1 AND R09_PERSISTENT_FORMER_SNUS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUR11

Continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and are not persistent former snus users and have ever used snus fairly regularly, or new cohort adult respondents who have ever used snus and have ever used snus fairly regularly, go to R09_AU1007.
Else, go to Box R09_AUR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R09_PERSISTENT_FORMER_SNUS != 1 AND R09_AU1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1100 = 1), GO TO R09_AU1007.
ELSE, GO TO BOX R09_AUR02.

PATH ID: R09_AU1007

¿Qué edad tenía la primera vez que comenzó a consumir snus habitualmente?

1	__ __ Años	
-8	DON'T KNOW	GO TO R09_AU1121
-7	REFUSED	GO TO R09_AU1121

ASK: Continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and are not persistent former snus users and have ever used snus fairly regularly, or new cohort adult respondents who have ever used snus and have ever used snus fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R09_PERSISTENT_FORMER_SNUS != 1 AND R09_AU1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1100 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AU1007_LC1

Usted contestó que comenzó a consumir snus de manera habitual a la edad de [R09_AU1007] años.
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AU1007
2	NEXT	GO TO R09_AU1007_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R09_PERSISTENT_FORMER_SNUS != 1 AND R09_AU1100 = 1 AND R09_AU1007 <= 8) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1100 = 1 AND R09_AU1007 <= 8).

PROGRAM: TRIGGER CHECK IF R09_AU1007 <= 8.

ELSE, GO TO R09_AU1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1007_LC2

Usted contestó que comenzó a consumir snus de manera habitual a la edad de [R09_AU1007] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1007

2 NEXT

GO TO BOX R09_AUR02

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R09_PERSISTENT_FORMER_SNUS != 1 AND R09_AU1100 = 1 AND R09_AU1007 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1100 = 1 AND R09_AU1007 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AU1007 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AUR02 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU1121

La primera vez que comenzó a consumir snus de manera habitual, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and are not persistent former snus users and have ever used snus fairly regularly and did not know or refused to report the age they first started using snus fairly regularly, or new cohort adult respondents who have ever used snus and have ever used snus fairly regularly and did not know or refused to report the age they first started using snus fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SNUS = 1 AND R09_PERSISTENT_FORMER_SNUS != 1 AND R09_AU1100 = 1 AND R09_AU1007 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1100 = 1 AND R09_AU1007 = -8, -7).

BOX ID: R09_AUR02

Continuing adult respondents who have not reported the age when they first started using snus every day as of their last completed interview and use snus every day, or new baseline adult respondents who use snus every day, go to R09_AU1020.
Else, go to Box R09_AUR12.

IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SNUS != 1 AND R09_AU1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AU1003 = 1), GO TO R09_AU1020.
ELSE, GO TO BOX R09_AUR12.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1020

¿Qué edad tenía la primera vez que comenzó a consumir snus todos los días?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AU1122

-7 REFUSED

GO TO R09_AU1122

ASK: Continuing adult respondents who have not reported the age when they first started using snus every day as of their last completed interview and use snus every day, or new baseline adult respondents who use snus every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SNUS != 1 AND R09_AU1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AU1003 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AU1020_LC1

Usted contestó que comenzó a consumir snus todos los días a la edad de [R09_AU1020] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1020

2 NEXT

GO TO R09_AU1020_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SNUS != 1 AND R09_AU1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AU1003 = 1)) AND (R09_AU1020 <= 8 OR R09_AU1020 < R09_AU1007).

PROGRAM: TRIGGER CHECK IF R09_AU1020 <= 8 OR R09_AU1020 < R09_AU1007.
ELSE, GO TO R09_AU1020_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU1020_LC2

Usted contestó que comenzó a consumir snus todos los días a la edad de [R09_AU1020] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1020

2 NEXT

GO TO BOX R09_AUR12

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SNUS != 1 AND R09_AU1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AU1003 = 1)) AND R09_AU1020 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AU1020 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AUR12 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1122

La primera vez que comenzó a consumir snus todos los días, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have not reported the age when they first started using snus every day as of their last completed interview and use snus every day and did not know or refused to report the age they first started using snus every day, or new baseline adult respondents who use snus every day and did not know or refused to report the age they first started using snus every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08_EVERYDAY_AGE_SNUS != 1 AND R09_AU1003 = 1 AND R09_AU1020 = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AU1003 = 1 AND R09_AU1020 = -8, -7).

BOX ID: R09_AUR12

Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus, go to R09_AU1008.
Else, go to Box R09_AUR09.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1), GO TO R09_AU1008.
ELSE, GO TO BOX R09_AUR09.

PATH ID: R09_AU1008

La primera vez que comenzó a consumir snus, ¿consumió snus con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1 Sí	
2 No	GO TO BOX R09_AUR90
3 No sé	GO TO BOX R09_AUR90
-7 REFUSED	GO TO BOX R09_AUR90

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1011

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1 AND R09_AU1008 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SNUS = 1 AND R09_AU1008 = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_AUR90

New cohort adult respondents who are current, recent former, or long-term former snus users, go to R09_AU1025_RS.

Else, go to Box R09_AUR09.

IF R09_ADULTTYPE = 3 AND R09_SNUS_USER_STATUS = 1, 4, 5, GO TO R09_AU1025_RS.
ELSE, GO TO BOX R09_AUR09.

PATH ID: R09_AU1025_RS

Alrededor de esta época hace 12 meses, ¿consumía snus...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, recent former, or long-term former snus users.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_SNUS_USER_STATUS = 1, 4, 5.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUR09
Adult respondents who are current snus users, go to R09_AU9041. Else, adult respondents who are recent former snus users, go to R09_AU1047. Else, go to the next section.
IF R09_SNUS_USER_STATUS = 1, GO TO R09_AU9041. ELSE, IF R09_SNUS_USER_STATUS = 4, GO TO R09_AU1047. ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AU9041															
¿Qué tipo de snus usa?															
[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]															
<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 30%;">1</td> <td style="width: 40%;">Bolsitas o saquitos de snus</td> <td style="text-align: right; width: 30%;">GO TO BOX R09_AUR55</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Snus suelto</td> <td style="text-align: right;">GO TO BOX R09_AUR55</td> </tr> <tr> <td style="text-align: center;">3</td> <td>Bolsitas o saquitos de snus y snus suelto</td> <td></td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R09_AUR55</td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td style="text-align: right;">GO TO BOX R09_AUR55</td> </tr> </table>	1	Bolsitas o saquitos de snus	GO TO BOX R09_AUR55	2	Snus suelto	GO TO BOX R09_AUR55	3	Bolsitas o saquitos de snus y snus suelto		-8	DON'T KNOW	GO TO BOX R09_AUR55	-7	REFUSED	GO TO BOX R09_AUR55
1	Bolsitas o saquitos de snus	GO TO BOX R09_AUR55													
2	Snus suelto	GO TO BOX R09_AUR55													
3	Bolsitas o saquitos de snus y snus suelto														
-8	DON'T KNOW	GO TO BOX R09_AUR55													
-7	REFUSED	GO TO BOX R09_AUR55													
ASK: Adult respondents who are current snus users.															
ASK Specification: IF R09_SNUS_USER_STATUS = 1.															
IMAGE: SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS.															

PATH ID: R09_AU9042												
Usted mencionó que ha consumido bolsitas o saquitos de snus y snus suelto. ¿Qué tipo de snus consume con más frecuencia?												
[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]												
<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 30%;">1</td> <td style="width: 40%;">Bolsitas o saquitos de snus</td> <td></td> </tr> <tr> <td style="text-align: center;">2</td> <td>Snus suelto</td> <td></td> </tr> <tr> <td style="text-align: center;">-8</td> <td>DON'T KNOW</td> <td></td> </tr> <tr> <td style="text-align: center;">-7</td> <td>REFUSED</td> <td></td> </tr> </table>	1	Bolsitas o saquitos de snus		2	Snus suelto		-8	DON'T KNOW		-7	REFUSED	
1	Bolsitas o saquitos de snus											
2	Snus suelto											
-8	DON'T KNOW											
-7	REFUSED											
ASK: Adult respondents who are current snus users and have used both snus pouches and loose snus.												
ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND R09_AU9041 = 3.												
IMAGE: SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS.												

BOX ID: R09_AUR55
Adult respondents who are current snus users and most often use snus pouches, go to R09_AU9122. Else, go to Box R09_AUR57.
IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 1 OR R09_AU9042 = 1), GO TO R09_AU9122. ELSE, GO TO BOX R09_AUR57.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9122

¿En cuántos de los últimos 30 días consumió bolsitas de snus?

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current snus users and most often use snus pouches.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 1 OR R09_AU9042 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R09_AUR56

Adult respondents who are current snus users and most often use snus pouches and used on 0 days of the past 30 days, go to R09_AU9129.

Else, adult respondents who are current snus users and most often use snus pouches and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AU9123.

Else, go to Box R09_AUR57.

IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND R09_AU9122 = 0, GO TO R09_AU9129.

ELSE, IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND R09_AU9122 != 0, GO TO R09_AU9123.

ELSE, GO TO BOX R09_AUR57.

PATH ID: R09_AU9129

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió una bolsita de snus? Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_AUR57

-7 REFUSED

GO TO BOX R09_AUR57

ASK: Adult respondents who are current snus users and most often use snus pouches and used on 0 days of the past 30 days.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND R09_AU9122 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9129_LC1

Usted contestó que la última vez que consumió una bolsita de snus fue hace [R09_AU9129] [días/
meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto,
por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU9129

2 NEXT

GO TO BOX R09_AUR57

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND
R09_AU9122 = 0 AND ((R09_AU9129_NN < 30 AND R09_AU9129_UN = 1) OR (R09_AU9129_NN < 1
AND R09_AU9129_UN = 2) OR (R09_AU9129_NN > 18 AND R09_AU9129_UN = 2) OR
(R09_AU9129_NN > (R09_ACHIEVEDAGE - 10) AND R09_AU9129_UN = 3)).

DISPLAY: IF R09_AU9129_UN = 1, DISPLAY "días".

ELSE, IF R09_AU9129_UN = 2, DISPLAY "meses".

ELSE, IF R09_AU9129_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AU9129_NN < 30 AND R09_AU9129_UN = 1) OR
(R09_AU9129_NN < 1 AND R09_AU9129_UN = 2) OR (R09_AU9129_NN > 18 AND R09_AU9129_UN
= 2) OR (R09_AU9129_NN > (R09_ACHIEVEDAGE - 10) AND R09_AU9129_UN = 3).
ELSE, GO TO BOX R09_AUR57 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU9123

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AU9122 días/días en que consumió],
¿cuántas bolsitas de snus consumió normalmente cada día?

1 |__|__| Cantidad de bolsitas
cada día

-8 DON'T KNOW

GO TO BOX R09_AUR57

-7 REFUSED

GO TO BOX R09_AUR57

ASK: Adult respondents who are current snus users and most often use snus pouches and have used
on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days
they used.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 1 OR R09_AU9042 = 1)
AND R09_AU9122 != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS
GHOST TEXT.

DISPLAY "Cantidad de bolsitas cada día" AS A TITLE.

IF R09_AU9122 = 1, -8, -7, DISPLAY "días en que consumió".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AU9122 AND "días" (EX. "2 días").

PROGRAM: Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9123_LC1

Usted contestó que en sus días de consumo en los últimos 30 días, usted consumió [R09_AU9123] bolsitas de snus al día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU9123

2 NEXT

GO TO BOX R09_AUR57

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND R09_AU9122 != 0 AND R09_AU9123 > 20.

PROGRAM: TRIGGER CHECK IF R09_AU9123 > 20.

ELSE, GO TO BOX R09_AUR57 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AUR57

Adult respondents who are current snus users and most often use loose snus, go to R09_AU9222. Else, go to Box R09_AUR59.

IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 2 OR R09_AU9042 = 2), GO TO R09_AU9222.

ELSE, GO TO BOX R09_AUR59.

PATH ID: R09_AU9222

¿En cuántos de los últimos 30 días consumió snus suelto?

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current snus users and most often use loose snus.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 2 OR R09_AU9042 = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R09_AUR58

Adult respondents who are current snus users and most often use loose snus and used on 0 days of the past 30 days, go to R09_AU9229.

Else, adult respondents who are current snus users and most often use loose snus and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AU9223.

Else, go to Box R09_AUR59.

IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 2 OR R09_AU9042 = 2) AND R09_AU9222 = 0, GO TO R09_AU9229.

ELSE, IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 2 OR R09_AU9042 = 2) AND R09_AU9222 != 0, GO TO R09_AU9223.

ELSE, GO TO BOX R09_AUR59.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9229

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió snus suelto? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Días	
2	_ _	Meses	
3	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_AUR59
-7	REFUSED		GO TO BOX R09_AUR59

ASK: Adult respondents who are current snus users and most often use loose snus and used on 0 days of the past 30 days.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 2 OR R09_AU9042 = 2) AND R09_AU9222 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AU9229_LC1

Usted contestó que la última vez que consumió snus suelto fue hace [R09_AU9229] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AU9229
2	NEXT	GO TO BOX R09_AUR59

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 2 OR R09_AU9042 = 2) AND R09_AU9222 = 0 AND ((R09_AU9229_NN < 30 AND R09_AU9229_UN = 1) OR (R09_AU9229_NN < 1 AND R09_AU9229_UN = 2) OR (R09_AU9229_NN > 18 AND R09_AU9229_UN = 2) OR (R09_AU9229_NN > (R09_ACHIEVEDAGE - 10) AND R09_AU9229_UN = 3)).

DISPLAY: IF R09_AU9229_UN = 1, DISPLAY "días".

ELSE, IF R09_AU9229_UN = 2, DISPLAY "meses".

ELSE, IF R09_AU9229_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AU9229_NN < 30 AND R09_AU9229_UN = 1) OR (R09_AU9229_NN < 1 AND R09_AU9229_UN = 2) OR (R09_AU9229_NN > 18 AND R09_AU9229_UN = 2) OR (R09_AU9229_NN > (R09_ACHIEVEDAGE - 10) AND R09_AU9229_UN = 3).
ELSE, GO TO BOX R09_AUR59 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9223

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AU9222 días/días en que consumió], ¿cuántas veces consumió normalmente snus suelto cada día?

1 |__|__| Cantidad de veces
cada día

-8 DON'T KNOW

GO TO BOX R09_AUR59

-7 REFUSED

GO TO BOX R09_AUR59

ASK: Adult respondents who are current snus users and most often use loose snus and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 2 OR R09_AU9042 = 2) AND R09_AU9222 != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces cada día" AS A TITLE.

IF R09_AU9222 = 1, -8, -7, DISPLAY "días en que consumió".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AU9222 AND "días" (EX. "2 días").

PROGRAM: Range check: 0-99.

PATH ID: R09_AU9223_LC1

Usted contestó que en sus días de consumo en los últimos 30 días, usted consumió snus suelto [R09_AU1023] veces al día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU9223

2 NEXT

GO TO BOX R09_AUR59

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = 2 OR R09_AU9042 = 2) AND R09_AU9222 != 0 AND R09_AU9223 > 20.

PROGRAM: TRIGGER CHECK IF R09_AU9223 > 20.

ELSE, GO TO BOX R09_AUR59 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AUR59

Adult respondents who are current snus users and did not know or refused to report the type of snus they use most often, go to R09_AU1022.
Else, go to Box R09_AUR26.

IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = -8, -7 OR R09_AU9042 = -8, -7), GO TO R09_AU1022.

ELSE, GO TO BOX R09_AUR26.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1022

¿En cuántos de los últimos 30 días consumió snus?

- 1 |__|__| Cantidad de días
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are current snus users and did not know or refused to report the type of snus they use most often.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = -8, -7 OR R09_AU9042 = -8, -7).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R09_AUR13

Adult respondents who are current snus users and did not know or refused to report the type of snus they use most often and used on 0 days of the past 30 days, go to R09_AU9029.

Else, adult respondents who are current snus users and did not know or refused to report the type of snus they use most often and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AU1023.

Else, go to Box R09_AUR26.

IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = -8, -7 OR R09_AU9042 = -8, -7) AND R09_AU1022 = 0, GO TO R09_AU9029.

ELSE, IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = -8, -7 OR R09_AU9042 = -8, -7) AND R09_AU1022 != 0, GO TO R09_AU1023.

ELSE, GO TO BOX R09_AUR26.

PATH ID: R09_AU9029

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió snus? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
2 |__|__| Meses
3 |__|__| Años
-8 DON'T KNOW GO TO BOX R09_AUR26
-7 REFUSED GO TO BOX R09_AUR26

ASK: Adult respondents who are current snus users and did not know or refused to report the type of snus they use most often and used on 0 days of the past 30 days.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = -8, -7 OR R09_AU9042 = -8, -7) AND R09_AU1022 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9029_LC1

Usted contestó que la última vez que consumió snus fue hace [R09_AU9029] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU9029

2 NEXT

GO TO BOX R09_AUR26

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = -8, -7 OR R09_AU9042 = -8, -7) AND R09_AU1022 = 0 AND ((R09_AU9029_NN < 30 AND R09_AU9029_UN = 1) OR (R09_AU9029_NN < 1 AND R09_AU9029_UN = 2) OR (R09_AU9029_NN > 18 AND R09_AU9029_UN = 2) OR (R09_AU9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AU9029_UN = 3)).

DISPLAY: IF R09_AU9029_UN = 1, DISPLAY "días".

ELSE, IF R09_AU9029_UN = 2, DISPLAY "meses".

ELSE, IF R09_AU9029_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AU9029_NN < 30 AND R09_AU9029_UN = 1) OR (R09_AU9029_NN < 1 AND R09_AU9029_UN = 2) OR (R09_AU9029_NN > 18 AND R09_AU9029_UN = 2) OR (R09_AU9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AU9029_UN = 3).
ELSE, GO TO BOX R09_AUR26 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU1023

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AU1022 días/días en que consumió], ¿cuántas veces consumió normalmente snus cada día?

1 |__|__| Cantidad de veces
cada día

-8 DON'T KNOW

GO TO BOX R09_AUR26

-7 REFUSED

GO TO BOX R09_AUR26

ASK: Adult respondents who are current snus users and did not know or refused to report the type of snus they use most often and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = -8, -7 OR R09_AU9042 = -8, -7) AND R09_AU1022 != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces cada día" AS A TITLE.

IF R09_AU1022 = 1, -8, -7, DISPLAY "días en que consumió".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AU1022 AND "días" (EX. "2 días").

PROGRAM: Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1023_LC1

Usted contestó que en sus días de consumo en los últimos 30 días, usted consumió snus [R09_AU1023] veces al día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1023

2 NEXT

GO TO BOX R09_AUR26

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU9041 = -8, -7 OR R09_AU9042 = -8, -7) AND R09_AU1022 != 0 AND R09_AU1023 > 20.

PROGRAM: TRIGGER CHECK IF R09_AU1023 > 20.

ELSE, GO TO BOX R09_AUR26 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AUR26

Adult respondents who are current snus users, go to R09_AU1024.
Else, go to the next section.

IF R09_SNUS_USER_STATUS = 1, GO TO R09_AU1024.
ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AU1024

[En los días en que consume snus, ¿qué tan pronto/¿Qué tan pronto] después de que se despierta consume normalmente su primer producto de snus del día? Conteste con la cantidad de minutos o horas. Anote un número entero y seleccione una de las opciones a continuación.

1 |_|_|_| Minutos después de despertarse

2 |_|_|_| Horas después de despertarse

-8 DON'T KNOW

GO TO R09_AU1092

-7 REFUSED

GO TO R09_AU1092

ASK: Adult respondents who are current snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1.

DISPLAY: IF R09_AU1003 = 1, DISPLAY "¿Qué tan pronto".

ELSE, DISPLAY "En los días en que consume snus, ¿qué tan pronto".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1024_LC1

Usted contestó que normalmente consume su primer producto de snus [R09_AU1024_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AU1024
2	NEXT	GO TO R09_AU1024_LC2

ASK: IF [R09_SNUS_USER_STATUS = 1 AND R09_AU1003 = 1 AND ((R09_AU1024_NN > 60 AND R09_AU1024_UN = 1) OR (R09_AU1024_NN > 4 AND R09_AU1024_UN = 2))] OR [R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND ((R09_AU1024_NN > 60 AND R09_AU1024_UN = 1) OR (R09_AU1024_NN > 12 AND R09_AU1024_UN = 2))].

DISPLAY: IF R09_AU1024_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AU1024_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF [R09_AU1003 = 1 AND ((R09_AU1024_NN > 60 AND R09_AU1024_UN = 1) OR (R09_AU1024_NN > 4 AND R09_AU1024_UN = 2))] OR [R09_AU1003 != 1 AND ((R09_AU1024_NN > 60 AND R09_AU1024_UN = 1) OR (R09_AU1024_NN > 12 AND R09_AU1024_UN = 2))].

ELSE, GO TO R09_AU1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU1024_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted consume su primer producto de snus después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AU1024
2	NEXT	GO TO BOX R09_AUR28

ASK: IF R09_SNUS_USER_STATUS = 1 AND R09_AU1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AU1024_NN = 0.

ELSE, GO TO BOX R09_AUR28 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU1092

[En los días en que consume snus, ¿diría/¿Diría] que consume su primer producto de snus del día durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current snus users and did not know or refused to report how soon after waking up they first use snus.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND R09_AU1024_NN = -8, -7.

DISPLAY: IF R09_AU1003 = 1, DISPLAY "Diría".

ELSE, DISPLAY "En los días en que consume snus, ¿diría".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUR28

Adult respondents who use snus every day, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AU0100.
Else, go to Box R09_AUR05.

IF R09_AU1003 = 1 OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0), GO TO R09_AU0100.
ELSE, GO TO BOX R09_AUR05.

PATH ID: R09_AU0100

¿Cuándo fue la última vez que consumió snus?

1 Hace menos de una hora	GO TO R09_AU0103
2 Hoy, pero hace más de una hora	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO R09_AU1130
-8 DON'T KNOW	GO TO R09_AU1130
-7 REFUSED	GO TO R09_AU1130

ASK: Adult respondents who use snus every day, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AU1003 = 1 OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0).

PATH ID: R09_AU0102

La última vez que consumió snus [FILL BASED ON R09_AU0100], ¿fue...?

- | |
|--|
| 1 Entre la medianoche y las 6 de la mañana |
| 2 Entre las 6 de la mañana y el mediodía |
| 3 Entre el mediodía y las 6 de la tarde |
| 4 Entre las 6 de la tarde y la medianoche |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who use snus every day and last used snus sometime today, yesterday, or the day before yesterday, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AU1003 = 1 AND R09_AU0100 = 2, 3, 4) OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0 AND R09_AU0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R09_AU0100]:

IF R09_AU0100 = 2, DISPLAY "hoy".

ELSE, IF R09_AU0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AU0100 = 4, DISPLAY "hace dos días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU0103

¿Cuántas veces [ha consumido/consumió] snus [FILL BASED ON R09_AU0100]?

1 |__|__|__| Cantidad de
veces

-8 DON'T KNOW

GO TO R09_AU1130

-7 REFUSED

GO TO R09_AU1130

ASK: Adult respondents who use snus every day and last used snus in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AU1003 = 1 AND R09_AU0100 = 1, 2, 3, 4) OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0 AND R09_AU0100 = 1, 2, 3, 4).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces" AS A TITLE.

IF R09_AU0100 = 1, 2, DISPLAY "ha consumido" AND "".

ELSE, IF R09_AU0100 = 3, 4, DISPLAY "consumió" AND "".

FOR [FILL BASED ON R09_AU0100]:

IF R09_AU0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AU0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AU0100 = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

PATH ID: R09_AU0103_LC1

Usted contestó que consumió snus [R09_AU0103] veces [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU0103

2 NEXT

GO TO R09_AU1130

ASK: IF ((R09_AU1003 = 1 AND R09_AU0100 = 1, 2, 3, 4) OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0 AND R09_AU0100 = 1, 2, 3, 4)) AND (R09_AU0103 > 20 OR R09_AU0103 = 11).

DISPLAY: IF R09_AU0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AU0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AU0100 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AU0103 > 20 OR R09_AU0103 = 11.

ELSE, GO TO R09_AU1130 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1130

En los últimos 30 días, ¿tenía alguno del snus que consumió sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO BOX R09_AUR05
3	No sé	GO TO BOX R09_AUR05
-7	REFUSED	GO TO BOX R09_AUR05

ASK: Adult respondents who use snus every day, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AU1003 = 1 OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AU1131

¿Qué sabores ha consumido en los últimos 30 días? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use snus every day and used flavored snus in the past 30 days, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R09_AU1003 = 1 AND R09_AU1130 = 1) OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0 AND R09_AU1130 = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1147

En los días en que consumió snus en los últimos 30 días, ¿con qué frecuencia consumió snus **con sabor**?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use snus every day and used flavored snus in the past 30 days, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R09_AU1003 = 1 AND R09_AU1130 = 1) OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0 AND R09_AU1130 = 1).

DISPLAY: BOLD "con sabor".

BOX ID: R09_AUR37

Adult respondents who use snus every day and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R09_AU1133.

Else, go to Box R09_AUR05.

IF (R09_AU1003 = 1 AND R09_AU1130 = 1 AND (R09_AU1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AU1131_[01/.../09] = -8, -7)) OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0 AND R09_AU1130 = 1 AND (R09_AU1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AU1131_[01/.../09] = -8, -7)), GO TO R09_AU1133.
ELSE, GO TO BOX R09_AUR05.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1133

En los últimos 30 días, ¿qué sabor de snus ha consumido con más frecuencia? Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use snus every day and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are current snus users and do not use snus every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R09_AU1003 = 1 AND R09_AU1130 = 1 AND (R09_AU1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AU1131_[01/.../09] = -8, -7)) OR (R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1 AND R09_AU9122 != 0 AND R09_AU9222 != 0 AND R09_AU1022 != 0 AND R09_AU1130 = 1 AND (R09_AU1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AU1131_[01/.../09] = -8, -7)).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_AUR05

Adult 18-20 year old respondents who are current snus users, go to R09_AU1142.
Else, go to R09_AU1030.

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_SNUS_USER_STATUS = 1, GO TO R09_AU1142.
ELSE, GO TO R09_AU1030.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1142

Las siguientes preguntas son acerca de su experiencia al comprar snus. [Piense en el tipo de snus que consume con más frecuencia cuando conteste estas preguntas.]

En los últimos 30 días, ¿le vendió alguien snus?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current snus users.

ASK Specification: IF $18 \leq R09\_ACHIEVEDAGE < 21$ AND $R09\_SNUS\_USER\_STATUS = 1$.

DISPLAY: IF $R09\_AU9041 = 3$, DISPLAY "Piense en el tipo de snus que consume con más frecuencia cuando conteste estas preguntas."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AU1123

En los últimos 30 días, ¿le negó alguien la venta de snus debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar snus en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current snus users.

ASK Specification: IF $18 \leq R09\_ACHIEVEDAGE < 21$ AND $R09\_SNUS\_USER\_STATUS = 1$.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1030

[Las siguientes preguntas son acerca de su experiencia al comprar snus. [Piense en el tipo de snus que consume con más frecuencia cuando conteste estas preguntas.]

]¿Cómo compra normalmente snus para usted?

1 En persona	GO TO R09_AU1032
2 En Internet	GO TO R09_AU1042
3 Por teléfono	GO TO R09_AU1042
4 No compro mi propio snus	
-8 DON'T KNOW	GO TO R09_AU1047
-7 REFUSED	GO TO R09_AU1047

ASK: Adult respondents who are current snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar snus."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_AU9041 = 3, DISPLAY "Piense en el tipo de snus que consume con más frecuencia cuando conteste estas preguntas."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AU1118

]¿Cómo obtiene normalmente snus para usted?

1 Le doy dinero a otra persona para que me lo compre	
2 Le pido a una persona que me dé un poco	GO TO R09_AU1047
3 Alguien me lo ofrece	GO TO R09_AU1047
4 Me lo llevo de una tienda o se lo quito a alguien sin que se den cuenta	GO TO R09_AU1047
5 Lo obtengo de otra manera (ESPECIFIQUE)	GO TO R09_AU1047
-8 DON'T KNOW	GO TO R09_AU1047
-7 REFUSED	GO TO R09_AU1047

ASK: Adult respondents who are current snus users and do not buy their own snus.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND R09_AU1030 = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1032

Normalmente, ¿[le compran/compra] snus...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current snus users and usually buy their snus in person or give someone else money to buy for them.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1 OR R09_AU1118 = 1).

DISPLAY: IF R09_AU1118 = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

PATH ID: R09_AU1033

¿Dónde [le compran/compra] snus para usted la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda de licores
- 10 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current snus users and usually buy their snus in person or give someone else money to buy for them.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1 OR R09_AU1118 = 1).

DISPLAY: IF R09_AU1118 = 1, DISPLAY "le compran".
ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1042

[Piense en la última vez que le dio dinero a alguien para que le compre snus.]¿Cuánto pagó normalmente por un envase de snus?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

GO TO BOX R09_AUR52

-7 REFUSED

GO TO BOX R09_AUR52

ASK: Adult respondents who are current snus users and usually buy their snus in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1).

DISPLAY: IF R09_AU1118 = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre snus. ".

ELSE, DO NOT DISPLAY THIS TEXT.

ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AU1042_LC1

Usted contestó que pagó \$[R09_AU1042] por un envase de snus. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1042

2 NEXT

GO TO BOX R09_AUR52

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU1042 > 6.00 OR R09_AU1042 < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AU1042 > 6.00 OR R09_AU1042 < 1.00.

ELSE, GO TO BOX R09_AUR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AUR52

Adult respondents who are current snus users and usually buy their snus in person, from the internet, or by telephone or give someone else money to buy for them, and most often use snus pouches, go to R09_AU9001.

Else, adult respondents who are current snus users and usually buy their snus in person, from the internet, or by telephone or give someone else money to buy for them, and most often use loose snus, go to R09_AU9010.

Else, go to R09_AU1047.

IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 1 OR R09_AU9042 = 1), GO TO R09_AU9001.

ELSE, IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 2 OR R09_AU9042 = 2), GO TO R09_AU9010.

ELSE, GO TO R09_AU1047.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9001

¿Cuántas bolsitas o saquitos hay en el envase de snus que usted compra normalmente?

1 __ __ Cantidad de bolsitas	
-8 DON'T KNOW	GO TO R09_AU1047
-7 REFUSED	GO TO R09_AU1047

ASK: Adult respondents who are current snus users and usually buy their snus in person, from the internet, or by telephone or give someone else money to buy for them, and most often use snus pouches.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 1 OR R09_AU9042 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de bolsitas" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AU9001_LC1

Usted contestó que hay [R09_AU9001] bolsitas en el envase que compró. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AU9001
2 NEXT	GO TO R09_AU9011

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND (R09_AU9001 > 50 OR R09_AU9001 < 5).

PROGRAM: TRIGGER CHECK IF R09_AU9001 > 50 OR R09_AU9001 < 5.
ELSE, GO TO R09_AU9011 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AU9011

¿De qué tamaño son las bolsitas de snus que usted compra normalmente?

- 1 Mini
- 2 Slim
- 3 Regular
- 4 Grande
- 5 No sé
- 7 REFUSED

ASK: Adult respondents who are current snus users and usually buy their snus in person, from the internet, or by telephone or give someone else money to buy for them, and most often use snus pouches and provided the number of snus pouches in the container they usually buy.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND R09_AU9001 != -8, -7.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9002

Aproximadamente, ¿cuántos días le toma para acabar un envase de bolsitas de snus? Por favor, solamente cuente los días en que consume el producto.

1 |__|__|__| Cantidad de días

-8 DON'T KNOW

GO TO R09_AU1047

-7 REFUSED

GO TO R09_AU1047

ASK: Adult respondents who are current snus users and usually buy their snus in person, from the internet, or by telephone or give someone else money to buy for them, and most often use snus pouches and provided the number of snus pouches in the container they usually buy.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND R09_AU9001 != -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AU9002_LC1

Usted contestó que le tomó [R09_AU9002] días para acabar un envase de bolsitas de snus. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU9002

2 NEXT

GO TO R09_AU1047

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 1 OR R09_AU9042 = 1) AND R09_AU9001 != -8, -7 AND (R09_AU9002 > (R09_AU9001*7) OR R09_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99).

PROGRAM: TRIGGER CHECK IF R09_AU9002 > (R09_AU9001*7) OR R09_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

ELSE, GO TO R09_AU1047 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU9010

¿Es el tamaño del envase de snus que usted normalmente compra más grande, más pequeño o igual que el envase de muestra en esta imagen?

[SHOW GENERIC IMAGE OF LOOSE CONTAINER]

- 1 Más grande
- 2 Más pequeño
- 3 Igual
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current snus users and usually buy their snus in person, from the internet, or by telephone or give someone else money to buy for them, and most often use loose snus.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 2 OR R09_AU9042 = 2).

IMAGE: SHOW GENERIC IMAGE OF LOOSE CONTAINER.

PATH ID: R09_AU9006

Aproximadamente, ¿cuántos días le toma para acabar un envase de snus suelto? Por favor, solamente cuente los días en que consume el producto.

- 1 |__|__|__| Cantidad de días
- 8 DON'T KNOW GO TO R09_AU1047
- 7 REFUSED GO TO R09_AU1047

ASK: Adult respondents who are current snus users and usually buy their snus in person, from the internet, or by telephone or give someone else money to buy for them, and most often use loose snus.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 2 OR R09_AU9042 = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AU9006_LC1

Usted contestó que le tomó [R09_AU9006] días para acabar un envase de snus suelto. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R09_AU9006
- 2 NEXT GO TO R09_AU1047

ASK: IF R09_SNUS_USER_STATUS = 1 AND (R09_AU1030 = 1, 2, 3 OR R09_AU1118 = 1) AND (R09_AU9041 = 2 OR R09_AU9042 = 2) AND R09_AU9006 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

PROGRAM: TRIGGER CHECK IF R09_AU9006 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

ELSE, GO TO R09_AU1047 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1047

¿[Tiene/Tenía] una marca habitual de snus que [consume/consumía] normalmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "Tiene" AND "consume".

ELSE, DISPLAY "Tenía" AND "consumía".

PATH ID: R09_AU1050

[Su marca habitual/La última marca] que [consume/consumía], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1 Sí	
2 No	GO TO R09_AU1945
3 No sé	GO TO R09_AU1945
-7 REFUSED	GO TO R09_AU1945

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "Su marca habitual" AND "consume" AND "tiene".

ELSE, IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 1, DISPLAY "Su marca habitual" AND "consumía" AND "tenía".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1012

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1050 = 1.

DISPLAY: IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "es".
ELSE, DISPLAY "era".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AU1945

¿Sabe el **nombre de la marca** de snus que [consume normalmente/consumió normalmente/consumió la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: BOLD "nombre de la marca".

IF R09_AU1047 = 1 AND R09_SNUS_USER_STATUS = 1, DISPLAY "consume normalmente".

ELSE, IF R09_AU1047 = 1 AND R09_SNUS_USER_STATUS != 1, DISPLAY "consumió normalmente".

ELSE, IF R09_AU1047 = 2, -8, -7, DISPLAY "consumió la última vez".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUR27

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former snus users and know the name of the brand of snus they usually use or last used, go to Box R09_AUD48.
Else, go to Box R09_AUR16.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1, GO TO BOX R09_AUD48.
ELSE, GO TO BOX R09_AUR16.

BOX ID: R09_AUD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AU1048 and R09_AU1049 on one screen.

Show the question text from R09_AU1048 at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AU1049, and 5) text entry for R09_AU1049.

PATH ID: R09_AU1048

¿Qué marca de snus [consume/consumió] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former snus users and know the name of the brand of snus they usually use or last used.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1.

DISPLAY: IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL BRANDS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AU1049, set R09_AU1048_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1049

¿No vio su marca?

Escriba el nombre de la marca de snus que [consume/consumió] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former snus users and know the name of the brand of snus they usually use or last used.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1.

DISPLAY: BOLD "¿No vio su marca?" AND "deseleccionarán".

IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "normalmente" AND "consume".

ELSE, IF R08_AU1047 = 1, DISPLAY "normalmente" AND "consumió".

ELSE, DISPLAY "la última vez" AND "consumió".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AU1049, set R09_AU1048_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_AUR16

Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used, go to R09_AU2048.

Else, go to Box R09_AUR102.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1, GO TO R09_AU2048.

ELSE, GO TO BOX R09_AUR102.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU2048

¿Qué marca de snus [consume/consumió] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 9995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1.

DISPLAY: IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

BOX ID: R09_AUR101

Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected "Something else" for their brand of snus, go to R09_AU2049.

Else, go to Box R09_AUR102.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND = 9995, GO TO R09_AU2049.

ELSE, GO TO BOX R09_AUR102.

PATH ID: R09_AU2049

Dijo que su marca no aparece en la lista. ¿Cuál marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected "Something else" for their brand of snus.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus, go to Box R09_AUD70.
Else, go to Box R09_AUR17.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU1048_BRAND != 9995, -8, -7,
GO TO BOX R09_AUD70.
ELSE, GO TO BOX R09_AUR17.

BOX ID: R09_AUD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AU1070 and R09_AU1071 on one screen.

Show the question text from R09_AU1070 at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AU1071, and 5) text entry for R09_AU1071.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AU1048_BRAND.

IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "consume" AND "normalmente". ELSE, IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN.

If text is entered in R09_AU1071, set R09_AU1070_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1071

¿No vio su producto?

Escriba el tipo de [BRANDFILL] que [consume/consumió] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU1048_BRAND != 9995, -8, -7.

DISPLAY: BOLD "¿No vio su producto?" AND "deseleccionarán".

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AU1048_BRAND.

IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_AU1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, DISPLAY "consumió" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AU1071, set R09_AU1070_PRODUCT = 99995 (SOMETHING ELSE).

BOX ID: R09_AUR17

Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus, go to R09_AU2070.

Else, go to Box R09_AUR25.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND != 9995, -8, -7, GO TO R09_AU2070.

ELSE, GO TO BOX R09_AUR25.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU2070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

99995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AU2048_BRAND.

IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "consume" AND "normalmente".
ELSE, IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_SNUS_USER_STATUS = 4 AND R09_AU1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

BOX ID: R09_AUR103

Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand and sub-brand of snus, go to R09_AU2070_CONF.

Else, adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus and selected "Something else" for their sub-brand of snus, go to R09_AU2071. Else, go to Box R09_AUR25.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND != 9995, -8, -7 AND R09_AU2070_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AU2070_CONF.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND != 9995, -8, -7 AND R09_AU2070_PRODUCT = 99995, GO TO R09_AU2071.

ELSE, GO TO BOX R09_AUR25.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU2070_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor seleccione el botón que dice ATRÁS y vuelva a seleccionar su marca.

[SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS]

1 BACK

GO TO R09_AU2070

2 NEXT

GO TO BOX R09_AUR25

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand and sub-brand of snus.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND != 9995, -8, -7 AND R09_AU2070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: FILL [NEQBRAND] WITH R09_AU2070_PRODUCT RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS.

PATH ID: R09_AU2071

Usted dijo que el tipo de [BRANDFILL] que usted [consume/consumía] no aparece en la lista. ¿Qué tipo es?

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus and selected "Something else" for their sub-brand of snus.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND != 9995, -8, -7 AND R09_AU2070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R09_AU2048_BRAND.

IF R09_SNUS_USER_STATUS = 1 AND R09_AU1047 = 1, DISPLAY "consume".

ELSE, DISPLAY "consumía".

BOX ID: R09_AUR25

Adult respondents who are current or recent former snus users and have a regular brand of snus, go to R09_AU1051.

Else, go to Box R09_AUR18.

IF R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1047 = 1, GO TO R09_AU1051.

ELSE, GO TO BOX R09_AUR18.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1051

Aproximadamente, ¿cuánto tiempo [consumió/lleva consumiendo] su marca habitual de snus? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Días	
2	_ _	Meses	
3	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_AUR18
-7	REFUSED		GO TO BOX R09_AUR18

ASK: Adult respondents who are current or recent former snus users and have a regular brand of snus.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1047 = 1.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AU1051_LC1

Usted contestó que [lleva consumiendo/consumió] su marca habitual de snus por [R09_AU1051_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AU1051
2	NEXT	GO TO R09_AU1051_LC2

ASK: IF R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1047 = 1 AND R09_AU1051_NN > R09_ACHIEVEDAGE AND R09_AU1051_UN = 3.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

PROGRAM: TRIGGER CHECK IF (R09_AU1051_NN > R09_ACHIEVEDAGE) AND R09_AU1051_UN = 3.

ELSE, GO TO R09_AU1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1051_LC2

Usted contestó "cero" para la cantidad de tiempo que usted [lleva consumiendo/consumió] su marca habitual de snus. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AU1051

2 NEXT

GO TO BOX R09_AUR18

ASK: IF R09_SNUS_USER_STATUS = 1, 4 AND R09_AU1047 = 1 AND R09_AU1051_NN = 0.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

PROGRAM: TRIGGER CHECK IF R09_AU1051_NN = 0.

ELSE, GO TO BOX R09_AUR18 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AUR18

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and sub-brand of snus, or adult respondents who are completing a web interview on a mobile device and are current snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and sub-brand of snus, go to R09_AU104. Else, go to Box R09_AUD03.

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SNUS_USER_STATUS = 1 AND R09_AU0100 = 1, 2, 3, 4 AND R09_AU1945 = 1 AND R09_AU1048_BRAND != 9995, -8, -7 AND R09_AU1070_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1 AND R09_AU0100 = 1, 2, 3, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND != 9995, -8, -7 AND R09_AU2070_PRODUCT != 99990, 99995, -8, -7), GO TO R09_AU104. ELSE, GO TO BOX R09_AUD03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU0104

Anteriormente usted dijo que la última vez que consumió snus fue [TIME OF LAST USE].

Piense en la última vez que lo consumió.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and sub-brand of snus, or

Adult respondents who are completing a web interview on a mobile device and are current snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and sub-brand of snus.

ASK Specification: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SNUS_USER_STATUS = 1 AND R09_AU0100 = 1, 2, 3, 4 AND R09_AU1945 = 1 AND R09_AU1048_BRAND != 9995, -8, -7 AND R09_AU1070_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SNUS_USER_STATUS = 1 AND R09_AU0100 = 1, 2, 3, 4 AND R09_AU1945 = 1 AND R09_AU2048_BRAND != 9995, -8, -7 AND R09_AU2070_PRODUCT != 99990, 99995, -8, -7).

DISPLAY: IF R09_AU0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R09_AU0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R09_AU0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R09_AU0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL [NEQBRAND] WITH R09_AU1070_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AU2070_PRODUCT RESPONSE.

BOX ID: R09_AUD03

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER: R09_AU1060, R09_AU1085, R09_AU1062, R09_AU1075, R09_AU1063, (R09_AU1064), R09_AU1065, R09_AU1067, R09_AU1076, (R09_AU1077).

CONDITIONAL LEAVES: R09_AU1064, R09_AU1077. (See routing boxes for details: R09_AUR19, R09_AUR53.)

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AU1060 is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AU1060 on each screen. Randomize the order.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1060

Las siguientes preguntas son acerca de las razones por las que la gente consume snus. Seleccione las razones que [aplican a usted/aplicaban a usted cuando consumía snus]. [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

[Consumo/Consumía] snus porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "aplican a usted", "Consumo" AND "Es".

ELSE, DISPLAY "aplicaban a usted cuando consumía snus", "Consumía" AND "Era".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación."

Desplace para ver más afirmaciones."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AU1085

[Puedo/Podía] consumir snus en ocasiones o en lugares donde no se [permite/ permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "Puedo" AND "permite".

ELSE, DISPLAY "Podía" AND "permitía".

PATH ID: R09_AU1062

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "ser".

ELSE, DISPLAY "haber sido".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1075

Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "ser".

ELSE, DISPLAY "haber sido".

PATH ID: R09_AU1063

El snus [viene/venía] en sabores que me [gustan/gustaban].

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "viene" AND "gustan".

ELSE, DISPLAY "venían" AND "gustaban".

BOX ID: R09_AUR19

Adult respondents who are current or recent former snus users and are current or recent former cigarette smokers, go to R09_AU1064.
Else, go to R09_AU1065.

IF R09_SNUS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AU1064.
ELSE, GO TO R09_AU1065.

PATH ID: R09_AU1064

Consumir snus le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users and are current or recent former cigarette smokers.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1065

El snus no huele.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

PATH ID: R09_AU1067

El snus [es/era] más aceptable por personas que no consumen tabaco.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "es".
ELSE, DISPLAY "era".

PATH ID: R09_AU1076

Nadie se [da/daba] cuenta cuando [consumo/consumía] snus.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "da" AND "consumo".
ELSE, DISPLAY "daba" AND "consumía".

BOX ID: R09_AUR53

Adult respondents who are current or recent former snus users and are current or recent former cigarette smokers, go to R09_AU1077.
Else, go to Box R09_AUR20.

IF R09_SNUS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AU1077.
ELSE, GO TO BOX R09_AUR20.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1077

Consumir snus [satisface/satisfacía] mi deseo de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users and are current or recent former cigarette smokers.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "satisface".

ELSE, DISPLAY "satisfacía".

BOX ID: R09_AUR20

Adult respondents who are current snus users and are current cigarette smokers, go to R09_AU1086.
Else, adult respondents who are current or recent former snus users and are current or recent former cigarette smokers, go to R09_AU1080.

Else, go to R09_AU1139.

IF R09_SNUS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1, GO TO R09_AU1086.

ELSE, IF R09_SNUS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AU1080.

ELSE, GO TO R09_AU1139.

PATH ID: R09_AU1086

En los últimos 30 días, ¿ha consumido snus en ocasiones o en lugares donde no se podía fumar cigarrillos?

1	Sí	
2	No	GO TO R09_AU1080
-8	DON'T KNOW	GO TO R09_AU1080
-7	REFUSED	GO TO R09_AU1080

ASK: Adult respondents who are current snus users and are current cigarette smokers.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1087

¿Con qué frecuencia consume snus en ocasiones o en lugares donde no puede fumar cigarrillos tradicionales?

- 1 Todos los días
- 2 Algunos días
- 3 Rara vez
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current snus users and are current cigarette smokers and used snus at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF R09_SNUS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1 AND R09_AU1086 = 1.

PATH ID: R09_AU1080

¿[Consume/Consumía] snus como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users and are current or recent former cigarette smokers.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "Consume".
ELSE, DISPLAY "Consumía".

PATH ID: R09_AU1082

¿[Está consumiendo/Consumía] snus como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users and are current or recent former cigarette smokers.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "Está consumiendo" AND "".
ELSE, DISPLAY "Consumía" AND "".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1139

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas al consumir snus.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "Es".
ELSE, DISPLAY "Era".

PATH ID: R09_AU1140

Al consumir snus, me [siento/sentía] más seguro con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "siento".
ELSE, DISPLAY "sentía".

PATH ID: R09_AU1141

[Consumo/Consumía] snus mucho más cuando [estoy/estaba] con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SNUS_USER_STATUS = 1, DISPLAY "Consumo" AND "estoy".
ELSE, DISPLAY "Consumía" AND "estaba".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AUR54

Adult respondents who are current snus users, go to R09_AU1144.
Else, go to the next section.

IF R09_SNUS_USER_STATUS = 1, GO TO R09_AU1144.
ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AU1144

¿Qué tan dañino cree que es el consumo de snus para SU salud?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current snus users.

ASK Specification: IF R09_SNUS_USER_STATUS = 1.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

SMOKELESS TOBACCO

BOX ID: R09_ASR08
Adult respondents who have ever used smokeless tobacco and are not long-term former smokeless tobacco users, or continuing adult respondents who have ever used smokeless tobacco and are long-term former smokeless tobacco users and are not persistent former smokeless tobacco users and had not used smokeless tobacco 100 or more times as of their last completed interview or had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco, continue with Box R09_AST02. Else, go to the next section.
IF (R09_EVER_NEVER_SMKLS = 1 AND R09_SMKLS_USER_STATUS != 5) OR (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R09_SMKLS_USER_STATUS = 5 AND R09_PERSISTENT_FORMER_SMKLS != 1 AND (R08_NUMLIFE_SMKLS != 1 OR R08_REGUSE_SMKLS != 1)) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1), GO TO BOX R09_AST02. ELSE, GO TO THE NEXT SECTION.

BOX ID: R09_AST02
Las siguientes preguntas son acerca del tabaco que no se fuma , el cual la persona normalmente mastica, chupa o escupe. Algunas personas llaman al tabaco que no se fuma "tabaco para masticar."
El tabaco que no se fuma puede venir suelto o empacado en bolsitas pequeñas que se ponen en la boca. Hay muchas clases de productos de tabaco que no se fuma, como por ejemplo el dip, el rapé o tabaco de inhalar, las bolsitas y el tabaco de mascar. Algunas marcas conocidas son Skoal, Copenhagen, Grizzly y America's Best Chew (conocido anteriormente como Red Man). Por favor, piense ÚNICAMENTE en su consumo de tabaco que no se fuma cuando conteste estas preguntas.
[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]
BOLD FIRST INSTANCE OF "tabaco que no se fuma". IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_ASR33
Adult respondents who are completing a web interview on a mobile device, go to Box R09_AST07. Else, go to Box R09_ASR07.
IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AST07. ELSE, GO TO BOX R09_ASR07.

BOX ID: R09_AST07
Piense ahora en el tabaco que no se fuma, como el que se muestra a continuación...
[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR07

Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco, go to R09_AS1006.

Else, continuing and aged-up adult respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times as of their last completed interview and are not persistent former smokeless tobacco users, go to R09_AS1005.

Else, continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and are not persistent former smokeless tobacco users, go to R09_AS1100.

Else, go to Box R09_ASR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1), GO TO R09_AS1006.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND

R08_NUMLIFE_SMKLS != 1 AND R09_PERSISTENT_FORMER_SMKLS != 1, GO TO R09_AS1005.

ELSE, IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND

R08_REGUSE_SMKLS != 1 AND R09_PERSISTENT_FORMER_SMKLS != 1, GO TO R09_AS1100.

ELSE, GO TO BOX R09_ASR02.

PATH ID: R09_AS1006

¿Qué edad tenía la primera vez que consumió tabaco que no se fuma, incluso si solo fueron una o dos veces?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AS1120

-7 REFUSED

GO TO R09_AS1120

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AS1006_LC1

Usted contestó que la primera vez que consumió tabaco que no se fuma fue a la edad de [R09_AS1006] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1006

2 NEXT

GO TO R09_AS1006_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1 AND R09_AS1006 <= 8) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1006 <= 8).

PROGRAM: TRIGGER CHECK IF R09_AS1006 <= 8.

ELSE, GO TO R09_AS1006_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1006_LC2

Usted contestó que la primera vez que consumió tabaco que no se fuma fue a la edad de [R09_AS1006] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1006

2 NEXT

GO TO R09_AS1005

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1 AND R09_AS1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18).

PROGRAM: TRIGGER CHECK IF R09_AS1006 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AS1005 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS1120

La primera vez que consumió tabaco que no se fuma, incluso si solo fueron una o dos veces, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and did not know or refused to report the age they first used smokeless tobacco, or new cohort adult respondents who have ever used smokeless tobacco and did not know or refused to report the age they first used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1 AND R09_AS1006 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1006 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1005

¿Cuántas veces ha consumido en toda su vida tabaco que no se fuma?

- 1 Una a 10
- 2 11 a 20
- 3 21 a 50
- 4 51 a 99
- 5 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not used 100 or more times as of their last completed interview and are not persistent former smokeless tobacco users, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R08_NUMLIFE_SMKLS != 1 AND R09_PERSISTENT_FORMER_SMKLS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1).

BOX ID: R09_ASR10

Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and are not persistent former smokeless tobacco users, or new cohort adult respondents who have ever used smokeless tobacco, go to R09_AS1100.
Else, go to Box R09_ASR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R08_REGUSE_SMKLS != 1 AND R09_PERSISTENT_FORMER_SMKLS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1), GO TO R09_AS1100.
ELSE, GO TO BOX R09_ASR02.

PATH ID: R09_AS1100

¿Alguna vez ha consumido tabaco que no se fuma habitualmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and are not persistent former smokeless tobacco users, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R08_REGUSE_SMKLS != 1 AND R09_PERSISTENT_FORMER_SMKLS != 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR11

Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and are not persistent former smokeless tobacco users and have ever used smokeless tobacco fairly regularly, or new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, go to R09_AS1007.

Else, go to Box R09_ASR02.

IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R09_PERSISTENT_FORMER_SMKLS != 1 AND R09_AS1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1100 = 1), GO TO R09_AS1007.
ELSE, GO TO BOX R09_ASR02.

PATH ID: R09_AS1007

¿Qué edad tenía la primera vez que comenzó a consumir tabaco que no se fuma habitualmente?

1 |__| |__| Años

-8 DON'T KNOW

GO TO R09_AS1121

-7 REFUSED

GO TO R09_AS1121

ASK: Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and are not persistent former smokeless tobacco users and have ever used smokeless tobacco fairly regularly, or new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R09_PERSISTENT_FORMER_SMKLS != 1 AND R09_AS1100 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1100 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AS1007_LC1

Usted contestó que comenzó a consumir tabaco que no se fuma de manera habitual a la edad de [R09_AS1007] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1007

2 NEXT

GO TO R09_AS1007_LC2

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R09_PERSISTENT_FORMER_SMKLS != 1 AND R09_AS1100 = 1 AND R09_AS1007 <= 8) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1100 = 1 AND R09_AS1007 <= 8).

PROGRAM: TRIGGER CHECK IF R09_AS1007 <= 8.

ELSE, GO TO R09_AS1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1007_LC2

Usted contestó que comenzó a consumir tabaco que no se fuma de manera habitual a la edad de [R09_AS1007] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1007

2 NEXT

GO TO BOX R09_ASR02

ASK: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R09_PERSISTENT_FORMER_SMKLS != 1 AND R09_AS1100 = 1 AND R09_AS1007 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1100 = 1 AND R09_AS1007 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AS1007 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_ASR02 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS1121

La primera vez que comenzó a consumir tabaco que no se fuma habitualmente, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and are not persistent former smokeless tobacco users and have ever used smokeless tobacco fairly regularly and did not know or refused to report the age they first started using smokeless tobacco fairly regularly, or new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly and did not know or refused to report the age they first started using smokeless tobacco fairly regularly.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_EVER_NEVER_SMKLS = 1 AND R09_PERSISTENT_FORMER_SMKLS != 1 AND R09_AS1100 = 1 AND R09_AS1007 = -8, -7) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1100 = 1 AND R09_AS1007 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR02

Continuing adult respondents who have not reported the age when they first started using smokeless tobacco every day as of their last completed interview and use smokeless tobacco every day, or new baseline adult respondents who use smokeless tobacco every day, go to R09_AS1020.
Else, go to Box R09_ASR12.

IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SMKLS != 1 AND R09_AS1003 = 1) OR
(R09_ADULTTYPE = 2, 3 AND R09_AS1003 = 1), GO TO R09_AS1020.
ELSE, GO TO BOX R09_ASR12.

PATH ID: R09_AS1020

¿Qué edad tenía la primera vez que comenzó a consumir tabaco que no se fuma todos los días?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AS1122

-7 REFUSED

GO TO R09_AS1122

ASK: Continuing adult respondents who have not reported the age when they first started using smokeless tobacco every day as of their last completed interview and use smokeless tobacco every day, or new baseline adult respondents who use smokeless tobacco every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SMKLS != 1 AND R09_AS1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AS1003 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AS1020_LC1

Usted contestó que comenzó a consumir tabaco que no se fuma todos los días a la edad de [R09_AS1020] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1020

2 NEXT

GO TO R09_AS1020_LC2

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SMKLS != 1 AND R09_AS1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AS1003 = 1)) AND (R09_AS1020 <= 8 OR R09_AS1020 < R09_AS1007).

PROGRAM: TRIGGER CHECK IF R09_AS1020 <= 8 OR R09_AS1020 < R09_AS1007.
ELSE, GO TO R09_AS1020_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1020_LC2

Usted contestó que comenzó a consumir tabaco que no se fuma todos los días a la edad de [R09_AS1020] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1020

2 NEXT

GO TO BOX R09_ASR12

ASK: IF ((R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SMKLS != 1 AND R09_AS1003 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AS1003 = 1)) AND R09_AS1020 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AS1020 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_ASR12 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS1122

La primera vez que comenzó a consumir tabaco que no se fuma todos los días, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who have not reported the age when they first started using smokeless tobacco every day as of their last completed interview and use smokeless tobacco every day and did not know or refused to report the age they first started using smokeless tobacco every day, or new baseline adult respondents who use smokeless tobacco every day and did not know or refused to report the age they first started using smokeless tobacco every day.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08 EVERYDAY_AGE_SMKLS != 1 AND R09_AS1003 = 1 AND R09_AS1020 = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AS1003 = 1 AND R09_AS1020 = -8, -7).

BOX ID: R09_ASR12

Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco, go to R09_AS1008.

Else, go to Box R09_ASR09.

IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1), GO TO R09_AS1008.
ELSE, GO TO BOX R09_ASR09.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1008

La primera vez que comenzó a consumir tabaco que no se fuma, ¿consumió tabaco que no se fuma con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO BOX R09_ASR90
3	No sé	GO TO BOX R09_ASR90
-7	REFUSED	GO TO BOX R09_ASR90

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AS1011

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1 AND R09_AS1008 = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_NEVER_SMKLS = 1 AND R09_AS1008 = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR90

New cohort adult respondents who are current, recent former, or long-term former smokeless tobacco, go to R09_AS1025_RS.
Else, go to Box R09_ASR09.

IF R09_ADULTTYPE = 3 AND R09_SMKLS_USER_STATUS = 1, 4, 5, GO TO R09_AS1025_RS.
ELSE, GO TO BOX R09_ASR09.

PATH ID: R09_AS1025_RS

Alrededor de esta época hace 12 meses, ¿consumía tabaco que no se fuma...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current, recent former, or long-term former smokeless tobacco users.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_SMKLS_USER_STATUS = 1, 4, 5.

BOX ID: R09_ASR09

Adult respondents who are current smokeless tobacco users, go to R09_AS9041.
Else, adult respondents who are recent former smokeless tobacco users, go to R09_AS1047.
Else, go to the next section.

IF R09_SMKLS_USER_STATUS = 1, GO TO R09_AS9041.
ELSE, IF R09_SMKLS_USER_STATUS = 4, GO TO R09_AS1047.
ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AS9041

¿Qué tipo de tabaco que no se fuma consume?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

1 Tabaco suelto que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)	GO TO BOX R09_ASR55
2 Bolsitas o saquitos de tabaco que no se fuma (sin incluir snus)	GO TO BOX R09_ASR55
3 Tabaco suelto que no se fuma y bolsitas de tabaco que no se fuma	
-8 DON'T KNOW	GO TO BOX R09_ASR55
-7 REFUSED	GO TO BOX R09_ASR55

ASK: Adult respondents who are current smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9042

Usted mencionó que ha consumido tanto tabaco suelto que no se fuma como bolsitas de tabaco que no se fuma. ¿Qué tipo de tabaco que no se fuma consume con más frecuencia?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- 1 Tabaco suelto que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)
- 2 Bolsitas o saquitos de tabaco que no se fuma (sin incluir snus)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and have used both loose and pouched smokeless tobacco.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND R09_AS9041 = 3.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES.

BOX ID: R09_ASR55

Adult respondents who are current smokeless tobacco users and most often use loose smokeless tobacco, go to R09_AS9222.
Else, go to Box R09_ASR57.

IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 1 OR R09_AS9042 = 1), GO TO R09_AS9222.
ELSE, GO TO BOX R09_ASR57.

PATH ID: R09_AS9222

¿En cuántos de los últimos 30 días consumió usted tabaco suelto que no se fuma?

- 1 |__|__| Cantidad de días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and most often use loose smokeless tobacco.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 1 OR R09_AS9042 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR56

Adult respondents who are current smokeless tobacco users and most often use loose smokeless tobacco and used on 0 days of the past 30 days, go to R09_AS9229.
Else, adult respondents who are current smokeless tobacco users and most often use loose smokeless tobacco and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AS9223.
Else, go to Box R09_ASR57.

IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 1 OR R09_AS9042 = 1) AND R09_AS9222 = 0, GO TO R09_AS9229.
ELSE, IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 1 OR R09_AS9042 = 1) AND R09_AS9222 != 0, GO TO R09_AS9223.
ELSE, GO TO BOX R09_ASR57.

PATH ID: R09_AS9229

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió tabaco suelto que no se fuma? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Días	
2	_ _	Meses	
3	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_ASR57
-7	REFUSED		GO TO BOX R09_ASR57

ASK: Adult respondents who are current smokeless tobacco users and most often use loose smokeless tobacco and used on 0 days of the past 30 days.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 1 OR R09_AS9042 = 1) AND R09_AS9222 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9229_LC1

Usted contestó que la última vez que consumió tabaco suelto que no se fuma fue hace [R09_AS9229] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AS9229
2	NEXT	GO TO BOX R09_ASR57

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 1 OR R09_AS9042 = 1) AND R09_AS9222 = 0 AND ((R09_AS9229_NN < 30 AND R09_AS9229_UN = 1) OR (R09_AS9229_NN < 1 AND R09_AS9229_UN = 2) OR (R09_AS9229_NN > 18 AND R09_AS9229_UN = 2) OR (R09_AS9229_NN > (R09_ACHIEVEDAGE - 10) AND R09_AS9229_UN = 3)).

DISPLAY: IF R09_AS9229_UN = 1, DISPLAY "días".
ELSE, IF R09_AS9229_UN = 2, DISPLAY "meses".
ELSE, IF R09_AS9229_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AS9229_NN < 30 AND R09_AS9229_UN = 1) OR (R09_AS9229_NN < 1 AND R09_AS9229_UN = 2) OR (R09_AS9229_NN > 18 AND R09_AS9229_UN = 2) OR (R09_AS9229_NN > (R09_ACHIEVEDAGE - 10) AND R09_AS9229_UN = 3).
ELSE, GO TO BOX R09_ASR57 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS9223

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AS9222 días/días en que consumió], ¿cuántas veces consumió normalmente tabaco suelto que no se fuma cada día?

1	_ _ _ _ Cantidad de veces cada día	
-8	DON'T KNOW	GO TO BOX R09_ASR57
-7	REFUSED	GO TO BOX R09_ASR57

ASK: Adult respondents who are current smokeless tobacco users and most often use loose smokeless tobacco and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 1 OR R09_AS9042 = 1) AND R09_AS9222 != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces cada día" AS A TITLE.

IF R09_AS9222 = 1, -8, -7, DISPLAY "días en que consumió".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AS9222 AND "días" (ex. "2 días").

PROGRAM: Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9223_LC1

Usted contestó que en sus días de consumo en los últimos 30 días, usted consumió tabaco suelto que no se fuma [R09_AS9223] veces al día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS9223

2 NEXT

GO TO BOX R09_ASR57

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 1 OR R09_AS9042 = 1) AND R09_AS9222 != 0 AND R09_AS9223 > 20.

PROGRAM: TRIGGER CHECK IF R09_AS9223 > 20.
ELSE, GO TO BOX R09_ASR57 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ASR57

Adult respondents who are current smokeless tobacco users and most often use smokeless tobacco pouches, go to R09_AS9122.
Else, go to Box R09_ASR59.

IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 2 OR R09_AS9042 = 2), GO TO R09_AS9122.
ELSE, GO TO BOX R09_ASR59.

PATH ID: R09_AS9122

¿En cuántos de los últimos 30 días consumió usted bolsitas de tabaco que no se fuma?

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and most often use smokeless tobacco pouches.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 2 OR R09_AS9042 = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR58

Adult respondents who are current smokeless tobacco users and most often use smokeless tobacco pouches and used on 0 days of the past 30 days, go to R09_AS9129.
Else, adult respondents who are current smokeless tobacco users and most often use smokeless tobacco pouches and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AS9123.
Else, go to Box R09_ASR59.

IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9122 = 0, GO TO R09_AS9129.
ELSE, IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9122 != 0, GO TO R09_AS9123.
ELSE, GO TO BOX R09_ASR59.

PATH ID: R09_AS9129

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió una bolsita de tabaco que no se fuma? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Días	
2	_ _	Meses	
3	_ _	Años	
-8	DON'T KNOW		GO TO BOX R09_ASR59
-7	REFUSED		GO TO BOX R09_ASR59

ASK: Adult respondents who are current smokeless tobacco users and most often use smokeless tobacco pouches and used on 0 days of the past 30 days.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9122 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9129_LC1

Usted contestó que la última vez que consumió una bolsita de tabaco que no se fuma fue hace [R09_AS9129] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS9129

2 NEXT

GO TO BOX R09_ASR59

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9122 = 0 AND ((R09_AS9129_NN < 30 AND R09_AS9129_UN = 1) OR (R09_AS9129_NN < 1 AND R09_AS9129_UN = 2) OR (R09_AS9129_NN > 18 AND R09_AS9129_UN = 2) OR (R09_AS9129_NN > (R09_ACHIEVEDAGE - 10) AND R09_AS9129_UN = 3)).

DISPLAY: IF R09_AS9129_UN = 1, DISPLAY "días".

ELSE, IF R09_AS9129_UN = 2, DISPLAY "meses".

ELSE, IF R09_AS9129_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AS9129_NN < 30 AND R09_AS9129_UN = 1) OR (R09_AS9129_NN < 1 AND R09_AS9129_UN = 2) OR (R09_AS9129_NN > 18 AND R09_AS9129_UN = 2) OR (R09_AS9129_NN > (R09_ACHIEVEDAGE - 10) AND R09_AS9129_UN = 3).

ELSE, GO TO BOX R09_ASR59 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS9123

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AS9122 días/días en que consumió], ¿cuántas bolsitas de tabaco que no se fuma consumió normalmente cada día?

1 |__|__| Cantidad de bolsitas
cada día

-8 DON'T KNOW

GO TO BOX R09_ASR59

-7 REFUSED

GO TO BOX R09_ASR59

ASK: Adult respondents who are current smokeless tobacco users and most often use smokeless tobacco pouches and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9122 != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de bolsitas cada día" AS A TITLE.

IF R09_AS9122 = 1, -8, -7, DISPLAY "días en que consumió".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AS9122 AND "días" (ex. "2 días").

PROGRAM: Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9123_LC1

Usted contestó que en sus días de consumo en los últimos 30 días, usted consumió [R09_AS9123] bolsitas de tabaco que no se fuma al día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS9123

2 NEXT

GO TO BOX R09_ASR59

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9122 != 0 AND R09_AS9123 > 20.

PROGRAM: TRIGGER CHECK IF R09_AS9123 > 20.
ELSE, GO TO BOX R09_ASR59 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ASR59

Adult respondents who are current smokeless tobacco users and did not know or refused to report the type of smokeless tobacco they use most often, go to R09_AS1022.
Else, go to Box R09_ASR26.

IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = -8, -7 OR R09_AS9042 = -8, -7), GO TO R09_AS1022.
ELSE, GO TO BOX R09_ASR26.

PATH ID: R09_AS1022

¿En cuántos de los últimos 30 días consumió usted tabaco que no se fuma?

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current smokeless users and did not know or refused to report the type of smokeless tobacco they use most often.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = -8, -7 OR R09_AS9042 = -8, -7).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR13

Adult respondents who are current smokeless tobacco users and did not know or refused to report the type of smokeless tobacco they use most often and used on 0 days of the past 30 days, go to R09_AS9029.

Else, adult respondents who are current smokeless tobacco users and did not know or refused to report the type of smokeless tobacco they use most often and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AS1023. Else, go to Box R09_ASR26.

IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = -8, -7 OR R09_AS9042 = -8, -7) AND R09_AS1022 = 0, GO TO R09_AS9029.

ELSE, IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = -8, -7 OR R09_AS9042 = -8, -7) AND R09_AS1022 != 0, GO TO R09_AS1023.

ELSE, GO TO BOX R09_ASR26.

PATH ID: R09_AS9029

¿Aproximadamente cuánto tiempo hace desde la última vez que consumió tabaco que no se fuma?
Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_ASR26

-7 REFUSED

GO TO BOX R09_ASR26

ASK: Adult respondents who are current smokeless tobacco users and did not know or refused to report the type of smokeless tobacco they use most often and used on 0 days of the past 30 days.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = -8, -7 OR R09_AS9042 = -8, -7) AND R09_AS1022 = 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9029_LC1

Usted contestó que la última vez que consumió tabaco que no se fuma fue hace [R09_AS9029] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS9029

2 NEXT

GO TO BOX R09_ASR26

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = -8, -7 OR R09_AS9042 = -8, -7) AND R09_AS1022 = 0 AND ((R09_AS9029_NN < 30 AND R09_AS9029_UN = 1) OR (R09_AS9029_NN < 1 AND R09_AS9029_UN = 2) OR (R09_AS9029_NN > 18 AND R09_AS9029_UN = 2) OR (R09_AS9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AS9029_UN = 3)).

DISPLAY: IF R09_AS9029 REPORTED IN DAYS, DISPLAY "días".

ELSE, IF R09_AS9029 REPORTED IN MONTHS DISPLAY "meses".

ELSE, IF R09_AS9029 REPORTED IN YEARS, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AS9029_NN < 30 AND R09_AS9029_UN = 1) OR (R09_AS9029_NN < 1 AND R09_AS9029_UN = 2) OR (R09_AS9029_NN > 18 AND R09_AS9029_UN = 2) OR (R09_AS9029_NN > (R09_ACHIEVEDAGE - 10) AND R09_AS9029_UN = 3).
ELSE, GO TO BOX R09_ASR26 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS1023

En promedio, en esos [FILL NUMBER OF DAYS FROM R09_AS1022 días/días en que consumió], ¿cuántas veces consumió normalmente tabaco que no se fuma cada día?

1 |__|__| Cantidad de veces
cada día

-8 DON'T KNOW

GO TO BOX R09_ASR26

-7 REFUSED

GO TO BOX R09_ASR26

ASK: Adult respondents who are current smokeless tobacco users and did not know or refused to report the type of smokeless tobacco they use most often and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = -8, -7 OR R09_AS9042 = -8, -7) AND R09_AS1022 != 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces cada día" AS A TITLE.

IF R09_AS1022 = 1, -8, -7, DISPLAY "días en que consumió".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R09_AS1022 AND "días" (ex. "2 días").

PROGRAM: Range check: 0-99.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1023_LC1

Usted contestó que en sus días de consumo en los últimos 30 días, usted consumió tabaco que no se fuma [R09_AS1023] veces al día, en promedio. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1023

2 NEXT

GO TO BOX R09_ASR26

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS9041 = -8, -7 OR R09_AS9042 = -8, -7) AND R09_AS1022 != 0 AND R09_AS1023 > 20.

PROGRAM: TRIGGER CHECK IF R09_AS1023 > 20.

ELSE, GO TO BOX R09_ASR26 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ASR26

Adult respondents who are current smokeless tobacco users, go to R09_AS1024.
Else, go to the next section.

IF R09_SMKLS_USER_STATUS = 1, GO TO R09_AS1024.
ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AS1024

[En los días en que consume tabaco que no se fuma, ¿qué/¿Qué] tan pronto después de que se despierta consume normalmente su primer producto de tabaco que no se fuma del día? Conteste con la cantidad de minutos o horas. Anote un número entero y seleccione una de las opciones a continuación.

1 |_|_|_| Minutos después de despertarse

2 |_|_|_| Horas después de despertarse

-8 DON'T KNOW

GO TO R09_AS1092

-7 REFUSED

GO TO R09_AS1092

ASK: Adult respondents who are current smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1.

DISPLAY: IF R09_AS1003 = 1, DISPLAY "¿Qué".

ELSE, DISPLAY "En los días que consume tabaco que no se fuma, ¿qué".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1024_LC1

Usted contestó que normalmente consume su primer producto de tabaco que no se fuma [R09_AS1024_NN] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AS1024
2	NEXT	GO TO R09_AS1024_LC2

ASK: IF [R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 = 1 AND ((R09_AS1024_NN > 60 AND R09_AS1024_NN = 1) OR (R09_AS1024_NN > 4 AND R09_AS1024_NN = 2))] OR [R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND ((R09_AS1024_NN > 60 AND R09_AS1024_UN = 1) OR (R09_AS1024_NN > 12 AND R09_AS1024_UN = 2))].

DISPLAY: IF R09_AS1024_UN = 1, DISPLAY "minutos".

ELSE, IF R09_AS1024_UN = 2 DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF [R09_AS1003 = 1 AND ((R09_AS1024_NN > 60 AND R09_AS1024_NN = 1) OR (R09_AS1024_NN > 4 AND R09_AS1024_NN = 2))] OR [R09_AS1003 != 1 AND ((R09_AS1024_NN > 60 AND R09_AS1024_UN = 1) OR (R09_AS1024_NN > 12 AND R09_AS1024_UN = 2))].

ELSE, GO TO R09_AS1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS1024_LC2

Usted contestó "cero" para la cantidad de tiempo que normalmente pasa hasta que usted consume su primer producto de tabaco que no se fuma del día. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AS1024
2	NEXT	GO TO BOX R09_ASR28

ASK: IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R09_AS1024_NN = 0.

ELSE, GO TO BOX R09_ASR28 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS1092

[En los días en que consume tabaco que no se fuma, ¿diría/¿Diría] usted que consume su primer producto de tabaco que no se fuma del día durante los primeros 30 minutos después de despertarse?

- 1 Sí
- 2 No
- 3 Depende
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and did not know or refused to report how soon after waking up they first use smokeless tobacco.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1024_NN = -8, -7.

DISPLAY: IF R09_AS1003 = 1, DISPLAY "¿Diría".

ELSE, DISPLAY "En los días en que consume tabaco que no se fuma, ¿diría".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR28

Adult respondents who use smokeless tobacco every day, or adult respondents who are current smokeless tobacco users and do not use smokeless tobacco every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R09_AS0100.

Else, go to Box R09_ASR05.

IF R09_AS1003 = 1 OR (R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND R09_AS9122 != 0 AND R09_AS1022 != 0), GO TO R09_AS0100.
ELSE, GO TO BOX R09_ASR05.

PATH ID: R09_AS0100

¿Cuándo fue la última vez que consumió tabaco que no se fuma?

1	Hace menos de una hora	GO TO R09_AS0103
2	Hoy, pero hace más de una hora	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R09_AS1130
-8	DON'T KNOW	GO TO R09_AS1130
-7	REFUSED	GO TO R09_AS1130

ASK: Adult respondents who use smokeless tobacco every day, or adult respondents who are current smokeless tobacco users and do not use smokeless tobacco every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AS1003 = 1 OR (R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND R09_AS9122 != 0 AND R09_AS1022 != 0).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS0102

La última vez que consumió tabaco que no se fuma [FILL BASED ON R09_AS0100], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use smokeless tobacco every day and last used smokeless tobacco sometime today, yesterday, or the day before yesterday, or adult respondents who are current smokeless tobacco users and do not use smokeless tobacco every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AS1003 = 1 AND R09_AS0100 = 2, 3, 4) OR
(R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND
R09_AS9122 != 0 AND R09_AS1022 != 0 AND R09_AS0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R09_AS0100]:

IF R09_AS0100 = 2, DISPLAY "hoy".

ELSE, IF R09_AS0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AS0100 = 4, DISPLAY "hace dos días".

PATH ID: R09_AS0103

¿Cuántas veces [ha consumido/consumió] tabaco que no se fuma [FILL BASED ON R09_AS0100]?

1 |__|__|__| Cantidad de
veces

-8 DON'T KNOW

GO TO R09_AS1130

-7 REFUSED

GO TO R09_AS1130

ASK: Adult respondents who use smokeless tobacco every day and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are current smokeless tobacco users and do not use smokeless tobacco every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R09_AS1003 = 1 AND R09_AS0100 = 1, 2, 3, 4) OR
(R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND
R09_AS9122 != 0 AND R09_AS1022 != 0 AND R09_AS0100 = 1, 2, 3, 4).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces" AS A TITLE.

IF R09_AS0100 = 1, 2, DISPLAY "ha consumido" AND "".

ELSE, IF R09_AS0100 = 3, 4, DISPLAY "consumió" AND "".

FOR [FILL BASED ON R09_AS0100]:

IF R09_AS0100 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AS0100 = 3, DISPLAY "ayer".

ELSE, IF R09_AS0100 = 4, DISPLAY "hace dos días".

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS0103_LC1

Usted contestó que consumió tabaco que no se fuma [R09_AS0103] veces [hoy/ayer/hace dos días].
¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AS0103
2	NEXT	GO TO R09_AS1130

ASK: IF ((R09_AS1003 = 1 AND R09_AS0100 = 1, 2, 3, 4) OR (R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND R09_AS9122 != 0 AND R09_AS1022 != 0 AND R09_AS0100 = 1, 2, 3, 4)) AND (R09_AS0103 > 20 OR R09_AS0103 = 11).

DISPLAY: IF R09_AS0100 = 1, 2, DISPLAY "hoy".
ELSE, IF R09_AS0100 = 3, DISPLAY "ayer".
ELSE, IF R09_AS0100 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AS0103 > 20 OR R09_AS0103 = 11.
ELSE, GO TO R09_AS1130 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS1130

En los últimos 30 días, ¿tenía el tabaco que no se fuma que consumió sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO BOX R09_ASR05
3	No sé	GO TO BOX R09_ASR05
-7	REFUSED	GO TO BOX R09_ASR05

ASK: Adult respondents who use smokeless tobacco every day, or adult respondents who are current smokeless tobacco users and do not use smokeless tobacco every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R09_AS1003 = 1 OR (R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND R09_AS9122 != 0 AND R09_AS1022 != 0).

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1131

¿Qué sabores ha consumido en los últimos 30 días? Escoja todas las opciones que correspondan.
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use smokeless tobacco every day and used flavored smokeless tobacco in the past 30 days, or adult respondents who are current smokeless tobacco users do not use smokeless tobacco every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R09_AS1003 = 1 AND R09_AS1130 = 1) OR (R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND R09_AS9122 != 0 AND R09_AS1022 != 0 AND R09_AS1130 = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1147

En los días en que consumió tabaco que no se fuma en los últimos 30 días, ¿con qué frecuencia consumió tabaco que no se fuma **con sabor**?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Rara vez
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use smokeless tobacco every day and used flavored smokeless tobacco in the past 30 days, or adult respondents who are current smokeless tobacco users and do not use smokeless tobacco every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R09_AS1003 = 1 AND R09_AS1130 = 1) OR (R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND R09_AS9122 != 0 AND R09_AS1022 != 0 AND R09_AS1130 = 1).

DISPLAY: BOLD "con sabor".

BOX ID: R09_ASR37

Adult respondents who use smokeless tobacco every day and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are current smokeless tobacco users and do not use smokeless tobacco every day and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R09_AS1133.

Else, go to Box R09_ASR05.

IF (R09_AS1003 = 1 AND R09_AS1130 = 1 AND (R09_AS1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AS1131_[01/.../09] = -8, -7)) OR (R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND R09_AS9122 != 0 AND R09_AS1022 != 0 AND R09_AS1130 = 1 AND (R09_AS1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AS1131_[01/.../09] = -8, -7)), GO TO R09_AS1133.
ELSE, GO TO BOX R09_ASR05.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1133

En los últimos 30 días, ¿qué sabor de tabaco que no se fuma ha consumido con más frecuencia?
Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who use smokeless tobacco every day and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are current smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R09_AS1003 = 1 AND R09_AS1130 = 1 AND (R09_AS1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AS1131_[01/.../09] = -8, -7)) OR (R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1 AND R09_AS9222 != 0 AND R09_AS9122 != 0 AND R09_AS1022 != 0 AND R09_AS1130 = 1 AND (R09_AS1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R09_AS1131_[01/.../09] = -8, -7)).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_ASR05

Adult 18-20 year old respondents who are current smokeless tobacco users, go to R09_AS1142.
Else, go to R09_AS1030.

IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_SMKLS_USER_STATUS = 1, GO TO R09_AS1142.
ELSE, GO TO R09_AS1030.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1142

Las siguientes preguntas son acerca de su experiencia al comprar tabaco que no se fuma. [Piense en el tipo de tabaco que no se fuma que consume con más frecuencia cuando conteste estas preguntas.]

En los últimos 30 días, ¿le vendió alguien tabaco que no se fuma?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current smokeless tobacco users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_SMKLS_USER_STATUS = 1.

DISPLAY: IF R09_AS9041 = 3, DISPLAY "Piense en el tipo de tabaco que no se fuma que consume con más frecuencia cuando conteste estas preguntas."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AS1123

En los últimos 30 días, ¿le negó alguien la venta de tabaco que no se fuma debido a su edad?

- 1 Sí
- 2 No
- 3 No intenté comprar tabaco que no se fuma en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents who are current smokeless tobacco users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21 AND R09_SMKLS_USER_STATUS = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1030

[Las siguientes preguntas son acerca de su experiencia al comprar tabaco que no se fuma. [Piense en el tipo de tabaco que no se fuma que consume con más frecuencia cuando conteste estas preguntas.]

]¿Cómo compra normalmente tabaco que no se fuma para usted?

1	En persona	GO TO R09_AS1032
2	En Internet	GO TO R09_AS1042
3	Por teléfono	GO TO R09_AS1042
4	No compro mi propio tabaco que no se fuma	
-8	DON'T KNOW	GO TO R09_AS1047
-7	REFUSED	GO TO R09_AS1047

ASK: Adult respondents who are current smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1.

DISPLAY: IF R09_ACHIEVEDAGE >= 21, DISPLAY "Las siguientes preguntas son acerca de su experiencia al comprar tabaco que no se fuma."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_AS9041 = 3, DISPLAY "Piense en el tipo de tabaco que no se fuma que consume con más frecuencia cuando conteste estas preguntas."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AS1118

]¿Cómo obtiene normalmente tabaco que no se fuma para usted?

1	Le doy dinero a otra persona para que me lo compre	
2	Le pido a una persona que me dé un poco	GO TO R09_AS1047
3	Alguien me lo ofrece	GO TO R09_AS1047
4	Me lo llevo de una tienda o se lo quito a alguien sin que se den cuenta	GO TO R09_AS1047
5	Lo obtengo de otra manera (ESPECIFIQUE)	GO TO R09_AS1047
-8	DON'T KNOW	GO TO R09_AS1047
-7	REFUSED	GO TO R09_AS1047

ASK: Adult respondents who are current smokeless tobacco users and do not buy their own smokeless tobacco.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1030 = 4.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1032

Normalmente, ¿[le compran/compra] tabaco que no se fuma...?

- 1 En su propio estado
- 2 En otro estado
- 3 Fuera de Estados Unidos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person or give someone else money to buy for them.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1 OR R09_AS1118 = 1).

DISPLAY: IF R09_AS1118 = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

PATH ID: R09_AS1033

¿Dónde [le compran/compra] tabaco que no se fuma para usted la mayoría del tiempo? Desplace para ver más opciones, si es necesario.

- 1 Una tienda de conveniencia o estación de gasolina
- 2 Un supermercado, tienda de comestibles o farmacia
- 3 Una tienda mayorista como Sam's o Costco
- 4 Una tienda especializada o un almacén de tabaco o una tabaquería
- 5 Una tienda libre de impuestos o un economato militar
- 6 Un bar, restaurante, casino o una taberna
- 7 Un amigo o familiar
- 8 Un mercadillo o mercado de pulgas
- 9 Una tienda de licores
- 10 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person or give someone else money to buy for them.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1 OR R09_AS1118 = 1).

DISPLAY: IF R09_AS1118 = 1, DISPLAY "le compran".

ELSE, DISPLAY "compra".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1042

[Piense en la última vez que le dio dinero a alguien para que le compre tabaco que no se fuma.]
¿Cuánto paga normalmente por un envase de tabaco que no se fuma?

1 \$ |__|__|__| . |__|__|

-8 DON'T KNOW

GO TO BOX R09_ASR52

-7 REFUSED

GO TO BOX R09_ASR52

ASK: Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1).

DISPLAY: IF R09_AS1118 = 1, DISPLAY "Piense en la última vez que le dio dinero a alguien para que le compre tabaco que no se fuma. "

ELSE, DO NOT DISPLAY THIS TEXT.

ALLOW NUMERIC ENTRY;

DISPLAY "\$" AS LEFT LABEL.

PROGRAM: Allow a decimal point.

Range check: 0.00-999.99

PATH ID: R09_AS1042_LC1

Usted contestó que pagó \$[R09_AS1042] por un envase de tabaco que no se fuma. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1042

2 NEXT

GO TO BOX R09_ASR52

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS1042 > 6.00 OR R09_AS1042 < 1.00).

PROGRAM: TRIGGER CHECK IF R09_AS1042 > 6.00 OR R09_AS1042 < 1.00.

ELSE, GO TO BOX R09_ASR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ASR52

Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone or give someone else money to buy for them, and most often use smokeless tobacco pouches, go to R09_AS9001.

Else, adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone or give someone else money to buy for them, and most often use loose smokeless tobacco, go to R09_AS9010.

Else, go to R09_AS1047.

IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 2 OR R09_AS9042 = 2), GO TO R09_AS9001.

ELSE, IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 1 OR R09_AS9042 = 1), GO TO R09_AS9010.

ELSE, GO TO R09_AS1047.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9001

¿Cuántas bolsitas o saquitos hay en el envase de tabaco que no se fuma que usted compra normalmente?

1	I ___ I ___	Cantidad de bolsitas	
-8	DON'T KNOW		GO TO R09_AS1047
-7	REFUSED		GO TO R09_AS1047

ASK: Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone or give someone else money to buy for them, and most often use smokeless tobacco pouches.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 2 OR R09_AS9042 = 2).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de bolsitas" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AS9001_LC1

Usted contestó que hay [R09_AS9001] bolsitas en el envase que compró. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AS9001
2	NEXT	GO TO R09_AS9011

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND (R09_AS9001 > 50 OR R09_AS9001 < 5).

PROGRAM: TRIGGER CHECK IF R09_AS9001 > 50 OR R09_AS9001 < 5.

ELSE, GO TO R09_AS9011 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AS9011

¿De qué tamaño son las bolsitas de tabaco que no se fuma que usted normalmente compra?

- 1 Mini
- 2 Slim
- 3 Regular
- 4 Grande
- 5 No sé
- 7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone or give someone else money to buy for them, and most often use smokeless tobacco pouches and provided the number of smokeless tobacco pouches in the container they usually buy.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9001 != -8, -7.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9002

Aproximadamente, ¿cuántos días le toma para acabar un envase de bolsitas de tabaco que no se fuma? Por favor, solamente cuente los días en que consume el producto.

1 |__|__|__| Cantidad de días

-8 DON'T KNOW

GO TO R09_AS1047

-7 REFUSED

GO TO R09_AS1047

ASK: Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone or give someone else money to buy for them, and most often use smokeless tobacco pouches and provided the number of smokeless tobacco pouches in the container they usually buy.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9001 != -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AS9002_LC1

Usted contestó que le tomó [R09_AS9002] días para acabar un envase de bolsitas de tabaco que no se fuma. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS9002

2 NEXT

GO TO R09_AS1047

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 2 OR R09_AS9042 = 2) AND R09_AS9001 != -8, -7 AND (R09_AS9002 > (R09_AS9001*7) OR R09_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99).

PROGRAM: TRIGGER CHECK IF R09_AS9002 > (R09_AS9001*7) OR R09_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

ELSE, GO TO R09_AS1047 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS9010

¿Es el tamaño del envase de tabaco que no se fuma que usted normalmente compra más grande, más pequeño o igual que el envase de muestra en esta imagen?

[SHOW GENERIC IMAGE OF LOOSE CONTAINER]

- 1 Más grande
- 2 Más pequeño
- 3 Igual
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone or give someone else money to buy for them.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 1 OR R09_AS9042 = 1).

IMAGE: SHOW GENERIC IMAGE OF LOOSE CONTAINER.

PATH ID: R09_AS9006

Aproximadamente, ¿cuántos días le toma para acabar un envase de tabaco suelto que no se fuma? Por favor, solamente cuente los días en que consume el producto.

- 1 |__|__|__| Cantidad de días
- 8 DON'T KNOW GO TO R09_AS1047
- 7 REFUSED GO TO R09_AS1047

ASK: Adult respondents who are current smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone or give someone else money to buy for them, and most often use loose smokeless tobacco.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 1 OR R09_AS9042 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AS9006_LC1

Usted contestó que le tomó [R09_AS9006] días para acabar un envase de tabaco suelto que no se fuma. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R09_AS9006
- 2 NEXT GO TO R09_AS1047

ASK: IF R09_SMKLS_USER_STATUS = 1 AND (R09_AS1030 = 1, 2, 3 OR R09_AS1118 = 1) AND (R09_AS9041 = 1 OR R09_AS9042 = 1) AND R09_AS9006 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

PROGRAM: TRIGGER CHECK IF R09_AS9006 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

ELSE, GO TO R09_AS1047 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1047

¿[Tiene/Tenía] una marca habitual de tabaco que no se fuma que normalmente [consume/consumía]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: R09_SMKLS_USER_STATUS = 1, DISPLAY "Tiene" AND "consume".

ELSE, DISPLAY "Tenía" AND "consumía".

PATH ID: R09_AS1050

[Su marca habitual/La última marca] que [consume/ consumía], ¿[tiene/tenía] sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO R09_AS1945
3	No sé	GO TO R09_AS1945
-7	REFUSED	GO TO R09_AS1945

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "Su marca habitual" AND "consume" AND "tiene".

ELSE, IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".

ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 1, DISPLAY "Su marca habitual" AND "consume" AND "tiene".

ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 2, -8, -7, DISPLAY "La última marca" AND "consumía" AND "tenía".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1012

¿Qué sabor [es/era]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1050 = 1.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "es".
ELSE, DISPLAY "era".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AS1945

¿Sabe el **nombre de la marca** de tabaco que no se fuma que [consume normalmente/consumió normalmente/consumió la última vez]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: BOLD "nombre de la marca".

IF R09_AS1047 = 1 AND R09_SMKLS_USER_STATUS = 1, DISPLAY "consume normalmente".
ELSE, IF R09_AS1047 = 1 AND R09_SMKLS_USER_STATUS != 1, DISPLAY "consumió normalmente".

ELSE, IF R09_AS1047 = 2, -8, -7, DISPLAY "consumió la última vez".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR27

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used, go to Box R09_ASD48.
Else, go to Box R09_ASR16.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1, GO TO BOX R09_ASD48.
ELSE, GO TO BOX R09_ASR16.

BOX ID: R09_ASD48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AS1048 and R09_AS1049 on one screen.

Show the question text from R09_AS1048 at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AS1049, and 5) text entry for R09_AS1049.

PATH ID: R09_AS1048

¿Qué marca de tabaco que no se fuma [consume/consumió] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL BRANDS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AS1049, set R09_AS1048_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1049

¿No vio su marca?

Escriba el nombre de la marca de tabaco que no se fuma que [consume/consumió] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1.

DISPLAY: BOLD "¿No vio su marca?" AND "deseleccionarán".

IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R08_AU1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, DISPLAY "consumió" AND "la última vez".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AS1049, set R09_AS1048_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_ASR16

Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used, go to R09_AS2048.

Else, go to Box R09_ASR102.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1, GO TO R09_AS2048.

ELSE, GO TO BOX R09_ASR102.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS2048

¿Qué marca de tabaco que no se fuma [consume/consumió] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 9995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

BOX ID: R09_ASR101

Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco, go to R09_AS2049.

Else, go to Box R09_ASR102.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND = 9995, GO TO R09_AS2049.

ELSE, GO TO BOX R09_ASR102.

PATH ID: R09_AS2049

Dijo que su marca no aparece en la lista. ¿Cuál marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco, go to Box R09_ASD70.

Else, go to Box R09_ASR17.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS1048_BRAND != 9995, -8, -7,
GO TO BOX R09_ASD70.

ELSE, GO TO BOX R09_ASR17.

BOX ID: R09_ASD70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AS1070 and R09_AS1071 on one screen.

Show the question text from R09_AS1070 at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AS1071, and 5) text entry for R09_AS1071.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AS1048_BRAND.

IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "consume" AND "normalmente".
ELSE, IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN.

If text is entered in R09_AS1071, set R09_AS1070_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1071

¿No vio su producto?

Escriba el tipo de [BRANDFILL] que [consume/consumió] [normalmente/la última vez].

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS1048_BRAND != 9995, -8, -7.

DISPLAY: BOLD "No vio su producto?" AND "deseleccionarán".

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AS1048_BRAND.

IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "consume" AND "normalmente".

ELSE, IF R09_AS1047 = 1, DISPLAY "consumió" AND "normalmente".

ELSE, DISPLAY "consumió" AND "la última vez".

ITALICIZE "Al escribir el texto en la casilla las otras respuestas se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AS1071, set R09_AS1070_PRODUCT = 99995 (SOMETHING ELSE).

BOX ID: R09_ASR17

Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco, go to R09_AS2070.

Else, go to Box R09_ASR25.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND != 9995, -8, -7, GO TO R09_AS2070.

ELSE, GO TO BOX R09_ASR25.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS2070

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] [consume/consumió] [normalmente/la última vez]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

99995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R09_AS2048_BRAND.
IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "consume" AND "normalmente".
ELSE, IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".
ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 1, DISPLAY "consumió" AND "normalmente".
ELSE, IF R09_SMKLS_USER_STATUS = 4 AND R09_AS1047 = 2, -8, -7, DISPLAY "consumió" AND "la última vez".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

BOX ID: R09_ASR103

Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and sub-brand of smokeless tobacco, go to R09_AS2070_CONF.
Else, adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" for their sub-brand of smokeless tobacco, go to R09_AS2071.
Else, go to Box R09_ASR25.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND != 9995, -8, -7 AND R09_AS2070_PRODUCT != 99990, 99995, -8, -7, GO TO R09_AS2070_CONF.
ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND != 9995, -8, -7 AND R09_AS2070_PRODUCT = 99995, GO TO R09_AS2071.
ELSE, GO TO BOX R09_ASR25.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS2070_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor seleccione el botón que dice ATRÁS y vuelva a seleccionar su marca.

[SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS]

1 BACK

GO TO R09_AS2070

2 NEXT

GO TO BOX R09_ASR25

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and sub-brand of smokeless tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND != 9995, -8, -7 AND R09_AS2070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: FILL [NEQBRAND] WITH R09_AS2070_PRODUCT RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED PRODUCT FOR MAJOR PRODUCTS.

PATH ID: R09_AS2071

Usted dijo que el tipo de [BRANDFILL] que usted [consume/consumía] no aparece en la lista. ¿Qué tipo es?

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are current or recent former smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" for their sub-brand of smokeless tobacco.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND != 9995, -8, -7 AND R09_AS2070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R09_AS2048_BRAND.

IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1047 = 1, DISPLAY "consume".

ELSE, DISPLAY "consumía".

BOX ID: R09_ASR25

Adult respondents who are current or recent former smokeless tobacco users and have a regular brand of smokeless tobacco, go to R09_AS1051.

Else, go to Box R09_ASR18.

IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1047 = 1, GO TO R09_AS1051.

ELSE, GO TO BOX R09_ASR18.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1051

Aproximadamente, ¿cuánto tiempo [consumió/lleva consumiendo] su marca habitual de tabaco que no se fuma? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Meses
- 3 |__|__| Años

-8 DON'T KNOW

GO TO BOX R09_ASR18

-7 REFUSED

GO TO BOX R09_ASR18

ASK: Adult respondents who are current or recent former smokeless tobacco users and have a regular brand of smokeless tobacco.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1047 = 1.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AS1051_LC1

Usted contestó que [lleva consumiendo/consumió] su marca habitual de tabaco que no se fuma por [R09_AS1051_NN] años. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1051

2 NEXT

GO TO R09_AS1051_LC2

ASK: IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1047 = 1 AND R09_AS1051_NN > R09_ACHIEVEDAGE AND R09_AS1051_UN = 3.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

PROGRAM: TRIGGER CHECK IF R09_AS1051_NN > R09_ACHIEVEDAGE AND R09_AS1051_UN = 3.

ELSE, GO TO R09_AS1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1051_LC2

Usted contestó "cero" para la cantidad de tiempo que usted [lleva consumiendo/consumió] su marca habitual de tabaco que no se fuma. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AS1051

2 NEXT

GO TO BOX R09_ASR18

ASK: IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_AS1047 = 1 AND R09_AS1051_NN = 0.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "lleva consumiendo".

ELSE, DISPLAY "consumió".

PROGRAM: TRIGGER CHECK IF R09_AS1051_NN = 0.

ELSE, GO TO BOX R09_ASR18 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_ASR18

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and sub-brand of smokeless tobacco, or adult respondents who are completing a web interview on a mobile device and are current smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and sub-brand of smokeless tobacco, go to R09_AS0104.
Else, go to Box R09_ASD03.

IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SMKLS_USER_STATUS = 1 AND R09_AS0100 = 1, 2, 3, 4 AND R09_AS1945 = 1 AND R09_AS1048_BRAND != 9995, -8, -7 AND R09_AS1070_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1 AND R09_AS0100 = 1, 2, 3, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND != 9995, -8, -7 AND R09_AS2070_PRODUCT != 99990, 99995, -8, -7), GO TO R09_AS0104.
ELSE, GO TO BOX R09_ASD03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS0104

Anteriormente usted dijo que consumió tabaco que no se fuma [TIME OF LAST USE].

Piense en la última vez que lo consumió.

¿Era la marca [NEQBRAND]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are current smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and sub-brand of smokeless tobacco, or

Adult respondents who are completing a web interview on a mobile device and are current smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and sub-brand of smokeless tobacco.

ASK Specification: IF ((R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_SMKLS_USER_STATUS = 1 AND R09_AS0100 = 1, 2, 3, 4 AND R09_AS1945 = 1 AND R09_AS1048_BRAND != 9995, -8, -7 AND R09_AS1070_PRODUCT != 99990, 99995, -8, -7) OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_SMKLS_USER_STATUS = 1 AND R09_AS0100 = 1, 2, 3, 4 AND R09_AS1945 = 1 AND R09_AS2048_BRAND != 9995, -8, -7 AND R09_AS2070_PRODUCT != 99990, 99995, -8, -7).

DISPLAY: IF R09_AS0100 = 1, FILL [TIME OF LAST USE] WITH "hace menos de una hora".

ELSE, IF R09_AS0100 = 2, FILL [TIME OF LAST USE] WITH "hoy".

ELSE, IF R09_AS0100 = 3, FILL [TIME OF LAST USE] WITH "ayer".

ELSE, IF R09_AS0100 = 4, FILL [TIME OF LAST USE] WITH "hace dos días".

IF R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1), FILL [NEQBRAND] WITH R09_AS1070_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AS2070_PRODUCT RESPONSE.

BOX ID: R09_ASD03

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER: R09_AS1060, R09_AS1085, R09_AS1062, R09_AS1075, R09_AS1063, (R09_AS1064), R09_AS1065, R09_AS1067, (R09_AS1077).

CONDITIONAL LEAVES: R09_AS1064, R09_AS1077. (See routing boxes for details: R09_ASR19, R09_ASR53.)

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AS1060 is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AS1060 on each screen. Randomize the order.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1060

Las siguientes preguntas son acerca de las razones por las que la gente consume tabaco que no se fuma. Seleccione las razones que [aplican a usted/aplicaban a usted cuando consumía tabaco que no se fuma]. [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

[Consumo/Consumía] tabaco que no se fuma porque...

[Es/Era] económico.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "aplican a usted", "Consumo" AND "Es".
ELSE, DISPLAY "aplicaban a usted cuando consumía tabaco que no se fuma", "Consumía" AND "Era".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación.
Desplace para ver más afirmaciones."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AS1085

[Puedo/Podía] consumir tabaco que no se fuma en ocasiones o en lugares donde no se [permite/permitía] fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "Puedo" AND "permite".
ELSE, DISPLAY "Podía" AND "permitía".

PATH ID: R09_AS1062

Podría [ser/haber sido] menos dañino para mí que fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "ser".
ELSE, DISPLAY "haber sido".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1075

Podría [ser/haber sido] menos dañino que fumar cigarrillos para la gente a mi alrededor.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "ser".

ELSE, DISPLAY "haber sido".

PATH ID: R09_AS1063

El tabaco que no se fuma [viene/venía] en sabores que me [gustan/gustaban].

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "viene" AND "gustan".

ELSE, DISPLAY "venía" AND "gustaban".

BOX ID: R09_ASR19

Adult respondents who are current or recent former smokeless tobacco users and are current or recent former cigarette smokers, go to R09_AS1064.

Else, go to R09_AS1065.

IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AS1064.

ELSE, GO TO R09_AS1065.

PATH ID: R09_AS1064

Consumir tabaco que no se fuma le ayuda a la gente a dejar de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users and are current or recent former cigarette smokers.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1065

El tabaco que no se fuma no huele.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

PATH ID: R09_AS1067

El tabaco que no se fuma [es/era] más aceptable por personas que no consumen tabaco.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "es".
ELSE, DISPLAY "era".

BOX ID: R09_ASR53

Adult respondents who are current or recent former smokeless tobacco users and are current or recent former cigarette smokers, go to R09_AS1077.
Else, go to Box R09_ASR20.

IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AS1077.
ELSE, GO TO BOX R09_ASR20.

PATH ID: R09_AS1077

Consumir tabaco que no se fuma [satisface/satisfacía] mi deseo de fumar cigarrillos.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users and are current or recent former cigarette smokers.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "satisface".
ELSE, DISPLAY "satisfacía".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ASR20

Adult respondents who are current smokeless tobacco users and are current cigarette smokers, go to R09_AS1086.

Else, adult respondents who are current or recent former smokeless tobacco users and are current or recent former cigarette smokers, go to R09_AS1080.

Else, go to R09_AS1139.

IF R09_SMKLS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1, GO TO R09_AS1086.

ELSE, IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4, GO TO R09_AS1080.

ELSE, GO TO R09_AS1139.

PATH ID: R09_AS1086

En los últimos 30 días, ¿ha consumido tabaco que no se fuma en ocasiones o en lugares donde no se podía fumar cigarrillos?

1 Sí

2 No

GO TO R09_AS1080

-8 DON'T KNOW

GO TO R09_AS1080

-7 REFUSED

GO TO R09_AS1080

ASK: Adult respondents who are current smokeless tobacco users and are current cigarette smokers.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1.

PATH ID: R09_AS1087

¿Con qué frecuencia consume tabaco que no se fuma en ocasiones o en lugares donde no puede fumar cigarrillos tradicionales?

1 Todos los días

2 Algunos días

3 Rara vez

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users and are current cigarette smokers and used smokeless tobacco at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1 AND R09_CIG_USER_STATUS = 1 AND R09_AS1086 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1080

¿[Consume/Consumía] tabaco que no se fuma como manera de disminuir su consumo de cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users and are current or recent former cigarette smokers.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "consume".

ELSE, DISPLAY "consumía".

PATH ID: R09_AS1082

¿[Está consumiendo/Consumía] tabaco que no se fuma como una manera de dejar de fumar cigarrillos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users and are current or recent former cigarette smokers.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "Está consumiendo" AND "".

ELSE, DISPLAY "Consumía" AND "".

PATH ID: R09_AS1139

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 4 = es muy cierto.

[Es/Era] más fácil hablar y llevarse bien con otras personas al consumir tabaco que no se fuma.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "Es".

ELSE, DISPLAY "Era".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1140

Al consumir tabaco que no se fuma, me [siento/sentía] más seguro con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "siento".

ELSE, DISPLAY "sentía".

PATH ID: R09_AS1141

[Consumo/Consumía] tabaco que no se fuma mucho más cuando [estoy/estaba] con otras personas.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1, 4.

DISPLAY: IF R09_SMKLS_USER_STATUS = 1, DISPLAY "Consumo" AND "estoy".

ELSE, DISPLAY "Consumía" AND "estaba".

BOX ID: R09_ASR54

Adult respondents who are current smokeless tobacco users, go to R09_AS1144.
Else, go to the next section.

IF R09_SMKLS_USER_STATUS = 1, GO TO R09_AS1144.
ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AS1144

¿Qué tan dañino cree que es el consumo de tabaco que no se fuma para SU salud?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current smokeless tobacco users.

ASK Specification: IF R09_SMKLS_USER_STATUS = 1.

NEW PRODUCT - PLACEHOLDER

BOX ID: R09_AZV01

CREATE THE FOLLOWING VARIABLE AND SET = 2: R09_NEW_PRODUCT_SECTION.

Note: This variable should be treated as a derived variable, not a preload variable. It is possible this section could be activated for a product that is new to the PATH Study or for additional information about a particular type of product already in the study.

If the section is activated for a new product, the definition of this variable will be changed to always set = 1. If the section is activated for additional information on a particular type of product (e.g. to ask about a particular type of ENP or a particular type of cigarillo) the definition will be changed to set = 1 depending on responses earlier in the instrument.

BOX ID: R09_AZR01

If R09_NEW_PRODUCT_SECTION = 1, continue with R09_AZ1001.
Else, go to Box R09_ANV01.

IF R09_NEW_PRODUCT_SECTION = 1, GO TO R09_AZ1001.
ELSE, GO TO BOX R09_ANV01.

PATH ID: R09_AZ1001

¿Alguna vez había visto u oído hablar de [tobacco product] antes de este estudio?

1	Sí	
2	No	GO TO BOX R09_ANV01
-8	DON'T KNOW	GO TO BOX R09_ANV01
-7	REFUSED	GO TO BOX R09_ANV01

ASK: If the New Product Section is active, all adult respondents.

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1.

PATH ID: R09_AZ2002

¿Alguna vez ha [fumado/consumido] [tobacco product], incluso si solo fueron una o dos [veces/probaditas]?

1	Sí	
2	No	GO TO BOX R09_ANV01
-8	DON'T KNOW	GO TO BOX R09_ANV01
-7	REFUSED	GO TO BOX R09_ANV01

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product].

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AZ2004

En los últimos 30 días, ¿ha [fumado/consumido] [tobacco product], incluso si solo fueron una o dos [veces/probaditas]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product].

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1.

PATH ID: R09_AZ2003

¿Actualmente [fuma/consume] [tobacco product]...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product].

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1.

PATH ID: R09_AZ1005

¿Cuántos [units of tobacco product] ha [fumado/consumido] en toda su vida?

- 1 Una o más [units] pero nunca uno completo
- 2 1 a 10
- 3 11 a 20
- 4 21 a 50
- 5 51 a 99
- 6 100 o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product].

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AZ1008

La primera vez que comenzó a [fumar/consumir] [tobacco product], ¿tenían sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

1	Sí	
2	No	GO TO R09_AZ9029
3	No sé	GO TO R09_AZ9029
-7	REFUSED	GO TO R09_AZ9029

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product].

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AZ1011

¿Cuál fue el primer sabor que comenzó a consumir? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Mentol
- 2 Menta, wintergreen, hierbabuena o peppermint
- 9 Hielo o frost
- 4 Fruta
- 3 Clavo de olor o especias
- 5 Chocolate
- 6 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 7 Caramelos, postres u otros sabores dulces
- 8 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product] and whose first [tobacco product] was flavored.

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1 AND R09_AZ1008 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AZ9029

Aproximadamente, ¿cuánto tiempo hace desde la última vez que le dio [insert usage term] a [tobacco product]? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Meses
- 3 |__|__| Años
- 8 DON'T KNOW
- 7 REFUSED

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product].

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AZ1100

Alguna vez, ¿ha [fumado/consumido] [tobacco product] de manera habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product].

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1.

BOX ID: R09_AZV02

CREATE THE FOLLOWING VARIABLE AND SET = 2: R09_NEW_PRODUCT_EXTRA1.

Note: This variable should be treated as a derived variable, not a preload variable. It is possible the additional question R09_AZ9001 will always be asked if the New Product section is activated or that it will be asked depending on earlier responses in the instrument.

BOX ID: R09_AZR06

If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product] and R09_AZ9001 is needed, go to R09_AZ9001.
Else, go to Box R09_AZR07.

IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1 AND R09_NEW_PRODUCT_EXTRA1 = 1, GO TO R09_AZ9001.
ELSE, GO TO BOX R09_AZR07.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AZ9001

Additional placeholder question, if uniqueness is necessary once [tobacco product] is identified.
Desplace para ver más opciones, si es necesario.

- 1 Response 1
- 2 Response 2
- 3 Response 3
- 4 Response 4
- 5 Response 5
- 6 Response 6
- 7 Response 7
- 8 Response 8
- 9 Response 9
- 10 Response 10
- 11 Otra (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product] and R09_AZ9001 is needed.

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1 AND R09_NEW_PRODUCT_EXTRA1 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOX ID: R09_AZV03

CREATE THE FOLLOWING VARIABLE AND SET = 2: R09_NEW_PRODUCT_EXTRA2.

Note: This variable should be treated as a derived variable, not a preload variable. It is possible the additional question R09_AZ9002 will always be asked if the New Product section is activated or that it will be asked depending on earlier responses in the instrument.

BOX ID: R09_AZR07

If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product] and R09_AZ9002 is needed, go to R09_AZ9002.
Else, go to Box R09_ANV01.

IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1 AND R09_NEW_PRODUCT_EXTRA2 = 1, GO TO R09_AZ9002.
ELSE, GO TO BOX R09_ANV01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AZ9002

Second additional placeholder question, if uniqueness is necessary once [tobacco product] is identified.
Desplace para ver más opciones, si es necesario.

- 1 Response 1
- 2 Response 2
- 3 Response 3
- 4 Response 4
- 5 Response 5
- 6 Response 6
- 7 Response 7
- 8 Response 8
- 9 Response 9
- 10 Response 10
- 11 Otra (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: If the New Product Section is active, adult respondents who have ever seen or heard of [tobacco product] and have ever used [tobacco product] and R09_AZ9002 is needed.

ASK Specification: IF R09_NEW_PRODUCT_SECTION = 1 AND R09_AZ1001 = 1 AND R09_AZ2002 = 1 AND R09_NEW_PRODUCT_EXTRA2 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

POLY-USE

BOX ID: R09_ANV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):

R09_CURRENT_PRODUCT_COUNT = Number of tobacco products for which the respondent is a current user.

R09_EVERY_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses every day.

R09_SOME_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses and does not use every day.

R09_TOBACCO_PRODUCT_LIST = A list of all the tobacco products the respondent currently uses.

R09_EVER_NEVER_TOBACCO = 1 (Ever user) Adult respondents who have ever used any tobacco product (including ENPs).

R09_EVER_NEVER_TOBACCO = 2 (Never user) Adult respondents who have never used any tobacco product (including ENPs).

R09_TOBACCO_USER_STATUS = 1 (Current user) Adult respondents who are current users of at least one tobacco product (including ENPs).

R09_TOBACCO_USER_STATUS = 4 (Recent former user) Adult respondents who are recent former users of any tobacco product (including ENPs), and are not current users of any other tobacco product (including ENPs).

R09_TOBACCO_USER_STATUS = 5 (Long-term former user) Adult respondents who are long-term former users of at least one tobacco product (including ENPs), and are not current or recent former users of any other tobacco product (including ENPs).

BOX ID: R09_ANR40

Adult respondents who have ever used any tobacco product, go to R09_AY0600.
Else, go to Box R09_ANR11.

IF R09_EVER_NEVER_TOBACCO = 1, GO TO R09_AY0600.
ELSE, GO TO BOX R09_ANR11.

PATH ID: R09_AY0600

Algunos productos de tabaco y nicotina vienen en sabores tales como mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, bebidas no alcohólicas, caramelos, postres u otros sabores dulces.

Piense en el primer producto de tabaco o nicotina que probó en su vida. ¿Tenía sabor añadido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R09_EVER_NEVER_TOBACCO = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR11

Adult respondents who are current users of more than one tobacco product and do not use any tobacco product every day, go to R09_AY0005.

Else, adult respondents who are current tobacco users, go to Box R09_ANV02.

Else, go to the next section.

IF R09_SOME_DAY_PRODUCT_COUNT > 1 AND R09_EVERY_DAY_PRODUCT_COUNT = 0, GO TO R09_AY0005.

ELSE, IF R09_TOBACCO_USER_STATUS = 1, GO TO BOX R09_ANV02.

ELSE, GO TO THE NEXT SECTION.

PATH ID: R09_AY0005

Usted mencionó que consume [TOBACCO PRODUCT LIST] algunos días.

¿Cuáles de las siguientes opciones describe mejor la frecuencia con la que los consume?

1 Consumo por lo menos uno de esos productos cada día

2 Hay días en que no consumo ninguno de esos productos

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current users of more than one tobacco product and do not use any tobacco product every day.

ASK Specification: IF R09_SOME_DAY_PRODUCT_COUNT > 1 AND R09_EVERY_DAY_PRODUCT_COUNT = 0.

DISPLAY: IF R09_SOME_DAY_PRODUCT_COUNT = 2, DISPLAY "".

ELSE, DISPLAY "".

BOX ID: R09_ANV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R09_CURRENT_TOBACCO_USE = 1 (Every day user) Adult respondents who are every day users of at least one tobacco product, or who are current users of multiple tobacco products and use at least one each day.

R09_CURRENT_TOBACCO_USE = 2 (Some day user) Adult respondents who are current users of at least one tobacco product and do not use tobacco every day.

BOX ID: R09_ANR12

Adult respondents who are every day users of tobacco and use more than one tobacco product, go to R09_AY0010.

Else, go to the next section.

IF R09_CURRENT_TOBACCO_USE = 1 AND R09_CURRENT_PRODUCT_COUNT > 1, GO TO R09_AY0010.

ELSE, GO TO THE NEXT SECTION.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AY0010

Usted mencionó que consume [TOBACCO PRODUCT LIST]. ¿Qué tan pronto después de que se despierta consume normalmente alguno de estos productos? Anote un número entero y seleccione una de las opciones a continuación.

1 |_|_|_| Minutos

2 |_|_|_| Horas

-8 DON'T KNOW

GO TO R09_AY0015

-7 REFUSED

GO TO R09_AY0015

ASK: Adult respondents who are every day users of tobacco and use more than one tobacco product.

ASK Specification: IF R09_CURRENT_TOBACCO_USE = 1 AND
R09_CURRENT_PRODUCT_COUNT > 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS
GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 3 digits.

PATH ID: R09_AY0010_LC1

Usted contestó que consume su primer producto de tabaco [R09_AY0010] [minutos/horas] después de despertarse. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AY0010

2 NEXT

GO TO THE NEXT SECTION

ASK: IF R09_CURRENT_TOBACCO_USE = 1 AND R09_CURRENT_PRODUCT_COUNT > 1 AND
((R09_AY0010_NN > 60 AND R09_AY0010_UN = 1) OR (R09_AY0010_NN > 4 AND R09_AY0010_UN
= 2)).

DISPLAY: IF R09_AY0010_UN = 1, DISPLAY "minutos".
ELSE, IF R09_AY0010_UN = 2, DISPLAY "horas".

PROGRAM: TRIGGER CHECK IF (R09_AY0010_NN > 60 AND R09_AY0010_UN = 1) OR
(R09_AY0010_NN > 4 AND R09_AY0010_UN = 2).
ELSE, GO TO THE NEXT SECTION AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AY0015

¿Diría que consume su primer producto de tabaco o nicotina durante los primeros 30 minutos después de despertarse?

1 Sí

2 No

3 Depende

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are every day users of tobacco and use more than one tobacco product and did not know or refused to report how soon after waking up they first use tobacco.

ASK Specification: IF R09_CURRENT_TOBACCO_USE = 1 AND
R09_CURRENT_PRODUCT_COUNT > 1 AND R09_AY0010_NN = -8, -7.

NICOTINE DEPENDENCE

BOX ID: R09_ANV04

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_RECENT_FORMER_PRODUCT_COUNT = Number of tobacco products the respondent is a recent former user of.

R09_TOBXEPROD_USER_STATUS = 1 (Current non-electronic tobacco user) Adult respondents who are current users of at least one tobacco product other than ENPs. The respondent may have any ENP user status.

R09_TOBXEPROD_USER_STATUS = 4 (Recent former non-electronic tobacco user) Adult respondents who are recent former users of any tobacco product other than ENPs, and are not current users of any tobacco products other than ENPs. The respondent may have any ENP user status.

R09_TOBXEPROD_USER_STATUS = 5 (Long-term former non-electronic tobacco user) Adult respondents who are long-term former users of any tobacco product other than ENPs, and are not current or recent former users of any tobacco products other than ENPs. The respondent may have any ENP user status.

R09_EPROD_USE_LEVEL = 1 (Established ENP user) Adult respondents who have ever used ENPs fairly regularly.

R09_EPROD_USE_LEVEL = 2 (Experimental ENP of multiple device types) Adult respondents who have never used ENPs fairly regularly and have used multiple device types.

R09_EPROD_USE_LEVEL = 3 (Experimental ENP of a single device type) Adult respondents who have never used ENPs fairly regularly and have only used a single device type.

R09_TOBXEPROD_USE_LEVEL = 1 (Established non-electronic tobacco user) Adult respondents who have smoked 100 or more cigarettes in their lifetime or have ever used at least one tobacco product other than ENPs fairly regularly. The respondent may have any ENP use level.

R09_TOBXEPROD_USE_LEVEL = 2 (Experimental non-electronic tobacco user of multiple products) Adult respondents who used two or more tobacco products other than ENPs and have never smoked cigarettes or smoked fewer than 100 cigarettes in their lifetime and have never used any tobacco product other than ENPs fairly regularly. The respondent may have any ENP use level.

R09_TOBXEPROD_USE_LEVEL = 3 (Experimental non-electronic tobacco user of a single product) Adult respondent who have only used a single tobacco product other than ENPs and have never smoked cigarettes or smoked fewer than 100 cigarettes in their lifetime and have never used any tobacco product other than ENPs fairly regularly. The respondent may have any ENP use level.

R09_NDSKIP = Type of product use - poly-users or multiple product users:

R09_NDSKIP = 0(Respondents who are current or recent former users of only one product. If R09_NDSKIP = 0, only the ENP ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.)

R09_NDSKIP = 1(Respondents who are current or recent former users of two or more products, where none of those products is/was ENPs. If R09_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.)

R09_NDSKIP = 2(Respondents who are current or recent former users of three or more products, where one of those products is/was ENPs. If R09_NDSKIP = 2, both ND modules will be asked, first the ENP ND module and second the tobacco ND module with fills tailored to their tobacco use overall.

R09_NDSKIP = 3(Respondents who are current or recent former users of two products, where one of those products is/was ENPs. If R09_NDSKIP = 3, both ND modules will be asked, first the ENP ND module and second the tobacco ND module with fills tailored to their other specific product.)

R09_GROUP = IF R09_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: NC, NG, NQ, NL, NF, NP, NH, NU, NS, NN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

R09_VALID_TIME_LASTUSED = 1 Respondent is a recent former established user of at least one product other than ENPs and answered R09_A*1009 with a valid response.

R09_VALID_TIME_LASTUSED = 2 Respondent is a recent former established user of at least one product other than ENPs and did not answer R09_A*1009 with a valid response.

BOX ID: R09_ANR02

Adult respondents who are current or recent former users of tobacco go through the Nicotine Dependence ENP and tobacco modules according to the following conditions:

Condition a: Respondents who are current and/or recent former users of only one product. Condition a will be asked the questions in either the ENP module or the tobacco module (not both), with fills tailored to their specific product.

Condition b: Respondents who are current and/or recent former users of more than one product, where one of those products is/was an ENP. Condition b will respond to the questions in both modules; the ENP module will be tailored to their ENP and the tobacco module will be tailored to their other specific product.

Condition c: Respondents who are current and/or recent former users of two or more products, where none of those products is an ENP. Condition c will respond to the questions in the tobacco module only, with fills tailored to their tobacco use overall.

Condition d: Respondents who are current and/or recent former users of three or more products, where one of those products is/was an ENP. Condition d will respond to the questions in both modules; the ENP module will be tailored to their ENP and the tobacco module will be tailored to their tobacco use overall.

Else, go to Box R09_ART01.

IF R09_TOBACCO_USER_STATUS = 1, 4 ROUTE AS FOLLOWS:

IF [(R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT = 1)] GO TO R09_ANR17 and follow routing to complete ONE of the Nicotine Dependence modules using appropriate product specific fill as defined by the groups and fill specs below (condition a).

IF [(R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT = 2) AND R09_EPROD_USER_STATUS = 1, 4] GO TO R09_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate product specific fills for each iteration (condition b).

IF [(R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R09_EPROD_USER_STATUS != 1, 4] GO TO R09_ANR17 and follow routing to complete the tobacco module using the tobacco use fill (condition c).

IF [(R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R09_EPROD_USER_STATUS = 1, 4] GO TO R09_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate fills as defined by the groups and fill specs below (condition d).

ELSE, GO TO BOX R09_ART01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AND01

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R09_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "fumar cigarrillos"

IF NQ=YES, FILL WITH "fumar IQOS"

IF NG=YES, FILL WITH "fumar puros tradicionales"

IF NL=YES, FILL WITH "fumar puritos"

IF NF=YES, FILL WITH "fumar puros con filtro"

IF NP=YES, FILL WITH "fumar una pipa"

IF NH=YES, FILL WITH "fumar en hookah"

IF NN=YES, FILL WITH "consumir bolsitas de nicotina"

IF NU=YES, FILL WITH "consumir snus"

IF NS=YES, FILL WITH "consumir tabaco que no se fuma"

IF R09_NDSKIP = 1, 2 FILL WITH "consumir tabaco o nicotina"

BOX ID: R09_AND05

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R09_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarrillos"

IF NQ=YES FILL WITH "IQOS"

IF NG=YES FILL WITH "puros tradicionales"

IF NL=YES FILL WITH "puritos"

IF NF=YES FILL WITH "puros con filtro"

IF NP=YES FILL WITH "tabaco para pipa"

IF NH=YES FILL WITH "hookah"

IF NN=YES FILL WITH "bolsitas de nicotina"

IF NU=YES FILL WITH "snus"

IF NS=YES FILL WITH "tabaco que no se fuma"

IF R09_NDSKIP = 1, 2 FILL WITH "tabaco o nicotina"

BOX ID: R09_AND06

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R09_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "fumar cigarrillos"

IF NQ=YES, FILL WITH "fumar IQOS"

IF NG=YES, FILL WITH "fumar puros tradicionales"

IF NL=YES, FILL WITH "fumar puritos"

IF NF=YES, FILL WITH "fumar puros con filtro"

IF NP=YES, FILL WITH "fumar una pipa"

IF NH=YES, FILL WITH "fumar en hookah"

IF NN=YES, FILL WITH "consumir bolsitas de nicotina"

IF NU=YES, FILL WITH "consumir snus"

IF NS=YES, FILL WITH "consumir tabaco que no se fuma"

IF R09_NDSKIP = 1, 2 FILL WITH "consumir tabaco o nicotina"

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AND07

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R09_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "consumo de cigarrillos"

IF NQ=YES, FILL WITH "consumo de IQOS"

IF NG=YES, FILL WITH "consumo de puros tradicionales"

IF NL=YES, FILL WITH "consumo de puritos"

IF NF=YES, FILL WITH "consumo de puros con filtro"

IF NP=YES, FILL WITH "consumo de pipa"

IF NH=YES, FILL WITH "consumo de hookah"

IF NN=YES, FILL WITH "consumo de bolsitas de nicotina"

IF NU=YES, FILL WITH "consumo de snus"

IF NS=YES, FILL WITH "consumo de tabaco que no se fuma"

IF R09_NDSKIP = 1, 2 FILL WITH "consumo de tabaco o nicotina"

BOX ID: R09_ANR17

Adult respondents who are current or recent former ENP users and are established users or have used multiple device types, go to Box R09_ANT01E.

Else, adult respondents who are current or recent former ENP users, go to Box R09_ANR22.

Else, adult respondents who are current or recent former non-electronic tobacco users, go to Box R09_ANR37.

Else, go to Box R09_ART01.

IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2, GO TO BOX R09_ANT01E.

ELSE, IF R09_EPROD_USER_STATUS = 1, 4, GO TO BOX R09_ANR22.

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1, 4, GO TO BOX R09_ANR37.

ELSE, GO TO BOX R09_ART01.

BOX ID: R09_ANT01E

IF R09_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina.

IF R09_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina. Piense únicamente acerca de productos electrónicos con nicotina cuando conteste estas preguntas. Más adelante le haremos preguntas sobre [ND FILL2].

IF R09_NDSKIP = 2, DISPLAY THE FOLLOWING TEXT:

Las siguientes preguntas son acerca de su experiencia con productos electrónicos con nicotina.

BOX ID: R09_ANR22

Adult respondents who are current or recent former ENP users and are established users or have used multiple device types, go to R09_AN0055E.

Else, go to Box R09_ANR32.

IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2, GO TO R09_AN0055E.

ELSE, GO TO BOX R09_ANR32.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0055E

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 5 = es muy cierto.

Me doy cuenta que estoy tratando de agarrar productos electrónicos con nicotina sin pensármelo.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

BOX ID: R09_AND02E

Randomize order of items R09_AN0025E - R09_AN0100E.

PATH ID: R09_AN0025E

Con frecuencia tengo un fuerte deseo de fumar productos electrónicos con nicotina.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0030E

[Mis deseos se vuelven cada vez más fuertes si estoy sin/Sigo sintiendo deseos de] fumar productos electrónicos con nicotina.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Mis deseos se vuelven más fuertes si estoy sin".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "Sigo sintiendo deseos de".

PATH ID: R09_AN0045E

[Mi consumo de productos electrónicos con nicotina está fuera de control./Mi deseo de fumar productos electrónicos con nicotina está fuera de control.]

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Mi consumo de productos electrónicos con nicotina está fuera de control.".

IF R09_EPROD_USER_STATUS = 4, DISPLAY "Mi deseo de fumar productos electrónicos con nicotina está fuera de control.".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0060E

Normalmente quiero fumar productos electrónicos con nicotina justo después de despertarme.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

PATH ID: R09_AN0085E

[Se me haría muy difícil dejar de/Se me haría muy difícil no] fumar productos electrónicos con nicotina.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Se me haría muy difícil dejar de".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "Se me haría muy difícil no".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0090E

[Se me haría difícil dejar de fumar productos electrónicos con nicotina por una semana./Se me haría difícil no fumar productos electrónicos con nicotina por otra semana.]

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Se me haría difícil dejar de fumar productos electrónicos con nicotina por una semana."

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "Se me haría difícil no fumar productos electrónicos con nicotina por otra semana."

PATH ID: R09_AN0095E

[Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito/Me gustaría] fumar productos electrónicos con nicotina para poder sentirme menos inquieto e irritable.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "Me gustaría".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0100E

[Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito/Siento que necesito] fumar productos electrónicos con nicotina para evitar sentir alguna molestia.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_EPROD_USER_STATUS = 1, DISPLAY "Si dejo de fumar productos electrónicos con nicotina por un tiempo, necesito".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "Siento que necesito".

BOX ID: R09_ANR30

Adult respondents who are current ENP users and are established users or have used multiple device types, go to R09_AN0105E.

Else, go to Box R09_ANV06E.

IF R09_EPROD_USER_STATUS = 1 AND R09_EPROD_USE_LEVEL = 1, 2, GO TO R09_AN0105E.
ELSE, GO TO BOX R09_ANV06E.

PATH ID: R09_AN0105E

En los últimos 12 meses, ¿ha tratado de dejar de fumar productos electrónicos con nicotina totalmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_EPROD_USE_LEVEL = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0334E

En los últimos 12 meses, ¿ha tratado de dejar los productos electrónicos con nicotina reduciendo gradualmente su consumo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and are established users or have used multiple device types.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_EPROD_USE_LEVEL = 1, 2.

BOX ID: R09_ANV06E

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 (Past 12 month quitter or quit attempter) Adult respondents who have quit or attempted to quit ENPs in the past 12 months.

R09_TWELVEMONTHQUIT_STATUS_EPROD = 2 (Past 12 month reducers) Adult respondents who have cut down their ENP use in the past 12 months, but have not tried to quit.

BOX ID: R09_ANR31

Adult respondents who are past 12 month ENP quitters or quit attempters, go to R09_AN0115E.
Else, go to Box R09_ANR25.

IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, GO TO R09_AN0115E.
ELSE, GO TO BOX R09_ANR25.

PATH ID: R09_AN0115E

En total, ¿cuántas veces en los últimos 12 meses ha tratado de dejar los productos electrónicos con nicotina por completo?

- 0 No traté de dejarlos en los últimos 12 meses
- 1 |__|__|__| Cantidad de veces
- 8 DON'T KNOW GO TO BOX R09_ANR24
- 7 REFUSED GO TO BOX R09_ANR24

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces" AS A TITLE.

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0115E_LC1

Usted contestó que ha tratado de dejar los productos electrónicos con nicotina totalmente [R09_AN0115E] veces en los últimos 12 meses. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0115E

2 NEXT

GO TO R09_AN0115E_LC2

ASK: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0115E > 50.

PROGRAM: TRIGGER CHECK IF R09_AN0115E > 50.

ELSE, GO TO R09_AN0115E_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0115E_LC2

Usted contestó que en los últimos 12 meses usted no ha tratado de dejar los productos electrónicos con nicotina por completo. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0115E

2 NEXT

GO TO BOX R09_ANR24

ASK: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0115E = 0.

PROGRAM: TRIGGER CHECK IF R09_AN0115E = 0.

ELSE, GO TO BOX R09_ANR24 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR24

Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R09_AN0120E.

Else, adult respondents who are recent former ENP users and reported how long it has been since they last took a puff from an ENP and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R09_AN0257E.

Else, adult respondents who are past 12 month ENP quitters or quit attempters and are recent former ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP, go to R09_AN0145E.

Else, go to Box R09_ANR32.

IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7), GO TO R09_AN0120E.

ELSE, IF R09_EPROD_USER_STATUS = 4 AND R09_AV1009_NN > 0 AND R09_AV1009_UN != -8, -7 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7), GO TO R09_AN0257E.

ELSE, IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 4 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND (R09_AV1009_NN < 1 OR R09_AN0257E = 2), GO TO R09_AN0145E.

ELSE, GO TO BOX R09_ANR32.

PATH ID: R09_AN0120E

En los últimos 12 meses, ¿ha dejado de fumar productos electrónicos con nicotina por un día o más debido a que estaba tratando de dejarlos?

1	Sí	
2	No	GO TO R09_AN0130E
-8	DON'T KNOW	GO TO R09_AN0130E
-7	REFUSED	GO TO R09_AN0130E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0125E

En los últimos 12 meses, ¿cuántas veces dejó de fumar productos electrónicos con nicotina por un día o más porque estaba tratando de dejarlos?

1	Una vez	GO TO R09_AN0130E
2	2-3 veces	GO TO R09_AN0130E
3	4 veces o más	GO TO R09_AN0130E
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using ENPs for one day or longer.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND
R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND
R09_AN0120E = 1.

PATH ID: R09_AN0256E

¿Diría que en los últimos 12 meses ha tratado de dejar de fumar productos electrónicos con nicotina más de 3 veces por un día o más debido a que estaba tratando de dejarlos?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using ENPs for one day or longer and did not know or refused to report how many times they stopped using ENPs for one day or longer.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND
R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND
R09_AN0120E = 1 AND R09_AN0125E = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0130E

En los últimos 12 meses, la última vez que dejó de fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos, ¿por cuánto tiempo los dejó? Anote un número entero y seleccione una de las opciones a continuación.

1 |_|_|_| Minutos

2 |_|_|_| Horas

3 |_|_|_| Días

4 |_|_|_| Semanas

5 |_|_|_| Meses

-8 DON'T KNOW

GO TO R09_AN0300E

-7 REFUSED

GO TO R09_AN0300E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 3 digits.

PATH ID: R09_AN0130E_LC1

Usted contestó que la última vez que usted trató de dejar de fumar productos electrónicos con nicotina en los últimos 12 meses, usted los dejó durante [R09_AN0130E_NN] [días/semanas/meses]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0130E

2 NEXT

GO TO R09_AN0135E

ASK: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND ((R09_AN0130E_NN > 366 AND R09_AN0130E_UN = 3) OR (R09_AN0130E_NN > 52 AND R09_AN0130E_UN = 4) OR (R09_AN0130E_NN > 12 AND R09_AN0130E_UN = 5)).

DISPLAY: IF R09_AN0130E_UN = 3, DISPLAY "días".

ELSE, IF R09_AN0130E_UN = 4, DISPLAY "semanas".

ELSE, IF R09_AN0130E_UN = 5, DISPLAY "meses".

PROGRAM: TRIGGER CHECK IF (R09_AN0130E_NN > 366 AND R09_AN0130E_UN = 3) OR (R09_AN0130E_NN > 52 AND R09_AN0130E_UN = 4) OR (R09_AN0130E_NN > 12 AND R09_AN0130E_UN = 5).

ELSE, GO TO R09_AN0135E AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0300E

¿Fue por más de una semana, una semana o menos de una semana?

1	Más de una semana	GO TO BOX R09_ANR25
2	Una semana	GO TO BOX R09_ANR25
3	Menos de una semana	GO TO BOX R09_ANR25
-8	DON'T KNOW	GO TO BOX R09_ANR25
-7	REFUSED	GO TO BOX R09_ANR25

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND R09_AN0130E_NN = -8, -7.

PATH ID: R09_AN0135E

¿Cuándo fue la fecha final aproximada de este último intento por dejar los productos electrónicos con nicotina que duró [enter duration from R09_AN0130E]?

1	MM/DD/AAAA	
-8	DON'T KNOW	GO TO R09_AN0140E
-7	REFUSED	GO TO R09_AN0140E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND R09_AN0130E_NN != -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "MM/DD/AAAA" AS GHOST TEXT.

FOR THE CALENDAR PICKER, DISPLAY THE MONTH AND THE YEAR (EX. "enero 2024") AND ABBREVIATE THE DAYS OF THE WEEK: "L" = MONDAY (lunes), "M" = TUESDAY (martes), "X" = WEDNESDAY (miércoles), "J" = THURSDAY (jueves), "V" = FRIDAY (viernes), "S" = SATURDAY (sábado), and "D" = SUNDAY (domingo). (Note: Abbreviating "miércoles" as "X" is common practice to quickly distinguish it from the adjacent "M" for "martes".)

PROGRAM: Allow respondent to type the date or select from the calendar picker.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0135E_LC1

Usted contestó que la fecha final de su último intento de dejar los productos electrónicos con nicotina en los últimos 12 meses fue el [DATE ENTERED IN R09_AN0135E]. Esa es una fecha en el futuro. ¿Es correcta esa fecha final?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AN0135E
2 NEXT	GO TO R09_AN0135E_LC2

ASK: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND R09_AN0130E_NN != -8, -7 AND (R09_AN0135E > TODAY'S DATE).

PROGRAM: TRIGGER CHECK IF R09_AN0135E > TODAY'S DATE.
ELSE, GO TO R09_AN0135E_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0135E_LC2

Usted contestó que la fecha final de su último intento de dejar los productos electrónicos con nicotina en los últimos 12 meses fue el [DATE ENTERED IN R09_AN0135E]. Eso fue hace más de 12 meses. ¿Es correcta esa fecha final?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AN0135E
2 NEXT	GO TO R09_AN0140E

ASK: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND R09_AN0130E_NN != -8, -7 AND (R09_AN0135E < (TODAY'S DATE - 12 MONTHS)).

PROGRAM: TRIGGER CHECK IF R09_AN0135E < (TODAY'S DATE - 12 MONTHS).
ELSE, GO TO R09_AN0140E AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0140E

En los últimos 12 meses, ¿fue [DURATION OF LAST QUIT ATTEMPT] el periodo más largo que estuvo sin fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos?

1 Sí	GO TO BOX R09_ANR25
2 No	GO TO R09_AN0145E
-8 DON'T KNOW	GO TO BOX R09_ANR25
-7 REFUSED	GO TO BOX R09_ANR25

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND R09_AN0130E_NN != -8, -7.

DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R09_AN0130E [NN/_UN] (ex. "45 días")

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0257E

Usted mencionó anteriormente que dejó de fumar productos electrónicos con nicotina hace [ENTER LENGTH OF TIME SINCE LAST USE IN R09_AV1009]. ¿Es este el periodo más largo que ha estado sin fumar productos electrónicos con nicotina en los últimos 12 meses?

1	Sí	GO TO BOX R09_ANR25
2	No	GO TO R09_AN0145E
-8	DON'T KNOW	GO TO BOX R09_ANR25
-7	REFUSED	GO TO BOX R09_ANR25

ASK: Adult respondents who are recent former ENP users and reported how long it has been since they last took a puff from an ENP and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_EPROD_USER_STATUS = 4 AND R09_AV1009_NN > 0 AND R09_AV1009_UN != -8, -7 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7).

DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R09_AV1009[_NN/_UN]] with time entered (ex. "45 días") in R09_AV1009[_NN/_UN].

PATH ID: R09_AN0145E

En los últimos 12 meses, ¿cuánto duró el periodo de tiempo más largo que dejó de fumar productos electrónicos con nicotina debido a que estaba tratando de dejarlos? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _ _ Minutos	
2	_ _ _ Horas	
3	_ _ _ Días	
4	_ _ _ Semanas	
5	_ _ _ Meses	
-8	DON'T KNOW	GO TO R09_AN0305E
-7	REFUSED	GO TO R09_AN0305E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using ENPs, or

Adult respondents who are past 12 month ENP quitters or quit attempters and are recent former ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP or reported the time since they last took a puff from an ENP was not the longest they went without using ENPs.

ASK Specification: IF (R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND R09_AN0130E_NN != -8, -7 AND R09_AN0140E = 2) OR (R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 4 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND (R09_AV1009_NN < 1 OR R09_AN0257E = 2)).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0145E_LC1

Usted contestó que dejó de fumar productos electrónicos con nicotina por [R09_AN0145E] [días/semanas/meses]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AN0145E
2	NEXT	GO TO BOX R09_ANR25

ASK: IF ((R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND R09_AN0130E_NN != -8, -7 AND R09_AN0140E = 2) OR (R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 4 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND (R09_AV1009_NN < 1 OR R09_AN0257E = 2))) AND ((R09_AN0145E_NN > 366 AND R09_AN0145E_UN = 3) OR (R09_AN0145E_NN > 52 AND R09_AN0145E_UN = 4) OR (R09_AN0145E_NN > 12 AND R09_AN0145E_UN = 5)).

DISPLAY: IF R09_AN0145E_UN = 3, DISPLAY "días".
ELSE, IF R09_AN0145E_UN = 4, DISPLAY "semanas"
ELSE, IF R09_AN0145E_UN = 5, DISPLAY "meses".

PROGRAM: TRIGGER CHECK IF (R09_AN0145E_NN > 366 AND R09_AN0145E_UN = 3) OR (R09_AN0145E_NN > 52 AND R09_AN0145E_UN = 4) OR (R09_AN0145E_NN > 12 AND R09_AN0145E_UN = 5).
ELSE, GO TO BOX R09_ANR25 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0305E

¿Fue por más de una semana, una semana o menos de una semana?

- 1 Más de una semana
- 2 Una semana
- 3 Menos de una semana
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using ENPs and did not know or refused to report the longest time they stopped using ENPs, or Adult respondents who are past 12 month ENP quitters or quit attempters and are recent former ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP or reported the time since they last took a puff from an ENP was not the longest they went without using ENPs and did not know or refused to report the longest time they stopped using ENPs.

ASK Specification: IF (R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND R09_AN0130E_NN != -8, -7 AND R09_AN0140E = 2 AND R09_AN0145E_NN = -8, -7) OR (R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_EPROD_USER_STATUS = 4 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7) AND (R09_AV1009_NN < 1 OR R09_AN0257E = 2) AND R09_AN0145E_NN = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR25

Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to Box R09_AND10E.

Else, adult respondents who are past 12 month ENP quitters or quit attempters, go to R09_AN0225E.
Else, go to Box R09_ANR32.

IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7), GO TO BOX R09_AND10E.

ELSE, IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, GO TO R09_AN0225E.

ELSE, GO TO BOX R09_ANR32.

BOX ID: R09_AND10E

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AN0210E, R09_AN0215E, R09_AX0505E.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AN0210E is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AN0210E on each screen.

PATH ID: R09_AN0210E

[Marque Sí o No para cada afirmación.

]Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los **últimos 12 meses**. ¿Usted...

Dependió del apoyo de amigos o familiares para que le ayudaran?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7).

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_EPROD_USER_STATUS = 1 AND R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_EPROD_USER_STATUS = 1 AND (R09_AN0125E > 1 OR R09_AN0256E = 1),
DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

BOLD "últimos 12 meses".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0215E

Usó alguno de los siguientes métodos para que le ayudara: consejería, una línea directa de ayuda para dejar el tabaco, libros, folletos, videos o un centro de tratamiento, clase o grupo de apoyo para dejar el tabaco o un programa disponible en la web?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7).

PATH ID: R09_AX0505E

Usó una aplicación en una tableta o smartphone para que le ayudara a dejarlos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R09_AN0115E >= 1 OR R09_AN0115E = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0225E

Recuerde [cuando paró de/la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los **últimos 12 meses**. ¿Usó otro producto para ayudarse a [parar de fumarlos/dejar de fumarlos]? Escoja todas las opciones que correspondan.

- 2 Cigarrillos
- 12 IQOS
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Tabaco para pipa
- 8 Hookah
- 13 Bolsitas de nicotina (como Zyn, on! o Rogue)
- 9 Snus
- 10 Tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)
- 14 Productos orales con nicotina (como pastillas de chupar Velo, tabletas Rogue, chicles Lucy o palillos Pixotine)
- 1 No usé otro producto para ayudarme a dejarlo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1.

DISPLAY: IF R09_AN0115E = 0, DISPLAY "cuando paró de" AND "parar de fumarlos".

ELSE, IF R09_EPROD_USER_STATUS = 1 AND R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de" AND "dejar de fumarlos".

ELSE, IF R09_EPROD_USER_STATUS = 1 AND (R09_AN0125E > 1 OR R09_AN0256E = 1), DISPLAY "la última vez que trató de dejar de" AND "dejar de fumarlos".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de" AND "dejar de fumarlos".

ELSE, DISPLAY "la última vez que trató de dejar de" AND "dejar de fumarlos".

BOLD "últimos 12 meses".

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

BOX ID: R09_ANR32

Adult respondents who are past 12 month ENP quitters or quit attempters and are current or recent former nicotine replacement therapy product users, go to R09_AN0150E.

Else, adult respondents who are past 12 month ENP reducers and are current or recent former nicotine replacement therapy product users, go to R09_AN0811E.

Else, go to R09_AN0331_12ME.

IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_NRT_USER_STATUS = 1, 4, GO TO R09_AN0150E.

ELSE, IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 2 AND R09_NRT_USER_STATUS = 1, 4, GO TO R09_AN0811E.

ELSE, GO TO R09_AN0331_12ME.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0150E

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los **últimos 12 meses**. ¿Usó o tomó un producto de tratamiento de reemplazo de nicotina tal como parches de nicotina, chicles, espráis nasales, pastillas de chupar o inhaladores?

1	Sí	
2	No	GO TO BOX R09_ANR33
-8	DON'T KNOW	GO TO BOX R09_ANR33
-7	REFUSED	GO TO BOX R09_ANR33

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current or recent former nicotine replacement therapy product users.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_NRT_USER_STATUS = 1, 4.

DISPLAY: IF R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de".
ELSE, IF R09_AN0125E > 1 OR R09_AN0256E = 1, DISPLAY "la última vez que trató de dejar de".
ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".
ELSE, DISPLAY "la última vez que trató de dejar de".
BOLD "últimos 12 meses".

PATH ID: R09_AN0155E

¿Usó o tomó un producto de tratamiento de reemplazo de nicotina para dejar de fumar productos electrónicos con nicotina **por completo**?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150E = 1.

DISPLAY: BOLD "por completo".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0811E

¿Usó o tomó un producto de tratamiento de reemplazo de nicotina para aliviar o evitar los efectos secundarios después de dejar o disminuir su consumo de productos electrónicos con nicotina?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit, or adult respondents who are past 12 month ENP reducers and are current or recent former nicotine replacement therapy product users.

ASK Specification: IF (R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150E = 1) OR (R09_TWELVEMONTHQUIT_STATUS_EPROD = 2 AND R09_NRT_USER_STATUS = 1, 4).

BOX ID: R09_ANR33

Adult respondents who are past 12 month ENP quitters or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit, go to R09_AN0160E.
Else, go to R09_AN0331_12ME.

IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150E = 1, GO TO R09_AN0160E.
ELSE, GO TO R09_AN0331_12ME.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0160E

¿Qué producto usó o tomó [la vez que trató de dejar de fumar productos electrónicos con nicotina/la última vez que trató de dejar de fumar productos electrónicos con nicotina /cuando dejó de fumar productos electrónicos con nicotina]? Escoja todas las opciones que correspondan.

- 1 Parche de nicotina
- 2 Chicle de nicotina
- 4 Espray nasal con nicotina
- 5 Pastilla de chupar con nicotina
- 3 Inhalador de nicotina
- 6 Ninguna de las anteriores GO TO R09_AN0331_12ME
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy product to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150E = 1.

DISPLAY: IF R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de fumar productos electrónicos con nicotina".

ELSE, IF R09_AN0125E > 1 OR R09_AN0256E = 1, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de fumar productos electrónicos con nicotina".

ELSE, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".

PROGRAM: Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0165E

En total, durante [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] fumar productos electrónicos con nicotina[por completo], ¿por cuánto tiempo usó o tomó un producto de tratamiento de reemplazo de nicotina? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Semanas
- 3 |__|__| Meses
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit and selected the type of nicotine replacement therapy product they used or did not know or refused to report the type of nicotine replacement therapy product they used.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150E = 1 AND R09_AN0160E_06 != 1.

DISPLAY: IF R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_AN0125E > 1 OR R09_AN0256E = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AN0331_12ME

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos de venta con receta médica: Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR34

Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months, go to R09_AN0180E.
Else, adult respondents who are current or recent former ENP users and used a prescription drug in the past 12 months, go to R09_AN0327E.
Else, go to R09_AN0331E.

IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1, GO TO R09_AN0180E.
ELSE, IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AN0331_12ME = 1, GO TO R09_AN0327E.
ELSE, GO TO R09_AN0331E.

PATH ID: R09_AN0180E

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] fumar productos electrónicos con nicotina en los **últimos 12 meses**. ¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1	Sí	
2	No	GO TO R09_AN0327E
-8	DON'T KNOW	GO TO R09_AN0327E
-7	REFUSED	GO TO R09_AN0327E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1.

DISPLAY: IF R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF (R09_AN0125E > 1 OR R09_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

BOLD "últimos 12 meses".

PATH ID: R09_AN0185E

¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión para dejar de fumar productos electrónicos con nicotina por completo?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1 AND R09_AN0180E = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0190E

¿Qué medicamento que se vende con receta médica usó [la vez que trató de dejar de fumar productos electrónicos con nicotina/la última vez que trató de dejar de fumar productos electrónicos con nicotina/cuando dejó de fumar productos electrónicos con nicotina]? Escoja todas las opciones que correspondan.

- 1 Chantix o vareniclina
- 2 Wellbutrin, Zyban o bupropión
- 3 Ninguna de las anteriores GO TO R09_AN0200E
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1 AND R09_AN0180E = 1.

DISPLAY: IF R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de fumar productos electrónicos con nicotina".

ELSE, IF (R09_AN0125E > 1 OR R09_AN0256E = 1), DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "cuando dejó de fumar productos electrónicos con nicotina".

ELSE, DISPLAY "la última vez que trató de dejar de fumar productos electrónicos con nicotina".

PROGRAM: Allow respondent to choose all that apply. If option 3 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0195E

En total, durante [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] fumar productos electrónicos con nicotina[por completo], ¿por cuánto tiempo tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Semanas
- 3 |__|__| Meses
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1 AND R09_AN0180E = 1 AND R09_AN0190E_03 != 1.

DISPLAY: IF R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF (R09_AN0125E > 1 OR R09_AN0256E = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AN0200E

Actualmente, ¿está tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1	Sí	
2	No	GO TO R09_AN0327E
-8	DON'T KNOW	GO TO R09_AN0327E
-7	REFUSED	GO TO R09_AN0327E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1 AND R09_AN0180E = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0252E

Aproximadamente, ¿cuánto tiempo ha estado tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |_|_| Días
- 2 |_|_| Meses
- 3 |_|_| Años

-8 DON'T KNOW

GO TO R09_AN0327E

-7 REFUSED

GO TO R09_AN0327E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1 AND R09_AN0180E = 1 AND R09_AN0200E = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

PATH ID: R09_AN0252E_LC1

Usted contestó que lleva tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión por [R09_AN0252E_NN] [meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0252E

2 NEXT

GO TO R09_AN0252E_LC2

ASK: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1 AND R09_AN0180E = 1 AND R09_AN0200E = 1 AND ((R09_AN0252E_NN > 60 AND R09_AN0252E_UN = 2) OR (R09_AN0252E_NN > 5 AND R09_AN0252E_UN = 3)).

DISPLAY: IF R09_AN0252E_UN = 2, DISPLAY "meses".

IF R09_AN0252E_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AN0252E_NN > 60 AND R09_AN0252E_UN = 2) OR (R09_AN0252E_NN > 5 AND R09_AN0252E_UN = 3).

ELSE, GO TO R09_AN0252E_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0252E_LC2

Usted contestó "cero" para la cantidad de tiempo que lleva tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R09_AN0252E

2 NEXT GO TO R09_AN0327E

ASK: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R09_AN0331_12ME = 1 AND R09_AN0180E = 1 AND R09_AN0200E = 1 AND R09_AN0252E = 0.

PROGRAM: TRIGGER CHECK IF R09_AN0252E = 0.
ELSE, GO TO R09_AN0327E AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0327E

¿Cuándo fue la última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1 Hace menos de una hora GO TO R09_AN0329E

2 Hoy, pero hace más de una hora

3 Ayer

4 Hace dos días

5 Hace tres o más días GO TO R09_AN0205E

-8 DON'T KNOW GO TO BOX R09_ANR35

-7 REFUSED GO TO BOX R09_ANR35

ASK: Adult respondents who are current or recent former ENP users and used a prescription drug in the past 12 months.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AN0331_12ME = 1.

PATH ID: R09_AN0328E

La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R09_AN0327E], ¿fue...?

1 Entre la medianoche y las 6 de la mañana

2 Entre las 6 de la mañana y el mediodía

3 Entre el mediodía y las 6 de la tarde

4 Entre las 6 de la tarde y la medianoche

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AN0331_12ME = 1 AND R09_AN0327E = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R09_AN0327E]:

IF R09_AN0327E = 2, DISPLAY "hoy".

ELSE, IF R09_AN0327E = 3, DISPLAY "ayer".

ELSE, IF R09_AN0327E = 4, DISPLAY "hace dos días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0329E

La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R09_AN0327E], ¿cuántas píldoras tomó?

1 __ __ Cantidad que tomó	
-8 DON'T KNOW	GO TO BOX R09_ANR35
-7 REFUSED	GO TO BOX R09_ANR35

ASK: Adult respondents who are current or recent former ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AN0331_12ME = 1 AND R09_AN0327E = 1, 2, 3, 4.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad que tomó" AS A TITLE.

FOR [FILL BASED ON R09_AN0327E]:

IF R09_AN0327E = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AN0327E = 3, DISPLAY "ayer".

ELSE, IF R09_AN0327E = 4, DISPLAY "hace dos días".

PROGRAM: Allow 2 digits.

PATH ID: R09_AN0329E_LC1

Usted contestó que [hoy/ayer/hace dos días], usted tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [R09_AN0329E] veces. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AN0329E
2 NEXT	GO TO BOX R09_ANR35

ASK: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AN0331_12ME = 1 AND R09_AN0327E = 1, 2, 3, 4 AND (R09_AN0329E = 0 OR R09_AN0329E > 5).

DISPLAY: IF R09_AN0327E = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AN0327E = 3, DISPLAY "ayer".

ELSE, IF R09_AN0327E = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AN0329E = 0 OR R09_AN0329E > 5.

ELSE, GO TO BOX R09_ANR35 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0205E

¿Cuánto hace que dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Meses
- 3 |__|__| Años
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AN0331_12ME = 1 AND R09_AN0327E = 5.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AN0205E_LC1

Usted contestó que dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión hace [R09_AN0205E_NN] [días/meses/años] ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AN0205E
2 NEXT	GO TO BOX R09_ANR35

ASK: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AN0331_12ME = 1 AND R09_AN0327E = 5 AND ((R09_AN0205E_NN > 31 AND R09_AN0205E_UN = 1) OR (R09_AN0205E_NN > 12 AND R09_AN0205E_UN = 2) OR (R09_AN0205E_NN > 1 AND R09_AN0250E_UN = 3)).

DISPLAY: IF R09_AN0205E_UN = 1, DISPLAY "días".
ELSE, IF R09_AN0205E_UN = 2, DISPLAY "meses".
ELSE, IF R09_AN0205E_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AN0205E_NN > 31 AND R09_AN0205E_UN = 1) OR (R09_AN0205E_NN > 12 AND R09_AN0205E_UN = 2) OR (R09_AN0205E_NN > 1 AND R09_AN0250E_UN = 3).
ELSE, GO TO BOX R09_ANR35 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0331E

¿Alguna vez ha tomado Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users and have not used a prescription drug in the past 12 months or did not know or refused to report whether they used a prescription drug in the past 12 months.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4 AND R09_AN0331_12ME = 2, -8, -7.

BOX ID: R09_ANR35

Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers, go to Box R09_AND03E.
Else, go to Box R09_ANR36.

IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2, GO TO BOX R09_AND03E.
ELSE, GO TO BOX R09_ANR36.

BOX ID: R09_AND03E

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER:
R09_AN0804E, R09_AN0805E, R09_AN0806E, R09_AN0807E, R09_AN0808E, R09_AN0809E,
R09_AN0810E.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AN0804E is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AN0804E on each screen. Randomize the order.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0804E

Las siguientes preguntas son acerca de cómo se sintió días después de [la vez que trató de dejar de fumar/la última vez que trató de dejar de fumar/dejar de fumar/reducir su consumo de] productos electrónicos con nicotina en los últimos 12 meses. [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió deprimido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

DISPLAY: IF R09_AN0125E = 1, DISPLAY "la vez que trató de dejar de fumar".

ELSE, IF R09_EPROD_USER_STATUS = 1 AND R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, DISPLAY "la última vez que trató de dejar de fumar".

ELSE, IF R09_EPROD_USER_STATUS = 4, DISPLAY "dejar de fumar".

ELSE, IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 2, DISPLAY "reducir su consumo de".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación.

Desplace para ver más afirmaciones."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AN0805E

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿tuvo dificultad para dormir?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0806E

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿tuvo dificultad para concentrarse?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

PATH ID: R09_AN0807E

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿comió más de lo normal o subió de peso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

PATH ID: R09_AN0808E

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se irritó, molestó o frustró fácilmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0809E

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió ansioso o nervioso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

PATH ID: R09_AN0810E

En los últimos 12 meses, días después de dejar o disminuir su consumo de productos electrónicos con nicotina, usted...

¿se sintió más inquieto de lo habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

BOX ID: R09_ANR36

Adult respondents who are current ENP users, go to R09_AN0230E.
Else, go to R09_AX0006E.

IF R09_EPROD_USER_STATUS = 1, GO TO R09_AN0230E.
ELSE, GO TO R09_AX0006E.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0230E

En general, usando una escala del 1 al 10, en donde 1 significa no estoy interesado en absoluto y 10 significa estoy extremadamente interesado, dígame ¿qué tan interesado está en dejar de fumar productos electrónicos con nicotina? Seleccione un número del 1 al 10.

- 1 1 = No estoy interesado en absoluto
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 10 = Estoy extremadamente interesado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1.

PATH ID: R09_AN0235E

¿Tiene planificado dejar de fumar productos electrónicos con nicotina para siempre?

- 1 Sí
- 2 No GO TO R09_AX0006E
- 8 DON'T KNOW GO TO R09_AX0006E
- 7 REFUSED GO TO R09_AX0006E

ASK: Adult respondents who are current ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1.

PATH ID: R09_AN0240E

¿Cuándo tiene planificado dejar de fumar productos electrónicos con nicotina para siempre?

- 1 En los próximos 7 días
- 2 En los próximos 30 días
- 3 En los próximos 6 meses
- 4 El próximo año GO TO R09_AX0006E
- 5 En más de un año GO TO R09_AX0006E
- 8 DON'T KNOW GO TO R09_AX0006E
- 7 REFUSED GO TO R09_AX0006E

ASK: Adult respondents who are current ENP users and report planning to quit for good.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AN0235E = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0245E

Si de hecho tratara de dejar de fumar productos electrónicos con nicotina por completo dentro de los próximos 6 meses, ¿qué tan probable cree que es que tenga éxito?

- 1 Nada en absoluto
- 2 Muy poco probable
- 3 Es algo probable
- 4 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AN0235E = 1 AND R09_AN0240E = 1, 2, 3.

PATH ID: R09_AX0006E

Si tuviera que volver a hacerlo, ¿habría comenzado a fumar productos electrónicos con nicotina?

- 1 Definitivamente no
- 2 Probablemente no
- 3 Probablemente sí
- 4 Definitivamente sí
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former ENP users.

ASK Specification: IF R09_EPROD_USER_STATUS = 1, 4.

BOX ID: R09_ANR37

Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products, go to Box R09_ANT01.

Else, adult respondents who are current or recent former non-electronic tobacco users, go to Box R09_ANR26.

Else, go to Box R09_ART01.

IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_TOBXEPROD_USE_LEVEL = 1, 2, GO TO BOX R09_ANT01.

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1, 4, GO TO BOX R09_ANR26.

ELSE, GO TO BOX R09_ART01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANT01

IF R09_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:

Las siguientes preguntas son acerca de su experiencia con [los/el/la/las] [ND FILL2].

IF R09_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:

Ahora nos gustaría preguntarle sobre su experiencia con [los/el/la/las] [ND FILL2]. Piense únicamente acerca de [los/el/la/las] [ND FILL2] cuando conteste estas preguntas.

IF R09_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT:

Las siguientes preguntas son acerca de su experiencia con productos de tabaco. Usted dijo que ha consumido los siguientes productos de tabaco: [LIST ALL TARGET PRODUCTS, UP TO 9 TOTAL, USING ND FILL2 TEXT. TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R09_[PRODUCT]_USER_STATUS = 1, 4. (TARGET PRODUCTS DO NOT INCLUDE CIGARS FOR WHICH R09_12MBLUNT_ONLY_[BLUNTTYPE] = 1.) IF PRODUCT COUNT = 2, SEPARATE WITH "y". IF PRODUCT COUNT > 2, SEPARATE WITH COMMAS WITH "y" PRECEDING LAST PRODUCT]. Por favor, piense sobre [ambos/todos estos] productos juntos cuando conteste las siguientes preguntas. [IF PRODUCT COUNT = 2, DISPLAY "ambos"; IF PRODUCT COUNT > 2, DISPLAY "todos estos".]

IF R09_NDSKIP = 2, DISPLAY THE FOLLOWING TEXT:

Ahora nos gustaría preguntarle sobre su experiencia con productos de tabaco. Usted dijo que ha consumido los siguientes productos de tabaco, además de productos electrónicos con nicotina: [LIST ALL TARGET PRODUCTS, UP TO 9 TOTAL, USING ND FILL2 TEXT EXCLUDING EPRODUCTS. TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R09_[PRODUCT]_USER_STATUS = 1, 4, EXCLUDING EPRODUCTS. (TARGET PRODUCTS DO NOT INCLUDE CIGARS FOR WHICH R09_12MBLUNT_ONLY_[BLUNTTYPE] = 1.) IF PRODUCT COUNT EXCLUDING EPRODUCTS = 2, SEPARATE WITH "y". IF PRODUCT COUNT EXCLUDING EPRODUCTS > 2, SEPARATE WITH COMMAS WITH "y" PRECEDING LAST PRODUCT]. Por favor, piense sobre [ambos/todos estos] productos juntos cuando conteste las siguientes preguntas. [IF PRODUCT COUNT = 2, DISPLAY "ambos"; IF PRODUCT COUNT > 2, DISPLAY "todos estos".]

For cigarettes, traditional cigars, cigarillos and filter cigar, display "los".

For pipe tobacco, snus, smokeless tobacco, IQOS and tobacco, display "el".

For hookah, display "la".

For nicotine pouches, display "las".

BOX ID: R09_ANR26

Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products, go to R09_AN0055.

Else, go to Box R09_ANR04.

IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_TOBXEPROD_USE_LEVEL = 1, 2, GO TO R09_AN0055.

ELSE, GO TO BOX R09_ANR04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0055

Por favor, califique su nivel de acuerdo con cada una de las siguientes afirmaciones usando la siguiente escala: 1 = no es cierto en absoluto y 5 = es muy cierto.

Me doy cuenta que estoy tratando de agarrar [los/el/la/las] [ND FILL2] sin pensármelo.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND
R09_TOBXEPROD_USE_LEVEL = 1, 2.

DISPLAY: FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS,
DISPLAY "los".

FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO, IQOS, AND TOBACCO, DISPLAY "el".

FOR HOOKAH, DISPLAY "la".

FOR NICOTINE POUCHES, DISPLAY "las".

BOX ID: R09_AND02

Randomize order of items R09_AN0025 - R09_AN0100.

PATH ID: R09_AN0025

Con frecuencia tengo un fuerte deseo de [ND FILL2].

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND
R09_TOBXEPROD_USE_LEVEL = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0030

[Mis deseos se vuelven cada vez más fuertes si estoy sin/Sigo sintiendo deseos de] [ND FILL1].

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND
R09_TOBXEPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_TOBXEPROD_USER_STATUS = 1, DISPLAY "Mis deseos se vuelven más fuertes si no puedo".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "Sigo sintiendo deseos de".

PATH ID: R09_AN0045

[[Mi [ND FILL4] está fuera de control./Mi deseo de [ND FILL1] está fuera de control.]]

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND
R09_TOBXEPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_TOBXEPROD_USER_STATUS = 1, DISPLAY "Mi [ND FILL4] está fuera de control.".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "Mi deseo de [ND FILL1] está fuera de control.".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0060

Normalmente quiero [ND FILL1] justo después de despertarme.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND
R09_TOBXEPROD_USE_LEVEL = 1, 2.

PATH ID: R09_AN0085

[Se me haría muy difícil dejar de [ND FILL3]./Se me haría muy difícil no [ND FILL1].

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND
R09_TOBXEPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_TOBXEPROD_USER_STATUS = 1, DISPLAY "Se me haría muy difícil dejar de [ND FILL3].".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "Se me haría muy difícil no [ND FILL1].".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0090

[Se me haría difícil dejar de [ND FILL3] por una semana./Se me haría difícil no [ND FILL1] por otra semana.]

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND
R09_TOBXEPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_TOBXEPROD_USER_STATUS = 1, DISPLAY "Se me haría difícil dejar de [ND FILL3] por una semana."

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "Se me haría difícil no [ND FILL1] por otra semana".

PATH ID: R09_AN0095

[Si dejo de [ND FILL3] por un tiempo, necesito/ Me gustaría] [ND FILL1] para sentirme menos inquieto e irritable.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND
R09_TOBXEPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_TOBXEPROD_USER_STATUS = 1, DISPLAY "Si dejo de [ND FILL3] por un tiempo, necesito".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "Me gustaría".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0100

[Si dejo de [ND FILL3] por un tiempo, necesito/Siento que necesito] [ND FILL1] para evitar sentir alguna molestia.

- 1 1 = No es cierto en absoluto
- 2 2
- 3 3
- 4 4
- 5 5 = Es muy cierto
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_TOBXEPROD_USE_LEVEL = 1, 2.

DISPLAY: IF R09_TOBXEPROD_USER_STATUS = 1, DISPLAY "Si dejo de [ND FILL3] por un tiempo, necesito".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "Siento que necesito".

BOX ID: R09_ANR19

Adult respondents who are current non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products, go to R09_AN0105.

Else, go to Box R09_ANV06.

IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_TOBXEPROD_USE_LEVEL = 1, 2, GO TO R09_AN0105.

ELSE, GO TO BOX R09_ANV06.

PATH ID: R09_AN0105

En los últimos 12 meses, ¿ha tratado de dejar de [ND FILL3] por completo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_TOBXEPROD_USE_LEVEL = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0334

En los últimos 12 meses, ¿ha tratado de dejar de [ND FILL3] reduciendo gradualmente el [ND FILL3]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current non-electronic tobacco users and are established users or have used multiple non-electronic tobacco products.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_TOBXEPROD_USE_LEVEL = 1, 2.

BOX ID: R09_ANV06

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_TWELVEMONTHQUIT_STATUS = 1 (Past 12 month quitter or quit attempter) Adult respondents who have quit or attempted to quit non-electronic tobacco in the past 12 months.

R09_TWELVEMONTHQUIT_STATUS = 2 (Past 12 month reducer) Adult respondents who have cut down their non-electronic tobacco use in the past 12 months, but have not tried to quit.

BOX ID: R09_ANR03

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters, go to R09_AN0115.

Else, go to Box R09_ANR04.

IF R09_TWELVEMONTHQUIT_STATUS = 1, GO TO R09_AN0115.

ELSE, GO TO BOX R09_ANR04.

PATH ID: R09_AN0115

En total, ¿cuántas veces en los últimos 12 meses ha tratado de dejar [los/el/la/las] [ND FILL2] por completo?

- 0 No traté de dejarlo en los últimos 12 meses
- 1 |__|__|__| Cantidad de veces
- 8 DON'T KNOW GO TO BOX R09_ANR27
- 7 REFUSED GO TO BOX R09_ANR27

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces" AS A TITLE.

FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "los".

FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO, IQOS, AND TOBACCO, DISPLAY "el".

FOR HOOKAH, DISPLAY "la".

FOR NICOTINE POUCHES, DISPLAY "las".

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0115_LC1

Usted contestó que ha tratado de dejar de consumir [los/el/la/las] [ND FILL2] totalmente [R09_AN0115] veces en los últimos 12 meses. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0115

2 NEXT

GO TO R09_AN0115_LC2

ASK: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0115 > 50.

DISPLAY: FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "los".

FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO, IQOS, AND TOBACCO, DISPLAY "el".

FOR HOOKAH, DISPLAY "la".

FOR NICOTINE POUCHES, DISPLAY "las".

PROGRAM: TRIGGER CHECK IF R09_AN0115 > 50.

ELSE, GO TO R09_AN0115_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0115_LC2

Usted contestó que en los últimos 12 meses no ha tratado de dejar [los/el/la/las] [ND FILL2] por completo. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0115

2 NEXT

GO TO BOX R09_ANR27

ASK: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0115 = 0.

DISPLAY: FOR CIGARETTES, TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS, DISPLAY "los".

FOR PIPE TOBACCO, SNUS, SMOKELESS TOBACCO, IQOS, AND TOBACCO, DISPLAY "el".

FOR HOOKAH, DISPLAY "la".

FOR NICOTINE POUCHES, DISPLAY "las".

PROGRAM: TRIGGER CHECK IF R09_AN0115 = 0.

ELSE, GO TO BOX R09_ANR27 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR27

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R09_AN0120.

Else, adult respondents who are recent former non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a recent former user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R09_AN0257.

Else, adult respondents who are recent former non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R09_AN0145.

Else, go to Box R09_ANR28.

IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7), GO TO R09_AN0120.

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4 AND R09_VALID_TIME_LASTUSED = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7), GO TO R09_AN0257.

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7), GO TO R09_AN0145.

ELSE, GO TO BOX R09_ANR28.

PATH ID: R09_AN0120

En los últimos 12 meses, ¿ha dejado usted de [ND FILL3] durante un día o más debido a que estaba tratando de [dejarlos/dejarla/dejarlo/dejarlas]?

1	Sí	
2	No	GO TO R09_AN0130
-8	DON'T KNOW	GO TO R09_AN0130
-7	REFUSED	GO TO R09_AN0130

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7).

DISPLAY: IF R09_NDSKIP = 0, 3 AND R09_GROUP = NC, NG, NL, NF, DISPLAY "dejarlos". (NOTE: [ND FILL3] IS "fumar cigarrillos", "fumar puros tradicionales", "fumar puritos", or "fumar puros con filtro".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NP, NH, DISPLAY "dejarla". (NOTE: [ND FILL3] IS "fumar en pipa" or "fumar en hookah".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NN, DISPLAY "dejarlas". (NOTE: [ND FILL3] IS "consumir bolsitas de nicotina".)

ELSE, IF (R09_NDSKIP = 0, 3 AND R09_GROUP = NU, NS, NQ) OR R09_NDSKIP = 1, 2, DISPLAY "dejarlo". (NOTE: [ND FILL3] IS "consumir snus", "consumir tabaco que no se fuma", "fumar IQOS", or "consumir tabaco".)

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0125

En los últimos 12 meses, ¿cuántas veces ha dejado de [ND FILL3] por un día o más debido a que estaba tratando de {dejarlos/dejarla/dejarlo/dejarlas}?

1	Una vez	GO TO R09_AN0130
2	2-3 veces	GO TO R09_AN0130
3	4 veces o más	GO TO R09_AN0130
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0120 = 1.

DISPLAY: IF R09_NDSKIP = 0, 3 AND R09_GROUP = NC, NG, NL, NF, DISPLAY "dejarlos". (NOTE: [ND FILL3] IS "fumar cigarrillos", "fumar puros tradicionales", "fumar puritos", or "fumar puros con filtro".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NP, NH, DISPLAY "dejarla". (NOTE: [ND FILL3] IS "fumar en pipa" or "fumar en hookah".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NN, DISPLAY "dejarlas". (NOTE: [ND FILL3] IS "consumir bolsitas de nicotina".)

ELSE, IF (R09_NDSKIP = 0, 3 AND R09_GROUP = NU, NS, NQ) OR R09_NDSKIP = 1, 2, DISPLAY "dejarlo". (NOTE: [ND FILL3] IS "consumir snus", "consumir tabaco que no se fuma", "fumar IQOS", or "consumir tabaco".)

PATH ID: R09_AN0256

¿Diría que en los últimos 12 meses ha tratado de dejar de [ND FILL3] más de 3 veces por un día o más debido a que estaba tratando de dejar de [ND FILL3]?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer and did not know or refused to report how many times they stopped using tobacco for one day or longer.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0120 = 1 AND R09_AN0125 = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0130

En los últimos 12 meses, la última vez que dejó de [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo/dejarlas], ¿por cuánto tiempo [los/la/lo/las] dejó? Anote un número entero y seleccione una de las opciones a continuación.

1 _ _ _	Minutos
2 _ _ _	Horas
3 _ _ _	Días
4 _ _ _	Semanas
5 _ _ _	Meses
-8 DON'T KNOW	GO TO R09_AN0300
-7 REFUSED	GO TO R09_AN0300

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7).

DISPLAY: IF R09_NDSKIP = 0, 3 AND R09_GROUP = NC, NG, NL, NF, DISPLAY "dejarlos" AND "los". (NOTE: [ND FILL3] IS "fumar cigarrillos", "fumar puros tradicionales", "fumar puritos", or "fumar puros con filtro".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NP, NH, DISPLAY "dejarla" AND "la". (NOTE: [ND FILL3] IS "fumar en pipa" or "fumar en hookah".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NN, DISPLAY "dejarlas" AND "las". (NOTE: [ND FILL3] IS "consumir bolsitas de nicotina".)

ELSE, IF (R09_NDSKIP = 0, 3 AND R09_GROUP = NU, NS, NQ) OR R09_NDSKIP = 1, 2, DISPLAY "dejarlo" AND "lo". (NOTE: [ND FILL3] IS "consumir snus", "consumir tabaco que no se fuma", "fumar IQOS", or "consumir tabaco".)

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0130_LC1

Usted contestó que la última vez que trató de dejar de [ND FILL3] en los últimos 12 meses, usted lo dejó durante [R09_AN0130_NN] [días/semanas/meses]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R09_AN0130

2 NEXT GO TO R09_AN0135

ASK: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND ((R09_AN0130_NN > 366 AND R09_AN0130_UN = 3) OR (R09_AN0130_NN > 52 AND R09_AN0130_UN = 4) OR (R09_AN0130_NN > 12 AND R09_AN0130_UN = 5)).

DISPLAY: IF R09_AN0130_UN = 3, DISPLAY "días".

ELSE, IF R09_AN0130_UN = 4, DISPLAY "semanas".

ELSE, IF R09_AN0130_UN = 5, DISPLAY "meses".

PROGRAM: TRIGGER CHECK IF (R09_AN0130_NN > 366 AND R09_AN0130_UN = 3) OR (R09_AN0130_NN > 52 AND R09_AN0130_UN = 4) OR (R09_AN0130_NN > 12 AND R09_AN0130_UN = 5).

ELSE, GO TO R09_AN0135 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0300

¿Fue por más de una semana, una semana o menos de una semana?

1 Más de una semana GO TO BOX R09_ANR28

2 Una semana GO TO BOX R09_ANR28

3 Menos de una semana GO TO BOX R09_ANR28

-8 DON'T KNOW GO TO BOX R09_ANR28

-7 REFUSED GO TO BOX R09_ANR28

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0130_NN = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0135

¿Me puede dar una fecha aproximada de finalización de este último intento que duró [enter duration from R09_AN0130]?

1	MM/DD/AAAA	
-8	DON'T KNOW	GO TO R09_AN0140
-7	REFUSED	GO TO R09_AN0140

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0130_NN != -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "MM/DD/AAAA" AS GHOST TEXT.

FOR THE CALENDAR PICKER, DISPLAY THE MONTH AND THE YEAR (EX. "enero 2024") AND ABBREVIATE THE DAYS OF THE WEEK: "L" = MONDAY (lunes), "M" = TUESDAY (martes), "X" = WEDNESDAY (miércoles), "J" = THURSDAY (jueves), "V" = FRIDAY (viernes), "S" = SATURDAY (sábado), and "D" = SUNDAY (domingo). (Note: Abbreviating "miércoles" as "X" is common practice to quickly distinguish it from the adjacent "M" for "martes".)

PROGRAM: Allow respondent to type the date or select from the calendar picker.

PATH ID: R09_AN0135_LC1

Usted contestó que la fecha final de su último intento de dejar de [ND FILL3] en los últimos 12 meses fue el [DATE ENTERED IN R09_AN0135]. Esa es una fecha en el futuro. ¿Es correcta esa fecha final?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AN0135
2	NEXT	GO TO R09_AN0135_LC2

ASK: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0130_NN != -8, -7 AND R09_AN0135 > TODAY'S DATE.

PROGRAM: TRIGGER CHECK IF R09_AN0135 > TODAY'S DATE.
ELSE, GO TO R09_AN0135_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0135_LC2

Usted contestó que la fecha final de su último intento de dejar de [ND FILL3] en los últimos 12 meses fue el [DATE ENTERED IN R09_AN0135]. Eso fue hace más de 12 meses. ¿Es correcta esa fecha final?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AN0135
2 NEXT	GO TO R09_AN0140

ASK: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0130_NN != -8, -7 AND (R09_AN0135 < (TODAY'S DATE - 12 MONTHS)).

PROGRAM: TRIGGER CHECK IF R09_AN0135 < (TODAY'S DATE - 12 MONTHS).
ELSE, GO TO R09_AN0140 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0140

En los últimos 12 meses, ¿fue [DURATION OF LAST QUIT ATTEMPT] el periodo más largo que estuvo sin [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo]?

1 Sí	GO TO BOX R09_ANR28
2 No	GO TO R09_AN0145
-8 DON'T KNOW	GO TO BOX R09_ANR28
-7 REFUSED	GO TO BOX R09_ANR28

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0130_NN != -8, -7.

DISPLAY: Fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R09_AN0130[_NN/_UN] (ex. "45 días").

IF R09_NDSKIP = 0, 3 AND R09_GROUP = NC, NG, NL, NF, DISPLAY "dejarlos". (NOTE: [ND FILL3] IS "fumar cigarrillos", "fumar puros tradicionales", "fumar puritos", or "fumar puros con filtro".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NP, NH, DISPLAY "dejarla". (NOTE: [ND FILL3] IS "fumar en pipa" or "fumar en hookah".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NN, DISPLAY "dejarlas". (NOTE: [ND FILL3] IS "consumir bolsitas de nicotina".)

ELSE, IF (R09_NDSKIP = 0, 3 AND R09_GROUP = NU, NS, NQ) OR R09_NDSKIP = 1, 2, DISPLAY "dejarlo". (NOTE: [ND FILL3] IS "consumir snus", "consumir tabaco que no se fuma", "fumar IQOS", or "consumir tabaco".)

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0257

Usted mencionó anteriormente que dejó de [ND FILL3] hace [ENTER LENGTH OF TIME SINCE LAST USE IN R09_A*1009]. ¿Es este el periodo más largo que ha estado sin [ND FILL3] en los últimos 12 meses?

1 Sí	GO TO BOX R09_ANR28
2 No	GO TO R09_AN0145
-8 DON'T KNOW	GO TO BOX R09_ANR28
-7 REFUSED	GO TO BOX R09_ANR28

ASK: Adult respondents who are recent former non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a recent former user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 4 AND R09_VALID_TIME_LASTUSED = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7).

DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R09_A*1009] with time entered (ex. "45 días") in corresponding R09_A*1009[_NN/_UN] item by product:

IF R09_NDSKIP=0, 3:

NC=R09_AC1009[_NN/_UN] NP=R09_AP1009[_NN/_UN]
 NG=R09_AG1009[_NN/_UN] NH=R09_AH1009[_NN/_UN]
 NL=R09_AG1009[_NN/_UN] NU=R09_AU1009[_NN/_UN]
 NF=R09_AG1009[_NN/_UN] NS=R09_AS1009[_NN/_UN]
 NQ=R09_AQ1009[_NN/_UN] NN=R09_AA1009NP[_NN/_UN]

IF R09_NDSKIP = 1, 2:

Use longest time period among R09_AC1009[_NN/_UN], R09_AG1009[_NN/_UN], R09_AP1009[_NN/_UN], R09_AH1009[_NN/_UN], R09_AU1009[_NN/_UN], R09_AS1009[_NN/_UN], R09_AQ1009[_NN/_UN], R09_AA1009NP[_NN/_UN].

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0145

En los últimos 12 meses, ¿cuánto duró el periodo de tiempo más largo que dejó de [ND FILL3] debido a que estaba tratando de [dejarlos/dejarla/dejarlo/dejarlas]? Anote un número entero y seleccione una de las opciones a continuación.

1 |_|_|_| Minutos

2 |_|_|_| Horas

3 |_|_|_| Días

4 |_|_|_| Semanas

5 |_|_|_| Meses

-8 DON'T KNOW

GO TO R09_AN0305

-7 REFUSED

GO TO R09_AN0305

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco, or

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco.

ASK Specification: IF (R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0130_NN != -8, -7 AND R09_AN0140 = 2) OR (R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPD_USER_STATUS = 4 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND (R09_VALID_TIME_LASTUSED = 2 OR R09_AN0257 = 2)).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

IF R09_NDSKIP = 0, 3 AND R09_GROUP = NC, NG, NL, NF, DISPLAY "dejarlos". (NOTE: [ND FILL3] IS "fumar cigarrillos", "fumar puros tradicionales", "fumar puritos", or "fumar puros con filtro".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NP, NH, DISPLAY "dejarla". (NOTE: [ND FILL3] IS "fumar en pipa" or "fumar en hookah".)

ELSE, IF R09_NDSKIP = 0, 3 AND R09_GROUP = NN, DISPLAY "dejarlas". (NOTE: [ND FILL3] IS "consumir bolsitas de nicotina".)

ELSE, IF (R09_NDSKIP = 0, 3 AND R09_GROUP = NU, NS, NQ) OR R09_NDSKIP = 1, 2, DISPLAY "dejarlo". (NOTE: [ND FILL3] IS "consumir snus", "consumir tabaco que no se fuma", "fumar IQOS", or "consumir tabaco".)

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0145_LC1

Usted contestó que dejó de [ND FILL3] por [R09_AN0145_NN] [días/semanas/meses]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0145

2 NEXT

GO TO BOX R09_ANR28

ASK: IF ((R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0130_NN != -8, -7 AND R09_AN0140 = 2) OR (R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 4 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND (R09_VALID_TIME_LASTUSED = 2 OR R09_AN0257 = 2))) AND ((R09_AN0145_NN > 366 AND R09_AN0145_UN = 3) OR (R09_AN0145_NN > 52 AND R09_AN0145_UN = 4) OR (R09_AN0145_NN > 12 AND R09_AN0145_UN = 5)).

DISPLAY: IF R09_AN0145_UN = 3, DISPLAY "días".

ELSE, IF R09_AN0145_UN = 4, DISPLAY "semanas".

ELSE, IF R09_AN0145_UN = 5, DISPLAY "meses".

PROGRAM: TRIGGER CHECK IF (R09_AN0145_NN > 366 AND R09_AN0145_UN = 3) OR (R09_AN0145_NN > 52 AND R09_AN0145_UN = 4) OR (R09_AN0145_NN > 12 AND R09_AN0145_UN = 5).

ELSE, GO TO BOX R09_ANR28 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0305

¿Fue por más de una semana, una semana o menos de una semana?

1 Más de una semana

2 Una semana

3 Menos de una semana

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco and did not know or refused to report the longest time they stopped using that product in the past 12 months, or

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco and did not know or refused to report the longest time they stopped using that product in the past 12 months.

ASK Specification: IF (R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND R09_AN0130_NN != -8, -7 AND R09_AN0140 = 2 AND R09_AN0145_NN = -8, -7) OR (R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_TOBXEPROD_USER_STATUS = 4 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7) AND (R09_VALID_TIME_LASTUSED = 2 OR R09_AN0257 = 2) AND R09_AN0145_NN = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR28

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to Box R09_AND10.

Else, adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters, go to R09_AN0225.

Else, go to Box R09_ANR04.

IF R09_TWELVEMONTHQUIT_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7), GO TO BOX R09_AND10.

ELSE, IF R09_TWELVEMONTHQUIT_STATUS = 1, GO TO R09_AN0225.

ELSE, GO TO BOX R09_ANR04.

BOX ID: R09_AND10

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AN0210, R09_AN0215, R09_AX0505.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AN0210 is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AN0210 on each screen.

PATH ID: R09_AN0210

[Marque Sí o No para cada afirmación.

]Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los **últimos 12 meses**. ¿Usted...

Dependió del apoyo de amigos o familiares para que le ayudaran?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7).

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

BOLD "últimos 12 meses".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0215

Usó alguno de los siguientes métodos para que le ayudara: consejería, una línea directa de ayuda para dejar el tabaco, libros, folletos, videos o un centro de tratamiento, clase o grupo de apoyo para dejar el tabaco o un programa disponible en la web?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7).

PATH ID: R09_AX0505

Usó una aplicación en una tableta o smartphone para que le ayudara a dejarlos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND (R09_AN0115 >= 1 OR R09_AN0115 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0225

Recuerde [cuando paró de/la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los **últimos 12 meses**. ¿Usó otro producto[, incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina] para ayudarse a [parar/dejar] el consumo? Escoja todas las opciones que correspondan.

- 2 Cigarrillos
- 3 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 12 IQOS
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Tabaco para pipa
- 8 Hookah
- 13 Bolsitas de nicotina (como Zyn, on! o Rogue)
- 9 Snus
- 10 Tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)
- 14 Productos orales con nicotina (como pastillas de chupar Velo, tabletas Rogue, chicles Lucy o palillos Pixotine)
- 1 No usé otro producto para ayudarme a [parar de fumarlos/dejarlos]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "cuando paró de" AND "parar".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de" AND "dejar".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "la última vez que trató de dejar de" AND "dejar".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de" AND "dejar".

ELSE, DISPLAY "la última vez que trató de dejar de" AND "dejar".

IF R09_EPROD_USER_STATUS = 1, 4, DISPLAY ", incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina".

ELSE, DO NOT DISPLAY THIS TEXT.

BOLD "últimos 12 meses".

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

Suppress option 2 if R09_GROUP = NC (cigarettes). Suppress option 4 if R09_GROUP = NG (traditional cigars). Suppress option 5 if R09_GROUP = NL (cigarillos). Suppress option 6 if R09_GROUP = NF (filtered cigars). Suppress option 7 if R09_GROUP = NP (pipe tobacco). Suppress option 8 if R09_GROUP = NH (hookah). Suppress option 9 if R09_GROUP = NU (snus). Suppress option 10 if R09_GROUP = NS (smokeless tobacco). Suppress option 12 if R09_GROUP = NQ (IQOS). Suppress option 13 if R09_GROUP = NN (nicotine pouches).

Always display options 1 (did not use), 3 (ENPs), and 14 (oral nicotine products).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR56

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit, go to R09_AN0258.
Else, go to Box R09_ANR57.

IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1, GO TO R09_AN0258.
ELSE, GO TO BOX R09_ANR57.

PATH ID: R09_AN0258

¿Cuándo comenzó a fumar cigarrillos electrónicos u otros productos electrónicos con nicotina para ayudarle [cuando paró de/la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3]?

1	Más de un mes antes de que [paré/comencé mi intento de dejarlos]	
2	3 a 4 semanas antes	
3	Una a 2 semanas antes	
4	Menos de una semana antes	
5	El día que [paré/comencé mi intento de dejarlos]	GO TO R09_AN0260
6	Un tiempo después de que [paré/comencé mi intento de dejarlos]	GO TO R09_AN0260
-8	DON'T KNOW	GO TO R09_AN0260
-7	REFUSED	GO TO R09_AN0260

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "cuando paró de" AND "paré".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de" AND "comencé mi intento de dejarlos".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "la última vez que traté de dejar de" AND "comencé mi intento de dejarlos".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de" AND "comencé mi intento de dejarlos".

ELSE, DISPLAY "la última vez que trató de dejar de" AND "comencé mi intento de dejarlos".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0270

Usted dijo que comenzó a fumar cigarrillos electrónicos u otros productos electrónicos con nicotina para ayudarlo ANTES de que [paró de [ND FILL3]/comenzó su intento de dejarlos/dejó de [ND FILL3]]. Durante este tiempo, ¿aproximadamente cuánto tiempo pasó usted en [ND FILL1] **junto con** el consumo de cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 |__|__| Horas
- 2 |__|__| Días
- 3 |__|__| Semanas
- 4 |__|__| Meses
- 5 |__|__| Años
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and started using e-cigarettes or other ENPs before they stopped/started their quit attempt.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0258 = 1, 2, 3, 4.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

BOLD "junto con".

IF R09_AN0115 = 0, DISPLAY " paró de [ND FILL3]".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "comenzó su intento de dejarlos".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "comenzó su intento de dejarlos".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "dejó de [ND FILL3]".

ELSE, DISPLAY "comenzó su intento de dejarlos".

PROGRAM: Display as Quantity/Units.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0271

¿Aproximadamente cuánto tiempo fumó cigarrillos electrónicos u otros productos electrónicos con nicotina para ayudarle DESPUÉS de que [paró de [ND FILL3]/comenzó su intento de dejarlos/dejó de [ND FILL3]]?

Si todavía sigue fumando cigarrillos electrónicos u otros productos electrónicos con nicotina para ayudarle, piense en cuánto tiempo los ha fumado desde que [paró de [ND FILL3]/comenzó su intento de dejarlos/comenzó su último intento de dejarlos/dejó de [ND FILL3]] hasta ahora.

1	_ _ Horas	GO TO R09_AN0259
2	_ _ Días	GO TO R09_AN0259
3	_ _ Semanas	GO TO R09_AN0259
4	_ _ Meses	GO TO R09_AN0259
5	_ _ Años	GO TO R09_AN0259
-8	DON'T KNOW	GO TO R09_AN0259
-7	REFUSED	GO TO R09_AN0259

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and started using e-cigarettes or other ENPs before they stopped/started their quit attempt.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0258 = 1, 2, 3, 4.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

IF R09_AN0115 = 0, DISPLAY "paró de [ND FILL3]" AND "paró de [ND FILL3]".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "comenzó su intento de dejarlos" AND "comenzó su intento de dejarlos".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "comenzó su intento de dejarlos " AND "comenzó su último intento de dejarlos".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "dejó de [ND FILL3]" AND "dejó de [ND FILL3]".

ELSE, DISPLAY "comenzó su intento de dejarlos" AND "comenzó su último intento de dejarlos".

PROGRAM: Display as Quantity/Units.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0260

¿Aproximadamente cuánto tiempo fumó cigarrillos electrónicos u otros productos electrónicos con nicotina **para ayudarle [cuando paró de/la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de]** [ND FILL3]?

Si todavía sigue fumando cigarrillos electrónicos u otros productos electrónicos con nicotina para ayudarle, piense en cuánto tiempo los ha fumado desde que [paró de [ND FILL3]/comenzó su intento de dejarlos/comenzó su último intento de dejarlos/dejó de [ND FILL3]] hasta ahora.

- 1 |__|__| Horas
- 2 |__|__| Días
- 3 |__|__| Semanas
- 4 |__|__| Meses
- 5 |__|__| Años
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and started using e-cigarettes or other ENPs after they stopped/started their quit attempt.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0258 = 5, 6, -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

BOLD "para ayudarle [cuando paró de/la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de]".

IF R09_AN0115 = 0, DISPLAY "cuando paró de" AND "paró de [ND FILL3]".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de" AND "comenzó su intento de dejarlos".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "la última vez que trató de dejar de" AND "comenzó su último intento de dejarlos".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de" AND "cuando dejó de [ND FILL3]".

ELSE, DISPLAY "la última vez que trató de dejar de" AND "comenzó su último intento de dejarlos".

PROGRAM: Display as Quantity/Units.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0259

Durante el periodo inmediatamente después de que [paró de [ND FILL3]]/comenzó su intento de dejar de fumar/dejó de [ND FILL3]], ¿fumaba cigarrillos electrónicos u otros productos electrónicos con nicotina...?

- 1 Con frecuencia durante el día
- 2 Únicamente unas pocas veces cada día
- 3 Una vez cada día
- 4 Únicamente algunos días
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "paró de [ND FILL3]".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "dejó de [ND FILL3]".

ELSE, DISPLAY "comenzó su intento de dejar de fumar".

PATH ID: R09_AN0261

Piense en el cigarrillo electrónico o producto electrónico con nicotina que fumaba con más frecuencia [cuando paró de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]. ¿Tenía nicotina?

1	Sí	
2	No	GO TO R09_AN0263
3	No sé	GO TO R09_AN0263
-7	REFUSED	GO TO R09_AN0263

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "cuando paró de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0262

¿Qué concentración de nicotina fumaba con más frecuencia [cuando paró de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]?

- 1 No sé la concentración
- 2 1-3mg/mL o 0.1-0.3%
- 3 4-6mg/mL o 0.4-0.6%
- 4 7-12mg/mL o 0.7-1.2%
- 5 13-17mg/mL o 1.3-1.7%
- 6 18-24mg/mL o 1.8-2.4%
- 7 25-39mg/mL o 2.5-3.9%
- 8 40-49mg/mL o 4.0-4.9%
- 9 50-59mg/mL o 5.0-5.9%
- 10 60+mg/mL o 6.0+%
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and the e-cigarette or ENP they used the most contained nicotine.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0261 = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "cuando paró de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0263

¿Qué sabor de líquido electrónico fumaba [cuando paró de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Sabor a tabaco
- 2 Mentol
- 3 Menta, wintergreen, hierbabuena o peppermint
- 11 Hielo o frost
- 5 Fruta
- 4 Clavo de olor o especias
- 6 Chocolate
- 7 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 8 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 9 Caramelos, postres u otros sabores dulces
- 10 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "cuando paró de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR57

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and used 2 or more flavors during their quit attempt, go to R09_AN0264.

Else, adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit, go to R09_AN0265.

Else, go to Box R09_ANR58.

IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0263_[01/.../11] = 1 FOR 2 OR MORE FLAVORS, GO TO R09_AN0264.

ELSE, IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1, GO TO R09_AN0265.

ELSE, GO TO BOX R09_ANR58.

PATH ID: R09_AN0264

¿Qué sabor de líquido electrónico fumaba con **más frecuencia** [cuando paró de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]? Desplace para ver más opciones, si es necesario.

- 1 Sabor a tabaco
- 2 Mentol
- 3 Menta, wintergreen, hierbabuena o peppermint
- 11 Hielo o frost
- 5 Fruta
- 4 Clavo de olor o especias
- 6 Chocolate
- 7 Una bebida alcohólica (como vino, brandy, margarita u otro coctel)
- 8 Una bebida no alcohólica (como café, gaseosa, bebidas energizantes u otras bebidas)
- 9 Caramelos, postres u otros sabores dulces
- 10 Otro sabor (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and used 2 or more flavors during their quit attempt.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0263_[01/.../11] = 1 FOR 2 OR MORE FLAVORS.

DISPLAY: BOLD "más frecuencia".

IF R09_AN0115 = 0, DISPLAY "cuando paró de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AN0265

¿Qué tipo de cigarrillo electrónico o producto electrónico con nicotina fumaba con más frecuencia [cuando paró de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]?

- 1 Un aparato desechable
- 2 Un aparato que funciona con pods o cartuchos reemplazables
- 3 Un aparato con un tanque que se vuelve a llenar con líquidos
- 4 Un sistema de mod
- 5 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "cuando paró de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AN0266

¿Sabe el **nombre de la marca** de cigarrillo electrónico o producto electrónico con nicotina que fumaba para ayudarle [cuando paró de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1.

DISPLAY: BOLD "nombre de la marca".

IF R09_AN0115 = 0, DISPLAY "cuando paró de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR58

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most, go to Box R09_AND48.

Else, go to Box R09_ANR59.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1, GO TO
BOX R09_AND48.

ELSE, GO TO BOX R09_ANR59.

BOX ID: R09_AND48

PROGRAM - BRAND SELECTION SCREEN: Display R09_AN0267 and R09_AN0268 on one screen.

Show the question text from R09_AN0267 at the top of the screen. Then allow vertical scrolling for 1) pictures of major brands, 2) "Más opciones", 3) text for additional brands, 4) question text for R09_AN0268, and 5) text entry for R09_AN0268.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0267

¿Qué marca de cigarrillo electrónico o producto electrónico con nicotina fumaba con más frecuencia para ayudarle [cuando paró de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "cuando paró de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

IF THERE ARE PICTURES FOR MAJOR BRANDS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

SHOW TEXT FOR ADDITIONAL BRANDS ON THE TOUCHSCREEN.

If text is entered in R09_AN0268, set R09_AN0267_BRAND = 9995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0268

¿No vio su marca?

Escriba el nombre de la marca de cigarrillos electrónicos o productos electrónicos con nicotina que fuma con más frecuencia.

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1.

DISPLAY: BOLD "¿No vio su marca?" AND "deseleccionarán".

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán."

ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AN0268, set R09_AN0267_BRAND = 9995 (SOMETHING ELSE).

BOX ID: R09_ANR59

Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most, go to R09_AN2267.
Else, go to Box R09_ANV07.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1, GO TO R09_AN2267.
ELSE, GO TO BOX R09_ANV07.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN2267

¿Qué marca de cigarrillo electrónico o producto electrónico con nicotina fumaba con más frecuencia para ayudarle [cuando paró de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

- 9995 Otra
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1.

DISPLAY: IF R09_AN0115 = 0, DISPLAY "cuando paró de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

PROGRAM: ALLOW RESPONDENT TO SELECT THE BRAND FROM A DYNAMIC LIST.

BOX ID: R09_ANR101

Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected "Something else" for their brand of ENPs, go to R09_AN2268.

Else, go to Box R09_ANV07.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_AN2267_BRAND = 9995, GO TO R09_AN2268.
ELSE, GO TO BOX R09_ANV07.

PATH ID: R09_AN2268

Dijo que su marca no aparece en la lista. ¿Cuál marca es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected "Something else" for their brand of ENPs.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_AN2267_BRAND = 9995.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANV07

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

R09_ENP_QUITAID_SUBBRANDS = Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and selected a brand of ENPs that has sub-brands.

Note: For Wave 9, blu, Breeze, Breeze Smoke, JUUL, KangVape, Logic, NJOY, and Vuse have sub-brands.

BOX ID: R09_ANR102

Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs that has sub-brands, go to Box R09_AND70.
Else, go to Box R09_ANR13.

IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND
R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND
R09_ENP_QUITAID_SUBBRANDS = 1, GO TO BOX R09_AND70.
ELSE, GO TO BOX R09_ANR13.

BOX ID: R09_AND70

PROGRAM - SUB-BRAND SELECTION SCREEN: Display R09_AN0272 and R09_AN0273 on one screen.

Show the question text from R09_AN0272 at the top of the screen. Then allow vertical scrolling for 1) pictures of major products, 2) "Más opciones", 3) text for additional products, 4) question text for R09_AN0273, and 5) text entry for R09_AN0273.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0272

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] fumaba con más frecuencia para ayudarle [cuando dejó de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]?

Seleccione de las opciones a continuación. Desplace para ver más opciones.

[SHOW PICTURES OF THE MAJOR PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

[Más opciones/Opciones]

[SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs that has sub-brands.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_ENP_QUITAID_SUBBRANDS = 1.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AN0267_BRAND.

IF R09_AN0115 = 0, DISPLAY "cuando dejó de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

IF THERE ARE PICTURES FOR MAJOR PRODUCTS AND TEXT FOR ADDITIONAL PRODUCTS, DISPLAY "Más opciones" IN BOLD.

ELSE, DISPLAY "Opciones" IN BOLD.

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

SHOW TEXT FOR ADDITIONAL PRODUCTS ASSOCIATED WITH THE BRAND ON THE TOUCHSCREEN.

If text is entered in R09_AN0273, set R09_AN0272_PRODUCT = 99995 (SOMETHING ELSE).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0273

¿No vio su producto?

Escriba el tipo de [BRANDFILL]s que fuma con más frecuencia.

*Al escribir texto en la casilla las otras respuestas para esta pregunta se **deseleccionarán**.*

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview or are completing a web interview on a desktop computer and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs that has sub-brands.

ASK Specification: IF (R09_ADULT_MODE = 1 OR (R09_ADULT_MODE = 3 AND WEBDEVICE = 1)) AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_ENP_QUITAID_SUBBRANDS = 1.

DISPLAY: BOLD "¿No vio su producto?" AND "deseleccionarán".

FILL BRANDFILL WITH BRAND CHOSEN IN R09_AN0267_BRAND.

ITALICIZE "Al escribir texto en la casilla las otras respuestas para esta pregunta se deseleccionarán." ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: If text is entered in R09_AN0273, set R09_AN0272_PRODUCT = 99995 (SOMETHING ELSE).

BOX ID: R09_ANR13

Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs that has sub-brands, go to R09_AN2272.

Else, adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs, go to R09_AN2272_CONF.

Else, go to Box R09_ANR04.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_ENP_QUITAID_SUBBRANDS = 1, GO TO R09_AN2272.

ELSE, IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_AN2267_BRAND != 9995, -8, -7, GO TO R09_AN2272_CONF.

ELSE, GO TO BOX R09_ANR04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN2272

Usted seleccionó [BRANDFILL] como su marca. ¿Qué clase de [BRANDFILL] fumaba con más frecuencia para ayudarle [cuando dejó de/durante la vez que trató de dejar de/durante la última vez que trató de dejar de/cuando dejó de] [ND FILL3]?

Comience a escribir la marca para seleccionarla de la lista que aparecerá.

Si no encuentra la marca en la lista, use el botón para seleccionar "Otra".

99995 Otra
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs that has sub-brands.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_ENP_QUITAID_SUBBRANDS = 1.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R09_AN2267_BRAND.

IF R09_AN0115 = 0, DISPLAY "cuando dejó de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0125 = 1, DISPLAY "durante la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND (R09_AN0125 > 1 OR R09_AN0256 = 1), DISPLAY "durante la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "durante la última vez que trató de dejar de".

PROGRAM: ALLOW RESPONDENT TO SELECT THE PRODUCT FROM A DYNAMIC LIST.

PATH ID: R09_AN2272_CONF

Usted seleccionó [NEQBRAND] como su marca.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su marca.

[SHOW PICTURE OF THE SELECTED BRAND/PRODUCT FOR MAJOR BRANDS/PRODUCTS]

1 BACK	GO TO R09_AN2272
2 NEXT	GO TO BOX R09_ANR103

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_AN2267_BRAND != 99995, -8, -7.

DISPLAY: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_ENP_QUITAID_SUBBRANDS = 1 AND R09_AN2272_PRODUCT != 99990, 99995, -8, -7, FILL [NEQBRAND] WITH R09_AN2272_PRODUCT RESPONSE.

ELSE, FILL [NEQBRAND] WITH R09_AN2267_BRAND RESPONSE.

PROGRAM: SHOW PICTURE OF THE SELECTED BRAND/PRODUCT FOR MAJOR BRANDS/PRODUCTS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR103

Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs that has sub-brands and selected "Something else" for their sub-brand of ENPs, go to R09_AN2273.
Else, go to Box R09_ANR04.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_ENP_QUITAID_SUBBRANDS = 1 AND R09_AN2272_PRODUCT = 99995, GO TO R09_AN2273.
ELSE, GO TO BOX R09_ANR04.

PATH ID: R09_AN2273

Usted dijo que el tipo de [BRANDFILL] que usted fumaba no aparece en la lista. ¿Qué tipo es?

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing a web interview on a mobile device and are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and know the name of the brand of ENPs they used the most and selected a brand of ENPs that has sub-brands and selected "Something else" for their sub-brand of ENPs.

ASK Specification: IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0225_03 = 1 AND R09_AN0266 = 1 AND R09_ENP_QUITAID_SUBBRANDS = 1 AND R09_AN2272_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R09_AN2267_BRAND.

BOX ID: R09_ANR04

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current or recent former nicotine replacement therapy product users, go to R09_AN0150.
Else, adult respondents who are past 12 month non-electronic tobacco reducers and are current or recent former nicotine replacement therapy product users, go to R09_AN0811.
Else, adult respondents who are current or recent former non-electronic tobacco users and are current or recent former nicotine replacement therapy product users, go to R09_AN0336.
Else, go to Box R09_ANR29.

IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_NRT_USER_STATUS = 1, 4, GO TO R09_AN0150.
ELSE, IF R09_TWELVEMONTHQUIT_STATUS = 2 AND R09_NRT_USER_STATUS = 1, 4, GO TO R09_AN0811.
ELSE, IF R09_TOBXEPD_USER_STATUS = 1, 4 AND R09_NRT_USER_STATUS = 1, 4, GO TO R09_AN0336.
ELSE, GO TO BOX R09_ANR29.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0150

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los **últimos 12 meses**. ¿Usó o tomó un producto de tratamiento de reemplazo de nicotina tal como parches de nicotina, chicles, espráis nasales, pastillas de chupar o inhaladores?

1	Sí	
2	No	GO TO R09_AN0336
-8	DON'T KNOW	GO TO R09_AN0336
-7	REFUSED	GO TO R09_AN0336

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current or recent former nicotine replacement therapy product users.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_NRT_USER_STATUS = 1, 4.

DISPLAY: IF R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_AN0125 > 1 OR R09_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

BOLD "últimos 12 meses".

PATH ID: R09_AN0155

¿Usó o tomó un producto de tratamiento de reemplazo de nicotina para dejar de [ND FILL3] **por completo**?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150 = 1.

DISPLAY: BOLD "por completo".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0811

¿Usó o tomó un producto de tratamiento de reemplazo de nicotina para aliviar o evitar los efectos secundarios después de dejar o disminuir su [ND FILL4]?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit, or adult respondents who are past 12 month non-electronic tobacco reducers and are current or recent former nicotine replacement therapy product users.

ASK Specification: IF (R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150 = 1) OR (R09_TWELVEMONTHQUIT_STATUS = 2 AND R09_NRT_USER_STATUS = 1, 4).

PATH ID: R09_AN0336

¿Cuál fue la razón principal por la que usó o tomó un producto de tratamiento de reemplazo de nicotina?

- 1 Para dejar de [fumar/consumir] por completo
- 2 Para reducir la cantidad que [fuma/consume]
- 3 Para sobrellevar las veces en que no podía o no le permitían [fumar/consumir]
- 4 Otra razón (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users and are current or recent former nicotine replacement therapy product users.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_NRT_USER_STATUS = 1, 4.

DISPLAY: IF R09_CIG_USER_STATUS = 1, 4 OR (R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR R09_PIPE_USER_STATUS = 1, 4 OR R09_HOOK_USER_STATUS = 1, 4, DISPLAY "fumar", "fuma" AND "fumar", IN RESPONSE OPTIONS.

ELSE, DISPLAY "consumir", "consume" AND "consumir" IN RESPONSE OPTIONS.

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ANR05

Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit, go to R09_AN0160.
Else, go to Box R09_ANR29.

IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150 = 1, GO TO R09_AN0160.
ELSE, GO TO BOX R09_ANR29.

PATH ID: R09_AN0160

¿Cuál es el medicamento que usó o tomó [la vez que trató de dejar de/la última vez que trató de dejar de/ cuando dejó de] [ND FILL3]? Escoja todas las opciones que correspondan.

- 1 Parche de nicotina
- 2 Chicle de nicotina
- 4 Espray nasal con nicotina
- 5 Pastilla de chupar con nicotina
- 3 Inhalador de nicotina
- 6 Ninguna de las anteriores GO TO BOX R09_ANR29
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150 = 1.

DISPLAY: IF R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_AN0125 > 1 OR R09_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de fumar".

PROGRAM: Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0165

En total, durante [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] [ND FILL3][por completo], ¿por cuánto tiempo usó o tomó un producto de tratamiento de reemplazo de nicotina? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |_|_| Días
- 2 |_|_| Semanas
- 3 |_|_| Meses
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current or recent former nicotine replacement therapy product users and used nicotine replacement therapy products to help them quit and selected the type of nicotine replacement therapy product they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_NRT_USER_STATUS = 1, 4 AND R09_AN0150 = 1 AND R09_AN0160_06 != 1.

DISPLAY: IF R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_AN0125 > 1 OR R09_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

BOX ID: R09_ANR29

If R09_NDSKIP = 0 or 1:

Go to R09_AN0331_12M.

If R09_NDSKIP = 2 or 3:

Adult respondents who are completing Nicotine Dependence for both ENPs and non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months, go to R09_AN0180.

Else, go to Box R09_ANR18.

IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4, GO TO R09_AN0331_12M.

ELSE, IF R09_NDSKIP = 2, 3 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0331_12ME = 1, GO TO R09_AN0180.

ELSE, GO TO BOX R09_ANR18.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0331_12M

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos de venta con receta médica: Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current or recent former non-electronic tobacco users and are not current or recent former ENP users.

ASK Specification: IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4.

BOX ID: R09_ANR07

Adult respondents who are past 12 month non-electronic quitters or quit attempters and used a prescription drug in the past 12 months, go to R09_AN0180.
Else, adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current or recent former non-electronic tobacco users and are not current or recent former ENP users and used a prescription drug in the past 12 months, go to R09_AN0327.
Else, go to Box R09_AN0331.

IF R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0331_12M = 1, GO TO R09_AN0180.
ELSE, IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 1, GO TO R09_AN0327.
ELSE, GO TO BOX R09_AN0331.

PATH ID: R09_AN0180

Recuerde [la vez que trató de dejar de/la última vez que trató de dejar de/cuando dejó de] [ND FILL3] en los **últimos 12 meses**. ¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1 Sí	
2 No	GO TO BOX R09_ANR08
-8 DON'T KNOW	GO TO BOX R09_ANR08
-7 REFUSED	GO TO BOX R09_ANR08

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND (R09_AN0331_12ME = 1 OR R09_AN0331_12M = 1).

DISPLAY: IF R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de".
ELSE, IF R09_AN0125 > 1 OR R09_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".
ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".
ELSE, DISPLAY "la última vez que trató de dejar de".
BOLD "últimos 12 meses".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0185

¿Tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión para dejar de [ND FILL3] por completo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND (R09_AN0331_12ME = 1 OR R09_AN0331_12M = 1) AND R09_AN0180 = 1.

PATH ID: R09_AN0190

¿Cuál es el medicamento con receta que usó o tomó [la vez que trató de dejar de/la última vez que trató de dejar de/ cuando dejó de] [ND FILL3]? Escoja todas las opciones que correspondan.

- 1 Chantix o vareniclina
- 2 Wellbutrin, Zyban o bupropión
- 3 Ninguna de las anteriores GO TO BOX R09_ANR08
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND (R09_AN0331_12ME = 1 OR R09_AN0331_12M = 1) AND R09_AN0180 = 1.

DISPLAY: IF R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_AN0125 > 1 OR R09_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "cuando dejó de".

ELSE, DISPLAY "la última vez que trató de dejar de".

PROGRAM: Allow respondent to choose all that apply. If option 3 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0195

En total, durante [la vez que trató de dejar de/la última vez que trató de dejar de/la última vez que trató de dejarlo y dejó de] [ND FILL3][por completo], ¿por cuánto tiempo tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |__|__| Días
- 2 |__|__| Semanas
- 3 |__|__| Meses
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1 AND (R09_AN0331_12ME = 1 OR R09_AN0331_12M = 1) AND R09_AN0180 = 1 AND R09_AN0190_03 != 1.

DISPLAY: IF R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_AN0125 > 1 OR R09_AN0256 = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "la última vez que trató de dejarlo y dejó de" AND " por completo".

ELSE, DISPLAY "la última vez que trató de dejar de".

ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

BOX ID: R09_ANR08

If R09_NDSKIP = 0, 1:

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit, go to R09_AN0200.

Else, adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current or recent former non-electronic tobacco users and are not current or recent former ENP users and used a prescription drug in the past 12 months, go to R09_AN0327.

If R09_NDSKIP = 2, 3:

Go to Box R09_ANR18.

IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0331_12M = 1 AND R09_AN0180 = 1, GO TO R09_AN0200.

ELSE, IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 1, GO TO R09_AN0327.

ELSE, IF R09_NDSKIP = 2, 3, GO TO BOX R09_ANR18.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0200

Actualmente, ¿está tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1	Sí	
2	No	GO TO R09_AN0327
-8	DON'T KNOW	GO TO R09_AN0327
-7	REFUSED	GO TO R09_AN0327

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R09_NDSKIP = 0, 1 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0331_12M = 1 AND R09_AN0180 = 1.

PATH ID: R09_AN0252

Aproximadamente, ¿cuánto tiempo ha estado tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _ Días	
2	_ _ Meses	
3	_ _ Años	
-8	DON'T KNOW	GO TO R09_AN0327
-7	REFUSED	GO TO R09_AN0327

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R09_NDSKIP = 0, 1 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0331_12M = 1 AND R09_AN0180 = 1 AND R09_AN0200 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0252_LC1

Usted contestó que lleva tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión por [R09_AN0252_NN] [meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AN0252
2	NEXT	GO TO R09_AN0252_LC2

ASK: IF R09_NDSKIP = 0, 1 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0331_12M = 1 AND R09_AN0180 = 1 AND R09_AN0200 = 1 AND ((R09_AN0252_NN > 60 AND R09_AN0252_UN = 2) OR (R09_AN0252_NN > 5 AND R09_AN0252_UN = 3)).

DISPLAY: IF R09_AN0252_UN = 2, DISPLAY "meses".
ELSE, IF R09_AN0252_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AN0252_NN > 60 AND R09_AN0252_UN = 2) OR (R09_AN0252_NN > 5 AND R09_AN0252_UN = 3).
ELSE, GO TO R09_AN0252_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0252_LC2

Usted contestó "cero" para la cantidad de tiempo que lleva tomando Chantix, vareniclina, Wellbutrin, Zyban o bupropión. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AN0252
2	NEXT	GO TO R09_AN0327

ASK: IF R09_NDSKIP = 0, 1 AND R09_TWELVEMONTHQUIT_STATUS = 1 AND R09_AN0331_12M = 1 AND R09_AN0180 = 1 AND R09_AN0200 = 1 AND R09_AN0252 = 0.

PROGRAM: TRIGGER CHECK IF R09_AN0252 = 0.
ELSE, GO TO R09_AN0327 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0327

¿Cuándo fue la última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1	Hace menos de una hora	GO TO R09_AN0329
2	Hoy, pero hace más de una hora	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO R09_AN0205
-8	DON'T KNOW	GO TO BOX R09_ANR18
-7	REFUSED	GO TO BOX R09_ANR18

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current or recent former non-electronic tobacco users and are not current or recent former ENP users and used a prescription drug in the past 12 months.

ASK Specification: IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0328

La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R09_AN0327], ¿fue ...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current or recent former non-electronic tobacco users and are not current or recent former ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 1 AND R09_AN0327 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R09_AN0327]:

IF R09_AN0327 = 2, DISPLAY "hoy".

ELSE, IF R09_AN0327 = 3, DISPLAY "ayer".

ELSE, IF R09_AN0327 = 4, DISPLAY "hace dos días".

PATH ID: R09_AN0329

La última vez que tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [FILL BASED ON R09_AN0327], ¿cuántas píldoras tomó?

- 1 |__| |__| Cantidad que tomó
- 8 DON'T KNOW GO TO BOX R09_ANR18
- 7 REFUSED GO TO BOX R09_ANR18

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current or recent former non-electronic tobacco users and are not current or recent former ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 1 AND R09_AN0327 = 1, 2, 3, 4.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Cantidad que tomó" AS A TITLE.

FOR [FILL BASED ON R09_AN0327]:

IF R09_AN0327 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AN0327 = 3, DISPLAY "ayer".

ELSE, IF R09_AN0327 = 4, DISPLAY "hace dos días".

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0329_LC1

Usted contestó que [hoy/ayer/hace dos días], usted tomó Chantix, vareniclina, Wellbutrin, Zyban o bupropión [R09_AN0329] veces. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0329

2 NEXT

GO TO BOX R09_ANR18

ASK: IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 1 AND R09_AN0327 = 1, 2, 3, 4 AND (R09_AN0329 = 0 OR R09_AN0329 > 5).

DISPLAY: IF R09_AN0327 = 1, 2, DISPLAY "hoy".

ELSE, IF R09_AN0327 = 3, DISPLAY "ayer".

ELSE, IF R09_AN0327 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AN0329 = 0 OR R09_AN0329 > 5.

ELSE, GO TO BOX R09_ANR18 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0205

¿Cuánto hace que dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión? Anote un número entero y seleccione una de las opciones a continuación.

1 |__|__| Días

2 |__|__| Meses

3 |__|__| Años

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current or recent former non-electronic tobacco users and are not current or recent former ENP users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 1 AND R09_AN0327 = 5.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0205_LC1

Usted contestó que dejó de tomar Chantix, vareniclina, Wellbutrin, Zyban o bupropión hace [R09_AN0205] [días/meses/años]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AN0205

2 NEXT

GO TO BOX R09_ANR18

ASK: IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 1 AND R09_AN0327 = 5 AND ((R09_AN0205_NN > 31 AND R09_AN0205_UN = 1) OR (R09_AN0205_NN > 12 AND R09_AN0205_UN = 2) OR (R09_AN0205_NN > 1 AND R09_AN0205_UN = 3)).

DISPLAY: IF R09_AN0205_UN = 1, DISPLAY "días".

ELSE, IF R09_AN0205_UN = 2, DISPLAY "meses".

ELSE, IF R09_AN0205_UN = 3, DISPLAY "años".

PROGRAM: TRIGGER CHECK IF (R09_AN0205_NN > 31 AND R09_AN0205_UN = 1) OR (R09_AN0205_NN > 12 AND R09_AN0205_UN = 2) OR (R09_AN0205_NN > 1 AND R09_AN0205_UN = 3).

ELSE, GO TO BOX R09_ANR18 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AN0331

¿Alguna vez ha tomado Chantix, vareniclina, Wellbutrin, Zyban o bupropión?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current or recent former non-electronic tobacco users and are not current or recent former ENP users and have not used a prescription drug in the past 12 months or did not know or refused to report whether they used a prescription drug in the past 12 months.

ASK Specification: IF R09_NDSKIP = 0, 1 AND R09_TOBXEPROD_USER_STATUS = 1, 4 AND R09_EPROD_USER_STATUS != 1, 4 AND R09_AN0331_12M = 2, -8, -7.

BOX ID: R09_ANR18

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers, go to Box R09_AND03.

Else, go to Box R09_ANR21.

IF R09_TWELVEMONTHQUIT_STATUS = 1, 2, GO TO BOX R09_AND03.

ELSE, GO TO BOX R09_ANR21.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AND03

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; RANDOM ORDER:
R09_AN0804, R09_AN0805, R09_AN0806, R09_AN0807, R09_AN0808, R09_AN0809, R09_AN0810.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AN0804 is the stem, the questions are the leaves. Show all leaves on the screen at once. Randomize the order.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AN0804 on each screen. Randomize the order.

PATH ID: R09_AN0804

Las siguientes preguntas son acerca de cómo se sintió días después de [la vez que trató de dejar de/la última vez que trató de dejar de/dejar de/reducir el] [ND FILL3] en los últimos 12 meses. [Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones.]

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...

¿se sintió deprimido?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1, 2.

DISPLAY: IF R09_AN0125 = 1, DISPLAY "la vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_TWELVEMONTHQUIT_STATUS = 1, DISPLAY "la última vez que trató de dejar de".

ELSE, IF R09_TOBXEPROD_USER_STATUS = 4, DISPLAY "dejar de".

ELSE, IF R09_TWELVEMONTHQUIT_STATUS = 2, DISPLAY "reducir el".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada afirmación. Desplace para ver más afirmaciones."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AN0805

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...

¿tuvo dificultad para dormir?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0806

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...

¿tuvo dificultad para concentrarse?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1, 2.

PATH ID: R09_AN0807

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...

¿comió más de lo normal o subió de peso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1, 2.

PATH ID: R09_AN0808

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...

¿se irritó, molestó o frustró fácilmente?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0809

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...

¿se sintió ansioso o nervioso?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1, 2.

PATH ID: R09_AN0810

En los últimos 12 meses, días después de dejar o disminuir su [ND FILL4], usted...

¿se sintió más inquieto de lo habitual?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R09_TWELVEMONTHQUIT_STATUS = 1, 2.

BOX ID: R09_ANR21

Adult respondents who are current non-electronic tobacco users, go to R09_AN0230.
Else, go to R09_AX0006.

IF R09_TOBXEPROD_USER_STATUS = 1, GO TO R09_AN0230.
ELSE, GO TO R09_AX0006.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0230

En general, usando una escala del 1 al 10, en donde 1 significa no estoy interesado en absoluto y 10 significa estoy extremadamente interesado, ¿qué tan interesado está en dejar de [ND FILL 3]?
Seleccione un número del 1 al 10.

- 1 1 = No estoy interesado en absoluto
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 10 = Estoy extremadamente interesado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current non-electronic tobacco users.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1.

PATH ID: R09_AN0235

¿Tiene planificado dejar de [ND FILL3] para siempre?

1	Sí	
2	No	GO TO R09_AX0006
-8	DON'T KNOW	GO TO R09_AX0006
-7	REFUSED	GO TO R09_AX0006

ASK: Adult respondents who are current non-electronic tobacco users.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1.

PATH ID: R09_AN0240

¿Cuándo tiene planificado dejar de [ND FILL3] para siempre?

1	En los próximos 7 días	
2	En los próximos 30 días	
3	En los próximos 6 meses	
4	El próximo año	GO TO R09_AX0006
5	En más de un año	GO TO R09_AX0006
-8	DON'T KNOW	GO TO R09_AX0006
-7	REFUSED	GO TO R09_AX0006

ASK: Adult respondents who are current non-electronic tobacco users and report planning to quit for good.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0235 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AN0245

Si de hecho tratara de dejar de [ND FILL3] por completo dentro de los próximos 6 meses, ¿qué tan probable cree que es que tenga éxito?

- 1 Nada en absoluto
- 2 Muy poco probable
- 3 Es algo probable
- 4 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current non-electronic tobacco users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1 AND R09_AN0235 = 1 AND R09_AN0240 = 1, 2, 3.

PATH ID: R09_AX0006

Si tuviera que volver a hacerlo, ¿volvería a fumar o consumir tabaco o nicotina[(sin incluir cigarrillos electrónicos u otros productos electrónicos con nicotina)]?

- 1 Definitivamente no
- 2 Probablemente no
- 3 Probablemente sí
- 4 Definitivamente sí
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current or recent former non-electronic tobacco users.

ASK Specification: IF R09_TOBXEPROD_USER_STATUS = 1, 4.

DISPLAY: IF R09_NDSKIP = 2, 3, DISPLAY " (sin incluir cigarrillos electrónicos u otros productos electrónicos con nicotina)".

ELSE, DO NOT DISPLAY.

PACKAGING AND HEALTH WARNINGS

BOX ID: R09_ART01

Las siguientes preguntas son acerca de cosas que posiblemente haya visto o leído acerca de los productos de tabaco y nicotina.

BOX ID: R09_ARR01

Adult respondents who are current cigarette smokers and smoke roll-your-own cigarettes, go to R09_AR0095.

Else, go to R09_AR0005.

IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3, GO TO R09_AR0095.
ELSE, GO TO R09_AR0005.

PATH ID: R09_AR0095

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de tabaco para armar sus propios cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers and smoke roll-your-own cigarettes.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AC9048 = 2, 3.

PATH ID: R09_AR0005

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en las cajetillas de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0259

En los últimos 30 días, ¿con qué frecuencia ha hablado con alguien acerca de las advertencias en las cajetillas de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_ARR03

Adult respondents who are current cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days, go to R09_AR0202.

Else, go to Box R09_ARR29.

IF R09_CIG_USER_STATUS = 1 AND R09_AR0005 > 1, GO TO R09_AR0202.
ELSE, GO TO BOX R09_ARR29.

PATH ID: R09_AR0202

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en las cajetillas de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AR0005 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0015

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud en las cajetillas de cigarrillos? Por ejemplo, ¿las ha tapado o escondido, ha usado un estuche para sus cajetillas, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AR0005 > 1.

PATH ID: R09_AR0025

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud en las cajetillas de cigarrillos?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AR0005 > 1.

PATH ID: R09_AR0035

Las advertencias de riesgo para la salud en las cajetillas de cigarrillos, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AR0005 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ARR29

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART03.
Else, go to R09_AR0110.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART03.
ELSE, GO TO R09_AR0110.

BOX ID: R09_ART03

Piense ahora en los productos electrónicos con nicotina como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF E-PRODUCTS]

PATH ID: R09_AR0110

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_ARR06

Adult respondents who are current ENP users and have noticed the health warnings on ENP packages in the past 30 days, go to R09_AR0222.
Else, go to Box R09_ARR21.

IF R09_EPROD_USER_STATUS = 1 AND R09_AR0110 > 1, GO TO R09_AR0222.
ELSE, GO TO BOX R09_ARR21.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0222

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AR0110 > 1.

PATH ID: R09_AR0224

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud de los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina? Por ejemplo, ¿las ha tapado o escondido, ha usado un estuche, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AR0110 > 1.

PATH ID: R09_AR0263

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud de los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AR0110 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0226

Las advertencias de riesgo para la salud en los paquetes de cigarrillos electrónicos, líquido electrónico u otros productos electrónicos con nicotina, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar estos productos?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 AND R09_AR0110 > 1.

BOX ID: R09_ARR21

Adult respondents who are completing a web interview on a mobile device and have ever seen or heard of IQOS, go to Box R09_ART04.

Else, adult respondents who have ever seen or heard of IQOS, go to R09_AR0265.

Else, go to Box R09_ARR30.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_AQ1001 = 1, GO TO BOX R09_ART04.

ELSE, IF R09_AQ1001 = 1, GO TO R09_AR0265.

ELSE, GO TO BOX R09_ARR30.

BOX ID: R09_ART04

Piense ahora en los IQOS y HeatSticks, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF IQOS]

PATH ID: R09_AR0265

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de IQOS o HeatSticks?

[SHOW GENERIC IMAGE OF IQOS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS.

ASK Specification: IF R09_AQ1001 = 1.

IMAGE: SHOW GENERIC IMAGE OF IQOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ARR22

Adult respondents who are current IQOS users and have noticed the health warnings on IQOS or HeatStick packages in the past 30 days, go to R09_AR0266.
Else, go to Box R09_ARR30.

IF R09_IQOS_USER_STATUS = 1 AND R09_AR0265 > 1, GO TO R09_AR0266.
ELSE, GO TO BOX R09_ARR30.

PATH ID: R09_AR0266

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de IQOS o HeatSticks?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users and have noticed the health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AR0265 > 1.

PATH ID: R09_AR0268

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud de los paquetes de IQOS o HeatSticks? Por ejemplo, ¿las ha tapado o escondido, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users and have noticed the health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AR0265 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0269

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud en los paquetes de IQOS y HeatSticks?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users and have noticed the health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AR0265 > 1.

PATH ID: R09_AR0270

Las advertencias de riesgo para la salud en los paquetes de IQOS o HeatSticks, ¿le hacen pensar acerca de los riesgos para la salud que implica fumarlos?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current IQOS users and have noticed the health warnings on IQOS or HeatStick packages in the past 30 days.

ASK Specification: IF R09_IQOS_USER_STATUS = 1 AND R09_AR0265 > 1.

BOX ID: R09_ARR30

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART05.
Else, go to R09_AR0115.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART05.
ELSE, GO TO R09_AR0115.

BOX ID: R09_ART05

Piense ahora en los puros tradicionales, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0115

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puros tradicionales?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_ARR07

Adult respondents who are current traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days, go to R09_AR0229.
Else, go to Box R09_ARR31.

IF R09_GTRAD_USER_STATUS = 1 AND R09_AR0115 > 1, GO TO R09_AR0229.
ELSE, GO TO BOX R09_ARR31.

PATH ID: R09_AR0229

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puros tradicionales?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R09_GTRAD_USER_STATUS = 1 AND R09_AR0115 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0231

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud en los paquetes de puros tradicionales o "grandes"? Por ejemplo, ¿las ha tapado o escondido, ha usado un estuche para sus paquetes, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R09_GTRAD_USER_STATUS = 1 AND R09_AR0115 > 1.

PATH ID: R09_AR0232

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud de los paquetes de puros tradicionales o "grandes"?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R09_GTRAD_USER_STATUS = 1 AND R09_AR0115 > 1.

PATH ID: R09_AR0233

Las advertencias de riesgo para la salud en los paquetes de puros tradicionales, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R09_GTRAD_USER_STATUS = 1 AND R09_AR0115 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ARR31

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART06.
Else, go to R09_AR0120.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART06.
ELSE, GO TO R09_AR0120.

BOX ID: R09_ART06

Piense ahora en los puritos como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

PATH ID: R09_AR0120

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puritos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_ARR08

Adult respondents who are current cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days, go to R09_AR0236.
Else, go to Box R09_ARR32.

IF R09_GRILLO_USER_STATUS = 1 AND R09_AR0120 > 1, GO TO R09_AR0236.
ELSE, GO TO BOX R09_ARR32.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0236

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puritos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R09_GRILLO_USER_STATUS = 1 AND R09_AR0120 > 1.

PATH ID: R09_AR0238

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud en los paquetes de puritos? Por ejemplo, ¿las ha tapado o escondido, ha usado un estuche para sus paquetes, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R09_GRILLO_USER_STATUS = 1 AND R09_AR0120 > 1.

PATH ID: R09_AR0239

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud de los paquetes de puritos?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R09_GRILLO_USER_STATUS = 1 AND R09_AR0120 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0240

Las advertencias de riesgo para la salud en los paquetes de puritos, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R09_GRILLO_USER_STATUS = 1 AND R09_AR0120 > 1.

BOX ID: R09_ARR32

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART07. Else, go to R09_AR0125.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART07.
ELSE, GO TO R09_AR0125.

BOX ID: R09_ART07

Piense ahora en los puros con filtros, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

PATH ID: R09_AR0125

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de puros con filtro?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ARR09

Adult respondents who are current filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days, go to R09_AR0243.
Else, go to Box R09_ARR33.

IF R09_GFILTR_USER_STATUS = 1 AND R09_AR0125 > 1, GO TO R09_AR0243.
ELSE, GO TO BOX R09_ARR33.

PATH ID: R09_AR0243

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los paquetes de puros con filtro?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R09_GFILTR_USER_STATUS = 1 AND R09_AR0125 > 1.

PATH ID: R09_AR0245

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud en los paquetes de puros con filtro? Por ejemplo, ¿las ha tapado o escondido, ha usado un estuche para sus paquetes, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R09_GFILTR_USER_STATUS = 1 AND R09_AR0125 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0246

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud de los paquetes de puros con filtro?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R09_GFILTR_USER_STATUS = 1 AND R09_AR0125 > 1.

PATH ID: R09_AR0247

Las advertencias de riesgo para la salud en los paquetes de puros con filtro, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R09_GFILTR_USER_STATUS = 1 AND R09_AR0125 > 1.

BOX ID: R09_ARR33

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART08. Else, go to R09_AR0130.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART08.
ELSE, GO TO R09_AR0130.

BOX ID: R09_ART08

Piense ahora en el tabaco para pipas, como el que se muestra a continuación...

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0130

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de tabaco para pipa?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_ARR34

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART09. Else, go to R09_AR0135.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART09.
ELSE, GO TO R09_AR0135.

BOX ID: R09_ART09

Piense ahora en la shisha y tabaco para hookah como el que se muestra a continuación...

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

PATH ID: R09_AR0135

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de shisha o tabaco para hookah?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ARR25

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART12.
Else, go to R09_AR0273.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART12.
ELSE, GO TO R09_AR0273.

BOX ID: R09_ART12

Piense ahora en las bolsitas de nicotina, como las que se muestran a continuación...

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

PATH ID: R09_AR0273

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los envases de bolsitas de nicotina?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF NICOTINE POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

BOX ID: R09_ARR26

Adult respondents who are current nicotine pouch users and have noticed the health warnings on nicotine pouch containers in the past 30 days, go to R09_AR0274.
Else, go to Box R09_AXT03.

IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AR0273 > 1, GO TO R09_AR0274.
ELSE, GO TO BOX R09_AXT03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0274

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los envases de bolsitas de nicotina?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and have noticed the health warnings on nicotine pouch containers in the past 30 days.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AR0273 > 1.

PATH ID: R09_AR0276

En los últimos 30 días, ¿ha tratado de evitar ver o pensar sobre las advertencias de riesgo para la salud de los envases de bolsitas de nicotina? Por ejemplo, ¿las ha tapado o escondido, ha evitado algunas advertencias o hizo otra cosa?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and have noticed the health warnings on nicotine pouch containers in the past 30 days.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AR0273 > 1.

PATH ID: R09_AR0277

¿Qué tan creíbles cree que son las advertencias de riesgo para la salud en los envases de bolsitas de nicotina?

- 1 No son creíbles en absoluto
- 2 Son muy poco creíbles
- 3 Son algo creíbles
- 4 Son muy creíbles
- 5 Son extremadamente creíbles
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and have noticed the health warnings on nicotine pouch containers in the past 30 days.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AR0273 > 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0278

Las advertencias de riesgo para la salud en los envases de bolsitas de nicotina, ¿le hacen pensar acerca de los riesgos para la salud que implica el consumo de las bolsitas de nicotina?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current nicotine pouch users and have noticed the health warnings on nicotine pouch containers in the past 30 days.

ASK Specification: IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AR0273 > 1.

BOX ID: R09_ARR35

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART10. Else, go to R09_AR0206.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART10.
ELSE, GO TO R09_AR0206.

BOX ID: R09_ART10

Piense ahora en el snus, como el que se muestra a continuación...

[SHOW GENERIC IMAGE OF SNUS]

PATH ID: R09_AR0206

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los envases de snus?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ARR36

Adult respondents who are completing a web interview on a mobile device, go to Box R09_ART11.
Else, go to R09_AR0060.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_ART11.
ELSE, GO TO R09_AR0060.

BOX ID: R09_ART11

Piense ahora en el tabaco que no se fuma, como el que se muestra a continuación...

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

PATH ID: R09_AR0060

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los paquetes de productos de tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS. IF
WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

RISK PERCEPTIONS AND ATTITUDES

BOX ID: R09_AXT03

En las siguientes preguntas le pedimos su opinión sobre el consumo de productos de tabaco y nicotina.

PATH ID: R09_AX0722

¿Qué tan dañina cree que es la nicotina para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AN0250

¿Cree usted que la nicotina es la sustancia principal en el tabaco que hace que la gente desee consumir productos de tabaco?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0723

¿Cree que un producto de tabaco que se describe como **sin aditivos** es menos dañino, igual de dañino o más dañino que un producto normal de tabaco?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "sin aditivos".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0724

¿Cree que un producto de tabaco que se describe como **orgánico** es menos dañino, igual de dañino o más dañino que un producto normal de tabaco?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "orgánico".

PATH ID: R09_AA1002SN

Algunos productos usan nicotina creada en un laboratorio sin tabaco natural. Esto se llama nicotina "sintética" o nicotina no procedente del tabaco. Estos productos pueden incluir algunas clases de vapeadores desechables, así como productos orales con nicotina como las bolsitas de nicotina.

¿Alguna vez ha fumado un producto con nicotina "sintética" (conocida también como nicotina no procedente del tabaco) incluso si solo fueron una o dos veces?

1	Sí	
2	No	GO TO R09_AA9099SN
-8	DON'T KNOW	GO TO R09_AA9099SN
-7	REFUSED	GO TO R09_AA9099SN

ASK: All adult respondents.

PATH ID: R09_AA1004SN

En los últimos 30 días, ¿ha fumado un producto con nicotina "sintética" (conocida también como nicotina no procedente del tabaco) incluso si solo fueron una o dos veces?

1	Sí	GO TO R09_AA9099SN
2	No	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who have ever used synthetic nicotine products.

ASK Specification: IF R09_AA1002SN = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1002SN_12M

En los últimos 12 meses, ¿ha fumado un producto con nicotina "sintética" (conocida también como nicotina no procedente del tabaco) incluso si solo fueron una o dos veces?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used synthetic nicotine products and did not use synthetic nicotine products in the past 30 days or did not know or refused to report whether they used synthetic nicotine products in the past 30 days.

ASK Specification: IF R09_AA1002SN = 1 AND R09_AA1004SN = 2, -8, -7.

PATH ID: R09_AA9099SN

¿Cree que un producto que contiene nicotina "sintética" (conocida también como nicotina no procedente del tabaco) es menos dañino, igual de dañino o más dañino que un producto que usa nicotina de tabaco natural?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AA1002TF

La etiqueta de algunos productos con nicotina indica que son "sin tabaco". Aunque estos productos contienen nicotina de tabaco natural, no contienen hoja de tabaco.

¿Alguna vez ha consumido un producto que indique que contiene nicotina "sin tabaco", incluso si solo fueron una o dos veces?

1 Sí	
2 No	GO TO R09_AA9099TF
-8 DON'T KNOW	GO TO R09_AA9099TF
-7 REFUSED	GO TO R09_AA9099TF

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AA1004TF

En los últimos 30 días, ¿ha consumido un producto con nicotina que indique que contiene nicotina "sin tabaco", incluso si solo fueron una o dos veces?

1 Sí	GO TO R09_AA9099TF
2 No	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Adult respondents who have ever used tobacco-free nicotine products.

ASK Specification: IF R09_AA1002TF = 1.

PATH ID: R09_AA1002TF_12M

En los últimos 12 meses, ¿ha consumido un producto con nicotina que indique que contiene nicotina "sin tabaco", incluso si solo fueron una o dos veces?

- | |
|-----------------|
| 1 Sí |
| 2 No |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who have ever used tobacco-free nicotine products and did not use tobacco-free nicotine products in the past 30 days or did not know or refused to report whether they used tobacco-free nicotine products in the past 30 days.

ASK Specification: IF R09_AA1002TF = 1 AND R09_AA1004TF = 2, -8, -7.

PATH ID: R09_AA9099TF

¿Cree que un producto con nicotina "sin tabaco" es menos dañino, igual de dañino o más dañino que un producto que contiene hoja de tabaco?

- | |
|---------------------|
| 1 Menos dañino |
| 2 Igual de dañino |
| 3 Más dañino |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AC9050

¿Qué tan dañinos cree que son los cigarrillos para la salud?

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC1149

¿Qué tan dañina cree que es la **nicotina** en los cigarrillos para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "nicotina".

PATH ID: R09_AC9046

Según su opinión, ¿cree usted que algunos tipos de cigarrillos son menos dañinos para la salud de una persona que otros tipos de cigarrillos?

- 1 Sí
- 2 No
- 3 No sé
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9040

¿Cree usted que los cigarrillos con sabor a mentol o menta, son menos dañinos, igual de dañinos o más dañinos que los cigarrillos normales?

- 1 Menos dañinos
- 2 Igual de dañinos
- 3 Más dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9051

Según su opinión, ¿cree usted que los cigarrillos con niveles más bajos de nicotina son menos adictivos, igual de adictivos o más adictivos que los cigarrillos normales?

- 1 Menos adictivos
- 2 Igual de adictivos
- 3 Más adictivos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9062

Si alguien cambiara por completo a fumar cigarrillos con niveles más bajos de nicotina, pero siguiera fumando la misma cantidad de cigarrillos que antes, ¿sería menos dañino, igual de dañino o más dañino para su salud?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXR11

Adult respondents who are current cigarette smokers, go to R09_AC9055.
Else, go to R09_AC1170.

IF R09_CIG_USER_STATUS = 1, GO TO R09_AC9055.
ELSE, GO TO R09_AC1170.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9055

En los últimos 30 días, ¿ha apagado su cigarrillo antes de terminarlo debido a que pensó sobre el daño que causa fumar?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers.

ASK Specification: IF R09_CIG_USER_STATUS = 1.

PATH ID: R09_AC1170

¿Cuánto daño cree usted que se hacen las personas cuando fuman cigarrillos algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9120

¿Cree usted que la nicotina es la sustancia química que causa la mayoría del cáncer causado por el consumo de cigarrillos?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AC9350

¿Qué tan dañinos cree que son para su salud los cigarrillos que uno mismo arma con tabaco?

- 1 No son dañinos en absoluto
- 2 Un poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9370

¿Cuánto daño cree usted que se hacen las personas cuando fuman cigarrillos que uno mismo arma algunos días pero no todos los días?

- 1 Ningún daño
- 2 Un poco de daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9399

¿Fumar **cigarrillos que uno mismo arma** es menos dañino, igual de dañino o más dañino que fumar cigarrillos normales o **cigarrillos** que ya vienen listos para fumar?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "cigarrillos que uno mismo arma" AND "cigarrillos".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9340

Algunos tipos de tabaco con el que uno arma sus propios cigarrillos vienen en sabores tales como mentol, menta, hielo, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces.

¿Cree que fumar tabaco **con sabor** con el que uno arma sus propios cigarrillos es menos dañino, es igual de dañino o es más dañino que fumar tabaco **sin sabor**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "con sabor" AND "sin sabor".

BOX ID: R09_AVR70

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AVT05.
Else, go to R09_AE9050.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AVT05.
ELSE, GO TO R09_AE9050.

BOX ID: R09_AVT05

Piense ahora en los cigarrillos electrónicos y otros productos electrónicos con nicotina, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF E-PRODUCTS]

PATH ID: R09_AE9050

¿Qué tan dañinos cree que son los cigarrillos electrónicos u otros productos electrónicos con nicotina para la salud?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AV1149

¿Qué tan dañina cree que es la **nicotina** en los cigarrillos electrónicos u otros productos electrónicos con nicotina para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "nicotina".

PATH ID: R09_AV1170

¿Cuánto daño cree usted que se hacen las personas cuando fuman cigarrillos electrónicos u otros productos electrónicos con nicotina algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AV1669

En los últimos 12 meses, ¿ha visto algún **cigarrillo electrónico u otro producto electrónico con nicotina** que afirma ser menos dañino?

1	Sí	
2	No	GO TO R09_AE1099
-8	DON'T KNOW	GO TO R09_AE1099
-7	REFUSED	GO TO R09_AE1099

ASK: All adult respondents.

DISPLAY: BOLD "cigarrillo electrónico u otro producto electrónico con nicotina".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AV1670

¿Cuál es la probabilidad de que usted vaya a fumar uno de esos **cigarrillos electrónicos u otros productos electrónicos con nicotina** que afirman ser menos dañinos dentro de los próximos 30 días?

- 1 Es muy probable
- 2 Es algo probable
- 3 Es muy poco probable
- 4 No es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen e-cigarettes or other ENPs that claim to be less harmful in the past 12 months.

ASK Specification: IF R09_AV1669 = 1.

DISPLAY: BOLD "cigarrillos electrónicos u otros productos electrónicos con nicotina".

PATH ID: R09_AE1099

¿Fumar **cigarrillos electrónicos u otros productos electrónicos con nicotina** es menos dañino, igual de dañino o más dañino que fumar **cigarrillos**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "cigarrillos electrónicos u otros productos electrónicos con nicotina" AND "cigarrillos".

PATH ID: R09_AV1154

Algunos tipos de cigarrillos electrónicos y otros productos electrónicos con nicotina vienen en sabores tales como mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, bebidas no alcohólicas, caramelos, postres u otros sabores dulces. Otros cigarrillos electrónicos o productos electrónicos con nicotina tienen sabor a tabaco o no tienen sabor.

¿Cree que fumar cigarrillos electrónicos con sabor a **mentol** es menos dañino, igual de dañino o más dañino que fumar cigarrillos electrónicos con **sabor a tabaco o sin sabor**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "mentol", "sabor a tabaco" AND "sin sabor".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AV1155

¿Cree que fumar cigarrillos electrónicos con sabor a **menta, wintergreen, hierbabuena o peppermint** es menos dañino, igual de dañino o más dañino que fumar cigarrillos electrónicos con **sabor a tabaco o sin sabor**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "menta, wintergreen, hierbabuena o peppermint", "sabor a tabaco" AND "sin sabor".

PATH ID: R09_AV1152

¿Cree que fumar cigarrillos electrónicos **con otro sabor (aparte de mentol, menta, wintergreen, hierbabuena o peppermint)** es menos dañino, igual de dañino o más dañino que fumar cigarrillos electrónicos con **sabor a tabaco o sin sabor**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "con otro sabor", "aparte de mentol, menta, wintergreen, hierbabuena o peppermint", "sabor a tabaco" AND "sin sabor".

BOX ID: R09_AQR17

Adult respondents who are completing a web interview on a mobile device and have ever seen or heard of IQOS, go to Box R09_AQT05.

Else, adult respondents who have ever seen or heard of IQOS, go to R09_AQ9050.

Else, go to Box R09_AGR44.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2 AND R09_AQ1001 = 1, GO TO BOX R09_AQT05.

ELSE, IF R09_AQ1001 = 1, GO TO R09_AQ9050.

ELSE, GO TO BOX R09_AGR44.

BOX ID: R09_AQT05

Piense ahora en IQOS, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF IQOS]

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AQ9050

¿Qué tan dañino cree que es IQOS para la salud?

[SHOW GENERIC IMAGE OF IQOS]

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS.

ASK Specification: IF R09_AQ1001 = 1.

IMAGE: SHOW GENERIC IMAGE OF IQOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AQ1099

¿Fumar **IQOS** es menos dañino, igual de dañino o más dañino que fumar **cigarrillos**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS.

ASK Specification: IF R09_AQ1001 = 1.

DISPLAY: BOLD "IQOS" AND "cigarrillos".

PATH ID: R09_AQ1170

¿Cuánto daño cree usted que se hacen las personas cuando fuman IQOS algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS.

ASK Specification: IF R09_AQ1001 = 1.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AQ1146

¿Cree que se pueden inhalar los HeatSticks con sabor a mentol o menta con más facilidad, con igual facilidad o con menos facilidad que los HeatSticks con sabor a tabaco?

- 1 Más facilidad
- 2 Igual facilidad
- 3 Menos facilidad
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS.

ASK Specification: IF R09_AQ1001 = 1.

BOX ID: R09_AQR18

Adult respondents who have ever seen or heard of IQOS and are current cigarette smokers, go to R09_AQ9205.

Else, go to Box R09_AGR44.

IF R09_AQ1001 = 1 AND R09_CIG_USER_STATUS = 1, GO TO R09_AQ9205.
ELSE, GO TO BOX R09_AGR44.

PATH ID: R09_AQ9205

¿Qué tan de acuerdo o desacuerdo está con la siguiente afirmación?

Si usted comienza a fumar IQOS y **deja de fumar cigarrillos totalmente**, reduciría su exposición a sustancias químicas dañinas.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 En desacuerdo
- 4 Completamente en desacuerdo
- 5 No sé
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS and are current cigarette smokers.

ASK Specification: IF R09_AQ1001 = 1 AND R09_CIG_USER_STATUS = 1.

DISPLAY: BOLD "deja de fumar cigarrillos totalmente".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9270

¿Qué tan de acuerdo o desacuerdo está con la siguiente afirmación?

Si usted comienza a fumar IQOS y **continúa fumando la misma cantidad de cigarrillos**, reduciría su exposición a sustancias químicas dañinas.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 En desacuerdo
- 4 Completamente en desacuerdo
- 5 No sé
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS and are current cigarette smokers.

ASK Specification: IF R09_AQ1001 = 1 AND R09_CIG_USER_STATUS = 1.

DISPLAY: BOLD "continúa fumando la misma cantidad de cigarrillos".

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

BOX ID: R09_AGR44

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AGT13.
Else, go to R09_AG9050.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AGT13.
ELSE, GO TO R09_AG9050.

BOX ID: R09_AGT13

Piense ahora en los puros tradicionales, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

PATH ID: R09_AG9050

¿Qué tan dañinos cree que son los puros tradicionales o "grandes" para la salud?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AG9060

¿Cuánto daño cree usted que se hacen las personas cuando fuman puros tradicionales algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AG1099

¿Fumar **puros tradicionales** es menos dañino, igual de dañino o más dañino que fumar **cigarrillos**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "puros tradicionales" AND "cigarrillos".

PATH ID: R09_AG9058

Algunos tipos de puros tradicionales vienen en sabores tales como mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces.

¿Cree que fumar puros tradicionales o "grandes" con tabaco **con sabor añadido** es menos dañino, es igual de dañino o es más dañino que fumar puros tradicionales o "grandes" con tabaco **sin sabor**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "con sabor añadido" AND "sin sabor".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AGR45

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AGT13.
Else, go to R09_AG9054.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AGT13.
ELSE, GO TO R09_AG9054.

BOX ID: R09_AGT14

Piense ahora en los puritos, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF CIGARILLOS]

PATH ID: R09_AG9054

¿Qué tan dañinos cree que son los puritos para la salud?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AG9061

¿Cuánto daño cree usted que se hacen las personas cuando fuman puritos algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AG1106

¿Fumar **puritos** es menos dañino, igual de dañino o más dañino que fumar **cigarrillos**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "puritos" AND "cigarrillos".

PATH ID: R09_AG9059

Algunos tipos de puritos vienen en sabores tales como mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces.

¿Cree que fumar puritos con tabaco **con sabor añadido** es menos dañino, es igual de dañino o es más dañino que fumar puritos con tabaco **sin sabor**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "con sabor añadido" AND "sin sabor".

PATH ID: R09_AG9151

Según su opinión, ¿cree usted que los puritos con niveles más bajos de nicotina son menos adictivos, igual de adictivos o más adictivos que los puritos normales?

- 1 Menos adictivos
- 2 Igual de adictivos
- 3 Más adictivos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9161

Si alguien cambiara por completo a fumar puritos con niveles más bajos de nicotina, pero siguiera fumando la misma cantidad de puritos que antes, ¿sería menos dañino, igual de dañino o más dañino para su salud?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AGR46

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AGT15. Else, go to R09_AG9055.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AGT15.
ELSE, GO TO R09_AG9055.

BOX ID: R09_AGT15

Piense ahora en los puros con filtro, como los que se muestran a continuación...

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

PATH ID: R09_AG9055

¿Qué tan dañinos cree que son los puros con filtro para la salud?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AG9062

¿Cuánto daño cree usted que se hacen las personas cuando fuman puros con filtro algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AG1107

¿Fumar **puros con filtro** es menos dañino, igual de dañino o más dañino que fumar **cigarrillos**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "puros con filtro" AND "cigarrillos".

PATH ID: R09_AG9960

Algunos tipos de puros con filtro vienen en sabores tales como mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces.

¿Cree que fumar puros con filtro con tabaco **con sabor añadido** es menos dañino, es igual de dañino o es más dañino que fumar puros con filtro con tabaco **sin sabor**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "con sabor añadido" AND "sin sabor".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG9152

Según su opinión, ¿cree usted que los puros con filtro con niveles más bajos de nicotina son menos adictivos, igual de adictivos o más adictivos que los puros con filtro normales?

- 1 Menos adictivos
- 2 Igual de adictivos
- 3 Más adictivos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AG9162

Si alguien cambiara por completo a fumar puros con filtro con niveles más bajos de nicotina, pero siguiera fumando la misma cantidad de puros con filtro que antes, ¿sería menos dañino, igual de dañino o más dañino para su salud?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AHR36

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AHT04.
Else, go to R09_AH9050.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AHT04.
ELSE, GO TO R09_AH9050.

BOX ID: R09_AHT04

Piense ahora en la shisha y tabaco para hookah, como el que se muestra a continuación...

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AH9050

¿Qué tan dañino cree que es la shisha o tabaco para hookah para la salud?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AH9044

¿Qué tan dañino cree que es estar cerca de personas que están fumando shisha o tabaco para hookah?

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AH1170

¿Cuánto daño cree usted que se hacen las personas cuando fuman tabaco en una hookah algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AH1099

¿Fumar **tabaco en hookah** es menos dañino, igual de dañino o más dañino que fumar **cigarrillos**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "tabaco en hookah" AND "cigarrillos".

BOX ID: R09_AAR19

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AAT06.
Else, go to R09_AA9050NP.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AAT06.
ELSE, GO TO R09_AA9050NP.

BOX ID: R09_AAT06

Piense ahora en las bolsitas de nicotina, como las que se muestran a continuación...

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

PATH ID: R09_AA9050NP

¿Qué tan dañino cree que es consumir bolsitas de nicotina para la salud?

[SHOW GENERIC IMAGE OF NICOTINE POUCHES]

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF NICOTINE POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AA1099NP

¿Consumir **bolsitas de nicotina** es menos dañino, es igual de dañino o es más dañino que fumar cigarrillos?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "bolsitas de nicotina" AND "cigarrillos".

PATH ID: R09_AA1170NP

¿Cuánto daño cree usted que se hacen las personas cuando consumen bolsitas de nicotina algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AA1669NP

En los últimos 12 meses, ¿ha visto algunas **bolsitas de nicotina** que afirma ser menos dañina?

1	Sí	
2	No	GO TO R09_AA9040NP
-8	DON'T KNOW	GO TO R09_AA9040NP
-7	REFUSED	GO TO R09_AA9040NP

ASK: All adult respondents.

DISPLAY: BOLD "bolsitas de nicotina".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AA1670NP

¿Cuál es la probabilidad de que usted vaya a consumir una de estas **bolsitas de nicotina** que afirma ser menos dañina en los próximos 30 días?

- 1 Es muy probable
- 2 Es algo probable
- 3 Es muy poco probable
- 4 No es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen nicotine pouches that claim to be less harmful in the past 12 months.

ASK Specification: IF R09_AA1669NP = 1.

DISPLAY: BOLD "bolsitas de nicotina".

PATH ID: R09_AA9040NP

¿Consumir **bolsitas de nicotina** es menos dañino, igual de dañino o más dañino que consumir **otros tipos de productos de tabaco que no se fuma** (como tabaco de inhalar o rapé, dip o tabaco de mascar)?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "bolsitas de nicotina" AND "otros tipos de productos de tabaco que no se fuma".

BOX ID: R09_AUR32

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AUT06.
Else, go to R09_AU9050.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AUT06.
ELSE, GO TO R09_AU9050.

BOX ID: R09_AUT06

Piense ahora en el snus, como el que se muestra a continuación...

[SHOW GENERIC IMAGE OF SNUS]

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AU9050

¿Qué tan dañino cree que es el snus para la salud?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 No es dañino en absoluto
- 2 Muy poco dañino
- 3 Algo dañino
- 4 Muy dañino
- 5 Es extremadamente dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AU1105

¿Consumir **snus** es menos dañino, igual de dañino o más dañino que fumar **cigarrillos**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "snus" AND "cigarrillos".

PATH ID: R09_AU1170

¿Cuánto daño cree usted que se hacen las personas cuando consumen snus algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AU1669

En los últimos 12 meses, ¿ha visto algunos **productos de snus** que afirman ser menos dañinos?

1	Sí	
2	No	GO TO R09_AU9040
-8	DON'T KNOW	GO TO R09_AU9040
-7	REFUSED	GO TO R09_AU9040

ASK: All adult respondents.

DISPLAY: BOLD "productos de snus".

PATH ID: R09_AU1670

¿Cuál es la probabilidad de que usted vaya a consumir uno de esos **productos de snus** que afirman ser menos dañinos dentro de los próximos 30 días?

1	Es muy probable
2	Es algo probable
3	Es muy poco probable
4	No es muy probable
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who have seen snus products that claim to be less harmful in the past 12 months.

ASK Specification: IF R09_AU1669 = 1.

DISPLAY: BOLD "productos de snus".

PATH ID: R09_AU9040

¿Consumir **snus** es menos dañino, igual de dañino o más dañino que consumir **otros tipos de productos de tabaco que no se fuma** (como tabaco de inhalar o rapé, dip o tabaco de mascar)?

1	Menos dañino
2	Igual de dañino
3	Más dañino
-8	DON'T KNOW
-7	REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "snus" AND "otros tipos de productos de tabaco que no se fuma".

BOX ID: R09_ASR32

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AST06.
Else, go to R09_AS9050.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AST06.
ELSE, GO TO R09_AS9050.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

BOX ID: R09_AST06

Piense ahora en el tabaco que no se fuma, como el que se muestra a continuación...

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

PATH ID: R09_AS9050

¿Qué tan dañinos cree que son los productos de tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar) para la salud?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 No son dañinos en absoluto
- 2 Muy poco dañinos
- 3 Algo dañinos
- 4 Muy dañinos
- 5 Son extremadamente dañinos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS. IF WEBDEVICE = 2, DO NOT SHOW GENERIC IMAGE.

PATH ID: R09_AS1170

¿Cuánto daño cree usted que se hacen las personas cuando consumen productos de tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar) algunos días pero no todos los días?

- 1 Ningún daño
- 2 Muy poco daño
- 3 Algo de daño
- 4 Mucho daño
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AS1669

En los últimos 12 meses, ¿ha visto **productos de tabaco que no se fuma** (como tabaco de inhalar o rapé, dip o tabaco de mascar) que afirman ser menos dañinos?

1	Sí	
2	No	GO TO R09_AS1105
-8	DON'T KNOW	GO TO R09_AS1105
-7	REFUSED	GO TO R09_AS1105

ASK: All adult respondents.

DISPLAY: BOLD "productos de tabaco que no se fuma".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AS1670

¿Cuál es la probabilidad de que usted vaya a consumir uno de esos **productos de tabaco que no se fuma** (como tabaco de inhalar o rapé, dip o tabaco de mascar) que afirman ser menos dañinos dentro de los próximos 30 días?

- 1 Es muy probable
- 2 Es algo probable
- 3 Es muy poco probable
- 4 No es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful in the past 12 months.

ASK Specification: IF R09_AS1669 = 1.

DISPLAY: BOLD "productos de tabaco que no se fuma".

PATH ID: R09_AS1105

¿Consumir **tabaco que no se fuma** (como tabaco de inhalar o rapé, dip o tabaco de mascar) es menos dañino, igual de dañino o más dañino que fumar **cigarrillos**?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "tabaco que no se fuma" AND "cigarrillos".

PATH ID: R09_AX0759

Algunas veces las personas que están tratando de dejar de consumir tabaco usan productos de tratamiento de reemplazo de nicotina tales como parches, chicles, espráis nasales o pastillas de chupar o inhaladores.

¿Qué tan dañina cree que es la **nicotina** en estos productos para la salud?

- 1 No es dañina en absoluto
- 2 Muy poco dañina
- 3 Algo dañina
- 4 Muy dañina
- 5 Es extremadamente dañina
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "nicotina".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9055

¿Cree que fumar cigarrillos electrónicos u otros productos electrónicos con nicotina es menos dañino, igual de dañino o más dañino que usar un producto con nicotina como parches, chicles o pastillas de chupar?

- 1 Menos dañino
- 2 Igual de dañino
- 3 Más dañino
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_ACD02

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SIMULTANEOUS DISPLAY; FIXED ORDER: R09_AC9065, R09_AC9078, R09_AC9079, R09_AC9077, R09_AC9086, R09_AC9082, R09_AC9084, R09_AC9090, R09_AC9044, R09_AC9098, R09_AC9109, R09_AC9105, R09_AC9110, R09_AC9121, R09_AC9122.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AC9065 is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AC9065 on each screen.

PATH ID: R09_AC9065

De acuerdo con lo que usted cree, ¿qué tan de acuerdo o en desacuerdo está con las siguientes afirmaciones? [Desplace para ver más afirmaciones.]

Fumar puede causar cáncer pulmonar en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Desplace para ver más afirmaciones."

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9078

Fumar puede causar enfermedades del corazón y accidentes cerebrovasculares (apoplejías) al obstaculizar las arterias.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9079

Fumar causa cataratas, las cuales pueden llevar a la ceguera.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9077

Fumar causa la diabetes del tipo 2, lo cual eleva el azúcar en la sangre.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9086

Fumar reduce el flujo de sangre a las extremidades, lo cual puede requerir amputaciones.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9082

Fumar reduce el flujo de sangre, lo cual puede causar disfunción eréctil.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9084

Fumar causa cáncer de vejiga, lo cual puede llevar a sangre en la orina.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9090

Fumar puede causar cáncer de boca en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9044

Fumar puede causar cáncer de hígado en los fumadores.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9098

Fumar causa cáncer de cabeza y cuello.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9109

Fumar causa COPD, una enfermedad pulmonar que puede ser mortal.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9105

El humo de tabaco causa enfermedad pulmonar mortal en personas no fumadoras.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9110

Fumar puede causar ataque al corazón en los no fumadores debido al humo de tabaco ajeno.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AC9121

El humo del tabaco le puede causar daños a los niños.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AC9122

Fumar durante el embarazo atrofia el crecimiento del feto.

- 1 Completamente de acuerdo
- 2 De acuerdo
- 3 Ni de acuerdo ni en desacuerdo
- 4 En desacuerdo
- 5 Completamente en desacuerdo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

MODIFIED RISK TOBACCO PRODUCTS (MRTPs)

BOX ID: R09_ART02

Las siguientes preguntas son acerca de marcas específicas de productos de tabaco que la FDA ha autorizado por tener menos riesgos para la salud o una exposición reducida a sustancias químicas dañinas en comparación con algunos otros productos de tabaco

PATH ID: R09_AR1001_VLN

¿Alguna vez había visto u oído hablar de los cigarrillos VLN antes de este estudio?

[SHOW IMAGE OF VLN CIGARETTES LOGO]

1	Sí	
2	No	GO TO BOX R09_ARR38
-8	DON'T KNOW	GO TO BOX R09_ARR38
-7	REFUSED	GO TO BOX R09_ARR38

ASK: All adult respondents.

IMAGE: SHOW IMAGE OF VLN CIGARETTES LOGO

PATH ID: R09_AR1002_VLN

¿Alguna vez ha probado un cigarrillo VLN, incluso si solo fueron una o dos probaditas?

1	Sí	
2	No	GO TO BOX R09_ARR38
-8	DON'T KNOW	GO TO BOX R09_ARR38
-7	REFUSED	GO TO BOX R09_ARR38

ASK: Adult respondents who have ever seen or heard of VLN Cigarettes.

ASK Specification: IF R09_AR1001_VLN = 1.

PATH ID: R09_AR1004_VLN

En los últimos 30 días, ¿ha fumado un cigarrillo VLN, incluso si solo fueron una o dos probaditas?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who have ever seen or heard of VLN Cigarettes and have ever smoked VLN Cigarettes.

ASK Specification: IF R09_AR1001_VLN = 1 AND R09_AR1002_VLN = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR1018_VLN

¿Alguna vez ha fumado un cigarrillo VLN con sabor a mentol o menta?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of VLN Cigarettes and have ever smoked VLN Cigarettes.

ASK Specification: IF R09_AR1001_VLN = 1 AND R09_AR1002_VLN = 1.

BOX ID: R09_ARR38

New cohort adult respondents who have ever seen or heard of snus, or continuing and aged-up adult respondents, go to R09_AR1001_GEN.
Else, go to Box R09_ARR39.

IF (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1) OR (R09_ADULTTYPE = 1, 2), GO TO R09_AR1001_GEN.
ELSE, GO TO BOX R09_ARR39.

PATH ID: R09_AR1001_GEN

¿Alguna vez había visto u oído hablar de General Snus antes de este estudio?

[SHOW IMAGE OF GENERAL SNUS LOGO]

1	Sí	
2	No	GO TO BOX R09_ARR39
-8	DON'T KNOW	GO TO BOX R09_ARR39
-7	REFUSED	GO TO BOX R09_ARR39

ASK: New cohort adult respondents who have ever seen or heard of snus, or continuing and aged-up adult respondents.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1) OR (R09_ADULTTYPE = 1, 2).

IMAGE: SHOW IMAGE OF GENERAL SNUS LOGO

PATH ID: R09_AR1002_GEN

¿Alguna vez ha consumido General Snus, incluso si solo fueron una o dos veces?

1	Sí	
2	No	GO TO BOX R09_ARR39
-8	DON'T KNOW	GO TO BOX R09_ARR39
-7	REFUSED	GO TO BOX R09_ARR39

ASK: New cohort adult respondents who have ever seen or heard of snus and have ever seen or heard of General Snus, or continuing and aged-up adult respondents who have ever seen or heard of General Snus.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AR1001_GEN = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_AR1001_GEN = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR1004_GEN

En los últimos 30 días, ¿ha consumido General Snus, incluso si fueron solo una o dos veces?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever seen or heard of snus and have ever seen or heard of General Snus and have ever used General Snus, or continuing and aged-up adult respondents who have ever seen or heard of General Snus and have ever used General Snus.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AR1001_GEN = 1 AND R09_AR1002_GEN = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_AR1001_GEN = 1 AND R09_AR1002_GEN = 1).

PATH ID: R09_AR1018_GEN

¿Alguna vez ha consumido General Snus con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, fruta, clavo de olor, especias, fruta, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever seen or heard of snus and have ever seen or heard of General Snus and have ever used General Snus, or continuing and aged-up adult respondents who have ever seen or heard of General Snus and have ever used General Snus.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_AU1001_RS = 1 AND R09_AR1001_GEN = 1 AND R09_AR1002_GEN = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_AR1001_GEN = 1 AND R09_AR1002_GEN = 1).

BOX ID: R09_ARR39

New cohort adult respondents who have ever seen or heard of smokeless tobacco, or continuing and aged-up adult respondents, go to R09_AR1001_COP.
Else, go to Box R09_ARV01.

IF (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1) OR (R09_ADULTTYPE = 1, 2), GO TO R09_AR1001_GEN.
ELSE, GO TO BOX R09_ARV01.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR1001_COP

¿Alguna vez había visto u oído hablar de Copenhagen Smokeless Tobacco antes de este estudio?

[SHOW IMAGE OF COPENHAGEN SMOKELESS TOBACCO LOGO]

1	Sí	
2	No	GO TO BOX R09_ARV01
-8	DON'T KNOW	GO TO BOX R09_ARV01
-7	REFUSED	GO TO BOX R09_ARV01

ASK: New cohort adult respondents who have ever seen or heard of smokeless tobacco, or continuing and aged-up adult respondents.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1) OR (R09_ADULTTYPE = 1, 2).

IMAGE: SHOW IMAGE OF COPENHAGEN SMOKELESS TOBACCO LOGO

PATH ID: R09_AR1002_COP

¿Alguna vez ha consumido Copenhagen Smokeless Tobacco, incluso si fueron solo una o dos veces?

1	Sí	
2	No	GO TO BOX R09_ARV01
-8	DON'T KNOW	GO TO BOX R09_ARV01
-7	REFUSED	GO TO BOX R09_ARV01

ASK: New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever seen or heard of Copenhagen Smokeless Tobacco, or continuing and aged-up adult respondents who have ever seen or heard of Copenhagen Smokeless Tobacco.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AR1001_COP = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_AR1001_COP = 1).

PATH ID: R09_AR1004_COP

En los últimos 30 días, ¿ha consumido Copenhagen Smokeless Tobacco, incluso si fueron solo una o dos veces?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever seen or heard of Copenhagen Smokeless Tobacco and have ever used Copenhagen Smokeless Tobacco, or continuing and aged-up adult respondents who have ever seen or heard of Copenhagen Smokeless Tobacco and have ever used Copenhagen Smokeless Tobacco.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AR1001_COP = 1 AND R09_AR1002_COP = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_AR1001_COP = 1 AND R09_AR1002_COP = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR1018_COP

¿Alguna vez ha consumido Copenhagen Smokeless Tobacco con sabor a mentol, menta, wintergreen, hierbabuena, peppermint, hielo, frost, clavo de olor, especias, fruta, chocolate, bebidas alcohólicas, caramelos, postres u otros sabores dulces?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever seen or heard of Copenhagen Smokeless Tobacco and have ever used Copenhagen Smokeless Tobacco, or continuing and aged-up adult respondents who have ever seen or heard of Copenhagen Smokeless Tobacco and have ever used Copenhagen Smokeless Tobacco.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_AS1001_RS = 1 AND R09_AR1001_COP = 1 AND R09_AR1002_COP = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_AR1001_COP = 1 AND R09_AR1002_COP = 1).

BOX ID: R09_ARV01

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

R09_MRTP_COUNT = Number of MRTPs the respondent has ever used.

PROGRAM - CREATE AN ARRAY **USEMRTP** WITH 3 ELEMENTS - ONE FOR EACH MRTP THAT IDENTIFIES WHETHER THE RESPONDENT HAS EVER USED THE SPECIFIC MRTP IN R09_AR1002_VLN, R09_AR1002_GEN, and R09_AR1002_COP.

USEMRTP(1-3): Ever used: (1) VLN Cigarettes; (2) General Snus; (3) Copenhagen Classic Snuff.

DISPLAY: If [USEMRTP(1-3)] is a list and R09_MRTP_COUNT = 2, separate with "and".
If [USEMRTP(1-3)] is a list and R09_MRTP_COUNT = 3, separate with commas with ", and" preceding last product.

BOX ID: R09_ARR37

Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and have ever used one or more MRTPs, go to R09_AR9000.
Else, go to Box R09_AXT05.

IF (R09_AC1004 = 1 OR R09_AC1002_12M = 1) AND R09_MRTP_COUNT >= 1, GO TO R09_AR9000.
ELSE, GO TO BOX R09_AXT05.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR9000

Desde que comenzó a usar [USEMRTP(1-3)], ¿diría que ahora fuma menos cigarrillos, aproximadamente la misma cantidad o más cigarrillos que antes?

- 1 Ya no fumo cigarrillos
- 2 Ahora fumo menos cigarrillos que antes de comenzar a usar [este producto/estos productos]
- 3 Ahora fumo aproximadamente la misma cantidad de cigarrillos que antes de comenzar a usar [este producto/estos productos]
- 4 Ahora fumo más cigarrillos que antes de comenzar a usar [este producto/estos productos]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and have ever used one or more MRTPs.

ASK Specification: IF (R09_AC1004 = 1 OR R09_AC1002_12M = 1) AND R09_MRTP_COUNT >= 1.

DISPLAY: IF R09_MRTP_COUNT = 1, DISPLAY "este producto" IN THE RESPONSES.
ELSE, DISPLAY "estos productos".

PROGRAM: Ask the question one time and list all MRTPs the respondent has ever used in (USEMRTP (1-3)) identified by R09_AR1002_VLN, R09_AR1002_GEN, and R09_AR1002_COP.

SECONDHAND EXPOSURE

BOX ID: R09_AXT05

Las siguientes preguntas son acerca del consumo de tabaco y nicotina en su trabajo y su casa.

PATH ID: R09_AM0014

¿Cuál de las siguientes afirmaciones describe mejor su trabajo actual o su condición de empleo pagado?

1	Trabajo a tiempo completo por lo menos 35 horas a la semana	
2	Trabajo a medio tiempo de 15 a 34 horas a la semana	
3	Trabajo a medio tiempo menos de 15 horas a la semana	
4	Actualmente no trabajo por paga	GO TO BOX R09_AXR117
-8	DON'T KNOW	GO TO BOX R09_AXR117
-7	REFUSED	GO TO BOX R09_AXR117

ASK: All adult respondents.

PATH ID: R09_AX0064

¿Es su área principal de trabajo en interiores, exteriores o en un vehículo? Escoja todas las opciones que correspondan.

1	Interiores
2	Exteriores
3	En un vehículo
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R09_AM0014 = 1, 2, 3.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0747

¿Cuándo fue la última vez que una persona fumó cigarrillos electrónicos u otros productos electrónicos con nicotina cerca de usted cuando estaba en el trabajo?

- 1 Nunca
- 2 Hoy
- 3 Hace una semana
- 4 Hace dos semanas
- 5 Hace un mes
- 6 Hace más de un mes, pero durante el año pasado
- 7 Hace más de un año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R09_AM0014 = 1, 2, 3.

PATH ID: R09_AX0065

Ahora piense en los productos de tabaco que se queman, tales como cigarrillos, puros, pipas o hookah.
¿Cuándo fue la última vez que una persona fumó cerca de usted cuando estaba en el trabajo?

- 1 Nunca
- 2 Hoy
- 3 Hace una semana
- 4 Hace dos semanas
- 5 Hace un mes
- 6 Hace más de un mes, pero durante el año pasado
- 7 Hace más de un año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R09_AM0014 = 1, 2, 3.

BOX ID: R09_AXR117

New baseline adult respondents, go to R09_AR0144_NB.
Else, go to R09_AX0690.

IF R09_ADULTTYPE = 2, 3 GO TO R09_AR0144_NB.
ELSE, GO TO R09_AX0690.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AR0144_NB

En su niñez, ¿vivió con alguien que fumaba tabaco habitualmente dentro de su casa? Piense en ALGUIEN que fumaba cigarrillos, puros, en pipa o en hookah.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

PATH ID: R09_AX0690

¿Actualmente vive solo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXR15

Adult respondents who are 25 years old or older and did not already complete a parent interview, go to R09_AX0691.

Else, go to Box R09_AXR16.

IF R09_ACHIEVEDAGE >= 25 AND R09_PARENT_COMPLETE_LD != 1, GO TO R09_AX0691.
ELSE, GO TO BOX R09_AXR16.

PATH ID: R09_AX0691

¿En qué tipo de lugar vive actualmente?

- 1 Casa unifamiliar no adosada a otra casa
- 2 Dúplex
- 3 Casa para una o más familias
- 4 Condominio
- 5 Casa adosada a otra casa o townhouse
- 6 Edificio de apartamentos
- 7 Ninguno de los anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 25 years old or older and did not already complete a parent interview.

ASK Specification: IF R09_ACHIEVEDAGE >= 25 AND R09_PARENT_COMPLETE_LD != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR16

Adult respondents who do not live alone or did not know or refused to report whether they live alone, go to R09_AX0066.

Else, go to Box R09_AHR33.

IF R09_AX0690 != 1, GO TO R09_AX0066.

ELSE, GO TO BOX R09_AHR33.

PATH ID: R09_AX0066

Sin incluirse a usted, ¿hace alguna de las siguientes actividades alguna de las personas que viven con usted ACTUALMENTE? Escoja todas las opciones que correspondan.

- 1 Fumar cigarrillos
- 2 Fumar cigarrillos electrónicos u otros productos electrónicos con nicotina
- 8 Fumar IQOS
- 5 Fumar puros tradicionales, puritos o puros con filtro
- 7 Fumar tabaco para pipa
- 6 Fumar tabaco para hookah
- 11 Consumir bolsitas de nicotina (como Zyn, on! o Rogue)
- 3 Consumir snus
- 4 Consumir tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)
- 12 Consumir productos orales con nicotina (como pastillas de chupar Velo, tabletas Rogue, chicles Lucy o palillos Pixotine)
- 9 Consumir otro tipo de tabaco o nicotina
- 10 Nadie que viva conmigo actualmente consume ningún formato de tabaco o nicotina
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not live alone or did not know or refused to report whether they live alone.

ASK Specification: IF R09_AX0690 != 1.

PROGRAM: Allow respondent to choose all that apply. If option 10 is selected, no other option can be selected.

BOX ID: R09_AHR33

Adult respondents who have ever smoked hookah, go to R09_AH1090.

Else, go to Box R09_AHR34.

IF R09_EVER_NEVER_HOOK = 1, GO TO R09_AH1090.

ELSE, GO TO BOX R09_AHR34.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AH1090

¿Tiene su propia hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah.

ASK Specification: IF R09_EVER_NEVER_HOOK = 1.

BOX ID: R09_AHR34

Young adult respondents who have ever smoked hookah and do not live alone or did not know or refused to report whether they live alone, go to R09_AH9041.
Else, go to Box R09_AXR105.

IF $18 \leq R09\_ACHIEVEDAGE < 25$ AND $R09\_EVER\_NEVER\_HOOK = 1$ AND $R09\_AX0690 \neq 1$, GO TO R09_AH9041.
ELSE, GO TO BOX R09_AXR105.

PATH ID: R09_AH9041

¿Alguna otra persona que viva en su casa tiene una hookah?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever smoked hookah and do not live alone or did not know or refused to report whether they live alone.

ASK Specification: IF $18 \leq R09\_ACHIEVEDAGE < 25$ AND $R09\_EVER\_NEVER\_HOOK = 1$ AND $R09\_AX0690 \neq 1$.

BOX ID: R09_AXR105

Adult respondents who did not already complete a parent interview, go to R09_AR1045.
Else, go to Box R09_ARR23.

IF $R09\_PARENT\_COMPLETE\_LD \neq 1$, GO TO R09_AR1045.
ELSE, GO TO BOX R09_ARR23.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AR1045

Las siguientes preguntas son acerca de las normas o reglas del consumo de tabaco DENTRO de su casa. Piense en todas las personas que podrían estar en su casa, incluyendo niños, adultos, visitas, invitados o trabajadores.

Para los productos de tabaco que se **quem**an, tales como cigarrillos, puros, pipas o hookahs, ¿cuál de las siguientes afirmaciones describe mejor las reglas acerca de fumar productos de tabaco DENTRO de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1.

DISPLAY: BOLD "quem

PATH ID: R09_AR1051

Ahora piense en los **cigarrillos electrónicos y otros productos electrónicos con nicotina**.

¿Cuál de las siguientes afirmaciones describe mejor las reglas acerca del consumo de estos productos DENTRO de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1.

DISPLAY: BOLD "cigarrillos electrónicos y otros productos electrónicos con nicotina".

BOX ID: R09_ARR23

Adult respondents who have ever seen or heard of IQOS, go to R09_AR1052.
Else, go to Box R09_ARR24.

IF R09_AQ1001 = 1, GO TO R09_AR1052.
ELSE, GO TO BOX R09_ARR24.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AR1052

Ahora piense acerca de **IQOS**.

¿Cuál de las siguientes afirmaciones describe mejor las reglas acerca del consumo de este producto DENTRO de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS.

ASK Specification: IF R09_AQ1001 = 1.

DISPLAY: BOLD "IQOS".

BOX ID: R09_ARR24

Adult respondents who did not already complete a parent interview, go to R09_AR1050.
Else, go to R09_AX0368.

IF R09_PARENT_COMPLETE_LD != 1, GO TO R09_AR1050.
ELSE, GO TO R09_AX0368.

PATH ID: R09_AR1050

Ahora piense en los productos de tabaco y nicotina que **NO se queman**, tales como bolsitas de nicotina, el snus y tabaco que no se fuma.

¿Cuál de las siguientes afirmaciones describe mejor las reglas acerca del consumo de estos productos DENTRO de su casa?

- 1 No está permitido en ninguna parte o en ningún momento dentro de mi casa
- 2 Está permitido en algunas partes o en algunos momentos dentro de mi casa
- 3 Está permitido en todas partes y en cualquier momento dentro de mi casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1.

DISPLAY: BOLD "NO se queman".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0368

¿En cuántos de los últimos 7 días estuvo usted en un vehículo en el que otra persona fumaba un cigarrillo electrónico o consumía otro producto electrónico con nicotina?

- 1 0 días
- 2 Un día
- 3 2 días
- 4 3 días
- 5 4 días
- 6 5 días
- 7 6 días
- 8 7 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0369

¿En cuántos de los últimos 7 días viajó usted en un vehículo en el que alguien iba fumando un producto de tabaco?

- 1 0 días
- 2 Un día
- 3 2 días
- 4 3 días
- 5 4 días
- 6 5 días
- 7 6 días
- 8 7 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0366

¿En cuántos de los últimos 30 días estuvo usted expuesto al vapor de una persona que fumaba un cigarrillo electrónico u otro producto electrónico con nicotina en un **área pública interior**? Ejemplos de áreas públicas interiores incluyen bares, tiendas, restaurantes y estadios deportivos. No piense en las viviendas al contestar esta pregunta.

- 1 0 días
- 2 1 o 2 días
- 3 3 a 5 días
- 4 6 a 9 días
- 5 10 a 19 días
- 6 20 a 29 días
- 7 Los 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "área pública interior".

PATH ID: R09_AX0367

¿En cuántos de los últimos 30 días estuvo usted expuesto al vapor de una persona que fumaba un cigarrillo electrónico u otro producto electrónico con nicotina en un **área pública exterior**? Ejemplos de áreas públicas exteriores incluyen patios de restaurante, andenes, zonas de estacionamiento, estadios y parques.

- 1 0 días
- 2 1 o 2 días
- 3 3 a 5 días
- 4 6 a 9 días
- 5 10 a 19 días
- 6 20 a 29 días
- 7 Los 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "área pública exterior".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0364

¿En cuántos de los últimos 30 días estuvo usted expuesto al humo de una persona que fumaba productos de tabaco en un **área pública interior**? Ejemplos de áreas públicas interiores incluyen bares, tiendas, restaurantes y estadios deportivos. No piense en las viviendas al contestar esta pregunta.

- 1 0 días
- 2 1 o 2 días
- 3 3 a 5 días
- 4 6 a 9 días
- 5 10 a 19 días
- 6 20 a 29 días
- 7 Los 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "área pública interior".

PATH ID: R09_AX0365

¿En cuántos de los últimos 30 días estuvo usted expuesto al humo de una persona que fumaba productos de tabaco en un **área pública exterior**? Ejemplos de áreas públicas exteriores incluyen patios de restaurante, andenes, zonas de estacionamiento, estadios y parques.

- 1 0 días
- 2 1 o 2 días
- 3 3 a 5 días
- 4 6 a 9 días
- 5 10 a 19 días
- 6 20 a 29 días
- 7 Los 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "área pública exterior".

PATH ID: R09_AV9066

En los últimos 12 meses, ¿tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

(El líquido electrónico es el líquido con nicotina que contienen los cigarrillos electrónicos u otros productos electrónicos con nicotina.)

1	Sí	
2	No	GO TO BOX R09_AXR108
-8	DON'T KNOW	GO TO BOX R09_AXR108
-7	REFUSED	GO TO BOX R09_AXR108

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9068

En los últimos 12 meses, ¿cuántas veces tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

- 1 Una vez en los últimos 12 meses
- 2 Más de una vez en los últimos 12 meses
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AV9066 = 1.

PATH ID: R09_AV9069

¿Cuál fue el [mes/año/mes y año], aproximadamente, [cuando/de la vez más reciente que] usted tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

- 1 [DROP-DOWN LIST] Mes [DROP-DOWN LIST] Año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AV9066 = 1.

DISPLAY: DISPLAY "Mes" AND "Año" AS TITLES AND "Seleccione el valor de un Mes" AS GHOST TEXT FOR THE MES (MONTH) DROP-DOWN LIST AND "Seleccione el valor de un Año" AS GHOST TEXT FOR THE ANO (YEAR) DROP-DOWN LIST.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, DISPLAY "mes" FOR THE MONTH SCREEN AND DISPLAY "año" FOR THE YEAR SCREEN.

ELSE, DISPLAY "mes y año" FOR THE COMBINED MONTH + YEAR SCREEN.

IF R09_AV9068 = 2, DISPLAY "de la vez más reciente que".

ELSE, DISPLAY "cuando".

PROGRAM: Allow respondent to select the month and year from drop-down lists.

PATH ID: R09_AV9069_LC1

Usted contestó que el mes y año, aproximadamente, [cuando/de la vez más reciente que] usted tragó líquido electrónico, o le cayó en la boca, la piel o los ojos fue [MONTH AND YEAR ENTERED IN R09_AV9069]. Eso es en el futuro. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AV9069
2 NEXT	GO TO R09_AV9063

ASK: IF R09_AV9066 = 1 AND R09_AV9069 > TODAY'S DATE.

DISPLAY: IF R09_AV9068 = 2, DISPLAY "de la vez más reciente que".

ELSE, DISPLAY "cuando".

PROGRAM: TRIGGER CHECK IF R09_AV9069 > TODAY'S DATE.

ELSE, GO TO R09_AV9063 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9063

[Piense en la vez más reciente al contestar las siguientes preguntas.

]Luego de tragar líquido electrónico o de caerle en la boca, piel o los ojos, ¿se enfermó usted?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AV9066 = 1.

DISPLAY: IF R09_AV9068 = 2, DISPLAY "Piense en la vez más reciente al contestar las siguientes preguntas."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AV9064

Luego de tragar líquido electrónico o de caerle en la boca, piel o los ojos, ¿habló usted u otra persona con un centro de control de envenenamiento o con un profesional de la salud?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AV9066 = 1.

PATH ID: R09_AV9065

Luego de tragar líquido electrónico o de caerle en la boca, piel o los ojos, ¿fue a un hospital?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AV9066 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9070

Por favor, describa lo que ocurrió [cuando/la vez más reciente que] usted tragó líquido electrónico o le cayó en la boca, la piel o los ojos.

Por ejemplo, si estaba usando el producto cuando ocurrió, dónde se almacenaba el producto y que hacía usted cuando ocurrió.

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AV9066 = 1.

DISPLAY: IF R09_AV9068 = 2, DISPLAY "la vez más reciente".

ELSE, DISPLAY "cuando".

ALLOW OPEN-ENDED ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow for open-ended entry response.

BOX ID: R09_AXR108

Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, go to R09_AX0224.

Else, adult respondents who are current ENP users, or adult respondents who report now living with anyone who uses e-cigarettes or other ENPs, go to R09_AV0217.

Else, go to R09_AX0008.

IF R09_AX0690 != 1, GO TO R09_AX0224.

ELSE, IF R09_EPROD_USER_STATUS = 1 OR R09_AX0066_02 = 1, GO TO R09_AV0217.

ELSE, GO TO R09_AX0008.

PATH ID: R09_AX0224

¿Hay niños menores de 5 años viviendo en su hogar?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO R09_AX0226

GO TO R09_AX0226

GO TO R09_AX0226

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone.

ASK Specification: IF R09_AX0690 != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9067

En los últimos 12 meses, algún niño menor de 5 años que viva en su hogar, ¿tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

(El líquido electrónico es el líquido con nicotina que contienen los cigarrillos electrónicos u otros productos electrónicos con nicotina.)

1	Sí	
2	No	GO TO R09_AX0226
-8	DON'T KNOW	GO TO R09_AX0226
-7	REFUSED	GO TO R09_AX0226

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0224 = 1.

PATH ID: R09_AV9073

En los últimos 12 meses, ¿cuántas veces un niño menor de 5 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

1	Una vez en los últimos 12 meses
2	Más de una vez en los últimos 12 meses
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0224 = 1 AND R09_AV9067 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9074

¿Cuál fue el [mes/año/mes y año], aproximadamente, [cuando/de la vez más reciente que] un niño menor de 5 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

- 1 [DROP-DOWN LIST] Mes [DROP-DOWN LIST] Año
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0224 = 1 AND R09_AV9067 = 1.

DISPLAY: DISPLAY "Mes" AND "Año" AS TITLES AND "Seleccione el valor de un Mes" AS GHOST TEXT FOR THE MES (MONTH) DROP-DOWN LIST AND "Seleccione el valor de un Año" AS GHOST TEXT FOR THE ANO (YEAR) DROP-DOWN LIST.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, DISPLAY "mes" FOR THE MONTH SCREEN AND DISPLAY "año" FOR THE YEAR SCREEN.

ELSE, DISPLAY "mes y año" FOR THE COMBINED MONTH + YEAR SCREEN.

IF R09_AV9073 = 2, DISPLAY "de la vez más reciente que".

ELSE, DISPLAY "cuando".

PROGRAM: Allow respondent to select the month and year from drop-down lists.

PATH ID: R09_AV9074_LC1

Usted contestó que el mes y año, aproximadamente, [cuando/de la vez más reciente que] algún niño menor de 5 años tragó líquido electrónico, o le cayó en la boca, la piel o los ojos fue [MONTH AND YEAR ENTERED IN R09_AV9074]. Eso es en el futuro. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AV9074
2 NEXT	GO TO R09_AV9059

ASK: IF R09_AX0690 != 1 AND R09_AX0224 = 1 AND R09_AV9067 = 1 AND R09_AV9074 > TODAY'S DATE.

DISPLAY: IF R09_AV9073 = 2, DISPLAY "de la vez más reciente que".

ELSE, DISPLAY "cuando".

PROGRAM: TRIGGER CHECK IF R09_AV9074 > TODAY'S DATE.

ELSE, GO TO R09_AV9059 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9059

[Piense en la vez más reciente al contestar las siguientes preguntas.

]Después de que algún niño menor de 5 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿se enfermó?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0224 = 1 AND R09_AV9067 = 1.

DISPLAY: IF R09_AV9073 = 2, DISPLAY "Piense en la vez más reciente al contestar las siguientes preguntas."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AV9061

Después de que algún niño menor de 5 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿habló usted u otra persona con un centro de control de envenenamiento o con un profesional de la salud?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0224 = 1 AND R09_AV9067 = 1.

PATH ID: R09_AV9062

Después de que algún niño menor de 5 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿lo llevaron al hospital?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0224 = 1 AND R09_AV9067 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9075

Por favor, describa lo que ocurrió [cuando/la vez más reciente que] un niño menor de 5 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos.

Por ejemplo, si alguien estaba usando el producto cuando ocurrió, dónde se almacenaba el producto y qué hacía usted cuando ocurrió.

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0224 = 1 AND R09_AV9067 = 1.

DISPLAY: IF R09_AV9073, DISPLAY "la vez más reciente que".

ELSE, DISPLAY "cuando".

ALLOW OPEN-ENDED ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow for open-ended entry response.

PATH ID: R09_AX0226

¿Hay niños entre las edades de 5 y 12 años viviendo en su hogar?

1 Sí

2 No

GO TO R09_AX0238

-8 DON'T KNOW

GO TO R09_AX0238

-7 REFUSED

GO TO R09_AX0238

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone.

ASK Specification: IF R09_AX0690 != 1.

PATH ID: R09_AV9077

En los últimos 12 meses, algún niño entre las edades de 5 y 12 años que viva en su hogar, ¿tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

(El líquido electrónico es el líquido con nicotina que contienen los cigarrillos electrónicos u otros productos electrónicos con nicotina.)

1 Sí

2 No

GO TO R09_AX0238

-8 DON'T KNOW

GO TO R09_AX0238

-7 REFUSED

GO TO R09_AX0238

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 12 living in their household.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0226 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9076

En los últimos 12 meses, ¿cuántas veces un niño entre las edades de 5 y 12 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

- 1 Una vez en los últimos 12 meses
- 2 Más de una vez en los últimos 12 meses
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 12 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0226 = 1 AND R09_AV9077 = 1.

PATH ID: R09_AV9078

¿Cuál fue el [mes/año/mes y año], aproximadamente, [cuando/de la vez más reciente que] un niño entre las edades de 5 y 12 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

- 1 [DROP-DOWN LIST] Mes [DROP-DOWN LIST] Año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 12 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0226 = 1 AND R09_AV9077 = 1.

DISPLAY: DISPLAY "Mes" AND "Año" AS TITLES AND "Seleccione el valor de un Mes" AS GHOST TEXT FOR THE MES (MONTH) DROP-DOWN LIST AND "Seleccione el valor de un Año" AS GHOST TEXT FOR THE ANO (YEAR) DROP-DOWN LIST.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, DISPLAY "mes" FOR THE MONTH SCREEN AND DISPLAY "año" FOR THE YEAR SCREEN.

ELSE, DISPLAY "mes y año" FOR THE COMBINED MONTH + YEAR SCREEN.

IF R09_AV9076 = 2, DISPLAY "de la vez más reciente que".

ELSE, DISPLAY "cuando".

PROGRAM: Allow respondent to select the month and year from drop-down lists.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9078_LC1

Usted contestó que el mes y año, aproximadamente, [cuando/de la vez más reciente que] algún niño entre las edades de 5 y 12 años tragó líquido electrónico, o le cayó en la boca, la piel o los ojos fue [MONTH AND YEAR ENTERED IN R09_AV9078]. Eso es en el futuro. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AV9078

2 NEXT

GO TO R09_AV9079

ASK: IF R09_AX0690 != 1 AND R09_AX0226 = 1 AND R09_AV9077 = 1 AND R09_AV9078 > TODAY'S DATE.

DISPLAY: IF R09_AV9076 = 2, DISPLAY "de la vez más reciente que".
ELSE, DISPLAY "cuando".

PROGRAM: TRIGGER CHECK IF R09_AV9078 > TODAY'S DATE.
ELSE, GO TO R09_AV9079 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AV9079

[Piense en la vez más reciente al contestar las siguientes preguntas.

]Después de que algún niño entre las edades de 5 y 12 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿se enfermó?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 12 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0226 = 1 AND R09_AV9077 = 1.

DISPLAY: IF R09_AV9076 = 2, DISPLAY "Piense en la vez más reciente al contestar las siguientes preguntas."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AV9071

Después de que algún niño entre las edades de 5 y 12 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿habló usted u otra persona con un centro de control de envenenamiento o con un profesional de la salud?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 12 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0226 = 1 AND R09_AV9077 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9072

Después de que algún niño entre las edades de 5 y 12 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿lo llevaron al hospital?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 12 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0226 = 1 AND R09_AV9077 = 1.

PATH ID: R09_AV9080

Por favor, describa lo que ocurrió [cuando/la vez más reciente que] un niño entre las edades de 5 y 12 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos.

Por ejemplo, si alguien estaba usando el producto cuando ocurrió, dónde se almacenaba el producto y qué hacía usted cuando ocurrió.

- 1 [OPEN TEXT RESPONSE]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 12 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0226 = 1 AND R09_AV9077 = 1.

DISPLAY: IF R09_AV9076, DISPLAY "la vez más reciente que".

ELSE, DISPLAY "cuando".

ALLOW OPEN-ENDED ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow for open-ended entry response.

PATH ID: R09_AX0238

¿Hay niños entre las edades de 13 y 17 años viviendo en su hogar?

1 Sí	
2 No	GO TO BOX R09_AXR111
-8 DON'T KNOW	GO TO BOX R09_AXR111
-7 REFUSED	GO TO BOX R09_AXR111

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone.

ASK Specification: IF R09_AX0690 != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9087

En los últimos 12 meses, algún niño entre las edades de 13 y 17 años que viva en su hogar, ¿tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

(El líquido electrónico es el líquido con nicotina que contienen los cigarrillos electrónicos u otros productos electrónicos con nicotina.)

1	Sí	
2	No	GO TO BOX R09_AXR111
-8	DON'T KNOW	GO TO BOX R09_AXR111
-7	REFUSED	GO TO BOX R09_AXR111

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 13 to 17 living in their household.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0238 = 1.

PATH ID: R09_AV9083

En los últimos 12 meses, ¿cuántas veces un niño entre las edades de 13 y 17 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

1	Una vez en los últimos 12 meses
2	Más de una vez en los últimos 12 meses
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 13 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0238 = 1 AND R09_AV9087 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9084

¿Cuál fue el [mes/año/mes y año], aproximadamente, [cuando/de la vez más reciente que] un niño entre las edades de 13 y 17 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos?

- 1 [DROP-DOWN LIST] Mes [DROP-DOWN LIST] Año
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 13 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0238 = 1 AND R09_AV9087 = 1.

DISPLAY: DISPLAY "Mes" AND "Año" AS TITLES AND "Seleccione el valor de un Mes" AS GHOST TEXT FOR THE MES (MONTH) DROP-DOWN LIST AND "Seleccione el valor de un Año" AS GHOST TEXT FOR THE ANO (YEAR) DROP-DOWN LIST..

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, DISPLAY "mes" FOR THE MONTH SCREEN AND DISPLAY "año" FOR THE YEAR SCREEN.

ELSE, DISPLAY "mes y año" FOR THE COMBINED MONTH + YEAR SCREEN.

IF R09_AV9083 = 2, DISPLAY "de la vez más reciente que".

ELSE, DISPLAY "cuando".

PROGRAM: Allow respondent to select the month and year from drop-down lists.

PATH ID: R09_AV9084_LC1

Usted contestó que el mes y año, aproximadamente, [cuando/de la vez más reciente que] algún niño entre las edades de 13 y 17 años tragó líquido electrónico, o le cayó en la boca, la piel o los ojos fue [MONTH AND YEAR ENTERED IN R09_AV9084]. Eso es en el futuro. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AV9084
2 NEXT	GO TO R09_AV9089

ASK: IF R09_AX0690 != 1 AND R09_AX0238 = 1 AND R09_AV9087 = 1 AND R09_AV9084 > TODAY'S DATE.

DISPLAY: IF R09_AV9083 = 2, DISPLAY "de la vez más reciente que".

ELSE, DISPLAY "cuando".

PROGRAM: TRIGGER CHECK IF R09_AV9084 > TODAY'S DATE.

ELSE, GO TO R09_AV9089 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9089

[Piense en la vez más reciente al contestar las siguientes preguntas.

]Después de que algún niño entre las edades de 13 y 17 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿se enfermó?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 13 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0238 = 1 AND R09_AV9087 = 1.

DISPLAY: IF R09_AV9083 = 2, DISPLAY "Piense en la vez más reciente al contestar las siguientes preguntas."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AV9081

Después de que algún niño entre las edades de 13 y 17 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿habló usted u otra persona con un centro de control de envenenamiento o con un profesional de la salud?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 13 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0238 = 1 AND R09_AV9087 = 1.

PATH ID: R09_AV9082

Después de que algún niño entre las edades de 13 y 17 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos, ¿lo llevaron al hospital?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 13 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0238 = 1 AND R09_AV9087 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AV9085

Por favor, describa lo que ocurrió [cuando/la vez más reciente que] un niño entre las edades de 13 y 17 años tragó líquido electrónico o le cayó en la boca, la piel o los ojos.

Por ejemplo, si alguien estaba usando el producto cuando ocurrió, dónde se almacenaba el producto y qué hacía usted cuando ocurrió.

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 13 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R09_AX0690 != 1 AND R09_AX0238 = 1 AND R09_AV9087 = 1.

DISPLAY: IF R09_AV9083, DISPLAY "la vez más reciente que".

ELSE, DISPLAY "cuando".

ALLOW OPEN-ENDED ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow for open-ended entry response.

BOX ID: R09_AXR111

Adult respondents who are current ENP users, or adult respondents who report now living with anyone who uses e-cigarettes or other ENPs, go to R09_AV0217.

Else, go to R09_AX0008.

IF R09_EPROD_USER_STATUS = 1 OR R09_AX0066_02 = 1, GO TO R09_AV0217.

ELSE, GO TO R09_AX0008.

PATH ID: R09_AV0217

En los últimos 30 días, ¿con que frecuencia los **frascos de líquido electrónico** que usted u otras personas en su hogar han comprado han tenido tapas a prueba de niños?

Las tapas a prueba de niños normalmente tienen instrucciones especiales para abrirlas como "push down & turn," (empujar y girar) "squeeze sides while turning," (apretar los costados al girar) "PUSH," (empujar) o "line up arrows" (alinearse flechas).

1 Nunca

2 Rara vez

3 A veces

4 Con frecuencia

5 Siempre

6 Nadie en mi casa ha comprado frascos de líquido electrónico en los últimos 30 días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current ENP users, or adult respondents who report living with anyone who now uses e-cigarettes or other ENPs.

ASK Specification: IF R09_EPROD_USER_STATUS = 1 OR R09_AX0066_02 = 1.

DISPLAY: BOLD "frascos de líquido electrónico".

SOCIAL NORMS, PEER AND FAMILY INFLUENCES

PATH ID: R09_AX0008

En general, ¿cree que la mayoría de la gente está en contra del consumo de **cigarrillos**?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "cigarrillos".

PATH ID: R09_AX0012

En general, ¿cree que la mayoría de la gente está en contra del consumo de **cigarrillos electrónicos u otros productos electrónicos con nicotina**?

- 1 Definitivamente sí
- 2 Probablemente sí
- 3 Probablemente no
- 4 Definitivamente no
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "cigarrillos electrónicos u otros productos electrónicos con nicotina".

BOX ID: R09_AXR80

Young adult respondents, or adult respondents who are current or recent former tobacco users, go to R09_AX0071.

Else, go to R09_AX0741.

IF 18 <= R09_ACHIEVEDAGE < 25 OR R09_TOBACCO_USER_STATUS = 1, 4, GO TO R09_AX0071.

ELSE, GO TO R09_AX0741.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0071

Al pensar en las **personas que son importantes para usted**, ¿cómo describiría la opinión de ellos sobre el consumo de **tabaco en general**?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents, or adult respondents who are current or recent former tobacco users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25 OR R09_TOBACCO_USER_STATUS = 1, 4.

DISPLAY: BOLD "personas que son importantes para usted" AND "tabaco en general".

PATH ID: R09_AX0072

Al pensar en las **personas que son importantes para usted**, ¿cómo describiría la opinión de ellos sobre el consumo de **nicotina en general**?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents, or adult respondents who are current or recent former tobacco users.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25 OR R09_TOBACCO_USER_STATUS = 1, 4.

DISPLAY: BOLD "personas que son importantes para usted" AND "nicotina en general".

BOX ID: R09_AXR05

Young adult respondents, go to Box R09_AXD89.

Else, go to R09_AX0741.

IF 18 <= R09_ACHIEVEDAGE < 25, GO TO BOX R09_AXD89.

ELSE, GO TO R09_AX0741.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXD89

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SIMULTANEOUS DISPLAY; FIXED ORDER: R09_AC1143, R09_AV1143, R09_AG1143, R09_AH1143, R09_AA1143NP, R09_AU1143, R09_AS1143.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AC1143 is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AC1143 on each screen.

PATH ID: R09_AC1143

Al pensar en las **personas que son importantes para usted**, ¿cómo describiría la opinión **de ellos** sobre...

(Desplace para ver más afirmaciones.)

el consumo de cigarrillos?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

DISPLAY: BOLD "personas que son importantes para usted" AND "de ellos".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "(Desplace para ver más afirmaciones.)" IN ITALICS.

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AV1143

el consumo de cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AG1143

el consumo de puros tradicionales, puritos o puros con filtro?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

PATH ID: R09_AH1143

el consumo de shisha o tabaco para hookah?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

PATH ID: R09_AA1143NP

el consumo de bolsitas de nicotina?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AU1143

el consumo de snus?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

PATH ID: R09_AS1143

el consumo de tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

BOX ID: R09_AQR35

Young adult respondents who have ever seen or heard of IQOS, go to R09_AQ1143.
Else, go to R09_AX0741.

IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_AQ1001 = 1, GO TO R09_AQ1143.
ELSE, GO TO R09_AX0741.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AQ1143

Al pensar en las **personas que son importantes para usted**, ¿cómo describiría la opinión **de ellos** sobre el consumo de IQOS?

- 1 Muy positiva
- 2 Positiva
- 3 Ni positiva ni negativa
- 4 Negativa
- 5 Muy negativa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever seen or heard of IQOS.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_AQ1001 = 1.

DISPLAY: BOLD "personas que son importantes para usted" AND "de ellos".

PATH ID: R09_AX0741

Piense en las **personas que son importantes para usted**. ¿Alguna de ellas consume alguno de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 Cigarrillos
- 2 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 10 IQOS
- 3 Puros tradicionales
- 4 Puritos
- 5 Puros con filtro
- 6 Tabaco para pipa
- 7 Shisha o tabaco para hookah
- 12 Bolsitas de nicotina (como Zyn, on! o Rogue)
- 8 Snus
- 9 Tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)
- 13 Productos orales con nicotina (como pastillas de chupar Velo, tabletas Rogue, chicles Lucy o palillos Pixotine)
- 11 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "personas que son importantes para usted".

PROGRAM: Allow respondent to choose all that apply. If option 11 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR02

Adult respondents who are current or recent former tobacco users and are established ENP users or established non-electronic tobacco product users, go to R09_AX0742.
Else, adult respondents who are current or recent former tobacco users and are not established ENP users and are not established non-electronic tobacco product users, go to R09_AX0743.
Else, go to Box R09_AXR131.

IF R09_TOBACCO_USER_STATUS = 1, 4 AND (R09_EPROD_USE_LEVEL = 1 OR R09_TOBXEPROD_USE_LEVEL = 1), GO TO R09_AX0742.
ELSE, IF R09_TOBACCO_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL != 1 AND R09_TOBXEPROD_USE_LEVEL != 1, GO TO R09_AX0743.
ELSE, GO TO BOX R09_AXR131.

PATH ID: R09_AX0742

En los últimos 12 meses, ¿hasta qué punto la desaprobación de sus **amigos cercanos y sus familiares** le [ha hecho/hizo] pensar en dejar de fumar productos de tabaco o nicotina?

1	No he pensado en eso	GO TO BOX R09_AXR131
2	Algo	GO TO BOX R09_AXR131
3	Mucho	GO TO BOX R09_AXR131
-8	DON'T KNOW	GO TO BOX R09_AXR131
-7	REFUSED	GO TO BOX R09_AXR131

ASK: Adult respondents who are current or recent former tobacco users and are established ENP users or established non-electronic tobacco product users.

ASK Specification: IF R09_TOBACCO_USER_STATUS = 1, 4 AND (R09_EPROD_USE_LEVEL = 1 OR R09_TOBXEPROD_USE_LEVEL = 1).

DISPLAY: IF R09_TOBACCO_USER_STATUS = 1, DISPLAY "ha hecho" AND "".

ELSE, IF R09_TOBACCO_USER_STATUS = 4, DISPLAY "hizo" AND "".

BOLD "amigos cercanos y sus familiares".

PATH ID: R09_AX0743

En los últimos 12 meses, ¿hasta qué punto la desaprobación de sus **amigos cercanos y sus familiares** le [ha hecho/hizo] pensar en no consumir productos de tabaco o nicotina (incluyendo cigarrillos electrónicos u otros productos electrónicos con nicotina)?

1	No he pensado en eso
2	Algo
3	Mucho
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current or recent former tobacco users and are not established ENP users and are not established non-electronic tobacco product users.

ASK Specification: IF R09_TOBACCO_USER_STATUS = 1, 4 AND R09_EPROD_USE_LEVEL != 1 AND R09_TOBXEPROD_USE_LEVEL != 1.

DISPLAY: IF R09_TOBACCO_USER_STATUS = 1, DISPLAY "ha hecho" AND "".

ELSE, DISPLAY "hizo" AND "".

BOLD "amigos cercanos y sus familiares".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR131

Adult teen respondents, go to R09_AX0600.
Else, go to Box R09_AXR41.

IF 18 <= R09_ACHIEVEDAGE < 20, GO TO R09_AX0600.
ELSE, GO TO BOX R09_AXR41.

PATH ID: R09_AX0600

En los últimos 30 días, ¿ha ido a la escuela en persona en algún momento? No incluya la asistencia virtual ni el aprendizaje a distancia desde el hogar.

1	Sí	
2	No	GO TO BOX R09_AXR41
-8	DON'T KNOW	GO TO BOX R09_AXR41
-7	REFUSED	GO TO BOX R09_AXR41

ASK: Adult teen respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 20.

PATH ID: R09_AX0603

De cada 10 estudiantes en su grado en la escuela, ¿cuántos cree usted que fuman **cigarrillos electrónicos o productos electrónicos con nicotina**?

0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
-8	DON'T KNOW
-7	REFUSED

ASK: Adult teen respondents who have been going to school in the past 30 days.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 20 AND R09_AX0600 = 1.

DISPLAY: BOLD "cigarrillos electrónicos o productos electrónicos con nicotina".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0601

En los últimos 30 días, ¿ha visto a alguien fumando un **cigarrillo electrónico o un producto electrónico con nicotina** en algún lugar de su escuela o alrededor de su escuela? Escoja todas las opciones que correspondan.

- 2 Sí. En un baño o en un vestuario de la escuela
- 3 Sí. En un salón de clases
- 4 Sí. En otro lugar en la escuela, como el pasillo o la cafetería
- 5 Sí. Afuera de la escuela, como en el estacionamiento, la acera o en otras áreas fuera de la escuela
- 6 Sí. En otro lugar de la escuela que no aparece aquí (ESPECIFIQUE)
- 1 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult teen respondents who have been going to school in the past 30 days.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 20 AND R09_AX0600 = 1.

DISPLAY: BOLD " cigarrillo electrónico o un producto electrónico con nicotina".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

PATH ID: R09_AX0604

De cada 10 estudiantes en su grado en la escuela, ¿cuántos cree usted que fuman **cigarrillos**?

- 0 0
- 1 1
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 10
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult teen respondents who have been going to school in the past 30 days.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 20 AND R09_AX0600 = 1.

DISPLAY: BOLD "cigarrillos".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0602

En los últimos 30 días, ¿ha visto a alguien fumando un **cigarrillo** en algún lugar de su escuela o alrededor de su escuela? Escoja todas las opciones que correspondan.

- 2 Sí. En un baño o en un vestuario de la escuela
- 3 Sí. En un salón de clases
- 4 Sí. En otro lugar en la escuela, como el pasillo o la cafetería
- 5 Sí. Afuera de la escuela, como en el estacionamiento, la acera o en otras áreas fuera de la escuela
- 6 Sí. En otro lugar de la escuela que no aparece aquí (ESPECIFIQUE)
- 1 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult teen respondents who have been going to school in the past 30 days.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 20 AND R09_AX0600 = 1.

DISPLAY: BOLD "cigarrillo".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

ACCESSIBILITY

BOX ID: R09_AXR41
Adult 18-20 year old respondents, go to R09_AX0507. Else, go to Box R09_AXT01.
IF 18 <= R09_ACHIEVEDAGE < 21, GO TO R09_AX0507. ELSE, GO TO BOX R09_AXT01.

PATH ID: R09_AX0507
¿Qué tan fácil cree que es para las personas de su edad comprar cigarrillos en una tienda ?
1 Muy fácil 2 Un poco fácil 3 Un poco difícil 4 Muy difícil -8 DON'T KNOW -7 REFUSED
ASK: Adult 18-20 year old respondents. ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21. DISPLAY: BOLD "en una tienda".

PATH ID: R09_AX0508
¿Qué tan fácil cree que es para las personas de su edad comprar por Internet cigarrillos?
1 Muy fácil 2 Un poco fácil 3 Un poco difícil 4 Muy difícil -8 DON'T KNOW -7 REFUSED
ASK: Adult 18-20 year old respondents. ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21. DISPLAY: BOLD "por Internet".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0501

¿Cuál es la probabilidad de que usted trate de comprar cigarrillos en los próximos 30 días?

- 1 No es muy probable
- 2 Es muy poco probable
- 3 Ni probable ni improbable
- 4 Es algo probable
- 5 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

PATH ID: R09_AX2715

¿Qué tan fácil cree que es para las personas de su edad comprar cigarrillos electrónicos u otros productos electrónicos con nicotina **en una tienda**?

- 1 Muy fácil
- 2 Un poco fácil
- 3 Un poco difícil
- 4 Muy difícil
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

DISPLAY: BOLD "en una tienda".

PATH ID: R09_AX0472

¿Qué tan fácil cree que es para las personas de su edad comprar **por Internet** cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Muy fácil
- 2 Un poco fácil
- 3 Un poco difícil
- 4 Muy difícil
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

DISPLAY: BOLD "por Internet".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX2716

¿Cuál es la probabilidad de que usted trate de comprar un cigarrillo electrónico u otros productos electrónicos con nicotina en los próximos 30 días?

- 1 No es muy probable
- 2 Es muy poco probable
- 3 Ni probable ni improbable
- 4 Es algo probable
- 5 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

PATH ID: R09_AX0511

¿Qué tan fácil cree que es para las personas de su edad comprar bolsitas de nicotina **en una tienda**?

- 1 Muy fácil
- 2 Un poco fácil
- 3 Un poco difícil
- 4 Muy difícil
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

DISPLAY: BOLD "en una tienda".

PATH ID: R09_AX0512

¿Qué tan fácil cree que es para las personas de su edad comprar **por Internet** bolsitas de nicotina?

- 1 Muy fácil
- 2 Un poco fácil
- 3 Un poco difícil
- 4 Muy difícil
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

DISPLAY: BOLD "por Internet".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0513

¿Cuál es la probabilidad de que usted trate de comprar bolsitas de nicotina en los próximos 30 días?

- 1 No es muy probable
- 2 Es muy poco probable
- 3 Ni probable ni improbable
- 4 Es algo probable
- 5 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

PATH ID: R09_AX0516

¿Qué tan fácil cree que es para las personas de su edad comprar **en una tienda** algún otro tipo de producto de tabaco? Esto incluye puros, tabaco para hookah, tabaco para pipa, snus y tabaco que no se fuma.

- 1 Muy fácil
- 2 Un poco fácil
- 3 Un poco difícil
- 4 Muy difícil
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

DISPLAY: BOLD "en una tienda".

PATH ID: R09_AX0517

¿Qué tan fácil cree que es para las personas de su edad comprar **por Internet** algún otro tipo de producto de tabaco? Esto incluye puros, tabaco para hookah, tabaco para pipa, snus y tabaco que no se fuma.

- 1 Muy fácil
- 2 Un poco fácil
- 3 Un poco difícil
- 4 Muy difícil
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

DISPLAY: BOLD "por Internet".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0518

¿Cuál es la probabilidad de que usted trate de comprar algún otro tipo de producto de tabaco en los próximos 30 días? Esto incluye puros, tabaco para hookah, tabaco para pipa, snus y tabaco que no se fuma.

- 1 No es muy probable
- 2 Es muy poco probable
- 3 Ni probable ni improbable
- 4 Es algo probable
- 5 Es muy probable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult 18-20 year old respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 21.

HEALTH

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

General Health

BOX ID: R09_AXT01

Las siguientes preguntas son acerca de alguna información médica básica que es importante para el estudio.

BOX ID: R09_AXV13

PROGRAM - FOR WEB INTERVIEWS, SET WebIntProgress = 1.

BOX ID: R09_AMD05

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SIMULTANEOUS DISPLAY; FIXED ORDER: R09_AX0090, R09_AX0091, R09_AX0088.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AX0090 is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0090 on each screen.

PATH ID: R09_AX0090

En general, ¿cómo calificaría su...

salud física?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0091

salud mental, la cual incluye el estrés, la depresión y los problemas emocionales?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0088

salud en general?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0185

En general, ¿diría que su calidad de vida es...?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0092

En general, ¿qué tan satisfecho está con sus actividades y relaciones sociales?

- 1 Extremadamente satisfecho
- 2 Muy satisfecho
- 3 Algo satisfecho
- 4 Muy poco satisfecho
- 5 No estoy satisfecho
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0712

En general, ¿qué tan saludable es su dieta? Una alimentación saludable generalmente significa comer una variedad de alimentos de los cinco grupos de alimentos (frutas, vegetales, cereales, lácteos y proteínas). También significa no comer demasiadas grasas saturadas, sal, azúcar y consumir la cantidad adecuada de calorías para usted.

¿Diría que...?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0391

Ahora piense en las comidas y bebidas que contienen azúcar. Esto podría incluir postres, dulces, jugos, refrescos y bebidas energéticas.

¿Con qué frecuencia consume comidas o bebidas que contienen azúcar?

- 1 3 o más veces al día
- 2 Una o 2 veces al día
- 3 2 o 3 veces a la semana
- 4 Una vez a la semana o menos
- 5 Para nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0313

Las siguientes preguntas son acerca de su estatura y peso. ¿Prefiere contestar estas preguntas en...?

- 1 Pies y libras o
 - 2 Metros y kilogramos
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R09_AX0316

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0679

¿Aproximadamente cuánto mide usted sin zapatos?

A continuación, anote el número de pies y un número entre 0 y 11 para las pulgadas.

1 |__|__| Pies

2 |__|__| Pulgadas (0-11)

-8 DON'T KNOW GO TO R09_AX0109

-7 REFUSED GO TO R09_AX0109

ASK: Adult respondents who prefer to report their height in feet or did not know or refused to report how they prefer to report their height.

ASK Specification: IF R09_AX0313 = 1, -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Pies" AND "Pulgadas (0-11)" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 2 digits for feet. Range check: Inches (0-11).

PATH ID: R09_AX0679_LC1

Usted contestó que mide [R09_AX0679_FT] pies [y R09_AX0679_IN pulgadas]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R09_AX0679

2 NEXT GO TO R09_AX0109

ASK: IF R09_AX0313 = 1, -8, -7 AND (R09_AX0679_FT < 5 OR (R09_AX0679_FT = 6 AND R09_AX0679_IN > 0) OR R09_AX0679_FT > 6).

DISPLAY: IF R09_AX0679_FT > 0 AND R09_AX0679_IN = 0, DISPLAY "[R09_AX0679_FT] pies". ELSE, IF R09_AX0679_FT > 0 AND R09_AX0679_IN > 0, DISPLAY "[R09_AX0679_FT] pies y [R09_AX0679_IN] pulgadas".

PROGRAM: TRIGGER CHECK IF R09_AX0679_FT < 5 OR (R09_AX0679_FT = 6 AND R09_AX0679_IN > 0) OR R09_AX0679_FT > 6.

ELSE, GO TO R09_AX0109 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0316

¿Aproximadamente cuánto mide usted sin zapatos?

1 |__|. |__|. |__|. Metros

-8 DON'T KNOW GO TO R09_AX0312

-7 REFUSED GO TO R09_AX0312

ASK: Adult respondents who prefer to report their height in meters.

ASK Specification: IF R09_AX0313 = 2.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Metros" AS A TITLE.

PROGRAM: Allow 1 digit before the decimal; allow 2 digits after the decimal.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0316_LC1

Usted contestó que mide [R09_AX0316] metros. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0316
2 NEXT	GO TO R09_AX0312

ASK: IF R09_AX0313 = 2 AND (R09_AX0316 < 1.5 OR R09_AX0316 > 1.8).

PROGRAM: TRIGGER CHECK IF R09_AX0316 < 1.5 OR R09_AX0316 > 1.8.

ELSE, GO TO R09_AX0312 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0109

Aproximadamente, ¿cuánto pesa usted sin ropa ni zapatos?

1 __ __ __ Libras	
-8 DON'T KNOW	GO TO R09_AX0241
-7 REFUSED	GO TO R09_AX0241

ASK: Adult respondents who prefer to report their weight in pounds or did not know or refused to report how they prefer to report their weight.

ASK Specification: IF R09_AX0313 = 1, -8, -7.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Libras" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AX0109_LC1

Usted contestó que pesa [R09_AX0109] libras. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0109
2 NEXT	GO TO R09_AX0241

ASK: IF R09_AX0313 = 1, -8, -7 AND (R09_AX0109 < 125 OR R09_AX0109 > 240).

PROGRAM: TRIGGER CHECK IF R09_AX0109 < 125 OR R09_AX0109 > 240.

ELSE, GO TO R09_AX0241 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0312

Aproximadamente, ¿cuánto pesa usted sin ropa ni zapatos?

1 |__|__|__|. |__|__|
Kilogramos

-8 DON'T KNOW

GO TO R09_AX0241

-7 REFUSED

GO TO R09_AX0241

ASK: Adult respondents who prefer to report their weight in kilograms.

ASK Specification: IF R09_AX0313 = 2.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Kilogramos" AS A TITLE.

PROGRAM: Allow 3 digits before the decimal; allow 2 digits after the decimal.

PATH ID: R09_AX0312_LC1

Usted contestó que pesa [R09_AX0312] kilos. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0312

2 NEXT

GO TO R09_AX0241

ASK: IF R09_AX0313 = 2 AND (R09_AX0312 < 56.7 OR R09_AX0312 > 108.9).

PROGRAM: TRIGGER CHECK IF R09_AX0312 < 56.7 OR R09_AX0312 > 108.9.

ELSE, GO TO R09_AX0241 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0241

En una semana normal, ¿cuántos días hace alguna actividad física o ejercicio de por lo menos una intensidad moderada, como caminar a paso ligero, andar en bicicleta o nadar a un ritmo regular?

0 Ninguno

GO TO R09_AX0243

1 Un día a la semana

2 2 días a la semana

3 3 días a la semana

4 4 días a la semana

5 5 días a la semana

6 6 días a la semana

7 7 días a la semana

-8 DON'T KNOW

GO TO R09_AX0243

-7 REFUSED

GO TO R09_AX0243

ASK: All adult respondents.

DISPLAY: BOLD "En una semana normal".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0242

En los días que hace alguna actividad física o ejercicio de por lo menos una intensidad moderada, ¿normalmente por cuánto tiempo hace estas actividades? Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Horas	
2	_ _	Minutos	
-8	DON'T KNOW		GO TO R09_AX0243
-7	REFUSED		GO TO R09_AX0243

ASK: Adult respondents who do any physical activity of moderate intensity at least 1 day per week.

ASK Specification: IF R09_AX0241 > 0.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as quantity/units.

PATH ID: R09_AX0242_LC1

Usted contestó [R09_AX0242_NN] [horas/minutos] para el tiempo en que usted normalmente hace alguna actividad física o ejercicio de intensidad moderada en los días que hace estas actividades. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AX0242
2	NEXT	GO TO R09_AX0243

ASK: IF R09_AX0241 > 0 AND ((R09_AX0242_NN > 8 AND R09_AX0242_UN = 1) OR (R09_AX0242_NN > 200 AND R09_AX0242_UN = 2)).

DISPLAY: IF R09_AX0242_UN = 1, DISPLAY "horas".
ELSE, IF R09_AX0242_UN = 2, DISPLAY "minutos".

PROGRAM: TRIGGER CHECK IF (R09_AX0242_NN > 8 AND R09_AX0242_UN = 1) OR (R09_AX0242_NN > 200 AND R09_AX0242_UN = 2).
ELSE, GO TO R09_AX0243 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0243

En una semana normal, sin contar su trabajo o sus quehaceres domésticos, ¿cuántos días hace actividades físicas especialmente diseñadas para fortalecer los músculos, tales como levantar pesas o entrenamiento en circuito? No incluya ejercicios cardiovasculares como caminar, andar en bicicleta o nadar.

- 0 Ninguno
- 1 Un día a la semana
- 2 2 días a la semana
- 3 3 días a la semana
- 4 4 días a la semana
- 5 5 días a la semana
- 6 6 días a la semana
- 7 7 días a la semana
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "En una semana normal".

PATH ID: R09_AX0100

En los últimos 7 días, en promedio, ¿cómo calificaría su dolor usando una escala del 0 al 10, en donde 0 significa que no tiene dolor y el 10 significa que tiene el peor dolor imaginable?

- 0 0 = No tengo dolor
- 1 1
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 10 = Tengo el peor dolor imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "En los últimos 7 días".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0101

En los últimos 7 días, en promedio, ¿cómo calificaría su cansancio? Por cansancio, nos referimos a no sentirse descansado o sentirse muy cansado a lo largo del día, sin importar la cantidad de horas que durmió.

- 1 Ninguno
- 2 Es leve
- 3 Es moderado
- 4 Es intenso
- 5 Es muy intenso
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "En los últimos 7 días".

PATH ID: R09_AX0103

En los últimos 7 días, ¿con qué frecuencia ha tenido problemas emocionales tales como sentirse ansioso, deprimido o irritable?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "En los últimos 7 días".

PATH ID: R09_AX0102

En general, califique qué tan bien hace sus actividades sociales y funciones habituales. Esto incluye a las actividades en casa, en el trabajo y en su comunidad, y a las responsabilidades como padre, hijo, esposo, empleado, amigo, etc.

- 1 Excelente
- 2 Muy bien
- 3 Bien
- 4 Regular
- 5 Mal
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0106

En promedio, ¿cuántas horas duerme en un periodo de 24 horas?

- 1 |__|__| Horas
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PATH ID: R09_AX0106_LC1

Usted contestó que duerme [R09_AX0106] horas en un periodo de 24 horas. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0106
2 NEXT	GO TO R09_AX0001

ASK: IF R09_AX0106 > 10.

PROGRAM: TRIGGER CHECK IF R09_AX0106 > 10.
ELSE, GO TO R09_AX0001 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0001

Piense en cualquier atención médica que haya recibido en los últimos 12 meses.

En los **últimos 12 meses**, ¿lo ha visto un médico, una enfermera u otro profesional de la salud?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "últimos 12 meses" in the question text.

PATH ID: R09_AX0002

En los últimos 12 meses, ¿lo ha visto un dentista, higienista u otro profesional dental?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0302

En los últimos 12 meses, ¿ha ido a la sala de emergencias o centro de atención de urgencias debido a un problema de salud que usted tenía?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXR18

Adult respondents who visited an emergency room or urgent health center for their own health problem in the past 12 months, go to R09_AX0155.
Else, go to Box R09_AXR19.

IF R09_AX0302 = 1, GO TO R09_AX0155.
ELSE, GO TO BOX R09_AXR19.

PATH ID: R09_AX0155

En los últimos 12 meses, ¿cuántas veces ha ido a la sala de emergencias o centro de atención de urgencias debido a un problema de salud que usted tenía?

1 | | | | Cantidad de
veces

- 8 DON'T KNOW GO TO BOX R09_AXR19
- 7 REFUSED GO TO BOX R09_AXR19

ASK: Adult respondents who visited an emergency room or urgent care center for their own health problem in the past 12 months.

ASK Specification: IF R09_AX0302 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces" AS A TITLE.

PROGRAM: Allow 4 digits.

PATH ID: R09_AX0155_LC1

Usted contestó que fue a la sala de emergencias o centro de atención de urgencias [R09_AX0155] veces en los últimos 12 meses. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

- 1 BACK GO TO R09_AX0155
- 2 NEXT GO TO R09_AX0155_LC2

ASK: IF R09_AX0302 = 1 AND R09_AX0155 > 15.

PROGRAM: TRIGGER CHECK IF R09_AX0155 > 15.

ELSE, GO TO R09_AX0155_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0155_LC2

Usted contestó "cero" para la cantidad de veces que usted ha ido a la sala de emergencias o centro de atención de urgencias en los últimos 12 meses. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0155

2 NEXT

GO TO BOX R09_AXR19

ASK: IF R09_AX0302 = 1 AND R09_AX0155 = 0.

PROGRAM: TRIGGER CHECK IF R09_AX0155 = 0.

ELSE, GO TO BOX R09_AXR19 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AXR19

Adult respondents who are current or recent former tobacco users and have seen a medical doctor, nurse, other health professional or dentist, hygienist, or other dental professional in the past 12 months, or continuing adult respondents who were current ENP users and have seen a medical doctor, nurse, other health professional or dentist, hygienist, or other dental professional in the past 12 months, go to R09_AX0003.

Else, adult respondents who have ever used any tobacco product, go to R09_AX0104.

Else, go to Box R09_AXR20.

IF (R09_TOBACCO_USER_STATUS = 1, 4 AND (R09_AX0001 != 2 OR R09_AX0002 != 2)) OR (R08_EPROD_USER_STATUS = 1 AND (R09_AX0001 != 2 OR R09_AX0002 != 2)), GO TO R09_AX0003.

ELSE, IF R09_EVER_NEVER_TOBACCO = 1, GO TO R09_AX0104.

ELSE, GO TO BOX R09_AXR20.

PATH ID: R09_AX0003

En los últimos 12 meses, ¿le ha recomendado un médico, un dentista u otro profesional de la salud que deje de consumir productos con tabaco o nicotina?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current or recent former tobacco users and have seen a medical doctor, nurse, other health professional or dentist, hygienist, or other dental professional in the past 12 months, or continuing adult respondents who were current ENP users and have seen a medical doctor, nurse, other health professional or dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF (R09_TOBACCO_USER_STATUS = 1, 4 AND (R09_AX0001 != 2 OR R09_AX0002 != 2)) OR (R08_EPROD_USER_STATUS = 1 AND (R09_AX0001 != 2 OR R09_AX0002 != 2)).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0104

¿Hasta qué punto ha dañado su salud, su [consumo de/consumo pasado de] productos con tabaco o nicotina?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R09_EVER_NEVER_TOBACCO = 1.

DISPLAY: IF R09_TOBACCO_USER_STATUS = 1, DISPLAY "consumo de".
ELSE, DISPLAY "consumo pasado de".

PATH ID: R09_AX0105

¿Hasta qué punto le preocupa que su [consumo de/consumo pasado de] productos con tabaco o nicotina vaya a dañar su salud en el futuro?

- 1 Para nada
- 2 Un poco
- 3 Moderadamente
- 4 Muy preocupado
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R09_EVER_NEVER_TOBACCO = 1.

DISPLAY: IF R09_TOBACCO_USER_STATUS = 1, DISPLAY "consumo de".
ELSE, DISPLAY "consumo pasado de".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

Functional Limitations

BOX ID: R09_AXR20
New baseline adult respondents, go to R09_AX0186_NB. Else, go to R09_AX0093.
IF R09_ADULTTYPE = 2, 3 GO TO R09_AX0186_NB. ELSE, GO TO R09_AX0093.

PATH ID: R09_AX0186_NB
Las siguientes preguntas son acerca de las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado[, / o] fracturas[o embarazo].
¿Tiene serias dificultades para caminar o subir escaleras?
1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED
ASK: New baseline adult respondents.
ASK Specification: IF R09_ADULTTYPE = 2, 3.
DISPLAY: IF (R09_ADULTTYPE = 2 AND R08_SEX = 2) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)), DISPLAY "," AND " o embarazo".
ELSE, DISPLAY " o" AND DO NOT DISPLAY " o embarazo".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0093

[Las siguientes preguntas son acerca de las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado[, / o] fracturas[o embarazo].

]¿Hasta qué punto es capaz de hacer actividades físicas diarias tales como caminar, subir las escaleras, cargar las bolsas del mercado o mover una silla?

- 1 Totalmente
- 2 Mayormente
- 3 Moderadamente
- 4 Un poco
- 5 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULTTYPE = 1 AND R08_SEX = 2, DISPLAY INTRODUCTORY TEXT "Las siguientes preguntas son acerca de las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado, fracturas o embarazo."

ELSE, IF R09_ADULTTYPE = 1, DISPLAY INTRODUCTORY TEXT "Las siguientes preguntas son acerca de las limitaciones ocasionadas por algún problema físico, mental o emocional a largo plazo. No incluya los problemas de salud temporales, tales como un resfriado, fracturas o embarazo."

ELSE, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

BOX ID: R09_AXR21

New baseline adult respondents, go to R09_AX0188_NB.
Else, go to R09_AX0095.

IF R09_ADULTTYPE = 2, 3 GO TO R09_AX0188_NB.
ELSE, GO TO R09_AX0095.

PATH ID: R09_AX0188_NB

¿Tiene dificultades para vestirse o bañarse?

1	Sí	
2	No	GO TO R09_AX0097
-8	DON'T KNOW	GO TO R09_AX0097
-7	REFUSED	GO TO R09_AX0097

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0095

¿Hasta qué punto es capaz de hacer actividades diarias tales como bañarse o tomar una ducha, vestirse o caminar por la casa?

- 1 Totalmente
- 2 Mayormente
- 3 Moderadamente
- 4 Un poco
- 5 Nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents, or new baseline adult respondents who have difficulty dressing or bathing.

ASK Specification: IF R09_ADULTTYPE = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0188_NB = 1).

PATH ID: R09_AX0097

Debido a su salud, ¿se siente limitado en alguna de las siguientes actividades? Escoja todas las opciones que correspondan.

- 1 Levantar 10 libras
- 2 Subir hasta 10 escalones
- 3 Caminar 3 cuerdas
- 4 Caminar 1 milla
- 5 Estar de pie por 20 minutos
- 6 Agacharse o encorvarse
- 7 Alzar el brazo por encima de la cabeza
- 8 Usar los dedos para agarrar
- 9 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: Allow respondent to choose all that apply. If option 9 is selected, no other option can be selected.

PATH ID: R09_AX0187

Debido a un problema físico, mental o emocional, ¿tiene dificultad para hacer diligencias solo, como por ejemplo ir al médico o ir de compras?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0189

Debido a un problema físico, mental o emocional, ¿tiene serias dificultades para concentrarse, recordar cosas o tomar decisiones?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0190

¿Es sordo o tiene serias dificultades para oír?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0191

¿Es ciego o tiene serias dificultades para ver, incluso cuando usa anteojos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

General Medication

BOX ID: R09_AXD06

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0158.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display R09_AX0158 using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one leaf per screen. Include the question text on each screen.

PATH ID: R09_AX0158

En los últimos 12 meses, ¿tomó alguno de los siguientes medicamentos, incluso si solo fue una vez?
[Marque Sí o No para cada uno.]

- 1 Aspirina
- 2 Tylenol (acetaminofén o paracetamol)
- 3 Inhibidores Cox-2, por ejemplo: Celebrex
- 4 Otro medicamento antiinflamatorio, por ejemplo:
ibuprofeno, Motrin, Advil, Naprosyn o Aleve
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno."
ELSE, DO NOT DISPLAY THIS TEXT.

BOX ID: R09_AXR43

Adult respondents who have taken aspirin in the past 12 months, go to R09_AX0156.
Else, go to R09_AX0444.

IF R09_AX0158_01 = 1, GO TO R09_AX0156.
ELSE, GO TO R09_AX0444.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0156

Aproximadamente, en los últimos 12 meses, ¿con qué frecuencia tomó **aspirina**? **No** incluya otros analgésicos (calmantes para el dolor) tales como ibuprofeno o Tylenol.

- 1 Nunca
- 2 Menos de una vez al mes
- 3 1 a 3 días al mes
- 4 Semanalmente
- 5 A diario
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken aspirin in the past 12 months.

ASK Specification: IF R09_AX0158_01 = 1.

DISPLAY: BOLD "aspirina" AND "No".

BOX ID: R09_AXR44

Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily, go to R09_AX0157.
Else, go to R09_AX0444.

IF R09_AX0158_01 = 1 AND R09_AX0156 > 1, GO TO R09_AX0157.
ELSE, GO TO R09_AX0444.

PATH ID: R09_AX0157

¿Qué tipo de aspirina toma normalmente?

- 1 Aspirina para bebé (162 mg o menos)
- 2 Aspirina normal o extra fuerte
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily.

ASK Specification: IF R09_AX0158_01 = 1 AND R09_AX0156 > 1.

PATH ID: R09_AX0444

¿Alguna vez ha usado un medicamento GLP-1, incluso si solo fueron una o dos veces?

Algunos ejemplos son Ozempic, Wegovy, Trulicity, Mounjaro, Rybelsus, Zepbound, semaglutida o tirzepatida. Estos medicamentos normalmente se recetan para bajar de peso, para el tratamiento de la diabetes y para reducir los riesgos de un infarto y derrame cerebral en adultos con enfermedades del corazón.

1	Sí	
2	No	GO TO BOX R09_AXR58
-8	DON'T KNOW	GO TO BOX R09_AXR58
-7	REFUSED	GO TO BOX R09_AXR58

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0445

¿Cuándo comenzó a tomar por primera vez un medicamento GLP-1?

- 1 En los últimos 30 días
- 2 Hace 1 a 6 meses
- 3 Hace 7 a 12 meses
- 4 Hace 1 a 2 años
- 5 Hace más de dos años
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used a GLP-1 medication.

ASK Specification: IF R09_AX0444 = 1.

PATH ID: R09_AX0446

¿Cuánto hace que tomó su última dosis de un medicamento GLP-1? Anote un número entero y seleccione una de las opciones a continuación.

- 1 |_|_|_| Minutos
- 2 |_|_|_| Horas
- 3 |_|_|_| Días
- 4 |_|_|_| Semanas
- 5 |_|_|_| Meses
- 6 |_|_|_| Años
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used a GLP-1 medication.

ASK Specification: IF R09_AX0444 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 3 digits.

PATH ID: R09_AX0447

Piense en su dosis más reciente de un medicamento GLP-1. ¿Fue...?

- 1 Inyectada con una aguja o con un inyector que ya viene lleno
- 2 Tomada como píldora por vía oral (por la boca)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used a GLP-1 medication.

ASK Specification: IF R09_AX0444 = 1.

Cardiovascular Health

BOX ID: R09_AXR58

New cohort adult respondents who are 40 years old or older, or continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview, go to R09_AX0275.

Else, continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview, go to R09_AX0275_12M.

Else, go to Box R09_AXR103.

IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3), GO TO R09_AX0275.

ELSE, IF R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2, GO TO R09_AX0275_12M.

ELSE, GO TO BOX R09_AXR103.

PATH ID: R09_AX0275

¿Alguna vez ha sentido dolor en el pecho, ha sentido el pecho apretado o ha tenido angina de pecho?

1	Sí	GO TO R09_AX0276
2	No	GO TO BOX R09_AXR103
-8	DON'T KNOW	GO TO BOX R09_AXR103
-7	REFUSED	GO TO BOX R09_AXR103

ASK: New cohort adult respondents who are 40 years old or older, or continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3).

PATH ID: R09_AX0275_12M

En los últimos 12 meses, ¿ha sentido algún dolor en el pecho, ha sentido el pecho apretado o ha tenido angina de pecho?

1	Sí	
2	No	GO TO BOX R09_AXR103
-8	DON'T KNOW	GO TO BOX R09_AXR103
-7	REFUSED	GO TO BOX R09_AXR103

ASK: Continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0276

En los **últimos 30 días**, aproximadamente, ¿cuántas veces ha sentido dolor en el pecho, ha sentido el pecho apretado o ha tenido angina de pecho?

1 4 o más veces al día	
2 Una a 3 veces al día	
3 3 o más veces al día, pero no todos los días	
4 Una a 2 veces a la semana	
5 Menos de una vez a la semana	
6 Ninguna vez en los últimos 30 días	GO TO BOX R09_AXR103
-8 DON'T KNOW	GO TO BOX R09_AXR103
-7 REFUSED	GO TO BOX R09_AXR103

ASK: New cohort adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina, or

Continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have ever had any chest pain, chest tightness, or angina, or

Continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have had any chest pain, chest tightness, or angina in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0275 = 1) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3 AND R09_AX0275 = 1) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2 AND R09_AX0275_12M = 1).

DISPLAY: BOLD "últimos 30 días".

BOX ID: R09_AXD08

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SIMULTANEOUS DISPLAY; FIXED ORDER: R09_AX0284, R09_AX0285, R09_AX0286.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AX0284 is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0284 on each screen.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0284

En los **últimos 30 días**, ¿qué tanta limitación ha tenido **debido al dolor en el pecho, a sentir el pecho apretado o a la angina de pecho** al hacer alguna de las siguientes actividades...

Caminar en interiores en un piso plano.

- 1 Extremadamente limitado
- 2 Bien limitado
- 3 Moderadamente limitado
- 4 Un poco limitado
- 5 Nada limitado
- 6 Limitado por otras razones
- 7 No hizo esa actividad
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have had any chest pain, chest tightness, or angina in the past 12 months and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2 AND R09_AX0275_12M = 1 AND R09_AX0276 = 1, 2, 3, 4, 5).

DISPLAY: BOLD "últimos 30 días" AND "debido al dolor en el pecho, a sentir el pecho apretado o a la angina de pecho".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0285

Trabajar en el jardín, aspirar o cargar bolsas del mercado.

- 1 Extremadamente limitado
- 2 Bien limitado
- 3 Moderadamente limitado
- 4 Un poco limitado
- 5 Nada limitado
- 6 Limitado por otras razones
- 7 No hizo esa actividad
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have had any chest pain, chest tightness, or angina in the past 12 months and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2 AND R09_AX0275_12M = 1 AND R09_AX0276 = 1, 2, 3, 4, 5).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0286

Levantar o mover objetos pesados.

- 1 Extremadamente limitado
- 2 Bien limitado
- 3 Moderadamente limitado
- 4 Un poco limitado
- 5 Nada limitado
- 6 Limitado por otras razones
- 7 No hizo esa actividad
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have had any chest pain, chest tightness, or angina in the past 12 months and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2 AND R09_AX0275_12M = 1 AND R09_AX0276 = 1, 2, 3, 4, 5).

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0277

En los **últimos 30 días**, aproximadamente, ¿cuántas veces ha tomado nitroglicerina debido al dolor en el pecho, a sentir el pecho apretado o a la angina de pecho?

- 1 4 o más veces al día
- 2 Una a 3 veces al día
- 3 3 o más veces al día, pero no todos los días
- 4 Una a 2 veces a la semana
- 5 Menos de una vez a la semana
- 6 Ninguna vez en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have had any chest pain, chest tightness, or angina in the past 12 months and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2 AND R09_AX0275_12M = 1 AND R09_AX0276 = 1, 2, 3, 4, 5).

DISPLAY: BOLD "últimos 30 días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0278

En los **últimos 30 días**, ¿qué tanto ha limitado el dolor en el pecho, el sentir el pecho apretado o la angina de pecho el que usted disfrute su vida?

- 1 Ha limitado extremadamente el que yo disfrute mi vida
- 2 Ha limitado bastante el que yo disfrute mi vida
- 3 Ha limitado moderadamente el que yo disfrute mi vida
- 4 Ha limitado un poco el que yo disfrute mi vida
- 5 No ha limitado nada el que yo disfrute mi vida
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have had any chest pain, chest tightness, or angina in the past 12 months and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2 AND R09_AX0275_12M = 1 AND R09_AX0276 = 1, 2, 3, 4, 5).

DISPLAY: BOLD "últimos 30 días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0279

Si tuviera que pasar el resto de su vida con dolor en el pecho, sintiendo el pecho apretado o con angina de pecho como en este momento, ¿cómo se sentiría al respecto?

- 1 Nada satisfecho
- 2 Principalmente insatisfecho
- 3 Algo insatisfecho
- 4 Principalmente satisfecho
- 5 Totalmente satisfecho
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have not reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days, or

Continuing adult respondents who are 40 years old or older and have reported whether they have ever had any chest pain, chest tightness, or angina as of their last completed interview and have had any chest pain, chest tightness, or angina in the past 12 months and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 3 AND R09_AX0275 = 1 AND R09_AX0276 = 1, 2, 3, 4, 5) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_ANGINA = 1, 2 AND R09_AX0275_12M = 1 AND R09_AX0276 = 1, 2, 3, 4, 5).

BOX ID: R09_AXR103

New baseline adult respondents, go to R09_AX0111_NB.
Else, go to Box R09_AXR23.

IF R09_ADULTTYPE = 2, 3 GO TO R09_AX0111_NB.
ELSE, GO TO BOX R09_AXR23.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0111_NB

Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que tenía alguno de los siguientes problemas del corazón? Escoja todas las opciones que correspondan.

- 1 Hipertensión
- 2 Colesterol alto
- 3 Insuficiencia cardíaca congestiva
- 4 Un derrame cerebral
- 5 Un ataque al corazón (también llamado infarto de miocardio) o que necesitaba cirugía de revascularización coronaria
- 6 Fibrilación auricular (ritmo cardíaco irregular)
- 7 Otra enfermedad del corazón
- 8 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

PROGRAM: Allow respondent to choose all that apply. If option 8 is selected, no other option can be selected.

BOX ID: R09_AXR23

Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, go to R09_AX0111_12M.
Else, go to Box R09_AXR82.

IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2, GO TO R09_AX0111_12M.
ELSE, GO TO BOX R09_AXR82.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0111_12M

En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tenía alguno de los siguientes problemas de salud? Escoja todas las opciones que correspondan.

- 1 Hipertensión
- 2 Colesterol alto
- 3 Insuficiencia cardíaca congestiva
- 4 Un derrame cerebral
- 5 Un ataque al corazón (también llamado infarto de miocardio) o que necesitaba cirugía de revascularización coronaria
- 6 Fibrilación auricular (ritmo cardíaco irregular)
- 7 Otra enfermedad del corazón
- 8 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2.

PROGRAM: Allow respondent to choose all that apply. If option 8 is selected, no other option can be selected.

Suppress options 3, 4, 5, and 6 if $18 \leq R09\_ACHIEVEDAGE < 40$.

BOX ID: R09_AXR82

New baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who did not report being diagnosed with high blood pressure as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had high blood pressure in the past 12 months, go to R09_AX0114.

Else, adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or continuing adult respondents who have been told they had high blood pressure in the past 12 months, go to R09_AX0744.

Else, go to Box R09_AXR24.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_01 = 1) OR (R09_ADULTTYPE = 1 AND R08_HIGH_BLOOD_PRESSURE != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_01 = 1), GO TO R09_AX0114.

ELSE, IF R08_HIGH_BLOOD_PRESSURE = 1 OR (R09_ADULTTYPE = 1 AND R09_AX0111_12M_01 = 1), GO TO R09_AX0744.

ELSE, GO TO BOX R09_AXR24.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0114

¿Qué edad tenía la primera vez que le dijeron que tenía hipertensión?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0253

-7 REFUSED

GO TO R09_AX0253

ASK: New baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who did not report being diagnosed with high blood pressure as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_01 = 1) OR (R09_ADULTTYPE = 1 AND R08_HIGH_BLOOD_PRESSURE != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_01 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0114_LC1

Usted contestó que tenía [R09_AX0114] años la primera vez que le dijeron que tenía hipertensión. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0114

2 NEXT

GO TO R09_AX0744

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_01 = 1) OR (R09_ADULTTYPE = 1 AND R08_HIGH_BLOOD_PRESSURE != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_01 = 1)) AND R09_AX0114 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0114 > R09_ACHIEVEDAGE.
ELSE, GO TO R09_AX0744 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0253

La primera vez que le dijeron que tenía hipertensión, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had high blood pressure and did not know or refused to report the age they were first told they had high blood pressure, or continuing adult respondents who did not report being diagnosed with high blood pressure as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and did not know or refused to report the age they were first told they had high blood pressure.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_01 = 1 AND R09_AX0114 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_HIGH_BLOOD_PRESSURE != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_01 = 1 AND R09_AX0114 = -8, -7).

PATH ID: R09_AX0744

[Anteriormente, usted nos dijo que tenía hipertensión.

]En los últimos 12 meses, ¿ha estado su hipertensión bajo control?

- 1 Sí
- 2 No
- 3 Nunca he tenido hipertensión
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or new baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who have been told they had high blood pressure in the past 12 months.

ASK Specification: IF R08_HIGH_BLOOD_PRESSURE = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_01 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0111_12M_01 = 1).

DISPLAY: IF R08_HIGH_BLOOD_PRESSURE = 1 AND R09_AX0111_NB_01 != 1 AND R09_AX0111_12M_01 != 1, DISPLAY "Anteriormente, usted nos dijo que tenía hipertensión." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR24

New baseline adult respondents who have ever been told they had high cholesterol, or continuing adult respondents who did not report being diagnosed with high cholesterol as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had high cholesterol in the past 12 months, go to R09_AX0115.

Else, continuing adult respondents who reported being diagnosed with high cholesterol as of their last completed interview, go to R09_AX0160_12M.

Else, aged-up adult respondents who reported being diagnosed with high cholesterol as of their last completed interview, go to R09_AX0746.

Else, go to R09_AXR26.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_02 = 1) OR (R09_ADULTTYPE = 1 AND R08_HIGH_CHOLESTEROL != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_02 = 1), GO TO R09_AX0115.

ELSE, IF R09_ADULTTYPE = 1 AND R08_HIGH_CHOLESTEROL = 1, GO TO R09_AX0160_12M.

ELSE, IF R09_ADULTTYPE = 2 AND R08_HIGH_CHOLESTEROL = 1, GO TO R09_AX0746.

ELSE, GO TO R09_AXR26.

PATH ID: R09_AX0115

¿Qué edad tenía la primera vez que le dijeron que tenía el colesterol alto?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0254

-7 REFUSED

GO TO R09_AX0254

ASK: New baseline adult respondents who have ever been told they had high cholesterol, or continuing adult respondents who did not report being diagnosed with high cholesterol as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had high cholesterol in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_02 = 1) OR (R09_ADULTTYPE = 1 AND R08_HIGH_CHOLESTEROL != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_02 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0115_LC1

Usted contestó que tenía [R09_AX0115] años la primera vez que le dijeron que tenía el colesterol alto. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0115

2 NEXT

GO TO R09_AX0160

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_02 = 1) OR (R09_ADULTTYPE = 1 AND R08_HIGH_CHOLESTEROL != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_02 = 1)) AND R09_AX0115 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0115 > R09_ACHIEVEDAGE.
ELSE, GO TO R09_AX0160 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0254

La primera vez que le dijeron que tenía el colesterol alto, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had high cholesterol and did not know or refused to report the age they were first told they had high cholesterol, continuing adult respondents who did not report being diagnosed with high cholesterol as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had high cholesterol in the past 12 months and did not know or refused to report the age they were first told they had high cholesterol.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_02 = 1 AND R09_AX0115 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_HIGH_CHOLESTEROL != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_02 = 1 AND R09_AX0115 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0160

Alguna vez, ¿ha tomado algún medicamento para reducir el colesterol?

Por ejemplo, pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor).

1	Sí	GO TO R09_AX0746
2	No	GO TO R09_AX0746
-8	DON'T KNOW	GO TO R09_AX0746
-7	REFUSED	GO TO R09_AX0746

ASK: New baseline adult respondents who have ever been told they had high cholesterol, or continuing adult respondents who did not report being diagnosed with high cholesterol as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had high cholesterol in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_02 = 1) OR (R09_ADULTTYPE = 1 AND R08_HIGH_CHOLESTEROL != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_02 = 1).

PATH ID: R09_AX0160_12M

[Anteriormente, usted nos dijo que tenía el colesterol alto.

]En los últimos 12 meses, ¿ha tomado algún medicamento para reducir el colesterol?

Por ejemplo, pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor).

1	Sí	
2	No	
3	Nunca he tenido el colesterol alto	GO TO BOX R09_AXR26
-8	DON'T KNOW	
-7	REFUSED	

ASK: Continuing adult respondents who reported being diagnosed with high cholesterol as of their last completed interview.

ASK Specification: IF R09_ADULTTYPE = 1 AND R08_HIGH_CHOLESTEROL = 1.

DISPLAY: IF R09_ADULTTYPE = 1 AND R08_HIGH_CHOLESTEROL = 1 AND R09_AX0111_12M_02 != 1, DISPLAY "Anteriormente, usted nos dijo que tenía el colesterol alto." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0746

[Anteriormente, usted nos dijo que tenía el colesterol alto.

]En los últimos 12 meses, ¿ha estado su colesterol alto bajo control?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever been told they have high cholesterol.

ASK Specification: IF (R08_HIGH_CHOLESTEROL = 1 OR R09_AX0111_NB_02 = 1 OR R09_AX0111_12M_02 = 1) AND R09_AX0160_12M != 3.

DISPLAY: IF R09_ADULTTYPE = 2 AND R08_HIGH_CHOLESTEROL = 1 AND R09_AX0111_NB_02 != 1, DISPLAY "Anteriormente, usted nos dijo que tenía el colesterol alto."
ELSE, DO NOT DISPLAY THIS TEXT.

BOX ID: R09_AXR26

New baseline adult respondents who have ever been told they had congestive heart failure, or continuing adult respondents who did not report being diagnosed with congestive heart failure as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had congestive heart failure in the past 12 months, go to R09_AX0116.
Else, go to R09_AXR28.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_03 = 1) OR (R09_ADULTTYPE = 1 AND R08_CONGESTIVE_HF != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_03 = 1), GO TO R09_AX0116.
ELSE, GO TO R09_AXR28.

PATH ID: R09_AX0116

¿Qué edad tenía la primera vez que le dijeron que tenía insuficiencia cardíaca congestiva?

- 1 |__|__| Años
- 8 DON'T KNOW GO TO R09_AX0255
- 7 REFUSED GO TO R09_AX0255

ASK: New baseline adult respondents who have ever been told they had congestive heart failure, or continuing adult respondents who did not report being diagnosed with congestive heart failure as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had congestive heart failure in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_03 = 1) OR (R09_ADULTTYPE = 1 AND R08_CONGESTIVE_HF != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_03 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0116_LC1

Usted contestó que tenía [R09_AX0116] años la primera vez que le dijeron que tenía insuficiencia cardiaca congestiva. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0116

2 NEXT

GO TO BOX R09_AXR28

ASK: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_03 = 1 AND R09_AX0116 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 1 AND R08_CONGESTIVE_HF != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_03 = 1 AND R09_AX0116 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AX0116 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR28 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0255

La primera vez que le dijeron que tenía insuficiencia cardíaca congestiva, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had congestive heart failure and did not know or refused to report the age they were first told they had congestive heart failure, or continuing adult respondents who did not report being diagnosed with congestive heart failure as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had congestive heart failure in the past 12 months and did not know or refused to report the age they were first told they had congestive heart failure.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_03 = 1 AND R09_AX0116 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_CONGESTIVE_HF != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_03 = 1 AND R09_AX0116 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR28

New baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who did not report being diagnosed with a stroke as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had a stroke in the past 12 months, go to R09_AX0117.

Else, adult respondents who reported having had a stroke as of their last completed interview, go to R09_AX0745.

Else, go to R09_AXR30.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_04 = 1) OR (R09_ADULTTYPE = 1 AND R08_STROKE != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_04 = 1), GO TO R09_AX0117.

ELSE, IF R08_STROKE = 1, GO TO R09_AX0745.

ELSE, GO TO R09_AXR30.

PATH ID: R09_AX0117

¿Qué edad tenía la primera vez que le dijeron que tuvo un derrame cerebral?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0256

-7 REFUSED

GO TO R09_AX0256

ASK: New baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who did not report being diagnosed with a stroke as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had a stroke in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_04 = 1) OR (R09_ADULTTYPE = 1 AND R08_STROKE != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_04 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0117_LC1

Usted contestó que tenía [R09_AX0117] años la primera vez que le dijeron que tuvo un derrame cerebral. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0117

2 NEXT

GO TO R09_AX0745

ASK: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_04 = 1 AND R09_AX0117 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 1 AND R08_STROKE != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_04 = 1 AND R09_AX0117 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AX0117 > R09_ACHIEVEDAGE.

ELSE, GO TO R09_AX0745 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0256

La primera vez que le dijeron que tuvo un derrame cerebral, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a stroke and did not know or refused to report the age they were first told they had a stroke, or continuing adult respondents who did not report being diagnosed with a stroke as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had a stroke in the past 12 months and did not know or refused to report the age they were first told they had a stroke.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_04 = 1 AND R09_AX0117 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_STROKE != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_04 = 1 AND R09_AX0117 = -8, -7).

PATH ID: R09_AX0745

[Anteriormente, usted nos dijo que tuvo un derrame cerebral.

]¿Tiene una discapacidad permanente como consecuencia del derrame cerebral?

- 1 Sí
- 2 No
- 3 Nunca he tenido un derrame cerebral
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported having had a stroke as of their last completed interview, or new baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who have been told they had a stroke in the past 12 months.

ASK Specification: IF R08_STROKE = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_04 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0111_12M_04 = 1).

DISPLAY: IF R08_STROKE = 1 AND R09_AX0111_NB_04 != 1 AND R09_AX0111_12M_04 != 1, DISPLAY "Anteriormente, usted nos dijo que tuvo un derrame cerebral." AND DISPLAY OPTION 3. ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR30

New baseline adult respondents who have ever been told they had a heart attack, or continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and were told they had a heart attack in the past 12 months, go to R09_AX0112.

Else, go to Box R09_AXR38.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_05 = 1) OR (R09_ADULTTYPE = 1 AND R08_HEART_ATTACK != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_05 = 1), GO TO R09_AX0112.

ELSE, GO TO BOX R09_AXR38.

PATH ID: R09_AX0112

¿Qué edad tenía la primera vez que le dijeron que tuvo un ataque al corazón (también llamado infarto de miocardio) o que necesitaba cirugía de revascularización coronaria?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0252

-7 REFUSED

GO TO R09_AX0252

ASK: New baseline adult respondents who have ever been told they had a heart attack, or continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and were told they had a heart attack in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_05 = 1) OR (R09_ADULTTYPE = 1 AND R08_HEART_ATTACK != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_05 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0112_LC1

Usted contestó que tenía [R09_AX0112] años la primera vez que le dijeron que tuvo un ataque al corazón. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0112

2 NEXT

GO TO BOX R09_AXR38

ASK: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_05 = 1 AND R09_AX0112 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 1 AND R08_HEART_ATTACK != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_05 = 1 AND R09_AX0112 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AX0112 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXR38 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0252

La primera vez que le dijeron que tuvo un ataque al corazón (también llamado infarto de miocardio) o que necesitaba cirugía de revascularización coronaria, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a heart attack and did not know or refused to report the age they were first told they had a heart attack, or continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months and were told they had a heart attack in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and did not know or refused to report the age they were first told they had a heart attack.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_05 = 1 AND R09_AX0112 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_HEART_ATTACK != 1 AND R09_AX0001 != 2 AND R09_AX0111_12M_05 = 1 AND R09_AX0112 = -8, -7).

BOX ID: R09_AXR38

New baseline adult respondents who have ever been told they had atrial fibrillation, go to R09_AX0113. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R09_AX0219. Else, go to Box R09_AXR59.

IF R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_06 = 1, GO TO R09_AX0113.
ELSE, IF R08_ANY_HEART_CONDITION = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB [_01/_02/_03/_04/_05/_06/_07] = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0111_12M [_01/_02/_03/_04/_05/_06/_07] = 1), GO TO R09_AX0219.
ELSE, GO TO BOX R09_AXR59.

PATH ID: R09_AX0113

¿Qué edad tenía la primera vez que le dijeron que tenía fibrilación auricular (ritmo cardíaco irregular)?

- 1 |__|__| Años
- 8 DON'T KNOW GO TO R09_AX0249
- 7 REFUSED GO TO R09_AX0249

ASK: New baseline adult respondents who have ever been told they had atrial fibrillation.

ASK Specification: IF R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_06 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0113_LC1

Usted contestó que tenía [R09_AX0113] años la primera vez que le dijeron que tenía fibrilación auricular. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0113

2 NEXT

GO TO R09_AX0219

ASK: IF R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_06 = 1 AND R09_AX0113 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0113 > R09_ACHIEVEDAGE.
ELSE, GO TO R09_AX0219 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0249

La primera vez que le dijeron que tenía fibrilación auricular (ritmo cardíaco irregular), ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had atrial fibrillation and did not know or refused to report the age they were first told they had atrial fibrillation.

ASK Specification: IF R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB_06 = 1 AND R09_AX0113 = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0219

En los últimos 12 meses, ¿tomó algún [otro] medicamento para el corazón o la presión arterial de manera habitual? (De manera habitual quiere decir de acuerdo con las instrucciones de un profesional del cuidado de la salud.)

1	Sí	
2	No	GO TO BOX R09_AXR59
-8	DON'T KNOW	GO TO BOX R09_AXR59
-7	REFUSED	GO TO BOX R09_AXR59

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months.

ASK Specification: IF R08_ANY_HEART_CONDITION = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB[_01/_02/_03/_04/_05/_06/_07] = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0111_12M[_01/_02/_03/_04/_05/_06/_07] = 1).

DISPLAY: IF R09_AX0160 = 1 OR R09_AX0160_12M = 1, DISPLAY "otro ".
ELSE, DO NOT DISPLAY.

BOX ID: R09_AXD04

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0159.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display R09_AX0159 using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one leaf per screen. Include the question text on each screen.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0159

¿Qué tipo de medicamento para el corazón o la presión arterial toma de manera habitual? [Marque Sí o No para cada uno. Desplace para ver más tipos de medicamentos.]

- 1 Bloqueadores de canales de calcio - por ejemplo: nifedipina (Procardia, Adalat), diltiazem (Cardizem), amlodipino (Norvasc), verapamilo (Calan), nisoldipina (Sular)
- 2 Bloqueadores beta - por ejemplo: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)
- 3 Bloqueadores del receptor de angiotensina - por ejemplo: losartán (Cozaar), irbesartán (Avapro), valsartán (Diovan), candesartán (Atacand), telmisartán (Micardis), olmesartán (Benicar)
- 4 Inhibidores de enzima convertidora de angiotensina (ACE, por sus siglas en inglés) - por ejemplo: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)
- 5 Diuréticos - por ejemplo: furosemida (Lasix), indapamide (Lozol), triamterene (Dyrenium), tiazidas (HCTZ), triamterene/HCTZ (Dyazide)
- 10 Estatinas - por ejemplo: pravastatina (Pravachol), atorvastatina (Lipitor), simvastatina (Zocor)
- 6 Digoxin (Lanoxin)
- 7 Metildopa (Aldomet) o hidralazina (Apresolina)
- 8 Otros antiarrítmicos
- 9 Algún otro medicamento para el corazón o la presión arterial
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R08_ANY_HEART_CONDITION = 1 AND R09_AX0219 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0111_NB[01/_02/_03/_04/_05/_06/_07] = 1 AND R09_AX0219 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0111_12M[01/_02/_03/_04/_05/_06/_07] = 1 AND R09_AX0219 = 1).

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno. Desplace para ver más tipos de medicamentos."
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR59
Adult respondents who are 40 years old or older, go to R09_AX0413. Else, go to Box R09_AXR115.
IF R09_ACHIEVEDAGE >= 40, GO TO R09_AX0413. ELSE, GO TO BOX R09_AXR115.

PATH ID: R09_AX0413
¿Tiene dolor o pesadez en alguna parte de las piernas, los muslos, las nalgas o los pies que se empeora al caminar o con otro ejercicio y se mejora con el descanso?
1 Sí 2 No -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who are 40 years old or older. ASK Specification: IF R09_ACHIEVEDAGE >= 40.

BOX ID: R09_AXR132
New cohort adult respondents who are 40 years old or older, or continuing adult respondents who are 40 years old or older and have not reported whether they have been diagnosed with PAD or PVD as of their last completed interview, go to R09_AX0410. Else, continuing adult respondents who are 40 years old or older and have reported whether they have been diagnosed with PAD or PVD as of their last completed interview, go to R09_AX0410_12M. Else, go to Box R09_AXR115.
IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_PADPVD = 3), GO TO R09_AX0410. ELSE, IF R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_PADPVD = 1, 2, GO TO R09_AX0410_12M. ELSE, GO TO BOX R09_AXR115.

PATH ID: R09_AX0410
¿Le ha dicho alguna vez un médico, una enfermera u otro profesional de la salud que tiene mala circulación también llamada enfermedad arterial periférica (EAP) o enfermedad vascular periférica (EVP)?
1 Sí 2 No -8 DON'T KNOW -7 REFUSED
GO TO BOX R09_AXR115 GO TO BOX R09_AXR115 GO TO BOX R09_AXR115
ASK: New cohort adult respondents who are 40 years old or older, or continuing adult respondents who are 40 years old or older and have not reported whether they have been diagnosed with PAD or PVD as of their last completed interview. ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_PADPVD = 3).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0411

¿Qué edad tenía la primera vez que le dijeron que tenía enfermedad arterial periférica (EAP) o enfermedad vascular periférica (EVP)?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0412

-7 REFUSED

GO TO R09_AX0412

ASK: New cohort adult respondents who are 40 years old or older and have ever been told they had PAD or PVD, or continuing adult respondents who are 40 years old or older and have not reported whether they have been diagnosed with PAD or PVD as of their last completed interview and have ever been told they had PAD or PVD.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0410 = 1) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_PADPVD = 3 AND R09_AX0410 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0411_LC1

Usted contestó que tenía [R09_AX0411] años la primera vez que le dijeron que tenía enfermedad arterial periférica (EAP) o enfermedad vascular periférica (EVP). Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0411

2 NEXT

GO TO BOX R09_AXR115

ASK: IF ((R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0410 = 1) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_PADPVD = 3 AND R09_AX0410 = 1)) AND R09_AX0411 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0411 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR115 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0412

La primera vez que le dijeron que tenía enfermedad arterial periférica (EAP) o enfermedad vascular periférica (EVP), ¿diría que tenía...?

1	Menos de 18 años de edad,	GO TO BOX R09_AXR115
2	Entre 18 y 24 años de edad,	GO TO BOX R09_AXR115
3	Entre 25 y 34 años de edad,	GO TO BOX R09_AXR115
4	Entre 35 y 44 años de edad,	GO TO BOX R09_AXR115
5	Entre 45 y 54 años de edad o	GO TO BOX R09_AXR115
6	55 años de edad o más	GO TO BOX R09_AXR115
-8	DON'T KNOW	GO TO BOX R09_AXR115
-7	REFUSED	GO TO BOX R09_AXR115

ASK: New cohort adult respondents who are 40 years old or older and have ever been told they had PAD or PVD and did not know or refused to report the age they were first told they had PAD or PVD, or continuing adult respondents who are 40 years old or older and have not reported whether they have been diagnosed with PAD or PVD as of their last completed interview and have ever been told they had PAD or PVD and did not know or refused to report the age they were first told they had PAD or PVD.

ASK Specification: IF (R09_ADULTTYPE = 3 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0410 = 1 AND R09_AX0411 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_PADPVD = 3 AND R09_AX0410 = 1 AND R09_AX0411 = -8, -7).

PATH ID: R09_AX0410_12M

En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que tiene mala circulación en las piernas también llamada enfermedad arterial periférica (EAP) o enfermedad vascular periférica (EVP)?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Continuing adult respondents who are 40 years old or older and have reported whether they have been diagnosed with PAD or PVD as of their last completed interview.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_PADPVD = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Respiratory Health

BOX ID: R09_AXR115

New baseline adult respondents, go to R09_AX0046_NB.
Else, continuing adult respondents, go to R09_AX0047_12M.

IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0046_NB.
ELSE, IF R09_ADULTTYPE = 1, GO TO R09_AX0047_12M.

PATH ID: R09_AX0046_NB

Anteriormente, ¿ha tenido **alguna vez** silbidos o sibilancias en el pecho?

1	Sí	
2	No	GO TO R09_AX0052
-8	DON'T KNOW	GO TO R09_AX0052
-7	REFUSED	GO TO R09_AX0052

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

DISPLAY: BOLD "alguna vez".

PATH ID: R09_AX0047_12M

¿Ha tenido silbidos o sibilancias en el pecho en los **últimos 12 meses**?

1	Sí	
2	No	GO TO R09_AX0052
-8	DON'T KNOW	GO TO R09_AX0052
-7	REFUSED	GO TO R09_AX0052

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, or continuing adult respondents.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0046_NB = 1) OR R09_ADULTTYPE = 1.

DISPLAY: BOLD "últimos 12 meses".

PATH ID: R09_AX0048

¿Cuántos ataques de silbidos o sibilancias ha tenido en los últimos 12 meses?

1	Ninguno
2	1 a 3
3	4 a 12
4	Más de 12
-8	DON'T KNOW
-7	REFUSED

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0046_NB = 1 AND R09_AX0047_12M = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0047_12M = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0049

En los últimos 12 meses, ¿con qué frecuencia en promedio no ha podido dormir bien debido a los silbidos o sibilancias?

- 1 Nunca se ha despertado con silbidos o sibilancias
- 2 Menos de una noche a la semana
- 3 Una o más noches a la semana
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0046_NB = 1 AND R09_AX0047_12M = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0047_12M = 1).

PATH ID: R09_AX0050

En los últimos 12 meses, ¿alguna vez han sido los silbidos o sibilancias tan intensos que le limitaron al hablar y solo podía decir una o dos palabras entre respiros?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0046_NB = 1 AND R09_AX0047_12M = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0047_12M = 1).

PATH ID: R09_AX0052

En los últimos 12 meses, ¿le han sonado silbidos o sibilancias en el pecho durante o después de hacer ejercicio?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0053

Una tos seca es una tos sin flema ni mucosidad. En los últimos 12 meses, ¿ha tenido una tos seca en la noche?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXR31

New baseline adult respondents, go to R09_AX0119_NB.
Else, go to Box R09_AXR32.

IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0119_NB.
ELSE, GO TO BOX R09_AXR32.

PATH ID: R09_AX0119_NB

Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que tenía alguno de los siguientes problemas pulmonares o respiratorios? Escoja todas las opciones que correspondan.

- 1 COPD
- 2 Bronquitis crónica
- 3 Enfisema
- 4 Asma
- 5 Algún otro tipo de problema pulmonar o respiratorio (ESPECIFIQUE)
- 6 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR32

Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months, go to R09_AX0119_12M.
Else, go to Box R09_AXR63.

IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2, GO TO R09_AX0119_12M.
ELSE, GO TO BOX R09_AXR63.

PATH ID: R09_AX0119_12M

En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que tenía alguno de los siguientes problemas pulmonares o respiratorios? Escoja todas las opciones que correspondan.

- 1 COPD
- 2 Bronquitis crónica
- 3 Enfisema
- 4 Asma
- 5 Algún otro tipo de problema pulmonar o respiratorio (ESPECIFIQUE)
- 6 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.

BOX ID: R09_AXR63

New baseline adult respondents who have ever been told they had COPD, or continuing adult respondents who did not report being diagnosed with COPD as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had COPD in the past 12 months, go to R09_AX0120.
Else, go to Box R09_AXR33.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_01 = 1) OR (R09_ADULTTYPE = 1 AND R08_COPD != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_01 = 1), GO TO R09_AX0120.
ELSE, GO TO BOX R09_AXR33.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0120

¿Qué edad tenía la primera vez que le dijeron que tenía COPD?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0257

-7 REFUSED

GO TO R09_AX0257

ASK: New baseline adult respondents who have ever been told they had COPD, or continuing adult respondents who did not report being diagnosed with COPD as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had COPD in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_01 = 1) OR (R09_ADULTTYPE = 1 AND R08_COPD != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_01 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0120_LC1

Usted contestó que tenía [R09_AX0120] años la primera vez que le dijeron que tenía enfermedad obstructiva crónica pulmonar. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0120

2 NEXT

GO TO BOX R09_AXR33

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_01 = 1) OR (R09_ADULTTYPE = 1 AND R08_COPD != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_01 = 1)) AND R09_AX0120 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0120 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXR33 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0257

La primera vez que le dijeron que tenía COPD, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had COPD and did not know or refused to report the age they were first told they had COPD, or continuing adult respondents who did not report being diagnosed with COPD as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had COPD in the past 12 months and did not know or refused to report the age they were first told they had COPD.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_01 = 1 AND R09_AX0120 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_COPD != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_01 = 1 AND R09_AX0120 = -8, -7).

BOX ID: R09_AXR33

New baseline adult respondents who have ever been told they had chronic bronchitis, or continuing adult respondents who did not report being diagnosed with chronic bronchitis as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had chronic bronchitis in the past 12 months, go to R09_AX0121.
Else, go to Box R09_AXR35.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_02 = 1) OR (R09_ADULTTYPE = 1 AND R08_BRONCHITIS != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_02 = 1), GO TO R09_AX0121.
ELSE, GO TO BOX R09_AXR35.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0121

¿Qué edad tenía la primera vez que le dijeron que tenía bronquitis crónica?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0258

-7 REFUSED

GO TO R09_AX0258

ASK: New baseline adult respondents who have ever been told they had chronic bronchitis, or continuing adult respondents who did not report being diagnosed with chronic bronchitis as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had chronic bronchitis in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_02 = 1) OR (R09_ADULTTYPE = 1 AND R08_BRONCHITIS != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_02 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0121_LC1

Usted contestó que tenía [R09_AX0121] años la primera vez que le dijeron que tenía bronquitis crónica. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0121

2 NEXT

GO TO BOX R09_AXR35

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_02 = 1) OR (R09_ADULTTYPE = 1 AND R08_BRONCHITIS != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_02 = 1)) AND R09_AX0121 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0121 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR35 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0258

La primera vez que le dijeron que tenía bronquitis crónica, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had chronic bronchitis and did not know or refused to report the age they were first told they had chronic bronchitis, or continuing adult respondents who did not report being diagnosed with chronic bronchitis as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had chronic bronchitis in the past 12 months and did not know or refused to report the age they were first told they had chronic bronchitis.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_02 = 1 AND R09_AX0121 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_BRONCHITIS != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_02 = 1 AND R09_AX0121 = -8, -7).

BOX ID: R09_AXR35

New baseline adult respondents who have ever been told they had emphysema, or continuing adult respondents who did not report being diagnosed with emphysema as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had emphysema in the past 12 months, go to R09_AX0123.

Else, go to Box R09_AXR157.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_03 = 1) OR (R09_ADULTTYPE = 1 AND R08_EMPHYSEMA != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_03 = 1), GO TO R09_AX0123. ELSE, GO TO BOX R09_AXR157.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0123

¿Qué edad tenía la primera vez que le dijeron que tenía enfisema?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0259

-7 REFUSED

GO TO R09_AX0259

ASK: New baseline adult respondents who have ever been told they had emphysema, or continuing adult respondents who did not report being diagnosed with emphysema as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had emphysema in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_03 = 1) OR (R09_ADULTTYPE = 1 AND R08_EMPHYSEMA != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_03 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0123_LC1

Usted contestó que tenía [R09_AX0123] años la primera vez que le dijeron que tenía enfisema. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0123

2 NEXT

GO TO BOX R09_AXR157

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_03 = 1) OR (R09_ADULTTYPE = 1 AND R08_EMPHYSEMA != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_03 = 1)) AND R09_AX0123 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0123 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR157 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0259

La primera vez que le dijeron que tenía enfisema, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had emphysema and did not know or refused to report the age they were first told they had emphysema, or continuing adult respondents who did not report being diagnosed with emphysema as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had emphysema in the past 12 months and did not know or refused to report the age they were first told they had emphysema.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_03 = 1 AND R09_AX0123 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_EMPHYSEMA != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_03 = 1 AND R09_AX0123 = -8, -7).

BOX ID: R09_AXR157

Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema, or continuing adult respondents who have been told they had COPD, chronic bronchitis, or emphysema in the past 12 months, go to R09_AX0740.
Else, go to Box R09_AXV09.

IF R08_LUNGCOND = 1 OR (R09_ADULTTYPE = 2, 3 AND (R09_AX0119_NB_01 = 1 OR R09_AX0119_NB_02 = 1 OR R09_AX0119_NB_03 = 1)) OR (R09_ADULTTYPE = 1 AND (R09_AX0119_12M_01 = 1 OR R09_AX0119_12M_02 = 1 OR R09_AX0119_12M_03 = 1)), GO TO R09_AX0740.
ELSE, GO TO BOX R09_AXV09.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0740

[Anteriormente, usted nos dijo que tenía COPD, bronquitis crónica o enfisema.]¿Cuál de las siguientes afirmaciones aplica más a usted?

- 1 Solo se me corta la respiración con el ejercicio extenuante
- 2 Se me corta la respiración cuando camino rápido en lo plano o al subir una cuesta pequeña
- 3 Camino más despacio que las personas de mi edad en un nivel plano debido a la dificultad para respirar o tengo que parar para respirar cuando camino a mi propio paso en un nivel plano
- 4 Tengo que parar para respirar después de caminar un par de cuadras (o después de unos minutos) en un nivel plano
- 5 Me cuesta bastante respirar como para salir de casa o cuando me visto
- 6 Nunca he tenido COPD, bronquitis crónica o enfisema
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema, or continuing adult respondents who have been told they had COPD, chronic bronchitis, or emphysema in the past 12 months.

ASK Specification: IF R08_LUNGCOND = 1 OR (R09_ADULTTYPE = 2, 3 AND (R09_AX0119_NB_01 = 1 OR R09_AX0119_NB_02 = 1 OR R09_AX0119_NB_03 = 1)) OR (R09_ADULTTYPE = 1 AND (R09_AX0119_12M_01 = 1 OR R09_AX0119_12M_02 = 1 OR R09_AX0119_12M_03 = 1)).

DISPLAY: IF R08_LUNGCOND = 1 AND R09_AX0119_NB_01 != 1 AND R09_AX0119_NB_02 != 1 AND R09_AX0119_NB_03 != 1 AND R09_AX0119_12M_01 != 1 AND R09_AX0119_12M_02 != 1 AND R09_AX0119_12M_03 != 1, DISPLAY "Anteriormente, usted nos dijo que tenía COPD, bronquitis crónica o enfisema." AND DISPLAY OPTION 6.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 6.

BOX ID: R09_AXV09

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

R09_ADULT_LUNGCOND = Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0778

Seleccione la respuesta que mejor le describe actualmente usando la siguiente escala: 1 = Nunca toso a 6 = Toso todo el tiempo.

- 1 1 = Nunca toso
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6 = Toso todo el tiempo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0779

Seleccione la respuesta que mejor le describe actualmente usando la siguiente escala: 1 = No tengo flema (mucosidad) en el pecho a 6 = Tengo el pecho completamente lleno de flema (mucosidad).

- 1 1 = No tengo flema (mucosidad) en el pecho
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6 = Tengo el pecho completamente lleno de flema (mucosidad)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0780

Seleccione la respuesta que mejor le describe actualmente usando la siguiente escala: 1 = No siento para nada el pecho apretado a 6 = Siento el pecho muy apretado.

- 1 1 = No siento para nada el pecho apretado
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6 = Siento el pecho muy apretado
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0781

Seleccione la respuesta que mejor le describe actualmente usando la siguiente escala: 1 = Cuando subo una cuesta o un tramo de escaleras no me quedo sin respiración a 6 = Cuando subo una cuesta o un tramo de escaleras me quedo casi completamente sin respiración.

- 1 1 = Cuando subo una cuesta o un tramo de escaleras no me quedo sin respiración
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6 = Cuando subo una cuesta o un tramo de escaleras me quedo casi completamente sin respiración
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0782

Seleccione la respuesta que mejor le describe actualmente usando la siguiente escala: 1 = No estoy limitado en ninguna de mis actividades en casa a 6 = Estoy muy limitado en mis actividades en casa.

- 1 1 = No estoy limitado en ninguna de mis actividades en casa
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6 = Estoy muy limitado en mis actividades en casa
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0783

Seleccione la respuesta que mejor lo describe actualmente usando la siguiente escala: 1 = Me siento confiado al salir de mi casa a 6 = No me siento nada confiado al salir de mi casa debido a mi problema pulmonar.

- 1 1 = Me siento confiado al salir de mi casa
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6 = No me siento nada confiado al salir de mi casa debido a mi problema pulmonar
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0784

Seleccione la respuesta que mejor le describe actualmente usando la siguiente escala: 1 = Duermo profundamente a 6 = No duermo profundamente debido a mi problema pulmonar.

- 1 1 = Duermo profundamente
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6 = No duermo profundamente debido a mi problema pulmonar
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0785

Seleccione la respuesta que mejor le describe actualmente usando la siguiente escala: 1 = Tengo mucha energía a 6 = No tengo nada de energía.

- 1 1 = Tengo mucha energía
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6 = No tengo nada de energía
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR09

Adult respondents who have ever had COPD, chronic bronchitis, or emphysema, go to R09_AX0735.
Else, go to Box R09_AXR37.

IF R09_ADULT_LUNGCOND = 1, GO TO R09_AX0735.
ELSE, GO TO BOX R09_AXR37.

PATH ID: R09_AX0735

En las **últimas 2 semanas**, ¿cuántos días o cuántas noches le ha molestado alguna dificultad para respirar?

- 1 Nunca
- 2 1 a 2 días o noches
- 3 3 a 6 días o noches
- 4 7 a 13 días o noches
- 5 Todos los días o todas las noches
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R09_ADULT_LUNGCOND = 1.

DISPLAY: BOLD "últimas 2 semanas".

PATH ID: R09_AX0736_12M

En los **últimos 12 meses**, ¿lo han admitido en un hospital, sala de emergencias o centro de atención de urgencias debido al COPD, la bronquitis crónica o el enfisema?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R09_ADULT_LUNGCOND = 1.

DISPLAY: BOLD "últimos 12 meses".

PATH ID: R09_AX0737_12M

En los **últimos 12 meses**, ¿lo han entubado para ayudarle a respirar debido al COPD, la bronquitis crónica o el enfisema?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R09_ADULT_LUNGCOND = 1.

DISPLAY: BOLD "últimos 12 meses".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0774_12M

En los **últimos 12 meses**, ¿cuántas veces faltó al trabajo, a la escuela o a otras actividades debido a un resfriado, bronquitis o neumonía?

- 1 |__|__|__| Cantidad de veces
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R09_ADULT_LUNGCOND = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

BOLD "últimos 12 meses".

DISPLAY "Cantidad de veces" AS A TITLE.

PATH ID: R09_AX0775_12M

En los **últimos 12 meses**, ¿le han recetado antibióticos o corticoesteroides debido a un resfriado, bronquitis o neumonía?

- 1 Sí
2 No
-8 DON'T KNOW
-7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R09_ADULT_LUNGCOND = 1.

DISPLAY: BOLD "últimos 12 meses".

BOX ID: R09_AXR37

New baseline adult respondents who have ever been told they had asthma, or continuing adult respondents who did not report being diagnosed with asthma as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had asthma in the past 12 months, go to R09_AX0124.

Else, adult respondents who reported being diagnosed with asthma as of their last completed interview, go to R09_AX0227.

Else, go to Box R09_AXV03.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_04 = 1) OR (R09_ADULTTYPE = 1 AND R08_ASTHMA != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_04 = 1), GO TO R09_AX0124.
ELSE, IF R08_ASTHMA = 1, GO TO R09_AX0227.
ELSE, GO TO BOX R09_AXV03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0124

¿Qué edad tenía la primera vez que le dijeron que tenía asma?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0260

-7 REFUSED

GO TO R09_AX0260

ASK: New baseline adult respondents who have ever been told they had asthma, or continuing adult respondents who did not report being diagnosed with asthma as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had asthma in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_04 = 1) OR (R09_ADULTTYPE = 1 AND R08_ASTHMA != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_04 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0124_LC1

Usted contestó que tenía [R09_AX0124] años la primera vez que le dijeron que tenía asma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0124

2 NEXT

GO TO R09_AX0227

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_04 = 1) OR (R09_ADULTTYPE = 1 AND R08_ASTHMA != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_04 = 1)) AND R09_AX0124 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0124 > R09_ACHIEVEDAGE.
ELSE, GO TO R09_AX0227 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0260

La primera vez que le dijeron que tenía asma, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had asthma and did not know or refused to report the age they were first told they had asthma, or continuing adult respondents who did not report being diagnosed with asthma as of their last completed interview and have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had asthma in the past 12 months and did not know or refused to report the age they were first told they had asthma.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_04 = 1 AND R09_AX0124 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_ASTHMA != 1 AND R09_AX0001 != 2 AND R09_AX0119_12M_04 = 1 AND R09_AX0124 = -8, -7).

PATH ID: R09_AX0227

[Anteriormente, usted nos dijo que tenía asma.

]En los últimos 30 días, ¿cuánto tiempo el asma le impidió hacer gran parte de sus actividades en el trabajo, la escuela o en casa?

- 1 Todo el tiempo
- 2 Casi siempre
- 3 A veces
- 4 Un poco
- 5 Nunca
- 6 Nunca he tenido asma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with asthma as of their last completed interview, or new baseline adult respondents who have ever been told they had asthma, or continuing adult respondents who have been told they have asthma in the past 12 months.

ASK Specification: IF R08_ASTHMA = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0119_NB_04 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0119_12M_04 = 1).

DISPLAY: IF R08_ASTHMA = 1 AND R09_AX0119_NB_04 != 1 AND R09_AX0119_12M_04 != 1, DISPLAY "Anteriormente, usted nos dijo que tenía asma." AND DISPLAY OPTION 6.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 6.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXV03

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_ADULT_ASTHMA = Adult respondents who have ever had asthma.

BOX ID: R09_AXR08

Adult respondents who have ever had asthma, go to R09_AX0228.
Else, adult respondents who have ever had COPD, chronic bronchitis, or emphysema, go to R09_AX0283.
Else, go to Box R09_AXR116.

IF R09_ADULT_ASTHMA = 1, GO TO R09_AX0228.
ELSE, IF R09_ADULT_LUNGCOND = 1, GO TO R09_AX0283.
ELSE, GO TO BOX R09_AXR116.

PATH ID: R09_AX0228

En los **últimos 30 días**, ¿con qué frecuencia ha tenido dificultad para respirar o ha sentido que le falta el aire?

- 1 Más de una vez al día
- 2 Una vez al día
- 3 3 a 6 veces a la semana
- 4 Una o dos veces a la semana
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R09_ADULT_ASTHMA = 1.

DISPLAY: BOLD "últimos 30 días".

PATH ID: R09_AX0229

En los últimos 30 días, ¿con qué frecuencia sus síntomas de asma (como silbidos en el pecho, tos, dificultad para respirar, sentir el pecho apretado o dolor) lo despiertan en la noche o antes de lo usual en la mañana?

- 1 4 o más noches a la semana
- 2 2 o 3 noches
- 3 Una vez a la semana
- 4 Una o dos veces
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R09_ADULT_ASTHMA = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0283

En los **últimos 12 meses**, ¿tomó algún medicamento de manera habitual para COPD, la bronquitis crónica, el enfisema o el asma? (De manera habitual quiere decir de acuerdo con las instrucciones de un profesional del cuidado de la salud.)

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma or have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R09_ADULT_ASTHMA = 1 OR R09_ADULT_LUNGCOND = 1.

DISPLAY: BOLD "últimos 12 meses".

BOX ID: R09_AXR97

Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months, go to Box R09_AXD05.
Else, adult respondents who have ever had asthma, go to R09_AX0125.
Else, go to Box R09_AXR07.

IF R09_ADULT_ASTHMA = 1 AND R09_AX0283 = 1, GO TO BOX R09_AXD05.
ELSE, IF R09_ADULT_ASTHMA = 1, GO TO R09_AX0125.
ELSE, GO TO BOX R09_AXR07.

BOX ID: R09_AXD05

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0128.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display R09_AX0128 using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one leaf per screen. Include the question text on each screen.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0128

En los últimos 12 meses, ¿cuál de los siguientes medicamentos tomó de manera habitual **para el asma**? [Marque Sí o No para cada uno.]

- 1 Inhalador de alivio inmediato - por ejemplo: albuterol (ProAir, Ventolin, Xopenex), ipratropio (Atrovent) o un inhalador de combinación (Combivent)
- 2 Controlador o inhalador de acción a largo plazo, incluyendo inhaladores de esteroides - por ejemplo: beclometasona (Qvar), fluticasona (Flovent), salmeterol (Serevent), tiotropio (Spiriva) o un inhalador de combinación (Advair)
- 3 Otro medicamento para controlar el asma - por ejemplo: montelukast (Singulair), zafirlukast (Accolate), teofilina, roflumilast (Daliresp)
- 5 Tratamiento con oxígeno
- 6 Algún otro medicamento para el asma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R09_ADULT_ASTHMA = 1 AND R09_AX0283 = 1.

DISPLAY: BOLD "para el asma".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AX0125

En los últimos 12 meses, ¿ha tenido un ataque de asma en el que se necesitó usar un medicamento esteroide por vía oral o en inyección en el momento del ataque?

Ejemplos de medicamentos esteroides por vía oral o en inyección incluyen a prednisona, prednisolona (Orapred) y dexametasona (Decadron).

1	Sí	
2	No	GO TO R09_AX0127
-8	DON'T KNOW	GO TO R09_AX0127
-7	REFUSED	GO TO R09_AX0127

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R09_ADULT_ASTHMA = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0126

En los últimos 12 meses, ¿cuántos ataques de asma ha tenido en los que se necesitaba usar un medicamento esteroide oral o en inyección en el momento del ataque?

1 |__|__|__| Cantidad de
ataques de asma

-8 DON'T KNOW

GO TO R09_AX0127

-7 REFUSED

GO TO R09_AX0127

ASK: Adult respondents who have ever had asthma and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R09_ADULT_ASTHMA = 1 AND R09_AX0125 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de ataques de asma" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AX0126_LC1

Usted contestó que ha tenido [R09_AX0126] ataques de asma en los últimos 12 meses. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0126

2 NEXT

GO TO R09_AX0126_LC2

ASK: IF R09_ADULT_ASTHMA = 1 AND R09_AX0125 = 1 AND R09_AX0126 > 100.

PROGRAM: TRIGGER CHECK IF R09_AX0126 > 100.

ELSE, GO TO R09_AX0126_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0126_LC2

Usted contestó "cero" para la cantidad de ataques de asma que tuvo en los últimos 12 meses. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0126

2 NEXT

GO TO R09_AX0127

ASK: IF R09_ADULT_ASTHMA = 1 AND R09_AX0125 = 1 AND R09_AX0126 = 0.

PROGRAM: TRIGGER CHECK IF R09_AX0126 = 0.

ELSE, GO TO R09_AX0127 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0127

En los últimos 12 meses, ¿ha tenido que visitar una sala de emergencias o centro de atención de urgencias debido al asma?

1	Sí	
2	No	GO TO R09_AX0230
-8	DON'T KNOW	GO TO R09_AX0230
-7	REFUSED	GO TO R09_AX0230

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R09_ADULT_ASTHMA = 1.

PATH ID: R09_AX0282

En los últimos 12 meses, ¿cuántas veces ha ido a la sala de emergencias o centro de atención de urgencias debido al asma?

1	_ _ _ _ Cantidad de veces	
-8	DON'T KNOW	GO TO R09_AX0230
-7	REFUSED	GO TO R09_AX0230

ASK: Adult respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R09_ADULT_ASTHMA = 1 AND R09_AX0127 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AX0282_LC1

Usted contestó que fue a la sala de emergencias o centro de atención de urgencias [R09_AX0282] veces en los últimos 12 meses debido al asma. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AX0282
2	NEXT	GO TO R09_AX0230

ASK: IF R09_ADULT_ASTHMA = 1 AND R09_AX0127 = 1 AND R09_AX0282 > 20.

PROGRAM: TRIGGER CHECK IF R09_AX0282 > 20.

ELSE, GO TO R09_AX0230 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0230

En los últimos 30 días, ¿con qué frecuencia ha usado un inhalador de rescate, un tratamiento con nebulizador u otro medicamento de control (como albuterol)?

- 1 3 o más veces al día
- 2 Una o 2 veces al día
- 3 2 o 3 veces a la semana
- 4 Una vez a la semana o menos
- 5 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R09_ADULT_ASTHMA = 1.

DISPLAY: BOLD "En los últimos 30 días".

PATH ID: R09_AX0231

¿Cómo calificaría el control de su asma durante los últimos 30 días?

- 1 Sin ningún control
- 2 Mal controlada
- 3 Un poco controlada
- 4 Bien controlada
- 5 Totalmente controlada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R09_ADULT_ASTHMA = 1.

BOX ID: R09_AXR07

Adult respondents who have ever had COPD, chronic bronchitis, or emphysema and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months, go to R09_AX0749.

Else, adult respondents who have ever had COPD, chronic bronchitis, or emphysema, go to R09_AX0751.

Else, go to Box R09_AXR116.

IF R09_ADULT_LUNGCOND = 1 AND R09_AX0283 = 1, GO TO R09_AX0749.

ELSE, IF R09_ADULT_LUNGCOND = 1, GO TO R09_AX0751.

ELSE, GO TO BOX R09_AXR116.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0749

En las **últimas 2 semanas**, ¿cuál de los siguientes medicamentos tomó de manera habitual **para el COPD, la bronquitis crónica o el enfisema**? Escoja todas las opciones que correspondan.

- 1 Inhalador de alivio inmediato - por ejemplo: albuterol (ProAir, Ventolin, Xopenex), ipratropio (Atrovent) o un inhalador de combinación (Combivent)
- 2 Inhalador de acción a largo plazo - por ejemplo: salmeterol (Serevent), tiotropio (Spiriva) o un inhalador de combinación (Advair)
- 3 Inhalador de esteroides - por ejemplo: beclometasona (Qvar), fluticasona (Flovent), budesonida (Pulmicort) o mometasona (Asmanex)
- 4 Algún otro medicamento para el COPD, la bronquitis crónica o el enfisema
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R09_ADULT_LUNGCOND = 1 AND R09_AX0283 = 1.

DISPLAY: BOLD "últimas 2 semanas" AND "para el COPD, la bronquitis crónica o el enfisema".

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AX0751

Actualmente ¿está usando un tratamiento de oxígeno en la casa (de día o de noche) para el COPD, la bronquitis crónica o el enfisema?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R09_ADULT_LUNGCOND = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0750

En los **últimos 12 meses**, ¿cuántas veces ha tomado antibióticos para una infección de los pulmones como la bronquitis o la neumonía?

1 |__|__|__| Cantidad de
veces

-8 DON'T KNOW

GO TO BOX R09_AXR116

-7 REFUSED

GO TO BOX R09_AXR116

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R09_ADULT_LUNGCOND = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

BOLD "últimos 12 meses".

DISPLAY "Cantidad de veces" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH ID: R09_AX0750_LC1

Usted contestó que ha tomado antibióticos para una infección relacionada con los pulmones [R09_AX0750] veces en los últimos 12 meses. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0750

2 NEXT

GO TO BOX R09_AXR116

ASK: IF R09_ADULT_LUNGCOND = 1 AND R09_AX0750 > 50.

PROGRAM: TRIGGER CHECK IF R09_AX0750 > 50.

ELSE, GO TO BOX R09_AXR116 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AXR116

Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths, go to R09_AX0414. Else, go to R09_AM1951_12M.

IF R09_ADULT_ASTHMA = 2 AND R09_ADULT_LUNGCOND = 2 AND (R09_AX0049 = 3 OR R09_AX0050 = 1), GO TO R09_AX0414.
ELSE, GO TO R09_AM1951_12M.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0414

En los últimos 12 meses, ¿tomó algún medicamento de manera habitual para las sibilancias o silbidos en el pecho? (De manera habitual quiere decir de acuerdo con las instrucciones de un profesional del cuidado de la salud.)

1	Sí	
2	No	GO TO R09_AM1951_12M
-8	DON'T KNOW	GO TO R09_AM1951_12M
-7	REFUSED	GO TO R09_AM1951_12M

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths.

ASK Specification: IF R09_ADULT_ASTHMA = 2 AND R09_ADULT_LUNGCOND = 2 AND (R09_AX0049 = 3 OR R09_AX0050 = 1).

BOX ID: R09_AXD09

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER: R09_AX0415.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display R09_AX0415 using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one leaf per screen. Include the question text on each screen.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0415

En los últimos 12 meses, ¿cuál de los siguientes medicamentos tomó de manera habitual para las sibilancias o silbidos en el pecho? [Marque Sí o No para cada uno.]

- 1 Inhalador de alivio inmediato - por ejemplo: albuterol (ProAir, Ventolin, Xopenex), ipratropio (Atrovent) o un inhalador de combinación (Combivent)
- 2 Controlador o inhalador de acción a largo plazo, incluyendo inhaladores de esteroides - por ejemplo: beclometasona (Qvar), fluticasona (Flovent), salmeterol (Serevent), tiotropio (Spiriva) o un inhalador de combinación (Advair)
- 3 Otro medicamento para controlar el asma - por ejemplo: montelukast (Singulair), zafirlukast (Accolate), teofilina, roflumilast (Daliresp)
- 4 Tratamiento con oxígeno
- 5 Algún otro medicamento para las sibilancias o silbidos en el pecho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths and have take any medications regularly for wheezing.

ASK Specification: IF R09_ADULT_ASTHMA = 2 AND R09_ADULT_LUNGCOND = 2 AND (R09_AX0049 = 3 OR R09_AX0050 = 1) AND R09_AX0414 = 1.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno." ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

COVID-19

PATH ID: R09_AM1951_12M

En los últimos 12 meses, ¿ha recibido usted un resultado **positivo** de una prueba de COVID-19? Incluye recibir un resultado positivo de la prueba o que un médico u otro profesional de la salud le haya dicho que tenía COVID-19.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD THE FIRST OCCURRENCE OF "positivo".

BOX ID: R09_AMR12

Continuing and aged-up adult respondents who have not tested positive for COVID-19 in the past 12 months or did not know or refused to report whether they have tested positive for COVID-19 in the past 12 months and have not reported testing positive for COVID-19 as of their last completed interview or new cohort adult respondents who have not tested positive for COVID-19 in the past 12 months or did not know or refused to report whether they have tested positive for COVID-19 in the past 12 months, go to R09_AM1951.

Else, go to Box R09_AMR31.

IF (R09_ADULTTYPE = 1, 2 AND R09_AM1951_12M = 2, -8, -7 AND R08_COVID19_DX != 1) OR (R09_ADULTTYPE = 3 AND R09_AM1951_12M = 2, -8, -7), GO TO R09_AM1951.
ELSE, GO TO BOX R09_AMR31.

PATH ID: R09_AM1951

Alguna vez, ¿ha recibido usted un resultado **positivo** de una prueba de COVID-19? Incluye recibir un resultado positivo de la prueba o que un médico u otro profesional de la salud le haya dicho que tenía COVID-19.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have not tested positive for COVID-19 in the past 12 months or did not know or refused to report whether they have tested positive for COVID-19 in the past 12 months and have not reported testing positive for COVID-19 as of their last completed interview, or new cohort adult respondents who have not tested positive for COVID-19 in the past 12 months or did not know or refused to report whether they have tested positive for COVID-19 in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_AM1951_12M = 2, -8, -7 AND R08_COVID19_DX != 1) OR (R09_ADULTTYPE = 3 AND R09_AM1951_12M = 2, -8, -7).

DISPLAY: BOLD "Alguna vez" AND THE FIRST OCCURRENCE OF "positivo".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AMR31

Adult respondents who have tested positive for COVID-19 in the past 12 months or have ever tested positive for COVID-19, go to R09_AM1956.

Else, go to Box R09_AMR32.

IF R09_AM1951_12M = 1 OR R09_AM1951 = 1 OR R08_COVID19_DX = 1, GO TO R09_AM1956.
ELSE, GO TO BOX R09_AMR32.

PATH ID: R09_AM1956

[Anteriormente usted nos dijo que había recibido una prueba positiva por COVID-19.

]¿Tuvo algún síntoma con una duración de 3 meses o más que no tenía antes de contraer COVID-19?

Los síntomas persistentes pueden incluir: cansancio o fatiga, dificultad para pensar o concentrarse, olvidar cosas o problemas de la memoria (conocido a veces como "niebla cerebral"), dificultad para respirar, dolor muscular o en las articulaciones, latidos rápidos o fuertes del corazón (conocidos también como palpitaciones del corazón), dolores en el pecho, mareos al ponerse de pie, cambios en el ciclo menstrual, alteraciones en el sentido del gusto o del olfato o incapacidad para hacer ejercicio.

1	Sí	
2	No	GO TO BOX R09_AMR32
3	No he recibido una prueba positiva por COVID-19	GO TO BOX R09_AMR32
-8	DON'T KNOW	GO TO BOX R09_AMR32
-7	REFUSED	GO TO BOX R09_AMR32

ASK: Adult respondents who have tested positive for COVID-19 in the past 12 months or have ever tested positive for COVID-19.

ASK Specification: IF R09_AM1951_12M = 1 OR R09_AM1951 = 1 OR R08_COVID19_DX = 1.

DISPLAY: IF R09_AM1951_12M = 2, -8, -7 AND R08_COVID19_DX = 1, DISPLAY "Anteriormente usted nos dijo que había recibido una prueba positiva por COVID-19."

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: Suppress option 3 if R09_AM1951_12M = 1 or R09_AM1951 = 1.

PATH ID: R09_AM1958

¿Tiene usted síntomas actualmente?

1	Sí	
2	No	GO TO BOX R09_AMR32
-8	DON'T KNOW	GO TO BOX R09_AMR32
-7	REFUSED	GO TO BOX R09_AMR32

ASK: Adult respondents who have tested positive for COVID-19 in the past 12 months or have ever tested positive for COVID-19 and have had symptoms lasting 3 months or longer.

ASK Specification: IF (R09_AM1951_12M = 1 OR R09_AM1951 = 1 OR R08_COVID19_DX = 1) AND R09_AM1956 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM1959

¿Estos síntomas persistentes reducen su capacidad para hacer actividades diarias en comparación con el tiempo antes de que usted tuviera COVID-19?

- 1 Sí, mucho
- 2 Sí, un poco
- 3 Para nada
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have tested positive for COVID-19 in the past 12 months or have ever tested positive for COVID-19 and have had symptoms lasting 3 months or longer and have symptoms now.

ASK Specification: IF (R09_AM1951_12M = 1 OR R09_AM1951 = 1 OR R08_COVID19_DX = 1) AND R09_AM1956 = 1 AND R09_AM1958 = 1.

BOX ID: R09_AMR32

Adult respondents who have tested positive for COVID-19 in the past 12 months, go to R09_AM1936_12M.
Else, go to Box R09_AMR38.

IF R09_AM1951_12M = 1, GO TO R09_AM1936_12M.
ELSE, GO TO BOX R09_AMR38.

PATH ID: R09_AM1936_12M

En los últimos 12 meses, ¿lo han hospitalizado debido a COVID-19?

1	Sí	
2	No	GO TO BOX R09_AMR38
-8	DON'T KNOW	GO TO BOX R09_AMR38
-7	REFUSED	GO TO BOX R09_AMR38

ASK: Adult respondents who have tested positive for COVID-19 in the past 12 months.

ASK Specification: IF R09_AM1951_12M = 1.

PATH ID: R09_AM1937_12M

En los últimos 12 meses, en total, ¿cuántos días estuvo hospitalizado debido a COVID-19? (Si es menos de un día, anote 0.)

- 1 |__|__|__| Cantidad de días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have tested positive for COVID-19 in the past 12 months and have been hospitalized in the past 12 months because of COVID-19.

ASK Specification: IF R09_AM1951_12M = 1 AND R09_AM1936_12M = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AMR38

Adult respondents who have tested positive for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19, or adult respondents who have not tested positive for COVID-19 in the past 12 months or did not know or refused to report whether they have tested positive for COVID-19 in the past 12 months and have ever tested positive for COVID-19, go to R09_AM1936.
Else, go to R09_AM1953.

IF (R09_AM1951_12M = 1 AND R09_AM1936_12M = 2, -8, -7) OR (R09_AM1951_12M = 2, -8, -7 AND R09_AM1951 = 1), GO TO R09_AM1936.
ELSE, GO TO R09_AM1953.

PATH ID: R09_AM1936

¿Alguna vez lo han hospitalizado debido a COVID-19?

1	Sí	
2	No	GO TO R09_AM1953
-8	DON'T KNOW	GO TO R09_AM1953
-7	REFUSED	GO TO R09_AM1953

ASK: Adult respondents who have tested positive for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19, or
Adult respondents who have not tested positive for COVID-19 in the past 12 months or did not know or refused to report whether they have tested positive for COVID-19 in the past 12 months and have ever tested positive for COVID-19.

ASK Specification: IF (R09_AM1951_12M = 1 AND R09_AM1936_12M = 2, -8, -7) OR (R09_AM1951_12M = 2, -8, -7 AND R09_AM1951 = 1).

PATH ID: R09_AM1937

En total, ¿cuántos días estuvo hospitalizado debido a COVID-19? (Si es menos de un día, anote 0.)

1	_ _ _ _	Cantidad de días
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who have tested positive for COVID-19 in the past 12 months and have not been hospitalized in the past 12 months because of COVID-19 or did not know or refused to report whether they have been hospitalized in the past 12 months because of COVID-19 and have ever been hospitalized because of COVID-19, or

Adult respondents who have not tested positive for COVID-19 in the past 12 months or did not know or refused to report whether they have tested positive for COVID-19 in the past 12 months and have ever tested positive for COVID-19 and have ever been hospitalized because of COVID-19.

ASK Specification: IF (R09_AM1951_12M = 1 AND R09_AM1936_12M = 2, -8, -7 AND R09_AM1936 = 1) OR (R09_AM1951_12M = 2, -8, -7 AND R09_AM1951 = 1 AND R09_AM1936 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Allow 3 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM1953

¿Ha recibido usted al menos una dosis de una vacuna contra COVID-19?

1 Sí	
2 No	GO TO R09_AX0726
-8 DON'T KNOW	GO TO R09_AX0726
-7 REFUSED	GO TO R09_AX0726

ASK: All adult respondents.

PATH ID: R09_AM1954

¿Hace cuánto tiempo fue su dosis más reciente de la vacuna contra COVID-19 o la vacuna de refuerzo?

1 Después del 1 de septiembre de 2025	
2 Entre el 1 de septiembre de 2024 y 1 de septiembre de 2025	
3 Antes del 1 de septiembre de 2024	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Adult respondents who have received at least one dose of a COVID-19 vaccine.

ASK Specification: IF R09_AM1953 = 1.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

Oral Health

PATH ID: R09_AX0726

En general, ¿cómo calificaría la salud de sus dientes y encías?

- 1 Excelente
- 2 Muy buena
- 3 Buena
- 4 Regular
- 5 Mala
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXR99

New baseline adult respondents, go to R09_AX0760_NB.

Else, continuing adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months, go to R09_AX0760_12M.

Else, go to Box R09_AXR98.

IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0760_NB.

ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0002 != 2, GO TO R09_AX0760_12M.

ELSE, GO TO BOX R09_AXR98.

PATH ID: R09_AX0760_NB

¿Alguna vez un dentista, un higienista dental u otro profesional dental le ha hecho una limpieza dental?

1 Sí	GO TO R09_AX0729
2 No	GO TO BOX R09_AXR98
-8 DON'T KNOW	GO TO BOX R09_AXR98
-7 REFUSED	GO TO BOX R09_AXR98

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0760_12M

En los últimos 12 meses, ¿un dentista, un higienista dental u otro profesional dental le ha hecho una limpieza dental?

1	Sí	
2	No	GO TO BOX R09_AXR98
-8	DON'T KNOW	GO TO BOX R09_AXR98
-7	REFUSED	GO TO BOX R09_AXR98

ASK: Continuing adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0002 != 2.

PATH ID: R09_AX0729

¿Cuánto hace desde que un dentista, un higienista dental u otro profesional dental le hizo una limpieza dental? (Si fue más temprano hoy, anote un día.)

Anote un número entero y seleccione una de las opciones a continuación.

1	_ _	Días
2	_ _	Meses
3	_ _	Años
-8	DON'T KNOW	
-7	REFUSED	

ASK: New baseline adult respondents who have ever had their teeth cleaned, or continuing adult respondents who have had their teeth cleaned in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0760_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0760_12M = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

BOX ID: R09_AXR98

New baseline adult respondents, go to R09_AX0693_NB.
Else, continuing adult respondents, go to R09_AX0693_12M.

IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0693_NB.
ELSE, IF R09_ADULTTYPE = 1, GO TO R09_AX0693_12M.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0693_NB

¿Alguna vez ha observado sangrado después de cepillarse o de limpiar entre los dientes con hilo dental o debido a otros problemas de la boca?

1	Sí	GO TO R09_AX0695_NB
2	No	GO TO R09_AX0695_NB
-8	DON'T KNOW	GO TO R09_AX0695_NB
-7	REFUSED	GO TO R09_AX0695_NB

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

PATH ID: R09_AX0693_12M

En los últimos 12 meses, ¿ha observado sangrado después de cepillarse o de limpiar entre los dientes con hilo dental o debido a otros problemas de la boca?

1	Sí	GO TO R09_AX0695_12M
2	No	GO TO R09_AX0695_12M
-8	DON'T KNOW	GO TO R09_AX0695_12M
-7	REFUSED	GO TO R09_AX0695_12M

ASK: Continuing adult respondents.

ASK Specification: IF R09_ADULTTYPE = 1.

PATH ID: R09_AX0695_NB

¿Cuántos de sus dientes o muelas permanentes le han extraído debido a caries o gingivitis (enfermedad de las encías)? Incluya pérdida de los dientes debido a infecciones, pero no incluya pérdida de los dientes debido a otras razones, tales como lesiones u ortodoncia.

1	Ninguno	GO TO BOX R09_AXR112
2	Uno a 5	GO TO BOX R09_AXR112
3	6 o más, pero no todos	GO TO BOX R09_AXR112
4	Todos	GO TO R09_AX0694_NB
-8	DON'T KNOW	GO TO BOX R09_AXR112
-7	REFUSED	GO TO BOX R09_AXR112

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0695_12M

En los últimos 12 meses, ¿cuántos de sus dientes o muelas permanentes le han extraído debido a caries o gingivitis (enfermedad de las encías)? Incluya pérdida de los dientes debido a infecciones, pero no incluya pérdida de los dientes debido a otras razones, tales como lesiones u ortodoncia.

- 1 Ninguno
 - 2 Uno a 5
 - 3 6 o más, pero no todos
 - 4 Todos
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R09_AX0752

ASK: Continuing adult respondents.

ASK Specification: IF R09_ADULTTYPE = 1.

BOX ID: R09_AXR112

Adult respondents who are 40 years old or older and whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease, go to R09_AX0711.

Else, new baseline adult respondents, go to R09_AX0694_NB.

Else, continuing adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease, go to R09_AX0694_12M.

Else, go to R09_AX0752.

IF R09_ACHIEVEDAGE >= 40 AND (R09_AX0695_NB = 1, 2, 3, -8, -7 OR R09_AX0695_12M = 1, 2, 3, -8, -7), GO TO R09_AX0711.

ELSE, IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0694_NB.

ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0695_12M = 1, 2, 3, -8, -7, GO TO R09_AX0694_12M.

ELSE, GO TO R09_AX0752.

PATH ID: R09_AX0711

¿Usa dentaduras postizas?

- 1 Sí. Todos los dientes son postizos
- 2 Sí. Algunos dientes son postizos
- 3 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R09_ACHIEVEDAGE >= 40 AND (R09_AX0695_NB = 1, 2, 3, -8, -7 OR R09_AX0695_12M = 1, 2, 3, -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR113

New baseline adult respondents, go to R09_AX0694_NB.

Else, continuing adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease and do not wear full or complete dentures, go to R09_AX0694_12M.

Else, go to R09_AX0752.

IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0694_NB.

ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0695_12M = 1, 2, 3, -8, -7 AND R09_AX0711 !=1, GO TO R09_AX0694_12M.

ELSE, GO TO R09_AX0752.

PATH ID: R09_AX0694_NB

¿Alguna vez se le ha aflojado algún diente o muela por su cuenta, sin ser debido a una lesión?

1	Sí	GO TO R09_AX0752
2	No	GO TO R09_AX0752
-8	DON'T KNOW	GO TO R09_AX0752
-7	REFUSED	GO TO R09_AX0752

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

PATH ID: R09_AX0694_12M

En los últimos 12 meses, ¿se le ha aflojado algún diente o muela por su cuenta, sin ser debido a una lesión?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: Continuing adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease and do not wear full or complete dentures.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0695_12M = 1, 2, 3, -8, -7 AND R09_AX0711 != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0752

En los últimos 12 meses, ¿con qué frecuencia ha tenido dolor en alguna parte de la boca?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0754

En los últimos 12 meses, ¿ha visto llagas en su boca?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXR65

Adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease and do not wear full or complete dentures, go to R09_AX0755.

Else, adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease and do not wear full or complete dentures, go to R09_AX0725.

Else, go to R09_AX0388.

IF R09_AX0002 != 2 AND (R09_AX0695_NB = 1, 2, 3, -8, -7 OR R09_AX0695_12M = 1, 2, 3, -8, -7) AND R09_AX0711 != 1, GO TO R09_AX0755.

ELSE, IF (R09_AX0695_NB = 1, 2, 3, -8, -7 OR R09_AX0695_12M = 1, 2, 3, -8, -7) AND R09_AX0711 != 1, GO TO R09_AX0725.

ELSE, GO TO R09_AX0388.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0755

En los últimos 12 meses, ¿le ha dicho un dentista, un higienista dental u otro profesional dental que usted tiene caries?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease and do not wear full or complete dentures.

ASK Specification: IF R09_AX0002 != 2 AND (R09_AX0695_NB = 1, 2, 3, -8, -7 OR R09_AX0695_12M = 1, 2, 3, -8, -7) AND R09_AX0711 != 1.

PATH ID: R09_AX0725

¿Cuántas veces al día se cepilla los dientes?

- 2 No me cepillo los dientes todos los días
- 1 |__|__| Veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease and do not wear full or complete dentures.

ASK Specification: IF (R09_AX0695_NB = 1, 2, 3, -8, -7 OR R09_AX0695_12M = 1, 2, 3, -8, -7) AND R09_AX0711 != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Veces" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0696

En los últimos 7 días, aparte de cepillarse los dientes con un cepillo dental, ¿cuántas veces usó hilo dental u otro aparato para limpiar entre los dientes?

- 1 |__| |__| Cantidad de veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease and do not wear full or complete dentures.

ASK Specification: IF (R09_AX0695_NB = 1, 2, 3, -8, -7 OR R09_AX0695_12M = 1, 2, 3, -8, -7) AND R09_AX0711 != 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de veces" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0388

En los últimos 30 días, ¿con qué frecuencia siente resequedad en la boca?

- 1 Nunca
- 2 De vez en cuando
- 3 Con frecuencia
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXR101

Adult respondents who are 40 years old or older, go to R09_AX0389.
Else, go to Box R09_AXR100.

IF R09_ACHIEVEDAGE >= 40, GO TO R09_AX0389.
ELSE, GO TO BOX R09_AXR100.

PATH ID: R09_AX0389

En los últimos 30 días, ¿con qué frecuencia siente resequedad en la boca cuando come una comida?

- 1 Nunca
- 2 De vez en cuando
- 3 Con frecuencia
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R09_ACHIEVEDAGE >= 40.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0390

En los últimos 30 días, ¿con qué frecuencia ha tenido dificultad para comer comidas secas?

- 1 Nunca
- 2 De vez en cuando
- 3 Con frecuencia
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R09_ACHIEVEDAGE >= 40.

PATH ID: R09_AX0392

En los últimos 30 días, ¿con qué frecuencia ha tenido dificultad para tragar algunos alimentos?

- 1 Nunca
- 2 De vez en cuando
- 3 Con frecuencia
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R09_ACHIEVEDAGE >= 40.

PATH ID: R09_AX0393

En los últimos 30 días, ¿con qué frecuencia siente resequedad en los labios?

- 1 Nunca
- 2 De vez en cuando
- 3 Con frecuencia
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R09_ACHIEVEDAGE >= 40.

BOX ID: R09_AXR100

New baseline adult respondents, go to R09_AX0727_NB.

Else, continuing adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months, go to R09_AX0727_12M.

Else, go to Box R09_AXR156.

IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0727_NB.

ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0002 != 2, GO TO R09_AX0727_12M.

ELSE, GO TO BOX R09_AXR156.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0727_NB

Alguna vez, ¿le ha dicho un dentista, un higienista dental u otro profesional dental que usted ha perdido hueso alrededor de sus dientes?

1	Sí	GO TO R09_AX0129_NB
2	No	GO TO R09_AX0129_NB
-8	DON'T KNOW	GO TO R09_AX0129_NB
-7	REFUSED	GO TO R09_AX0129_NB

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

PATH ID: R09_AX0727_12M

En los últimos 12 meses, ¿le ha dicho un dentista, un higienista dental u otro profesional dental que usted ha perdido hueso alrededor de sus dientes?

1	Sí	GO TO R09_AX0129_12M
2	No	GO TO R09_AX0129_12M
-8	DON'T KNOW	GO TO R09_AX0129_12M
-7	REFUSED	GO TO R09_AX0129_12M

ASK: Continuing adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0002 != 2.

PATH ID: R09_AX0129_NB

Alguna vez, ¿le ha dicho un dentista, un higienista dental u otro profesional dental que usted tiene enfermedad de las encías?

1	Sí	GO TO BOX R09_AXR154
2	No	GO TO BOX R09_AXR154
-8	DON'T KNOW	GO TO BOX R09_AXR154
-7	REFUSED	GO TO BOX R09_AXR154

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0129_12M

En los últimos 12 meses, ¿le ha dicho un dentista, un higienista dental u otro profesional dental que usted tiene enfermedad de las encías?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0002 != 2.

BOX ID: R09_AXR154

New baseline adult respondents who have ever been told they had gum disease, or continuing adult respondents who did not report being diagnosed with gum disease as of their last completed interview and have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and have been told they had gum disease in the past 12 months, go to R09_AX0131. Else, go to Box R09_AXR155.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0129_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_GUM_DISEASE != 1 AND R09_AX0002 != 2 AND R09_AX0129_12M = 1), GO TO R09_AX0131. ELSE, GO TO BOX R09_AXR155.

PATH ID: R09_AX0131

¿Qué edad tenía la primera vez que le dijeron que tenía enfermedad de las encías?

- 1 |__|__| Años
- 8 DON'T KNOW GO TO R09_AX0261
- 7 REFUSED GO TO R09_AX0261

ASK: New baseline adult respondents who have ever been told they had gum disease, or continuing adult respondents who did not report being diagnosed with gum disease as of their last completed interview and have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and have been told they had gum disease in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0129_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_GUM_DISEASE != 1 AND R09_AX0002 != 2 AND R09_AX0129_12M = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0131_LC1

Usted contestó que tenía [R09_AX0131] años la primera vez que le dijeron que tenía gingivitis o enfermedad de las encías. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0131

2 NEXT

GO TO BOX R09_AXR155

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0129_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_GUM_DISEASE != 1 AND R09_AX0002 != 2 AND R09_AX0129_12M = 1)) AND R09_AX0131 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0131 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR155 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0261

La primera vez que le dijeron que tenía enfermedad de las encías, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had gum disease and did not know or refused to report the age they were first told they had gum disease, or continuing adult respondents who did not report being diagnosed with gum disease as of their last completed interview and have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and have been told they had gum disease in the past 12 months and did not know or refused to report the age they were first told they had gum disease.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0129_NB = 1 AND R09_AX0131 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_GUM_DISEASE != 1 AND R09_AX0002 != 2 AND R09_AX0129_12M = 1 AND R09_AX0131 = -8, -7).

BOX ID: R09_AXR155

New baseline adult respondents, go to R09_AX0130_NB.

Else, continuing adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months, go to R09_AX0130_12M.
Else, go to Box R09_AXR153.

IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0130_NB.

ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0002 != 2, GO TO R09_AX0130_12M.
ELSE, GO TO BOX R09_AXR153.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0130_NB

¿Alguna vez le han hecho a usted un tratamiento para [la enfermedad de las encías/sus encías] tal como raspado y alisado de las raíces, que a veces se conoce como "limpieza profunda"?

1	Sí	GO TO R09_AX0132_NB
2	No	GO TO R09_AX0132_NB
-8	DON'T KNOW	GO TO R09_AX0132_NB
-7	REFUSED	GO TO R09_AX0132_NB

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

DISPLAY: IF R09_AX0129_NB = 1, DISPLAY "la enfermedad de las encías".
ELSE, DISPLAY "sus encías".

PATH ID: R09_AX0130_12M

En los últimos 12 meses, ¿le han hecho a usted un tratamiento para [la enfermedad de las encías/sus encías] tal como raspado y alisado de las raíces, que a veces se conoce como "limpieza profunda"?

1	Sí	GO TO R09_AX0132_12M
2	No	GO TO R09_AX0132_12M
-8	DON'T KNOW	GO TO R09_AX0132_12M
-7	REFUSED	GO TO R09_AX0132_12M

ASK: Continuing adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0002 != 2.

DISPLAY: IF R09_AX0129_12M = 1, DISPLAY "la enfermedad de las encías".
ELSE, DISPLAY "sus encías".

PATH ID: R09_AX0132_NB

¿Alguna vez le ha dicho un médico, un dentista u otro profesional dental que usted tiene lesiones orales precancerosas?

1	Sí	GO TO BOX R09_AXR153
2	No	GO TO BOX R09_AXR153
-8	DON'T KNOW	GO TO BOX R09_AXR153
-7	REFUSED	GO TO BOX R09_AXR153

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0132_12M

En los últimos 12 meses, ¿le ha dicho un médico, un dentista u otro profesional dental que usted tiene lesiones orales precancerosas?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0002 != 2.

BOX ID: R09_AXR153

New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who did not report being diagnosed with pre-cancerous oral lesions as of their last completed interview and have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and have been told they had pre-cancerous oral lesions in the past 12 months, go to R09_AX0133.
Else, go to Box R09_AXR156.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0132_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_ORAL_LESIONS != 1 AND R09_AX0002 != 2 AND R09_AX0132_12M = 1), GO TO R09_AX0133.
ELSE, GO TO BOX R09_AXR156.

PATH ID: R09_AX0133

¿Qué edad tenía la primera vez que le dijeron que tenía lesiones orales precancerosas?

- 1 |__|__| Años
- 8 DON'T KNOW GO TO R09_AX0262
- 7 REFUSED GO TO R09_AX0262

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who did not report being diagnosed with pre-cancerous oral lesions as of their last completed interview and have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and have been told they had pre-cancerous oral lesions in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0132_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_ORAL_LESIONS != 1 AND R09_AX0002 != 2 AND R09_AX0132_12M = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0133_LC1

Usted contestó que tenía [R09_AX0133] años la primera vez que le dijeron que tenía lesiones orales precancerosas. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0133
2 NEXT	GO TO R09_AX0719

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0132_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_ORAL_LESIONS != 1 AND R09_AX0002 != 2 AND R09_AX0132_12M = 1)) AND R09_AX0133 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0133 > R09_ACHIEVEDAGE.
ELSE, GO TO R09_AX0719 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0262

La primera vez que le dijeron que tenía lesiones orales precancerosas, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions and did not know or refused to report the age they were first told they had pre-cancerous oral lesions, or continuing adult respondents who did not report being diagnosed with pre-cancerous oral lesions as of their last completed interview and have seen a dentist, hygienist, or other dental professional in the past 12 months or did not know or refused to report whether they have seen a dentist, hygienist, or other dental professional in the past 12 months and have been told they had pre-cancerous oral lesions in the past 12 months and did not know or refused to report the age they were first told they had pre-cancerous oral lesions.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0132_NB = 1 AND R09_AX0133 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_ORAL_LESIONS != 1 AND R09_AX0002 != 2 AND R09_AX0132_12M = 1 AND R09_AX0133 = -8, -7).

BOX ID: R09_AXR156

New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who have been told they had pre-cancerous oral lesions in the past 12 months, go to R09_AX0719.
Else, go to Box R09_AXR25.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0132_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0132_12M = 1), GO TO R09_AX0719.
ELSE, GO TO BOX R09_AXR25.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0719

¿Necesitan tratamiento las lesiones orales?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who have been told they had pre-cancerous oral lesions in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0132_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0132_12M = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Diabetes

BOX ID: R09_AXR25
New baseline adult respondents go to R09_AX0281_NB. Else, continuing adult respondents go to R09_AX0281_12M.
IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0281_NB. ELSE, IF R09_ADULTTYPE = 1, GO TO R09_AX0281_12M.

PATH ID: R09_AX0281_NB												
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene diabetes, diabetes sacarina, exceso de azúcar en la sangre o prediabetes? [No incluya la diabetes gestacional o la diabetes que solamente se presenta durante el embarazo.] <table style="width: 100%; margin-top: 10px;"> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">Sí</td> <td style="text-align: right;">GO TO BOX R09_AXR152</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">No</td> <td style="text-align: right;">GO TO BOX R09_AXR152</td> </tr> <tr> <td style="text-align: center;">-8</td> <td style="text-align: center;">DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R09_AXR152</td> </tr> <tr> <td style="text-align: center;">-7</td> <td style="text-align: center;">REFUSED</td> <td style="text-align: right;">GO TO BOX R09_AXR152</td> </tr> </table> ASK: New baseline adult respondents. ASK Specification: IF R09_ADULTTYPE = 2, 3. DISPLAY: IF (R09_ADULTTYPE = 2 AND R08_SEX = 2) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)), DISPLAY "No incluya la diabetes gestacional o la diabetes que solamente se presenta durante el embarazo." ELSE, DO NOT DISPLAY THIS TEXT.	1	Sí	GO TO BOX R09_AXR152	2	No	GO TO BOX R09_AXR152	-8	DON'T KNOW	GO TO BOX R09_AXR152	-7	REFUSED	GO TO BOX R09_AXR152
1	Sí	GO TO BOX R09_AXR152										
2	No	GO TO BOX R09_AXR152										
-8	DON'T KNOW	GO TO BOX R09_AXR152										
-7	REFUSED	GO TO BOX R09_AXR152										

PATH ID: R09_AX0281_12M								
En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene diabetes, diabetes sacarina, exceso de azúcar en la sangre o prediabetes? [No incluya la diabetes gestacional o la diabetes que solamente se presenta durante el embarazo.] <table style="width: 100%; margin-top: 10px;"> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">Sí</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">No</td> </tr> <tr> <td style="text-align: center;">-8</td> <td style="text-align: center;">DON'T KNOW</td> </tr> <tr> <td style="text-align: center;">-7</td> <td style="text-align: center;">REFUSED</td> </tr> </table> ASK: Continuing adult respondents. ASK Specification: IF R09_ADULTTYPE = 1. DISPLAY: IF R08_SEX = 2, DISPLAY "No incluya la diabetes gestacional o la diabetes que solamente se presenta durante el embarazo." ELSE, DO NOT DISPLAY THIS TEXT.	1	Sí	2	No	-8	DON'T KNOW	-7	REFUSED
1	Sí							
2	No							
-8	DON'T KNOW							
-7	REFUSED							

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR152

New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who did not report being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months, go to R09_AX0280.
Else, go to Box R09_AXR83.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0281_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_DIABETES != 1 AND R09_AX0281_12M = 1), GO TO R09_AX0280.
ELSE, GO TO BOX R09_AXR83.

PATH ID: R09_AX0280

¿Qué edad tenía la primera vez que le dijeron que tenía diabetes, diabetes sacarina, exceso de azúcar en la sangre o prediabetes?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0263

-7 REFUSED

GO TO R09_AX0263

ASK: New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who did not report being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0281_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_DIABETES != 1 AND R09_AX0281_12M = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0280_LC1

Usted contestó que tenía [R09_AX0280] años la primera vez que le dijeron que tenía diabetes. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0280

2 NEXT

GO TO BOX R09_AXR83

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0281_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_DIABETES != 1 AND R09_AX0281_12M = 1)) AND R09_AX0280 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0280 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXR83 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0263

La primera vez que le dijeron que tenía diabetes, diabetes sacarina, exceso de azúcar en la sangre o prediabetes, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes and did not know or refused to report the age they were first told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who did not report being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months and did not know or refused to report the age they were first told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0281_NB = 1 AND R09_AX0280 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_DIABETES != 1 AND R09_AX0281_12M = 1 AND R09_AX0280 = -8, -7).

BOX ID: R09_AXR83

Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months, go to R09_AX0721.
Else, go to Box R09_AXR27.

IF R08_DIABETES = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0281_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0281_12M = 1), GO TO R09_AX0721.
ELSE, GO TO BOX R09_AXR27.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0721

[Anteriormente, usted nos dijo que tenía diabetes.

]¿Qué tipo de diabetes tiene?

- 1 Diabetes tipo 1
- 2 Diabetes tipo 2
- 3 Prediabetes
- 4 No sé
- 5 Nunca he tenido diabetes GO TO BOX R09_AXR27
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF R08_DIABETES = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0281_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0281_12M = 1).

DISPLAY: IF R08_DIABETES = 1 AND R09_AX0281_NB != 1 AND R09_AX0281_12M != 1, DISPLAY "Anteriormente, usted nos dijo que tenía diabetes." AND DISPLAY OPTION 5.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 5.

PROGRAM: If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AX0697

Actualmente, ¿está tomando alguno de los siguientes medicamentos para reducir el azúcar en la sangre? Escoja todas las opciones que correspondan.

- 1 Insulina
- 2 Píldoras para la diabetes
- 3 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R08_DIABETES = 1 AND R09_AX0721 != 5) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0281_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0281_12M = 1).

PROGRAM: Allow respondent to choose all that apply. If option 3 is selected, no other option can be selected.

Gastrointestinal Health

BOX ID: R09_AXR27

New baseline adult respondents, go to Box R09_AXD19.
Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, go to Box R09_AXD20.
Else, go to Box R09_AXR42.

IF R09_ADULTTYPE = 2, 3, GO TO BOX R09_AXD19.
ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2, GO TO BOX R09_AXD20.
ELSE, GO TO BOX R09_AXR42.

BOX ID: R09_AXD19

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0141_NB, R09_AX0147_NB.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:
Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AX0141_NB is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:
Display one question per screen. Include the intro/transition text from R09_AX0141_NB on each screen.

PATH ID: R09_AX0141_NB

[Marque Sí o No para cada uno.

]Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tenía...
una úlcera? Incluya las úlceras estomacales, duodenales o pépticas.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AX0147_NB

sangrado de estómago u otro sangrado gastrointestinal?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR29

New baseline adult respondents who have ever been told they had an ulcer, go to Box R09_AXR42.
Else, go to Box R09_AXR34.

IF R09_ADULTTYPE = 2, 3 AND R09_AX0141_NB = 1, GO TO BOX R09_AXR42.
ELSE, GO TO BOX R09_AXR34.

BOX ID: R09_AXD20

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0141_12M, R09_AX0147_12M.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AX0141_12M is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0141_12M on each screen.

PATH ID: R09_AX0141_12M

[Marque Sí o No para cada uno.

]En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tenía...

una úlcera? Incluya las úlceras estomacales, duodenales o pépticas.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AX0147_12M

sangrado de estómago u otro sangrado gastrointestinal?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR42

New baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who did not report being diagnosed with an ulcer as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had an ulcer in the past 12 months, go to R09_AX0143.
Else, adult respondents who reported being diagnosed with an ulcer as of their last completed interview, go to R09_AX0698.
Else, go to Box R09_AXR34.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0141_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_ULCER != 1 AND R09_AX0001 != 2 AND R09_AX0141_12M = 1), GO TO R09_AX0143.
ELSE, IF R08_ULCER = 1, GO TO R09_AX0698.
ELSE, GO TO BOX R09_AXR34.

PATH ID: R09_AX0143

¿Qué edad tenía la primera vez que le dijeron que tenía una úlcera?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0264

-7 REFUSED

GO TO R09_AX0264

ASK: New baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who did not report being diagnosed with an ulcer as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had an ulcer in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0141_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_ULCER != 1 AND R09_AX0001 != 2 AND R09_AX0141_12M = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0143_LC1

Usted contestó que tenía [R09_AX0143] años la primera vez que le dijeron que tenía una úlcera. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0143

2 NEXT

GO TO R09_AX0698

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0141_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_ULCER != 1 AND R09_AX0001 != 2 AND R09_AX0141_12M = 1)) AND R09_AX0143 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0143 > R09_ACHIEVEDAGE.
ELSE, GO TO R09_AX0698 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0264

La primera vez que le dijeron que tenía una úlcera, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had an ulcer and did not know or refused to report the age they were first told they had an ulcer, or continuing adult respondents who did not report being diagnosed with an ulcer as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had an ulcer in the past 12 months and did not know or refused to report the age they were first told they had an ulcer.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0141_NB = 1 AND R09_AX0143 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_ULCER != 1 AND R09_AX0001 != 2 AND R09_AX0141_12M = 1 AND R09_AX0143 = -8, -7).

PATH ID: R09_AX0698

[Anteriormente, usted nos dijo que tenía una úlcera.

]¿Ha tomado algún medicamento para una úlcera en los últimos 30 días?

- 1 Sí
- 2 No GO TO BOX R09_AXR34
- 3 Nunca he tenido una úlcera GO TO BOX R09_AXR34
- 8 DON'T KNOW GO TO BOX R09_AXR34
- 7 REFUSED GO TO BOX R09_AXR34

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they have an ulcer in the past 12 months.

ASK Specification: IF R08_ULCER = 1 OR (R09_ADULTTYPE = 2, 3 AND R09_AX0141_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0141_12M = 1).

DISPLAY: IF R08_ULCER = 1 AND R09_AX0141_NB != 1 AND R09_AX0141_12M != 1, DISPLAY "Anteriormente, usted nos dijo que tenía una úlcera." AND DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0738

¿Qué clase de medicamentos ha tomado para la úlcera en los últimos 30 días? Escoja todas las opciones que correspondan.

- 1 Antiácidos que se venden sin receta médica
- 2 Medicamentos que se venden con receta médica
- 3 Otro
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R08_ULCER = 1 AND R09_AX0698 = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0141_NB = 1 AND R09_AX0698 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0141_12M = 1 AND R09_AX0698 = 1).

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_AXR34

New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding, or continuing adult respondents who did not report being diagnosed with stomach or other gastro-intestinal bleeding as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had stomach or other gastro-intestinal bleeding in the past 12 months, go to R09_AX0148. Else, go to Box R09_AXR36.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0147_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_GASTRO != 1 AND R09_AX0001 != 2 AND R09_AX0147_12M = 1), GO TO R09_AX0148. ELSE, GO TO BOX R09_AXR36.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0148

¿Qué edad tenía la primera vez que le dijeron que tenía sangrado de estómago u otro sangrado gastrointestinal?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0266

-7 REFUSED

GO TO R09_AX0266

ASK: New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding, or continuing adult respondents who did not report being diagnosed with stomach or other gastro-intestinal bleeding as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had stomach or other gastro-intestinal bleeding in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0147_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_GASTRO != 1 AND R09_AX0001 != 2 AND R09_AX0147_12M = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0148_LC1

Usted contestó que tenía [R09_AX0148] años la primera vez que le dijeron que usted tenía sangrado estomacal u otro tipo de sangrado gastrointestinal. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0148

2 NEXT

GO TO BOX R09_AXR36

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0147_NB = 1) OR (R09_ADULTTYPE = 1 AND R08_GASTRO != 1 AND R09_AX0001 != 2 AND R09_AX0147_12M = 1)) AND R09_AX0148 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0148 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXR36 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0266

La primera vez que le dijeron que tenía sangrado de estómago u otro sangrado gastrointestinal, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding and did not know or refused to report the age they were first told they had stomach or other gastro-intestinal bleeding, or continuing adult respondents who did not report being diagnosed with stomach or other gastro-intestinal bleeding as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had stomach or other gastro-intestinal bleeding in the past 12 months and did not know or refused to report the age they were first told they had stomach or other gastro-intestinal bleeding.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0147_NB = 1 AND R09_AX0148 = -8, -7) OR (R09_ADULTTYPE = 1 AND R08_GASTRO != 1 AND R09_AX0001 != 2 AND R09_AX0147_12M = 1 AND R09_AX0148 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Cancer

BOX ID: R09_AXR36
New baseline adult respondents, go to R09_AX0144_NB. Else, continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, go to R09_AX0144_12M. Else, go to Box R09_AXR39.
IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0144_NB. ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2, GO TO R09_AX0144_12M. ELSE, GO TO BOX R09_AXR39.

PATH ID: R09_AX0144_NB												
Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tenía cáncer?												
<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 30%;">1</td> <td style="text-align: center; width: 30%;">Sí</td> <td style="text-align: right; width: 40%;">GO TO BOX R09_AXR39</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">No</td> <td style="text-align: right;">GO TO BOX R09_AXR39</td> </tr> <tr> <td style="text-align: center;">-8</td> <td style="text-align: center;">DON'T KNOW</td> <td style="text-align: right;">GO TO BOX R09_AXR39</td> </tr> <tr> <td style="text-align: center;">-7</td> <td style="text-align: center;">REFUSED</td> <td style="text-align: right;">GO TO BOX R09_AXR39</td> </tr> </table>	1	Sí	GO TO BOX R09_AXR39	2	No	GO TO BOX R09_AXR39	-8	DON'T KNOW	GO TO BOX R09_AXR39	-7	REFUSED	GO TO BOX R09_AXR39
1	Sí	GO TO BOX R09_AXR39										
2	No	GO TO BOX R09_AXR39										
-8	DON'T KNOW	GO TO BOX R09_AXR39										
-7	REFUSED	GO TO BOX R09_AXR39										
ASK: New baseline adult respondents. ASK Specification: IF R09_ADULTTYPE = 2, 3.												

PATH ID: R09_AX0144_12M												
En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tenía cáncer?												
<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 30%;">1</td> <td style="text-align: center; width: 30%;">Sí</td> <td style="width: 40%;"></td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">No</td> <td></td> </tr> <tr> <td style="text-align: center;">-8</td> <td style="text-align: center;">DON'T KNOW</td> <td></td> </tr> <tr> <td style="text-align: center;">-7</td> <td style="text-align: center;">REFUSED</td> <td></td> </tr> </table>	1	Sí		2	No		-8	DON'T KNOW		-7	REFUSED	
1	Sí											
2	No											
-8	DON'T KNOW											
-7	REFUSED											
ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months. ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0001 != 2.												

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR39

New baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months, go to R09_AX0145.
Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R09_AX0705.
Else, go to Box R09_AXR40.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1), GO TO R09_AX0145.
ELSE, IF R09_ADULTTYPE = 1 AND R08_CANCER = 1 AND R09_AX0144_12M != 1, GO TO R09_AX0705.
ELSE, GO TO BOX R09_AXR40.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0145

¿Qué tipo de cáncer le dijeron que tenía? Escoja todas las opciones que correspondan.

Si no ve la opción a continuación, toque la casilla que dice "OTRO."

- 17 DE BOCA/LENGUA/LABIO
- 4 DE CEREBRO
- 7 DE COLON
- 6 DE CUELLO UTERINO
- 8 DE ESÓFAGO
- 26 DE ESTÓMAGO
- 28 DE GARGANTA
- 13 DE HÍGADO
- 11 DE LARINGE/TRÁQUEA
- 3 DE LOS HUESOS
- 19 DE OVARIO
- 20 DE PÁNCREAS
- 16 DE PIEL TIPO MELANOMA
- 23 DE PIEL TIPO NO MELANOMA
- 24 DE PIEL (NO SABE EL TIPO)
- 21 DE PRÓSTATA
- 14 DE PULMÓN
- 22 DE RECTO
- 10 DE RIÑÓN
- 2 DE SANGRE
- 5 DE SENO (MAMA)
- 25 DE TEJIDOS BLANDOS (MÚSCULO O GRASA)
- 27 DE TESTÍCULO
- 29 DE TIROIDES
- 30 DE ÚTERO
- 1 DE VEJIGA
- 9 DE VESÍCULA BILIAR
- 18 DEL SISTEMA NERVIOSO
- 12 LEUCEMIA
- 15 LINFOMA/ENFERMEDAD DE HODGKIN
- 31 OTRO
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_AXR46

PROGRAM: CREATE LOOP:

For new baseline adult respondents:

Repeat R09_AX0146[_01/.../_31] through R09_AX0265[_01/.../_31] for each type of cancer the respondent reports they had in R09_AX0145. (This loop is asked of new baseline adult respondents who reported ever having cancer.)

For continuing adult respondents:

Repeat R09_AX0146[_01/.../_31] through R09_AX0265[_01/.../_31] for each type of cancer the respondent reports they had in R09_AX0145, that they did not already report as of their last completed interview. (This loop is asked of continuing adult respondents for each type of cancer the respondent reports they had in R09_AX0145 that they did not report having as of their last completed interview. R09_AX0136_31 and R09_AX0265_31 are only asked of continuing adult respondents if they report they had an "other" type of cancer in R09_AX0145 and did not report having any type of cancer as of their last completed interview.)

Else, continuing adult respondents who do not report having any new type of cancer, go to Box R09_AXR40.

IF R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1, THEN REPEAT R09_AX0146[_01/.../_31] THROUGH R09_AX0265[_01/.../_31] FOR EACH TYPE OF CANCER SELECTED IN R09_AX0145.

ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND ((R09_AX0145[_01/.../_30] = 1 AND R08_CANCER[_01/.../_30] != 1) OR (R09_AX0145_31 = 1 AND R08_CANCER != 1)), THEN REPEAT R09_AX0146[_01/.../_31] THROUGH R09_AX0265[_01/.../_31] FOR EACH TYPE OF CANCER SELECTED IN R09_AX0145.

ELSE, IF R09_ADULTTYPE = 1, GO TO BOX R09_AXR40.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146

¿A qué edad le diagnosticaron [cáncer/TYPE OF CANCER] por primera vez?

1 |___|___| Años

-8 DON'T KNOW

GO TO R09_AX0265[_01/.../
_31]

-7 REFUSED

GO TO R09_AX0265[_01/.../
_31]

ASK: New baseline adult respondents who have ever been told they had cancer and reported the kind of cancer they were told they had, or continuing adult respondents who have been told they had cancer in the past 12 months and reported the kind of cancer they were told they had and did not report having that type of cancer as of their last completed interview.

ASK Specification: FOR R09_AX0146_01: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_01 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_01 = 1 AND R08_CANCER_01 != 1).

FOR R09_AX0146_02: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_02 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_02 = 1 AND R08_CANCER_02 != 1).

FOR R09_AX0146_03: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_03 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_03 = 1 AND R08_CANCER_03 != 1).

FOR R09_AX0146_04: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_04 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_04 = 1 AND R08_CANCER_04 != 1).

FOR R09_AX0146_05: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_05 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_05 = 1 AND R08_CANCER_05 != 1).

FOR R09_AX0146_06: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_06 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_06 = 1 AND R08_CANCER_06 != 1).

FOR R09_AX0146_07: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_07 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_07 = 1 AND R08_CANCER_07 != 1).

FOR R09_AX0146_08: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_08 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_08 = 1 AND R08_CANCER_08 != 1).

FOR R09_AX0146_09: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_09 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_09 = 1 AND R08_CANCER_09 != 1).

FOR R09_AX0146_10: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_10 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_10 = 1 AND R08_CANCER_10 != 1).

FOR R09_AX0146_11: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_11 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_11 = 1 AND R08_CANCER_11 != 1).

FOR R09_AX0146_12: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_12 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_12 = 1 AND R08_CANCER_12 != 1).

FOR R09_AX0146_13: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_13 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_13 = 1 AND R08_CANCER_13 != 1).

FOR R09_AX0146_14: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_14 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_14 = 1 AND R08_CANCER_14 != 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

```

1 AND R08_CANCER_14 != 1).
FOR R09_AX0146_15: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_15 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_15 =
1 AND R08_CANCER_15 != 1).
FOR R09_AX0146_16: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_16 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_16 =
1 AND R08_CANCER_16 != 1).
FOR R09_AX0146_17: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_17 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_17 =
1 AND R08_CANCER_17 != 1).
FOR R09_AX0146_18: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_18 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_18 =
1 AND R08_CANCER_18 != 1).
FOR R09_AX0146_19: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_19 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_19 =
1 AND R08_CANCER_19 != 1).
FOR R09_AX0146_20: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_20 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_20 =
1 AND R08_CANCER_20 != 1).
FOR R09_AX0146_21: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_21 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_21 =
1 AND R08_CANCER_21 != 1).
FOR R09_AX0146_22: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_22 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_22 =
1 AND R08_CANCER_22 != 1).
FOR R09_AX0146_23: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_23 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_23 =
1 AND R08_CANCER_23 != 1).
FOR R09_AX0146_24: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_24 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_24 =
1 AND R08_CANCER_24 != 1).
FOR R09_AX0146_25: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_25 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_25 =
1 AND R08_CANCER_25 != 1).
FOR R09_AX0146_26: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_26 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_26 =
1 AND R08_CANCER_26 != 1).
FOR R09_AX0146_27: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_27 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_27 =
1 AND R08_CANCER_27 != 1).
FOR R09_AX0146_28: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_28 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_28 =
1 AND R08_CANCER_28 != 1).
FOR R09_AX0146_29: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_29 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_29 =
1 AND R08_CANCER_29 != 1).
FOR R09_AX0146_30: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_30 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_30 =
1 AND R08_CANCER_30 != 1).
FOR R09_AX0146_31: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_31 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_31 =
1 AND R08_CANCER != 1).
DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Añote un número" AS
GHOST TEXT.
DISPLAY "Años" AS A TITLE.

```

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R09_AX0145[_01/.../_31] AS FOLLOWS:

IF R09_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cáncer".

ELSE, IF R09_AX0145_11 = 1, DISPLAY AS "cáncer de laringe o tráquea".

ELSE, IF R09_AX0145_12 = 1, DISPLAY AS "leucemia" AND DO NOT DISPLAY "cáncer".

ELSE, IF R09_AX0145_15 = 1, DISPLAY AS "linfoma o enfermedad de Hodgkin" AND DO NOT DISPLAY "cáncer".

ELSE, IF R09_AX0145_17 = 1, DISPLAY AS "cáncer de boca, lengua o labio".

ELSE, DISPLAY "cáncer" AND TEXT AS SHOWN IN OPTION (EX. "cáncer de seno (mama)").

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED. (Each type of cancer may have different display instructions for English and Spanish. The text displayed for this item always matches the text for the corresponding R09_AX0146_#_LC1.)

Allow 2 digits.

PATH ID: R09_AX0146_01_LC1

Usted contestó que tenía [R09_AX0146_01] años la primera vez que le diagnosticaron cáncer de vejiga. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0146_01

2 NEXT

GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_01 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_01 = 1 AND R08_CANCER_01 != 1)) AND R09_AX0146_01 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_01 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_02_LC1

Usted contestó que tenía [R09_AX0146_02] años la primera vez que le diagnosticaron cáncer de sangre. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0146_02

2 NEXT

GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_02 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_02 = 1 AND R08_CANCER_02 != 1)) AND R09_AX0146_02 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_02 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_03_LC1

Usted contestó que tenía [R09_AX0146_NB] años la primera vez que le diagnosticaron cáncer de los huesos. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_03
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_03 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_03 = 1 AND R08_CANCER_03 != 1)) AND R09_AX0146_03 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_03 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_04_LC1

Usted contestó que tenía [R09_AX0146_04] años la primera vez que le diagnosticaron cáncer de cerebro. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_04
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_04 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_04 = 1 AND R08_CANCER_04 != 1)) AND R09_AX0146_04 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_04 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_05_LC1

Usted contestó que tenía [R09_AX0146_05] años la primera vez que le diagnosticaron cáncer de seno (mama). Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_05
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_05 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_05 = 1 AND R08_CANCER_05 != 1)) AND R09_AX0146_05 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_05 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_06_LC1

Usted contestó que tenía [R09_AX0146_06] años la primera vez que le diagnosticaron cáncer de cuello uterino. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_06
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_06 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_06 = 1 AND R08_CANCER_06 != 1)) AND R09_AX0146_06 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_06 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_07_LC1

Usted contestó que tenía [R09_AX0146_07] años la primera vez que le diagnosticaron cáncer de colon. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_07
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_07 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_07 = 1 AND R08_CANCER_07 != 1)) AND R09_AX0146_07 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_07 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_08_LC1

Usted contestó que tenía [R09_AX0146_08] años la primera vez que le diagnosticaron cáncer de esófago. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_08
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_08 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_08 = 1 AND R08_CANCER_08 != 1)) AND R09_AX0146_08 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_08 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_09_LC1

Usted contestó que tenía [R09_AX0146_09] años la primera vez que le diagnosticaron cáncer de vesícula biliar. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_09
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_09 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_09 = 1 AND R08_CANCER_09 != 1)) AND R09_AX0146_09 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_09 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_10_LC1

Usted contestó que tenía [R09_AX0146_10] años la primera vez que le diagnosticaron cáncer de riñón. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_10
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_10 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_10 = 1 AND R08_CANCER_10 != 1)) AND R09_AX0146_10 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_10 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_11_LC1

Usted contestó que tenía [R09_AX0146_11] años la primera vez que le diagnosticaron cáncer de laringe o tráquea. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_11
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_11 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_11 = 1 AND R08_CANCER_11 != 1)) AND R09_AX0146_11 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_11 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_12_LC1

Usted contestó que tenía [R09_AX0146_12] años la primera vez que le diagnosticaron leucemia. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_12
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_12 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_12 = 1 AND R08_CANCER_12 != 1)) AND R09_AX0146_12 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_12 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_13_LC1

Usted contestó que tenía [R09_AX0146_13] años la primera vez que le diagnosticaron cáncer de hígado. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_13
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_13 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_13 = 1 AND R08_CANCER_13 != 1)) AND R09_AX0146_13 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_13 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_14_LC1

Usted contestó que tenía [R09_AX0146_14] años la primera vez que le diagnosticaron cáncer de pulmón. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_14
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_14 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_14 = 1 AND R08_CANCER_14 != 1)) AND R09_AX0146_14 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_14 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_15_LC1

Usted contestó que tenía [R09_AX0146_15] años la primera vez que le diagnosticaron linfoma o enfermedad de Hodgkin. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_15
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_15 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_15 = 1 AND R08_CANCER_15 != 1)) AND R09_AX0146_15 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_15 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_16_LC1

Usted contestó que tenía [R09_AX0146_16] años la primera vez que le diagnosticaron cáncer de piel tipo melanoma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_16
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_16 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_16 = 1 AND R08_CANCER_16 != 1)) AND R09_AX0146_16 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_16 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_17_LC1

Usted contestó que tenía [R09_AX0146_17] años la primera vez que le diagnosticaron cáncer de boca, lengua o labio. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_17
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_17 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_17 = 1 AND R08_CANCER_17 != 1)) AND R09_AX0146_17 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_17 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_18_LC1

Usted contestó que tenía [R09_AX0146_18] años la primera vez que le diagnosticaron cáncer del sistema nervioso. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_18
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_18 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_18 = 1 AND R08_CANCER_18 != 1)) AND R09_AX0146_18 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_18 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_19_LC1

Usted contestó que tenía [R09_AX0146_19] años la primera vez que le diagnosticaron cáncer de ovario. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_19
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_19 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_19 = 1 AND R08_CANCER_19 != 1)) AND R09_AX0146_19 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_19 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_20_LC1

Usted contestó que tenía [R09_AX0146_20] años la primera vez que le diagnosticaron cáncer de páncreas. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_20
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_20 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_20 = 1 AND R08_CANCER_20 != 1)) AND R09_AX0146_20 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_20 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_21_LC1

Usted contestó que tenía [R09_AX0146_21] años la primera vez que le diagnosticaron cáncer de próstata. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_21
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_21 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_21 = 1 AND R08_CANCER_21 != 1)) AND R09_AX0146_21 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_21 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_22_LC1

Usted contestó que tenía [R09_AX0146_22] años la primera vez que le diagnosticaron cáncer de recto. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_22
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_22 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_22 = 1 AND R08_CANCER_22 != 1)) AND R09_AX0146_22 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_22 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_23_LC1

Usted contestó que tenía [R09_AX0146_23] años la primera vez que le diagnosticaron cáncer de piel tipo no melanoma. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_23
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_23 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_23 = 1 AND R08_CANCER_23 != 1)) AND R09_AX0146_23 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_23 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_24_LC1

Usted contestó que tenía [R09_AX0146_24] años la primera vez que le diagnosticaron cáncer de piel (no sabe el tipo). Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_24
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_24 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_24 = 1 AND R08_CANCER_24 != 1)) AND R09_AX0146_24 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_24 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_25_LC1

Usted contestó que tenía [R09_AX0146_25] años la primera vez que le diagnosticaron cáncer de tejidos blandos (músculo o grasa). Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_25
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_25 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_25 = 1 AND R08_CANCER_25 != 1)) AND R09_AX0146_25 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_25 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_26_LC1

Usted contestó que tenía [R09_AX0146_26] años la primera vez que le diagnosticaron cáncer de estómago. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_26
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_26 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_26 = 1 AND R08_CANCER_26 != 1)) AND R09_AX0146_26 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_26 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_27_LC1

Usted contestó que tenía [R09_AX0146_27] años la primera vez que le diagnosticaron cáncer de testículo. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_27
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_27 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_27 = 1 AND R08_CANCER_27 != 1)) AND R09_AX0146_27 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_27 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_28_LC1

Usted contestó que tenía [R09_AX0146_28] años la primera vez que le diagnosticaron cáncer de garganta. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_28
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_28 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_28 = 1 AND R08_CANCER_28 != 1)) AND R09_AX0146_28 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_28 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_29_LC1

Usted contestó que tenía [R09_AX0146_29] años la primera vez que le diagnosticaron cáncer de tiroides. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_29
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_29 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_29 = 1 AND R08_CANCER_29 != 1)) AND R09_AX0146_29 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_29 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0146_30_LC1

Usted contestó que tenía [R09_AX0146_30] años la primera vez que le diagnosticaron cáncer de útero. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_30
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_30 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_30 = 1 AND R08_CANCER_30 != 1)) AND R09_AX0146_30 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_30 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0146_31_LC1

Usted contestó que tenía [R09_AX0146_31] años la primera vez que le diagnosticaron cáncer. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0146_31
2 NEXT	GO TO BOX R09_AXR47

ASK: IF ((R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_31 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_31 = 1 AND R08_CANCER_31 != 1)) AND R09_AX0146_31 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0146_31 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR47 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0265

La primera vez que le diagnosticaron [cáncer/TYPE OF CANCER], ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had cancer and reported the kind of cancer they were told they had and did not know or refused to report the age they were first told they had that type of cancer.

ASK Specification: FOR R09_AX0265_01: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_01 = 1 AND R09_AX0146_01 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_01 = 1 AND R08_CANCER_01 != 1 AND R09_AX0146_01 = -8, -7).

FOR R09_AX0265_02: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_02 = 1 AND R09_AX0146_02 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_02 = 1 AND R08_CANCER_02 != 1 AND R09_AX0146_02 = -8, -7).

FOR R09_AX0265_03: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_03 = 1 AND R09_AX0146_03 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_03 = 1 AND R08_CANCER_03 != 1 AND R09_AX0146_03 = -8, -7).

FOR R09_AX0265_04: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_04 = 1 AND R09_AX0146_04 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_04 = 1 AND R08_CANCER_04 != 1 AND R09_AX0146_04 = -8, -7).

FOR R09_AX0265_05: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_05 = 1 AND R09_AX0146_05 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_05 = 1 AND R08_CANCER_05 != 1 AND R09_AX0146_05 = -8, -7).

FOR R09_AX0265_06: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_06 = 1 AND R09_AX0146_06 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_06 = 1 AND R08_CANCER_06 != 1 AND R09_AX0146_06 = -8, -7).

FOR R09_AX0265_07: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_07 = 1 AND R09_AX0146_07 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_07 = 1 AND R08_CANCER_07 != 1 AND R09_AX0146_07 = -8, -7).

FOR R09_AX0265_08: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_08 = 1 AND R09_AX0146_08 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_08 = 1 AND R08_CANCER_08 != 1 AND R09_AX0146_08 = -8, -7).

FOR R09_AX0265_09: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_09 = 1 AND R09_AX0146_09 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0144_12M = 1 AND R09_AX0145_09 = 1 AND R08_CANCER_09 != 1 AND R09_AX0146_09 = -8, -7).

FOR R09_AX0265_10: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND R09_AX0145_10 = 1 AND R09_AX0146_10 = -8, -7) OR (R09_ADULTTYPE = 1 AND

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

```

R09_AX0144_12M = 1 AND R09_AX0145_10 = 1 AND R08_CANCER_10 != 1 AND
R09_AX0146_10 = -8, -7).
FOR R09_AX0265_11: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_11 = 1 AND R09_AX0146_11 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_11 = 1 AND R08_CANCER_11 != 1 AND
R09_AX0146_11 = -8, -7).
FOR R09_AX0265_12: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_12 = 1 AND R09_AX0146_12 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_12 = 1 AND R08_CANCER_12 != 1 AND
R09_AX0146_12 = -8, -7).
FOR R09_AX0265_13: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_13 = 1 AND R09_AX0146_13 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_13 = 1 AND R08_CANCER_13 != 1 AND
R09_AX0146_13 = -8, -7).
FOR R09_AX0265_14: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_14 = 1 AND R09_AX0146_14 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_14 = 1 AND R08_CANCER_14 != 1 AND
R09_AX0146_14 = -8, -7).
FOR R09_AX0265_15: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_15 = 1 AND R09_AX0146_15 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_15 = 1 AND R08_CANCER_15 != 1 AND
R09_AX0146_15 = -8, -7).
FOR R09_AX0265_16: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_16 = 1 AND R09_AX0146_16 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_16 = 1 AND R08_CANCER_16 != 1 AND
R09_AX0146_16 = -8, -7).
FOR R09_AX0265_17: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_17 = 1 AND R09_AX0146_17 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_17 = 1 AND R08_CANCER_17 != 1 AND
R09_AX0146_17 = -8, -7).
FOR R09_AX0265_18: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_18 = 1 AND R09_AX0146_18 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_18 = 1 AND R08_CANCER_18 != 1 AND
R09_AX0146_18 = -8, -7).
FOR R09_AX0265_19: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_19 = 1 AND R09_AX0146_19 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_19 = 1 AND R08_CANCER_19 != 1 AND
R09_AX0146_19 = -8, -7).
FOR R09_AX0265_20: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_20 = 1 AND R09_AX0146_20 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_20 = 1 AND R08_CANCER_20 != 1 AND
R09_AX0146_20 = -8, -7).
FOR R09_AX0265_21: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_21 = 1 AND R09_AX0146_21 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_21 = 1 AND R08_CANCER_21 != 1 AND
R09_AX0146_21 = -8, -7).
FOR R09_AX0265_22: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_22 = 1 AND R09_AX0146_22 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_22 = 1 AND R08_CANCER_22 != 1 AND
R09_AX0146_22 = -8, -7).
FOR R09_AX0265_23: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_23 = 1 AND R09_AX0146_23 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_23 = 1 AND R08_CANCER_23 != 1 AND
R09_AX0146_23 = -8, -7).
FOR R09_AX0265_24: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND

```

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

```

R09_AX0145_24 = 1 AND R09_AX0146_24 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_24 = 1 AND R08_CANCER_24 != 1 AND
R09_AX0146_24 = -8, -7).
FOR R09_AX0265_25: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_25 = 1 AND R09_AX0146_25 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_25 = 1 AND R08_CANCER_25 != 1 AND
R09_AX0146_25 = -8, -7).
FOR R09_AX0265_26: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_26 = 1 AND R09_AX0146_26 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_26 = 1 AND R08_CANCER_26 != 1 AND
R09_AX0146_26 = -8, -7).
FOR R09_AX0265_27: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_27 = 1 AND R09_AX0146_27 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_27 = 1 AND R08_CANCER_27 != 1 AND
R09_AX0146_27 = -8, -7).
FOR R09_AX0265_28: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_28 = 1 AND R09_AX0146_28 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_28 = 1 AND R08_CANCER_28 != 1 AND
R09_AX0146_28 = -8, -7).
FOR R09_AX0265_29: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_29 = 1 AND R09_AX0146_29 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_29 = 1 AND R08_CANCER_29 != 1 AND
R09_AX0146_29 = -8, -7).
FOR R09_AX0265_30: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_30 = 1 AND R09_AX0146_30 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_30 = 1 AND R08_CANCER_30 != 1 AND
R09_AX0146_30 = -8, -7).
FOR R09_AX0265_31: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0144_NB = 1 AND
R09_AX0145_31 = 1 AND R09_AX0146_31 = -8, -7) OR (R09_ADULTTYPE = 1 AND
R09_AX0144_12M = 1 AND R09_AX0145_31 = 1 AND R08_CANCER != 1 AND
R09_AX0146_31 = -8, -7).

DISPLAY: FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R09_AX0145
[_01/.../_31] AS FOLLOWS:
IF R09_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cáncer".
ELSE, IF R09_AX0145_11 = 1, DISPLAY AS "cáncer de laringe o tráquea".
ELSE, IF R09_AX0145_12 = 1, DISPLAY AS "leucemia" AND DO NOT DISPLAY "cáncer".
ELSE, IF R09_AX0145_15 = 1, DISPLAY AS "linfoma o enfermedad de Hodgkin" AND DO NOT
DISPLAY "cáncer".
ELSE, IF R09_AX0145_17 = 1, DISPLAY AS "cáncer de boca, lengua o labio".
ELSE, DISPLAY "cáncer" AND TEXT AS SHOWN IN OPTION (EX. "cáncer de seno (mama)").

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF
CANCER SELECTED. (Each type of cancer may have different display instructions for English and
Spanish. The text displayed for this item always matches the text for the corresponding R09_AX0146_#
#_LC1.)

```

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR47

END NEW BASELINE CANCER LOOP:

If the respondent has loops to complete for other types of cancer, return to Box R09_AXR46 and loop through the subsection for any other types of cancer the respondent has had.
Else, if the respondent has no more remaining loops to complete, go to Box R09_AXR40.

IF THERE ARE REMAINING LOOPS TO BE COMPLETED, GO BACK TO BOX R09_AXR46 AND LOOP THROUGH THE SUBSECTION FOR ANY OTHER TYPES OF CANCER THE RESPONDENT HAS HAD.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED, GO TO BOX R09_AXR40.

PATH ID: R09_AX0705

Anteriormente, usted nos dijo que tenía cáncer.

¿Está su cáncer en remisión?

1 Sí

2 No

3 Nunca he tenido cáncer

GO TO BOX R09_AXR40

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R08_CANCER = 1 AND R09_AX0144_12M != 1.

PATH ID: R09_AX0748

Anteriormente, usted nos dijo que tenía cáncer.

¿Ha vuelto a aparecer el cáncer?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months and did not report never having cancer.

ASK Specification: IF R09_ADULTTYPE = 1 AND R08_CANCER = 1 AND R09_AX0144_12M != 1 AND R09_AX0705 != 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Bone Health

BOX ID: R09_AXR40

New baseline adult respondents, go to Box R09_AXD25.

Else, continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, go to Box R08_AXD21.

Else, go to Box R09_AXR88.

IF R09_ADULTTYPE = 2, 3, GO TO BOX R09_AXD25.

ELSE, IF R09_ADULTTYPE = 1 AND R08_ACHIEVEDAGE >= 40 AND R08_AX0001 != 2, GO TO BOX R08_AXD21.

ELSE, GO TO BOX R09_AXR88.

BOX ID: R09_AXD25

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0149_NB, R09_AX0196_NB.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AX0149_NB is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0149_NB on each screen.

PATH ID: R09_AX0149_NB

[Marque Sí o No para cada uno.

]Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene...
osteoporosis, que a veces se llama la enfermedad de huesos delgados o quebradizos?

1 Sí

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno."
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0196_NB

una fractura debido a que tiene huesos frágiles?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

BOX ID: R09_AXR86

New baseline adult respondents who have ever been told they had osteoporosis, go to Box R09_AXR17.

Else, new baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, go to Box R09_AXR87.

Else, go to Box R09_AXR88.

IF R09_ADULTTYPE = 2, 3 AND R09_AX0149_NB = 1, GO TO BOX R09_AXR17.

ELSE, IF R09_ADULTTYPE = 2, 3 AND R09_AX0196_NB = 1, GO TO BOX R09_AXR87.

ELSE, GO TO BOX R09_AXR88.

BOX ID: R09_AXD21

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0149_12M, R09_AX0196_12M.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the yes/no stem-leaf screen. The intro/transition text from R09_AX0149_12M is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0149_12M on each screen.

PATH ID: R09_AX0149_12M

Marque Sí o No para cada uno.

En los últimos 12 meses, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene...

osteoporosis, que a veces se llama la enfermedad de huesos delgados o quebradizos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0001 != 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0196_12M

una fractura debido a que tiene huesos frágiles?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0001 != 2.

BOX ID: R09_AXR17

New baseline adult respondents who have ever been told they had osteoporosis, or continuing adult respondents who are 40 years old or older and did not report being diagnosed with osteoporosis as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told their had osteoporosis in the past 12 months, go to R09_AX0150.

Else, go to Box R09_AXR87.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0149_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_OSTEOPOROSIS != 1 AND R09_AX0001 != 2 AND R09_AX0149_12M = 1), GO TO R09_AX0150.
ELSE, GO TO BOX R09_AXR87.

PATH ID: R09_AX0150

¿Qué edad tenía la primera vez que le dijeron que tenía osteoporosis, que a veces se llama la enfermedad de huesos delgados o quebradizos?

- 1 |__|__| Años
- 8 DON'T KNOW GO TO R09_AX0267
- 7 REFUSED GO TO R09_AX0267

ASK: New baseline adult respondents who have ever been told they had osteoporosis, or continuing adult respondents who are 40 years old or older and did not report being diagnosed with osteoporosis as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told their had osteoporosis in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0149_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_OSTEOPOROSIS != 1 AND R09_AX0001 != 2 AND R09_AX0149_12M = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0150_LC1

Usted contestó que tenía [R09_AX0150] años la primera vez que le dijeron que tenía osteoporosis. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0150

2 NEXT

GO TO BOX R09_AXR87

ASK: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0149_NB = 1 AND R09_AX0150 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_OSTEOPOROSIS != 1 AND R09_AX0001 != 2 AND R09_AX0149_12M = 1 AND R09_AX0150 > R08_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AX0150 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR87 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0267

La primera vez que le dijeron que tenía osteoporosis, ¿tenía...?

1 Menos de 18 años de edad,

2 Entre 18 y 24 años de edad,

3 Entre 25 y 34 años de edad,

4 Entre 35 y 44 años de edad,

5 Entre 45 y 54 años de edad o

6 55 años de edad o más

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had osteoporosis and did not know or refused to report the age they were first told they had osteoporosis, or continuing adult respondents who are 40 years old or older and did not report being diagnosed with osteoporosis as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told their had osteoporosis in the past 12 months and did not know or refused to report the age they were first told they had osteoporosis.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0149_NB = 1 AND R09_AX0150 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_OSTEOPOROSIS != 1 AND R09_AX0001 != 2 AND R09_AX0149_12M = 1 AND R09_AX0150 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR87

New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and did not report being diagnosed with a bone fracture because they had fragile bones as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months, go to R09_AX0198.

Else, go to Box R09_AXR151.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0196_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_BONE_FRACTURE != 1 AND R09_AX0001 != 2 AND R09_AX0196_12M = 1), GO TO R09_AX0198.
ELSE, GO TO BOX R09_AXR151.

PATH ID: R09_AX0198

¿Qué edad tenía la primera vez que le dijeron que tuvo una fractura debido a que tiene huesos frágiles?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0268

-7 REFUSED

GO TO R09_AX0268

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and did not report being diagnosed with a bone fracture because they had fragile bones as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0196_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_BONE_FRACTURE != 1 AND R09_AX0001 != 2 AND R09_AX0196_12M = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0198_LC1

Usted contestó que tenía [R09_AX0198] años la primera vez que le dijeron que tuvo una fractura de hueso debido a huesos frágiles. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0198

2 NEXT

GO TO BOX R09_AXR151

ASK: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0196_NB = 1 AND R09_AX0198 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_BONE_FRACTURE != 1 AND R09_AX0001 != 2 AND R09_AX0196_12M = 1 AND R09_AX0198 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AX0198 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXR151 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0268

La primera vez que le dijeron que tuvo una fractura debido a que tenía huesos frágiles, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones and did not know or refused to report the age they were first told they had a bone fracture because they had fragile bones or continuing adult respondents who are 40 years old or older and did not report being diagnosed with a bone fracture because they had fragile bones as of their last completed interview and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months and did not know or refused to report the age they were first told they had a bone fracture because they had fragile bones..

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0196_NB = 1 AND R09_AX0198 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_BONE_FRACTURE != 1 AND R09_AX0001 != 2 AND R09_AX0196_12M = 1 AND R09_AX0198 = -8, -7).

BOX ID: R09_AXR151

New baseline adult respondents who have ever been told they had osteoporosis or had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had osteoporosis or had a bone fracture because they had fragile bones in the past 12 months, go to R09_AX0700.
Else, go to Box R09_AXR88.

IF (R09_ADULTTYPE = 2, 3 AND (R09_AX0149_NB = 1 OR R09_AX0196_NB = 1)) OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R08_AX0001 != 2 AND (R09_AX0149_12M = 1 OR R09_AX0196_12M = 1)), GO TO R09_AX0700.
ELSE, GO TO BOX R09_AXR88.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0700

¿Alguna vez ha tomado píldoras de prednisona o cortisona casi todos los días por un mes o más?

(La prednisona y la cortisona son tipos de esteroides.)

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had osteoporosis or had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had osteoporosis or had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND (R09_AX0149_NB = 1 OR R09_AX0196_NB = 1))
OR (R09_ADULTTYPE = 1 AND R09_ACHIEVEDAGE >= 40 AND R09_AX0001 != 2 AND
(R09_AX0149_12M = 1 OR R09_AX0196_12M = 1)).

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

Neurological Health

BOX ID: R09_AXR88

Adult respondents who are 40 years old or older, go to R09_AX0702.
Else, go to Box R09_AXR54.

IF R09_ACHIEVEDAGE >= 40, GO TO R09_AX0702.
ELSE, GO TO BOX R09_AXR54.

PATH ID: R09_AX0702

Alguna vez, ¿le ha dicho un médico, una enfermera u otro profesional de la salud que usted tiene degeneración macular?

1	Sí	
2	No	GO TO BOX R09_AXR54
-8	DON'T KNOW	GO TO BOX R09_AXR54
-7	REFUSED	GO TO BOX R09_AXR54

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R09_ACHIEVEDAGE >= 40.

PATH ID: R09_AX0703

¿Qué edad tenía la primera vez que le dijeron que tenía degeneración macular?

1	_ _ _ Años	
-8	DON'T KNOW	GO TO R09_AX0704
-7	REFUSED	GO TO R09_AX0704

ASK: Adult respondents who are 40 years old or older and have ever been told they had macular degeneration.

ASK Specification: IF R09_ACHIEVEDAGE >= 40 AND R09_AX0702 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0703_LC1

Usted contestó que tenía [R09_AX0703] años la primera vez que le dijeron que tenía degeneración macular. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AX0703
2	NEXT	GO TO BOX R09_AXR54

ASK: IF R09_ACHIEVEDAGE >= 40 AND R09_AX0702 = 1 AND R09_AX0703 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0703 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXR54 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0704

La primera vez que le dijeron que tenía degeneración macular, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever been told they had macular degeneration and did not know or refused to report the age they were first told they had macular degeneration.

ASK Specification: IF R09_ACHIEVEDAGE >= 40 AND R09_AX0702 = 1 AND R09_AX0703 = -8, -7.

BOX ID: R09_AXR54

New baseline adult respondents, go to R09_AX0247_NB.
Else, go to R09_AX0247_12M.

IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0247_NB.
ELSE, GO TO R09_AX0247_12M.

PATH ID: R09_AX0247_NB

¿Alguna vez ha tenido convulsiones?

1	Sí	
2	No	GO TO BOX R09_AXR109
-8	DON'T KNOW	GO TO BOX R09_AXR109
-7	REFUSED	GO TO BOX R09_AXR109

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

PATH ID: R09_AX0247_12M

En los últimos 12 meses, ¿ha tenido convulsiones?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever had a seizure, or continuing adult respondents.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0247_NB = 1) OR R09_ADULTTYPE = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR55

New baseline adult respondents who have ever had a seizure, or continuing adult respondents who have had a seizure in the past 12 months and did not report ever having a seizure as of their last completed interview, go to R09_AX0289.
Else, go to Box R09_AXR109.

IF (R09_ADULTTYPE = 2, 3 AND R09_AX0247_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0247_12M = 1 AND R08_SEIZURE != 1), GO TO R09_AX0289.
ELSE, GO TO BOX R09_AXR109.

PATH ID: R09_AX0289

¿Qué edad tenía la PRIMERA vez que tuvo convulsiones?

1	__ __ Años	
-8	DON'T KNOW	GO TO R09_AX0291
-7	REFUSED	GO TO R09_AX0291

ASK: New baseline adult respondents who have ever had a seizure, or continuing adult respondents who have had a seizure in the past 12 months and did not report ever having a seizure as of their last completed interview.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0247_NB = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0247_12M = 1 AND R08_SEIZURE != 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0289_LC1

Usted contestó que tenía [R09_AX0289] años la primera vez que tuvo convulsiones. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1	BACK	GO TO R09_AX0289
2	NEXT	GO TO BOX R09_AXR109

ASK: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0247_NB = 1 AND R09_AX0289 > R09_ACHIEVEDAGE) OR (R09_ADULTTYPE = 1 AND R09_AX0247_12M = 1 AND R08_SEIZURE != 1 AND R09_AX0289 > R09_ACHIEVEDAGE).

PROGRAM: TRIGGER CHECK IF R09_AX0289 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR109 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0291

La primera vez que tuvo convulsiones, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever had a seizure and did not know or refused to report the age they had their first seizure, or continuing adult respondents who have had a seizure in the past 12 months and did not report ever having a seizure as of their last completed interview and did not know or refused to report the age they had their first seizure.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0247_NB = 1 AND R09_AX0289 = -8, -7) OR (R09_ADULTTYPE = 1 AND R09_AX0247_12M = 1 AND R08_SEIZURE != 1 AND R09_AX0289 = -8, -7).

BOX ID: R09_AXR109

Continuing adult respondents, go to R09_AX0756_12M.
Else, new baseline adult respondents, go to R09_AX0756_NB.

IF R09_ADULTTYPE = 1, GO TO R09_AX0756_12M.
ELSE, IF R09_ADULTTYPE = 2, 3, GO TO R09_AX0756_NB.

PATH ID: R09_AX0756_12M

En los últimos 12 meses, ¿le ha dicho un médico, un terapeuta u otro profesional de la salud mental que usted tenía esquizofrenia, un trastorno esquizoafectivo o psicosis?

1 Sí	GO TO BOX R09_AXR150
2 No	GO TO BOX R09_AXR150
-8 DON'T KNOW	GO TO BOX R09_AXR150
-7 REFUSED	GO TO BOX R09_AXR150

ASK: Continuing adult respondents.

ASK Specification: IF R09_ADULTTYPE = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0756_NB

¿Le ha dicho un médico, un terapeuta u otro profesional de la salud mental alguna vez que usted tenía esquizofrenia, un trastorno esquizoafectivo o psicosis?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

BOX ID: R09_AXR150

Continuing adult respondents who did not report being diagnosed with schizophrenia, schizoaffective disorder, or psychosis as of their last completed interview and have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months, new baseline adult respondents who have ever been told they had schizophrenia, schizoaffective disorder, or psychosis, go to R09_AX0757. Else, continuing adult respondents who have not been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report whether they have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months, go to R09_AX0761_12M.

Else, new baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis, go to R09_AX0761_NB. Else, go to Box R09_AXR149.

IF (R09_ADULTTYPE = 1 AND R08_SCHIZOPHRENIA != 1 AND R09_AX0756_12M = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 1), GO TO R09_AX0757.
ELSE, IF R09_ADULTTYPE = 1 AND R09_AX0756_12M = 2, -8, -7, GO TO R09_AX0761_12M.
ELSE, IF R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 2, -8, -7, GO TO R09_AX0761_NB.
ELSE, GO TO BOX R09_AXR149.

PATH ID: R09_AX0757

¿Qué edad tenía usted la primera vez que le dijeron que tenía esquizofrenia, un trastorno esquizoafectivo o psicosis?

1	__ __ Años	
-8	DON'T KNOW	GO TO R09_AX0758
-7	REFUSED	GO TO R09_AX0758

ASK: Continuing adult respondents who did not report being diagnosed with schizophrenia, schizoaffective disorder, or psychosis as of their last completed interview and have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months, new baseline adult respondents who have ever been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08_SCHIZOPHRENIA != 1 AND R09_AX0756_12M = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0757_LC1

Usted contestó que tenía [R09_AX0757] años la primera vez que le dijeron que tenía esquizofrenia, un trastorno esquizoafectivo o psicosis. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0757
2 NEXT	GO TO BOX R09_AXR14

ASK: IF ((R09_ADULTTYPE = 1 AND R08_SCHIZOPHRENIA != 1 AND R09_AX0756_12M = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 1)) AND R09_AX0757 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0757 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR14 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0758

La primera vez que le dijeron que tenía esquizofrenia, un trastorno esquizoafectivo o psicosis, ¿tenía...?

1 Menos de 18 años de edad,	GO TO BOX R09_AXR14
2 Entre 18 y 24 años de edad,	GO TO BOX R09_AXR14
3 Entre 25 y 34 años de edad,	GO TO BOX R09_AXR14
4 Entre 35 y 44 años de edad,	GO TO BOX R09_AXR14
5 Entre 45 y 54 años de edad o	GO TO BOX R09_AXR14
6 55 años de edad o más	GO TO BOX R09_AXR14
-8 DON'T KNOW	GO TO BOX R09_AXR14
-7 REFUSED	GO TO BOX R09_AXR14

ASK: Continuing adult respondents who did not report being diagnosed with schizophrenia, schizoaffective disorder, or psychosis as of their last completed interview and have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months and did not know or refused to report the age they were first told they had schizophrenia, schizoaffective disorder, or psychosis, new baseline adult respondents who have ever been told they had schizophrenia, schizoaffective disorder, or psychosis and did not know or refused to report the age they were first told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08_SCHIZOPHRENIA != 1 AND R09_AX0756_12M = 1 AND R09_AX0757 = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 1 AND R09_AX0757 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0761_12M

En los últimos 12 meses, ¿le ha dicho un médico, un terapeuta u otro profesional de la salud mental que tenía una enfermedad o una crisis psicótica?

1	Sí	GO TO BOX R09_AXR149
2	No	GO TO BOX R09_AXR149
-8	DON'T KNOW	GO TO BOX R09_AXR149
-7	REFUSED	GO TO BOX R09_AXR149

ASK: Continuing adult respondents who have not been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report whether they have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 1 AND R09_AX0756_12M = 2, -8, -7.

PATH ID: R09_AX0761_NB

¿Le ha dicho un médico, un terapeuta u otro profesional de la salud mental alguna vez que usted tenía una enfermedad o una crisis psicótica?

1	Sí
2	No
-8	DON'T KNOW
-7	REFUSED

ASK: New baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 2, -8, -7.

BOX ID: R09_AXR149

Continuing adult respondents who have not reported being diagnosed with a psychotic illness or episode as of their last completed interview and have not been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report whether they have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months and have been told they had a psychotic illness or episode in the past 12 months, or new baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis and have ever been told they had a psychotic illness or episode, go to R09_AX0762.

Else, go to BOX R09_AXR14.

IF (R09_ADULTTYPE = 1 AND R08_PSYCH != 1 AND R09_AX0756_12M = 2, -8, -7 AND R09_AX0761_12M = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 2, -8, -7 AND R09_AX0761_NB = 1), GO TO R09_AX0762.
ELSE, GO TO BOX R09_AXR14.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0762

¿Qué edad tenía la primera vez que le dijeron que tenía una enfermedad o crisis psicótica?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0772

-7 REFUSED

GO TO R09_AX0772

ASK: Continuing adult respondents who have not reported being diagnosed with a psychotic illness or episode as of their last completed interview and have not been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report whether they have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months and have been told they had a psychotic illness or episode in the past 12 months, or new baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis and have ever been told they had a psychotic illness or episode.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08_PSYCH != 1 AND R09_AX0756_12M = 2, -8, -7 AND R09_AX0761_12M = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 2, -8, -7 AND R09_AX0761_NB = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH ID: R09_AX0762_LC1

Usted contestó que tenía [R09_AX0762] años la primera vez que le dijeron que tenía una enfermedad o una crisis psicótica. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0762

2 NEXT

GO TO BOX R09_AXR14

ASK: IF ((R09_ADULTTYPE = 1 AND R08_PSYCH != 1 AND R09_AX0756_12M = 2, -8, -7 AND R09_AX0761_12M = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 2, -8, -7 AND R09_AX0761_NB = 1)) AND R09_AX0762 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AX0762 > R09_ACHIEVEDAGE.
ELSE, GO TO BOX R09_AXR14 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0772

La primera vez que le dijeron que tenía una enfermedad o una crisis psicótica, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have not reported being diagnosed with a psychotic illness or episode as of their last completed interview and have not been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report whether they have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months and have been told they had a psychotic illness or episode in the past 12 months and did not know or refused to report the age they were first told they had a psychotic illness or episode, or new baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis and have ever been told they had a psychotic illness or episode and did not know or refused to report the age they were first told they had a psychotic illness or episode.

ASK Specification: IF (R09_ADULTTYPE = 1 AND R08_PSYCH != 1 AND R09_AX0756_12M = 2, -8, -7 AND R09_AX0761_12M = 1 AND R09_AX0762 = -8, -7) OR (R09_ADULTTYPE = 2, 3 AND R09_AX0756_NB = 2, -8, -7 AND R09_AX0761_NB = 1 AND R09_AX0762 = -8, -7).

Reproductive Health

BOX ID: R09_AXR14
Adult respondents who are less than 46 years old, go to R09_AX0773. Else, go to Box R09_AXR62.
IF 18 <= R09_ACHIEVEDAGE < 46, GO TO R09_AX0773. ELSE, GO TO BOX R09_AXR62.

PATH ID: R09_AX0773
Existe una vacuna para prevenir una infección por el virus del papiloma humano o el VPH. Se conoce como la vacuna contra el cáncer del cuello uterino, la vacuna contra las verrugas genitales, la inyección VPH o Gardasil.
¿Ha recibido usted la vacuna contra el VPH?
1 Sí 2 No -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who are less than 46 years old.
ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 46.

BOX ID: R09_AXR62
Adult male respondents who are 20 years old or older, go to R09_AX0730. Else, go to Box R09_AXR52.
IF R09_ACHIEVEDAGE >= 20 AND (R09_ADULTTYPE = 1, 2 AND R08_SEX = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 1 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 1))), GO TO R09_AX0730. ELSE, GO TO BOX R09_AXR52.

PATH ID: R09_AX0730
Muchos hombres tienen problemas en sus relaciones sexuales. ¿Cómo describiría su capacidad de lograr y mantener una erección adecuada para mantener relaciones sexuales satisfactorias?
1 Siempre o casi siempre puede lograr y mantener una erección 2 Normalmente puede lograr y mantener una erección 3 A veces puede lograr y mantener una erección 4 Nunca puede lograr ni mantener una erección -8 DON'T KNOW -7 REFUSED
ASK: Adult male respondents who are 20 years old or older.
ASK Specification: IF R09_ACHIEVEDAGE >= 20 AND (R09_ADULTTYPE = 1, 2 AND R08_SEX = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 1 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 1))).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR52

New cohort adult female respondents, go to R09_AX0134_RS.
Else, continuing and aged-up adult female respondents, go to R09_AX0134_12M.
Else, go to Box R09_AXR53.

IF R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)), GO TO R09_AX0134_RS.
ELSE, IF R09_ADULTTYPE = 1, 2 AND R08_SEX = 2, GO TO R09_AX0134_12M.
ELSE, GO TO BOX R09_AXR53.

PATH ID: R09_AX0134_RS

Las siguientes preguntas son acerca de su historial de embarazos.

Alguna vez, ¿ha estado embarazada? Por favor, incluya su embarazo actual, nacimientos vivos, pérdidas del embarazo, abortos, embarazos ectópicos o tubáricos (en las trompas) y embarazos en los que el bebé nació sin vida.

1	Sí	
2	No	GO TO R09_AX0488
-8	DON'T KNOW	GO TO R09_AX0488
-7	REFUSED	GO TO R09_AX0488

ASK: New cohort adult female respondents.

ASK Specification: IF R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)).

PATH ID: R09_AX0135_RS

¿Alguno de sus embarazos resultó en lo siguiente? Escoja todas las opciones que correspondan.

1	Pérdida del embarazo
2	Aborto
3	Embarazo ectópico o tubárico (en las trompas)
4	El bebé nació sin vida
5	Ninguna de las anteriores
-8	DON'T KNOW
-7	REFUSED

ASK: New cohort adult female respondents who have ever been pregnant.

ASK Specification: IF R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1.

PROGRAM: Allow respondent to choose all that apply; If option 5 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0308_RS

¿Cuántos embarazos han resultado en nacimientos vivos?

- 1 |___|___| Cantidad de embarazos
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant.

ASK Specification: IF R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de embarazos" AS A TITLE.

PROGRAM: Allow 2 digits.

BOX ID: R09_AXR121

New cohort adult female respondents who have ever been pregnant and have had at least one pregnancy result in a live birth, go to R09_AX0300_RS.
Else, go to R09_AX0134_12M.

IF R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0308_RS > 0 GO TO R09_AX0300_RS.
ELSE, GO TO R09_AX0134_12M.

PATH ID: R09_AX0300_RS

Para [ese nacimiento/esos #R09_AX0308_RS nacimientos], ¿pasó algo de los siguiente? Escoja todas las opciones que correspondan.

- 1 Nacimiento prematuro (el bebé nació antes de las 37 semanas de gestación)
- 2 Bebé con bajo peso (menos de 5 libras 8 onzas)
- 3 Bebé con defectos congénitos
- 4 Placenta previa (cuando la placenta cubre el cuello uterino)
- 5 Desprendimiento prematuro de la placenta
- 6 Preeclampsia
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who have ever been pregnant and have had at least one pregnancy result in a live birth.

ASK Specification: IF R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0308_RS > 0.

DISPLAY: IF R09_AX0308_RS = 1, DISPLAY "ese nacimiento".

ELSE, IF R09_AX0308_RS > 1, DISPLAY "esos #R09_AX0308_RS nacimientos".

PROGRAM: Allow respondent to choose all that apply. If option 7 is selected, no other options can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0134_12M

[Las siguientes preguntas son acerca de su historial de embarazos.

]En los últimos 12 meses, ¿ha estado embarazada? Por favor, incluya su embarazo actual, nacimientos vivos, pérdidas del embarazo, abortos, embarazos ectópicos o tubáricos (en las trompas) y embarazos en los que el bebé nació sin vida.

1	Sí	
2	No	GO TO BOX R09_AXR53
-8	DON'T KNOW	GO TO BOX R09_AXR53
-7	REFUSED	GO TO BOX R09_AXR53

ASK: Continuing and aged-up adult female respondents, or new cohort adult female respondents who have ever been pregnant.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1).

DISPLAY: IF R09_ADULTTYPE = 1, 2, DISPLAY "Las siguientes preguntas son acerca de su historial de embarazos."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AX0136

¿Está usted embarazada ahora?

1	Sí	
2	No	GO TO BOX R09_AXR53
-8	DON'T KNOW	GO TO BOX R09_AXR53
-7	REFUSED	GO TO BOX R09_AXR53

ASK: Continuing and aged-up adult female respondents who have been pregnant in the past 12 months, or new cohort adult female respondents who have ever been pregnant and have been pregnant in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND R09_AX0134_12M = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0134_12M = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0137

¿Cuántos meses o semanas de embarazo tiene? Conteste con la cantidad de meses o semanas. Anote un número entero y seleccione una de las opciones a continuación.

1 _ _ Meses	
2 _ _ Semanas	
-8 DON'T KNOW	GO TO BOX R09_AXR53
-7 REFUSED	GO TO BOX R09_AXR53

ASK: Continuing and aged-up adult female respondents who have been pregnant in the past 12 months and are currently pregnant, or new cohort adult female respondents who have ever been pregnant and have been pregnant in the past 12 months and are currently pregnant.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND R09_AX0134_12M = 1 AND R09_AX0136 = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0134_12M = 1 AND R09_AX0136 = 1).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

PATH ID: R09_AX0137_LC1

Usted contestó que tiene [R09_AX0137] [meses/semanas] de embarazo. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0137
2 NEXT	GO TO BOX R09_AXR53

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND R09_AX0134_12M = 1 AND R09_AX0136 = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0134_12M = 1 AND R09_AX0136 = 1)) AND ((R09_AX0137_NN > 10 AND R09_AX0137_UN = 1) OR (R09_AX0137_NN > 42 AND R09_AX0137_UN = 2)).

DISPLAY: IF R09_AX0137_UN = 1, DISPLAY "meses".
ELSE, IF R09_AX0137_UN = 2, DISPLAY "semanas".

PROGRAM: TRIGGER CHECK IF (R09_AX0137_NN > 10 AND R09_AX0137_UN = 1) OR (R09_AX0137_NN > 42 AND R09_AX0137_UN = 2).
ELSE, GO TO BOX R09_AXR53 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR53

Continuing and aged-up adult female respondents who have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have been pregnant in the past 12 months and are not currently pregnant, go to R09_AX0135_12M.
Else, go to Box R09_AXR56.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND ((R09_AX0134_12M = 1 AND R09_AX0136 = 2) OR (R09_AX0134_12M != 1 AND R08_PREGNANT = 1))) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0134_12M = 1 AND R09_AX0136 = 2), GO TO R09_AX0135_12M.
ELSE, GO TO BOX R09_AXR56.

PATH ID: R09_AX0135_12M

¿Cómo culminó su último embarazo?

1	Nacimiento vivo	
2	Pérdida del embarazo	GO TO BOX R09_AXR56
3	Aborto	GO TO BOX R09_AXR56
4	Embarazo ectópico o tubárico (en las trompas)	GO TO BOX R09_AXR56
5	El bebé nació sin vida	GO TO BOX R09_AXR56
6	Ninguno de los anteriores	GO TO BOX R09_AXR56
-8	DON'T KNOW	GO TO BOX R09_AXR56
-7	REFUSED	GO TO BOX R09_AXR56

ASK: Continuing and aged-up adult female respondents who have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have been pregnant in the past 12 months and are not currently pregnant.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND ((R09_AX0134_12M = 1 AND R09_AX0136 = 2) OR (R09_AX0134_12M != 1 AND R08_PREGNANT = 1))) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0134_12M = 1 AND R09_AX0136 = 2).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0300_12M

En su último embarazo, ¿ocurrió algo de lo siguiente? Escoja todas las opciones que correspondan.

- 1 Nacimiento prematuro (el bebé nació antes de las 37 semanas de gestación)
- 2 Bebé con bajo peso (menos de 5 libras 8 onzas)
- 3 Bebé con defectos congénitos
- 4 Placenta previa (cuando la placenta cubre el cuello uterino)
- 5 Desprendimiento prematuro de la placenta
- 6 Preeclampsia
- 7 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth, or

New cohort adult female respondents who have ever been pregnant and have been pregnant in the past 12 months and are not currently pregnant and whose last pregnancy resulted in a live birth.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND ((R09_AX0134_12M = 1 AND R09_AX0136 = 2) OR (R09_AX0134_12M != 1 AND R08_PREGNANT = 1)) AND R09_AX0135_12M = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0134_12M = 1 AND R09_AX0136 = 2 AND R09_AX0135_12M = 1).

PROGRAM: Allow respondent to choose all that apply. If Option 7 is selected, no other option can be selected.

BOX ID: R09_AXR56

Continuing and aged-up adult female respondents who have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, or new cohort adult female respondents who have ever been pregnant and have been pregnant in the past 12 months and are not currently pregnant and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, go to R09_AX0299.

Else, go to Box R09_AXR119.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND ((R09_AX0134_12M = 1 AND R09_AX0136 = 2) OR (R09_AX0134_12M != 1 AND R08_PREGNANT = 1)) AND R09_AX0135_12M = 1 AND (R09_AX0300_12M_01 = 1 OR R09_AX0300_12M_02 = 1 OR R09_AX0300_12M_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0134_12M = 1 AND R09_AX0136 = 2 AND R09_AX0135_12M = 1 AND (R09_AX0300_12M_01 = 1 OR R09_AX0300_12M_02 = 1 OR R09_AX0300_12M_03 = 1)), GO TO R09_AX0299.
ELSE, GO TO BOX R09_AXR119.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0299

¿ Tiene su hijo o su hija algún retraso en el desarrollo?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, or
New cohort adult female respondents who have ever been pregnant and have been pregnant in the past 12 months and are not currently pregnant and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND ((R09_AX0134_12M = 1 AND R09_AX0136 = 2) OR (R09_AX0134_12M != 1 AND R08_PREGNANT = 1)) AND R09_AX0135_12M = 1 AND (R09_AX0300_12M_01 = 1 OR R09_AX0300_12M_02 = 1 OR R09_AX0300_12M_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_AX0134_12M = 1 AND R09_AX0136 = 2 AND R09_AX0135_12M = 1 AND (R09_AX0300_12M_01 = 1 OR R09_AX0300_12M_02 = 1 OR R09_AX0300_12M_03 = 1)).

BOX ID: R09_AXR119

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, or new cohort adult female respondents who have ever been pregnant, go to R09_AX0340.
Else, go to Box R09_AXV05.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1), GO TO R09_AX0340.
ELSE, GO TO BOX R09_AXV05.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0340

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿cuántas bebidas alcohólicas consumió en una semana?

Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 1 14 o más bebidas a la semana
- 2 7 a 13 bebidas a la semana
- 3 4 a 6 bebidas a la semana
- 4 Una a 3 bebidas a la semana
- 5 Menos de una a la semana
- 6 No tomaba bebida alcohólicas en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, or new cohort adult female respondents who have ever been pregnant.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0341

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿cuántas bebidas alcohólicas [consumió/ha consumido] en una semana?

Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 1 14 o más bebidas a la semana
- 2 7 a 13 bebidas a la semana
- 3 4 a 6 bebidas a la semana
- 4 Una a 3 bebidas a la semana
- 5 Menos de una a la semana
- 6 No tomaba bebida alcohólicas en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, or new cohort adult female respondents who have ever been pregnant.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha consumido".
ELSE, DISPLAY "más reciente" AND "consumió".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXV05

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_PASTUSE_CIGS = Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current or recent former cigarette smokers in Wave 8, or new baseline adult respondents who have ever smoked cigarettes.

R09_PASTUSE_EPRODS = Continuing adult respondents who used ENPs in the past 30 days or past 12 months or were current or recent former ENP users in Wave 8, or new baseline adult respondents who have ever used ENPs.

R09_PASTUSE_GTRAD = Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current or recent former traditional cigar smokers in Wave 8, or new baseline adult respondents who have ever smoked traditional cigars.

R09_PASTUSE_GRILLO = Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current or recent former cigarillo smokers in Wave 8, or new baseline adult respondents who have ever smoked cigarillos.

R09_PASTUSE_GFILTR = Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current or recent former filtered cigar smokers in Wave 8, or new baseline adult respondents who have ever smoked filtered cigars.

R09_PASTUSE_PIPE = Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current or recent former pipe smokers in Wave 8, or new baseline adult respondents who have ever smoked pipe tobacco.

R09_PASTUSE_HOOK = Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current or recent former hookah smokers in Wave 8, or new baseline adult respondents who have ever smoked hookah.

R09_PASTUSE_NICPOUCH = Continuing adult respondents who used nicotine pouches in the past 30 days or past 12 months or were current or recent former nicotine pouch users in Wave 8, or new baseline adult respondents who have ever used nicotine pouches.

R09_PASTUSE_SNUS = Continuing adult respondents who used snus in the past 30 days or past 12 months or were current or recent former snus users in Wave 8, or new baseline adult respondents who have ever used snus.

R09_PASTUSE_SMKLS = Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current or recent former smokeless tobacco users in Wave 8, or new baseline adult respondents who have ever used smokeless tobacco.

BOX ID: R09_AXR60

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarettes, excluding continuing adult respondents who have not smoked cigarettes in the past 30 days or in the past 12 months and were long-term former cigarette smokers as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever smoked cigarettes, go to R09_AX0342.

Else, go to Box R09_AXR89.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_CIGS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_CIGS = 1), GO TO R09_AX0342.

ELSE, GO TO BOX R09_AXR89.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0342

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿cuántos cigarrillos fumó en un día? Una cajetilla normalmente contiene 20 cigarrillos.

- 1 Menos de un cigarrillo
- 2 1 a 5 cigarrillos
- 3 6 a 10 cigarrillos
- 4 11 a 20 cigarrillos
- 5 21 a 40 cigarrillos
- 6 41 cigarrillos o más
- 7 Ninguno (cero cigarrillos)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarettes, excluding continuing adult respondents who have not smoked cigarettes in the past 30 days or in the past 12 months and were long-term former cigarette smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked cigarettes.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_CIGS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_CIGS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".

ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0343

Durante losÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿cuántos cigarrillos [fumó/ha fumado] en un día?

- 1 Menos de un cigarrillo
- 2 1 a 5 cigarrillos
- 3 6 a 10 cigarrillos
- 4 11 a 20 cigarrillos
- 5 21 a 40 cigarrillos
- 6 41 cigarrillos o más
- 7 Ninguno (cero cigarrillos)
- 8 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarettes, excluding continuing adult respondents who have not smoked cigarettes in the past 30 days or in the past 12 months and were long-term former cigarette smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked cigarettes.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_CIGS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_CIGS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".
ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 8 if R09_AX0136 != 1.

BOX ID: R09_AXR89

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever used ENPs, go to R09_AX0344.
Else, go to Box R09_AXR163.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_EPRODS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_EPRODS = 1), GO TO R09_AX0344.
ELSE, GO TO BOX R09_AXR163.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0344

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia fumó cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba productos electrónicos con nicotina en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview, or New cohort adult female respondents who have ever been pregnant and have ever used ENPs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_EPRODS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_EPRODS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0345

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] cigarrillos electrónicos u otros productos electrónicos con nicotina?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba productos electrónicos con nicotina en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview, or New cohort adult female respondents who have ever been pregnant and have ever used ENPs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_EPRODS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_EPRODS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".
ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR163

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used IQOS, or new cohort adult female respondents who have ever been pregnant and have ever used IQOS, go to R09_AX0362.

Else, go to Box R09_AXR90.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_EVER_NEVER_IQOS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_EVER_NEVER_IQOS = 1), GO TO R09_AX0362.
ELSE, GO TO BOX R09_AXR90.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0362

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia fumó IQOS?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba IQOS en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used IQOS, or

New cohort adult female respondents who have ever been pregnant and have ever used IQOS.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_EVER_NEVER_IQOS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_EVER_NEVER_IQOS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0363

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] IQOS?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba IQOS en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used IQOS, or

New cohort adult female respondents who have ever been pregnant and have ever used IQOS.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_EVER_NEVER_IQOS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_EVER_NEVER_IQOS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".
ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR90

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever smoked traditional cigars, go to R09_AX0346.

Else, go to Box R09_AXR91.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GTRAD = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GTRAD = 1), GO TO R09_AX0346.
ELSE, GO TO BOX R09_AXR91.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0346

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puros tradicionales?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros tradicionales en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked traditional cigars.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GTRAD = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GTRAD = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0347

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puros tradicionales?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros tradicionales en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked traditional cigars.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GTRAD = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GTRAD = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".
ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR91

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever smoked cigarillos, go to R09_AX0348.

Else, go to Box R09_AXR92.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GRILLO = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GRILLO = 1), GO TO R09_AX0348.
ELSE, GO TO BOX R09_AXR92.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0348

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puritos?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puritos en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked cigarillos.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GRILLO = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GRILLO = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0349

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puritos?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puritos en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked cigarillos.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GRILLO = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GRILLO = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".
ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR92

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever smoked filtered cigars, go to R09_AX0350.

Else, go to Box R09_AXR93.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GFILTR = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GFILTR = 1), GO TO R09_AX0350.
ELSE, GO TO BOX R09_AXR93.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0350

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia fumó puros con filtro?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros con filtro en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked filtered cigars.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GFILTR = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GFILTR = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0351

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] puros con filtro?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba puros con filtro en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked filtered cigars.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_GFILTR = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_GFILTR = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".

ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR93

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever smoked a pipe, go to R09_AX0352.

Else, go to Box R09_AXR94.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_PIPE = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_PIPE = 1), GO TO R09_AX0352.
ELSE, GO TO BOX R09_AXR94.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0352

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia fumó una pipa con tabaco?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba pipa con tabaco en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, or New cohort adult female respondents who have ever been pregnant and have ever smoked a pipe.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_PIPE = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_PIPE = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0353

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] una pipa con tabaco?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba pipa con tabaco en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, or New cohort adult female respondents who have ever been pregnant and have ever smoked a pipe.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_PIPE = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_PIPE = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".
ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR94

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever smoked hookah, go to R09_AX0354.
Else, go to Box R09_AXR95.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_HOOK = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_HOOK = 1), GO TO R09_AX0354.
ELSE, GO TO BOX R09_AXR95.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0354

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia fumó tabaco en una hookah?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba hookah en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_HOOK = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_HOOK = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0355

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [fumó/ha fumado] tabaco en una hookah?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba hookah en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever smoked hookah.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_HOOK = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_HOOK = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".
ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR61

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used nicotine pouches, excluding continuing adult respondents who have not used nicotine pouches in the past 30 days or in the past 12 months and were long-term former nicotine pouch users as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever used nicotine pouches, go to R09_AX0336.

Else, go to BOX R09_AXR95.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_NICPOUCH = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_NICPOUCH = 1), GO TO R09_AX0336.
ELSE, GO TO BOX R09_AXR95.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0336

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia consumió bolsitas de nicotina?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía bolsitas de nicotina en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used nicotine pouches, excluding continuing adult respondents who have not used nicotine pouches in the past 30 days or in the past 12 months and were long-term former nicotine pouch users as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_NICPOUCH = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_NICPOUCH = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0337

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [consumió/ha consumido] bolsitas de nicotina?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No fumaba bolsitas de nicotina en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used nicotine pouches, excluding continuing adult respondents who have not used nicotine pouches in the past 30 days or in the past 12 months and were long-term former nicotine pouch users as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever used nicotine pouches.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_NICPOUCH = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_NICPOUCH = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha fumado".
ELSE, DISPLAY "más reciente" AND "fumó".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR95

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever used snus, go to R09_AX0356.

Else, go to Box R09_AXR96.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_SNUS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_SNUS = 1), GO TO R09_AX0356.
ELSE, GO TO BOX R09_AXR96.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0356

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia consumió snus?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía snus en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, or New cohort adult female respondents who have ever been pregnant and have ever used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_SNUS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_SNUS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".
ELSE, DISPLAY "más reciente".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0357

Durante los ÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [consumió/ha consumido] snus?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía snus en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, or New cohort adult female respondents who have ever been pregnant and have ever used snus.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_SNUS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_SNUS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha consumido".
ELSE, DISPLAY "más reciente" AND "consumió".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

BOX ID: R09_AXR96

Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, or new cohort adult female respondents who have ever been pregnant and have ever used smokeless tobacco, go to R09_AX0358.
Else, go to R09_AX0488.

IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_SMKLS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_SMKLS = 1), GO TO R09_AX0358.
ELSE, GO TO R09_AX0488.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0358

Durante los 3 meses ANTES de su embarazo [más reciente/actual], ¿con qué frecuencia consumió [otros tipos de] tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía tabaco que no se fuma en ese momento
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_SMKLS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_SMKLS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual".

ELSE, DISPLAY "más reciente".

IF R09_PASTUSE_SNUS = 1, DISPLAY "otros tipos de".

ELSE, DO NOT DISPLAY.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0359

Durante losÚLTIMOS 3 meses de su embarazo [más reciente/actual], ¿con qué frecuencia [consumió/ha consumido] tabaco que no se fuma?

- 1 Todos los días
- 2 Algunos días a la semana
- 3 Una vez a la semana
- 4 Dos o tres días al mes
- 5 Una vez al mes o menos
- 6 No consumía tabaco que no se fuma en ese momento
- 7 Todavía no he llegado a los últimos 3 meses de mi embarazo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, or

New cohort adult female respondents who have ever been pregnant and have ever used smokeless tobacco.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_SEX = 2 AND (R09_AX0136 = 1 OR R09_AX0134_12M = 1 OR R08_PREGNANT = 1) AND R09_PASTUSE_SMKLS = 1) OR (R09_ADULTTYPE = 3 AND (R09_AM0004_RS = 2 OR (R09_AM0004_RS = -8, -7 AND R08_SEX = 2)) AND R09_AX0134_RS = 1 AND R09_PASTUSE_SMKLS = 1).

DISPLAY: IF R09_AX0136 = 1, DISPLAY "actual" AND "ha consumido".
ELSE, DISPLAY "más reciente" AND "consumió".

PROGRAM: Suppress option 7 if R09_AX0136 != 1.

Psychosocial

PATH ID: R09_AX0488

Las siguientes preguntas son acerca de problemas comunes psicológicos, conductuales y personales. A estos problemas se les considera como **graves** cuando los tiene por dos semanas o más, cuando vuelven, cuando le impiden cumplir con sus responsabilidades o cuando le hacen sentir que ya no puede más.

Después de cada una de las siguientes preguntas, díganos cuándo fue la última vez que ocurrió este problema indicando si fue el mes pasado, hace 2 a 12 meses, hace más de un año o nunca.

1 NEXT

ASK: All adult respondents.

DISPLAY: BOLD "graves".

PROGRAM: Respondent should hit NEXT to continue. There is no actual question on this screen.

BOX ID: R09_AXD91

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SEQUENTIAL DISPLAY; FIXED ORDER: R09_AX0161, R09_AX0162, R09_AX0163, R09_AX0164.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AX0161 is the stem, the questions are the leaves. Show leaves one at a time; as each item is answered, show the next one.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0161 on each screen.

PATH ID: R09_AX0161

¿Cuándo fue la última vez que tuvo **serios problemas** como...[

(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)

sentirse atrapado, solo, triste, melancólico, deprimido o desesperado?

1 El mes pasado

2 Hace 2 a 12 meses

3 Hace más de un año

4 Nunca

-8 DON'T KNOW

-7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "serios problemas".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)" IN ITALICS.

ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0162

problemas para dormir, como tener pesadillas, dormir sin descansar o quedarse dormido a lo largo del día?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0163

sentirse muy ansioso, nervioso, tenso, asustado, con pánico o sentía que algo malo iba a pasar?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0164

angustiarle mucho o molestarle cuando se acordaba de algo que ocurrió en el pasado?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXD92

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SEQUENTIAL DISPLAY; FIXED ORDER:
R09_AX0165, R09_AX0166, R09_AX0167, R09_AX0168, R09_AX0169, R09_AX0250, R09_AX0251.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AX0165 is the stem, the questions are the leaves. Show leaves one at a time; as each item is answered, show the next one.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0165 on each screen.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0165

¿Cuándo fue la última vez que pasó algo de lo siguiente **más de dos veces**...[

(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto. Desplace para ver más afirmaciones, si es necesario.)]

mintió o engañó para obtener lo que deseaba o para dejar de hacer algo?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "más de dos veces".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto. Desplace para ver más afirmaciones, si es necesario)" IN ITALICS.
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AX0166

tuvo dificultad al prestar atención en la escuela, el trabajo o en casa?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0167

tuvo dificultad al escuchar las instrucciones en la escuela, el trabajo o en casa?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0168

intimidó o amenazó a otras personas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0169

inició una pelea física con otra persona?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0250

se sintió inquieto o con la necesidad de ir de un lado a otro o de treparse en las cosas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0251

respondió a una pregunta antes de que la persona termine de hacer la pregunta?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXD26

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SEQUENTIAL DISPLAY; FIXED ORDER:
R09_AX0325, R09_AX0326, R09_AX0327, R09_AX0328.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AX0325 is the stem, the questions are the leaves. Show leaves one at a time; as each item is answered, show the next one.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0325 on each screen.

PATH ID: R09_AX0325

En los últimos 30 días, ¿con qué frecuencia usted...[

(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)]

ha sentido que no podía controlar las cosas importantes en su vida?

- 1 Nunca
- 2 Casi nunca
- 3 A veces
- 4 Con frecuencia
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)" IN ITALICS. ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AX0326

se ha sentido confiado en su capacidad de manejar sus problemas personales?

- 1 Nunca
- 2 Casi nunca
- 3 A veces
- 4 Con frecuencia
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0327

ha sentido que las cosas iban como usted quería?

- 1 Nunca
- 2 Casi nunca
- 3 A veces
- 4 Con frecuencia
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0328

ha sentido que las dificultades se estaban acumulando de tal manera que no las podría resolver?

- 1 Nunca
- 2 Casi nunca
- 3 A veces
- 4 Con frecuencia
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXD29

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SEQUENTIAL DISPLAY; FIXED ORDER:
R09_AX0440, R09_AX0441, R09_AX0442, R09_AX0443.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AX0440 is the stem, the questions are the leaves. Show leaves one at a time; as each item is answered, show the next one.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0440 on each screen.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0440

Las siguientes afirmaciones describen cómo se sienten a veces las personas. Para cada afirmación, por favor, indique con qué frecuencia se siente usted de la manera descrita. [

(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)]

Siento que me excluyen...

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 Con frecuencia
- 5 Siempre
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)" IN ITALICS. ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AX0441

Siento que la gente casi no me conoce...

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 Con frecuencia
- 5 Siempre
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0442

Me siento alejado de los demás...

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 Con frecuencia
- 5 Siempre
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0443

Siento que las personas están a mi alrededor pero no conmigo...

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 Con frecuencia
- 5 Siempre
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXD27

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SEQUENTIAL DISPLAY; FIXED ORDER:
R09_AX0329, R09_AX0331, R09_AX0333, R09_AX0334.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AX0329 is the stem, the questions are the leaves. Show leaves one at a time; as each item is answered, show the next one.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0329 on each screen.

PATH ID: R09_AX0329

A veces las personas buscan en otros compañía, ayuda u otros tipos de apoyo. ¿Con qué frecuencia tiene disponible para usted los siguientes tipos de apoyo si los necesita?]

(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)]

Alguien que le ayude con los quehaceres diarios si usted se enferma.

- 1 Nunca
- 2 Un poco
- 3 A veces
- 4 Casi siempre
- 5 Todo el tiempo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)" IN ITALICS. ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0331

Alguien a quien pedirle sugerencias sobre cómo manejar un problema personal.

- 1 Nunca
- 2 Un poco
- 3 A veces
- 4 Casi siempre
- 5 Todo el tiempo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0333

Alguien con quien hacer cosas agradables.

- 1 Nunca
- 2 Un poco
- 3 A veces
- 4 Casi siempre
- 5 Todo el tiempo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0334

Alguien a quien amar y que lo haga sentirse querido.

- 1 Nunca
- 2 Un poco
- 3 A veces
- 4 Casi siempre
- 5 Todo el tiempo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXD28

PROGRAM - STEM-LEAF SCREEN (EXPANDED GRID); SIMULTANEOUS DISPLAY; FIXED ORDER: R09_AX0402, R09_AX0403, R09_AX0404, R09_AX0405, R09_AX0406.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display questions using the expanded WVB stem-leaf screen. The intro/transition text from R09_AX0402 is the stem, the questions are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one question per screen. Include the intro/transition text from R09_AX0402 on each screen.

PATH ID: R09_AX0402

En su vida diaria, ¿con qué frecuencia le ha sucedido lo siguiente? [

(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)]

Se le trata con menos cortesía o respeto que a las demás personas.

- 1 Casi todos los días
- 2 Al menos una vez por semana
- 3 Algunas veces por mes
- 4 Algunas veces por año
- 5 Menos que una vez por año
- 6 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "(Al anotar su respuesta el foco de la pantalla pasará al siguiente punto.)" IN ITALICS. ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AX0403

Recibe peor servicio en los restaurantes o tiendas que las demás personas.

- 1 Casi todos los días
- 2 Al menos una vez por semana
- 3 Algunas veces por mes
- 4 Algunas veces por año
- 5 Menos que una vez por año
- 6 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0404

Las personas se comportan como si creyeran que usted no es inteligente.

- 1 Casi todos los días
- 2 Al menos una vez por semana
- 3 Algunas veces por mes
- 4 Algunas veces por año
- 5 Menos que una vez por año
- 6 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0405

Las personas se comportan como si le tuvieran miedo a usted.

- 1 Casi todos los días
- 2 Al menos una vez por semana
- 3 Algunas veces por mes
- 4 Algunas veces por año
- 5 Menos que una vez por año
- 6 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0406

Se le amenaza o acosa a usted.

- 1 Casi todos los días
- 2 Al menos una vez por semana
- 3 Algunas veces por mes
- 4 Algunas veces por año
- 5 Menos que una vez por año
- 6 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

Family History

BOX ID: R09_AXT06

Las siguientes preguntas son acerca de sus familiares, incluyendo a sus padres, hermanos o hijos, tanto los que están vivos como los que ya fallecieron.

BOX ID: R09_AXR79

New baseline adult respondents, go to Box R09_AXD13.
Else, continuing adult respondents, go to Box R09_AXD14.

IF R09_ADULTTYPE = 2, 3, GO TO BOX R09_AXD13.
ELSE, IF R09_ADULTTYPE = 1, GO TO BOX R09_AXD14.

BOX ID: R09_AXD13

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0689_NB.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:
Display R09_AX0689_NB using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:
Display one leaf per screen. Include the question text on each screen.

PATH ID: R09_AX0689_NB

Alguna vez, ¿le dijo un profesional de la salud a alguno de sus familiares cercanos biológicos o de sangre que tenían algunos de los siguientes problemas de salud? [Marque Sí o No para cada uno.]

- 1 Asma
- 2 Hipertensión
- 3 Colesterol alto
- 4 Un ataque al corazón o que necesitaba cirugía de bypass
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R09_ADULTTYPE = 2, 3.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno."
ELSE, DO NOT DISPLAY THIS TEXT.

BOX ID: R09_AXR84

New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, go to R09_AX0195.
Else, go to R09_AX0707.

IF R09_ADULTTYPE = 2, 3 AND R09_AX0689_NB_04 = 1, GO TO R09_AX0195.
ELSE, GO TO R09_AX0707.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXD14

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0689_12M.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display R09_AX0689_12M using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one leaf per screen. Include the question text on each screen.

PATH ID: R09_AX0689_12M

En los últimos 12 meses, ¿le dijo un profesional de la salud a alguno de sus familiares cercanos biológicos o de sangre que tenían alguno de los siguientes problemas de salud? [Marque Sí o No para cada uno.]

- 1 Asma
- 2 Hipertensión
- 3 Colesterol alto
- 4 Un ataque al corazón o que necesitaba cirugía de bypass
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R09_ADULTTYPE = 1.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno."
ELSE, DO NOT DISPLAY THIS TEXT.

BOX ID: R09_AXR85

Continuing adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, go to R09_AX0195.
Else, go to R09_AX0707.

IF R09_ADULTTYPE = 1 AND R09_AX0689_12M_04 = 1, GO TO R09_AX0195.
ELSE, GO TO R09_AX0707.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0195

¿Les dijeron que tuvieron un ataque al corazón o que necesitaban una cirugía de bypass **antes de cumplir 50 años?**

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, or continuing adult respondents whose close biological or blood relatives were told they had a heart attack or needed bypass surgery in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 2, 3 AND R09_AX0689_NB_04 = 1) OR (R09_ADULTTYPE = 1 AND R09_AX0689_12M_04 = 1).

DISPLAY: BOLD "antes de cumplir 50 años".

PATH ID: R09_AX0707

Alguna vez, ¿ha consumido productos de tabaco o nicotina alguno de sus familiares cercanos biológicos o de sangre? Por esto nos referimos a cigarrillos, cigarrillos electrónicos u otros productos electrónicos con nicotina, IQOS, puros, pipa, hookah, bolsitas de nicotina, snus u otros tipos de tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar) y productos orales con nicotina.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AX0731

Alguna vez, ¿ha tenido alguno de sus familiares cercanos biológicos o de sangre problemas con el alcohol? Por esto nos referimos a una persona cuyo consumo de alcohol le causa problemas en su salud física o emocional, con su familia o amigos, en el trabajo o en la escuela o con la policía.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0732

Alguna vez, ¿ha tenido alguno de sus familiares cercanos biológicos o de sangre problemas con las drogas? Por esto nos referimos a una persona cuyo consumo de drogas le causa problemas en su salud física o emocional, con su familia o amigos, en el trabajo o en la escuela o con la policía.

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

SUBSTANCE USE

PATH ID: R09_AX0084_12M

Las siguientes preguntas son acerca de su consumo de alcohol y otras drogas. Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.

En los últimos 12 meses, ¿ha consumido algún tipo de bebidas alcohólicas, incluyendo probaditas o sorbos?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AXR110

New cohort adult respondents who have not used alcohol in the past 12 months or did not know or refused to report whether they used alcohol in the past 12 months, go to R09_AX0084_RS.
Else, continuing and aged-up adult respondents who did not report ever using alcohol as of their last completed interview and have used alcohol in the past 12 months, or new cohort adult respondents who have used alcohol in the past 12 months, go to R09_AX0086.
Else, go to Box R09_AXR158.

IF R09_ADULTTYPE = 3 AND R09_AX0084_12M = 2, -8, -7, GO TO R09_AX0084_RS.
ELSE, IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_ALCOHOL != 1 AND R09_AX0084_12M = 1) OR (R09_ADULTTYPE = 3 AND R09_AX0084_12M = 1), GO TO R09_AX0086.
ELSE, GO TO BOX R09_AXR158.

PATH ID: R09_AX0084_RS

Alguna vez, ¿ha consumido alcohol, incluyendo sorbos de la bebida de otra persona o de su propia bebida?

1 Sí	
2 No	GO TO BOX R09_AXR158
-8 DON'T KNOW	GO TO BOX R09_AXR158
-7 REFUSED	GO TO BOX R09_AXR158

ASK: New cohort adult respondents who have not used alcohol in the past 12 months or did not know or refused to report whether they used alcohol in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_AX0084_12M = 2, -8, -7.

DISPLAY: BOLD "Alguna vez".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0086

Aproximadamente, ¿qué edad tenía la primera vez que tomó alcohol, incluyendo pequeñas probaditas o sorbos?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AX0087

-7 REFUSED

GO TO R09_AX0087

ASK: Continuing and aged-up adult respondents who did not report ever using alcohol as of their last completed interview and have used alcohol in the past 12 months, or new cohort adult respondents who have used alcohol in the past 12 months or have ever used alcohol.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_ALCOHOL != 1 AND R09_AX0084_12M = 1) OR (R09_ADULTTYPE = 3 AND (R09_AX0084_12M = 1 OR R09_AX0084_RS = 1)).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AX0086_LC1

Usted contestó que tenía [R09_AX0086] años la primera vez que tomó bebidas alcohólicas. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0086

2 NEXT

GO TO R09_AX0074

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_ALCOHOL != 1 AND R09_AX0084_12M = 1) OR (R09_ADULTTYPE = 3 AND (R09_AX0084_12M = 1 OR R09_AX0084_RS = 1))) AND R09_AX0086 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0086 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO R09_AX0074 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0087

La primera vez que tomó alcohol, incluyendo pequeñas probaditas o sorbos, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who did not report ever using alcohol as of their last completed interview and have used alcohol in the past 12 months and did not know or refused to report the age they first drank alcohol, or new cohort adult respondents who have used alcohol in the past 12 months or have ever used alcohol and did not know or refused to report the age they first drank alcohol.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_ALCOHOL != 1 AND R09_AX0084_12M = 1 AND R09_AX0086 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0084_12M = 1 OR R09_AX0084_RS = 1) AND R09_AX0086 = -8, -7).

PATH ID: R09_AX0074

Aproximadamente, ¿qué edad tenía la primera vez que tomó su **primera bebida alcohólica**, aparte de pequeñas probaditas o sorbos?

Una bebida es una lata o botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

- 2 Nunca he tomado una bebida alcohólica aparte de pequeñas probaditas o sorbos GO TO BOX R09_AXR158
- 1 |__|__| Años
- 8 DON'T KNOW GO TO R09_AX0270
- 7 REFUSED GO TO R09_AX0270

ASK: Continuing and aged-up adult respondents who did not report ever using alcohol as of their last completed interview and have used alcohol in the past 12 months, or new cohort adult respondents who have used alcohol in the past 12 months or have ever used alcohol.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_ALCOHOL != 1 AND R09_AX0084_12M = 1) OR (R09_ADULTTYPE = 3 AND (R09_AX0084_12M = 1 OR R09_AX0084_RS = 1)).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

BOLD "primera bebida alcohólica".

DISPLAY "Años" AS A TITLE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0074_LC1

Usted contestó que la primera vez que usted comenzó a tomar bebidas alcohólicas fue a la edad de [R09_AX0074] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0074

2 NEXT

GO TO R09_AX0074_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_ALCOHOL != 1 AND R09_AX0084_12M = 1) OR (R09_ADULTTYPE = 3 AND (R09_AX0084_12M = 1 OR R09_AX0084_RS = 1))) AND R09_AX0074 = 0.

PROGRAM: TRIGGER CHECK IF R09_AX0074 = 0.

ELSE, GO TO R09_AX0074_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0074_LC2

Usted contestó que tenía [R09_AX0074] años la primera vez que tomó bebidas alcohólicas. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0074

2 NEXT

GO TO BOX R09_AXR158

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_ALCOHOL != 1 AND R09_AX0084_12M = 1) OR (R09_ADULTTYPE = 3 AND (R09_AX0084_12M = 1 OR R09_AX0084_RS = 1))) AND R09_AX0074 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0074 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO BOX R09_AXR158 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0270

Cuando tomó su **primera bebida alcohólica**, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who did not report ever using alcohol as of their last completed interview and have used alcohol in the past 12 months and did not know or refused to report the age they first had an alcoholic drink, or new cohort adult respondents who have used alcohol in the past 12 months or have ever used alcohol and did not know or refused to report the age they first had an alcoholic drink.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_ALCOHOL != 1 AND R09_AX0084_12M = 1 AND R09_AX0074 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0084_12M = 1 OR R09_AX0084_RS = 1) AND R09_AX0074 = -8, -7).

DISPLAY: BOLD "primera bebida alcohólica".

BOX ID: R09_AXR158

Adult respondents who have used alcohol in the past 12 months, go to R09_AX0673.
Else, go to Box R09_AXT07.

IF R09_AX0084_12M = 1, GO TO R09_AX0673.
ELSE, GO TO BOX R09_AXT07.

PATH ID: R09_AX0673

¿Ha consumido alcohol en los **últimos 30 días**?

1 Sí	
2 No	GO TO BOX R09_AXT07
-8 DON'T KNOW	GO TO BOX R09_AXT07
-7 REFUSED	GO TO BOX R09_AXT07

ASK: Adult respondents who have used alcohol in the past 12 months.

ASK Specification: IF R09_AX0084_12M = 1.

DISPLAY: BOLD "últimos 30 días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0075

En los últimos 30 días, ¿cuántos días se ha tomado al menos una bebida alcohólica?

Una bebida es una lata o botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

1 |__|__| Cantidad de días

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF R09_AX0084_12M = 1 AND R09_AX0673 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30.

BOX ID: R09_AXR48

Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks, go to R09_AX0076. Else, go to Box R09_AXT07.

IF R09_AX0084_12M = 1 AND R09_AX0673 = 1 AND (R09_AX0075 > 0 OR R09_AX0075 = -8, -7), GO TO R09_AX0076.

ELSE, GO TO BOX R09_AXT07.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0076

En promedio, en esos [días en los que tomó bebidas alcohólicas en los últimos 30 días/NUMBER OF DAYS FROM R09_AX0075 días], ¿cuántas bebidas alcohólicas consumió normalmente cada día?

Una bebida alcohólica puede ser una lata o una botella de cerveza; una bebida a base de vino (wine cooler) o una copa de vino, champán o jerez; un trago de licor o un cóctel.

1 |__|__| Cantidad de bebidas
alcohólicas cada día

-8 DON'T KNOW GO TO BOX R09_AXT07

-7 REFUSED GO TO BOX R09_AXT07

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks.

ASK Specification: IF R09_AX0084_12M = 1 AND R09_AX0673 = 1 AND (R09_AX0075 > 0 OR R09_AX0075 = -8, -7).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de bebidas alcohólicas cada día" AS A TITLE.

IF R09_AX0075 = 1, -8, -7, DISPLAY "días en los que tomó bebidas alcohólicas en los últimos 30 días". ELSE, IF R09_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R09_AX0075 AND "días".

PROGRAM: Range check: 1-90.

PATH ID: R09_AX0076_LC1

Usted contestó que normalmente tomó [R09_AX0076] bebidas alcohólicas en los días que bebió en los últimos 30 días. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R09_AX0076

2 NEXT GO TO BOX R09_AXT07

ASK: IF R09_AX0084_12M = 1 AND R09_AX0673 = 1 AND (R09_AX0075 > 0 OR R09_AX0075 = -8, -7) AND R09_AX0076 > 30.

PROGRAM: TRIGGER CHECK IF R09_AX0076 > 30.

ELSE, GO TO BOX R09_AXT07 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R09_AXT07

Las siguientes preguntas son acerca de la marihuana. Usaremos la palabra "marihuana" (también conocida como cannabis, hachís, THC, mota, maría, hierba, CBD o Delta-8) para referirnos a todas las distintas clases, incluyendo la marihuana o el cannabis fumado, vapeado o ingerido. Por favor, al contestar, incluya el consumo medicinal y recreativo de la marihuana o cannabis. Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR159

Continuing and aged-up adult respondents who have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or new cohort adult respondents who have never smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R09_AX0085_12M.

Else, go to Box R09_AXR160.

IF (R09_ADULTTYPE = 1, 2 AND R09_AG9107 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AG9105_RS = 2, -8, -7 OR (R09_AG9105_RS = 1 AND R09_AG9107 = 2, -8, -7))), GO TO R09_AX0085_12M.

ELSE, GO TO BOX R09_AXR160.

PATH ID: R09_AX0085_12M

En los últimos 12 meses, ¿ha consumido marihuana?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or

New cohort adult respondents who have never smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever used marijuana and have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_AG9107 = 2, -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AG9105_RS = 2, -8, -7 OR (R09_AG9105_RS = 1 AND R09_AG9107 = 2, -8, -7))).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR160

New cohort adult respondents who have never smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have not used marijuana in the past 12 months or did not know or refused to report whether they have used marijuana in the past 12 months, go to R09_AX0085_RS.

Else, go to Box R09_AXR120.

IF R09_ADULTTYPE = 3 AND R09_AG9105_RS != 1 AND R09_AX0085_12M != 1, GO TO R09_AX0085_RS.

ELSE, GO TO BOX R09_AXR120.

PATH ID: R09_AX0085_RS

¿Alguna vez ha consumido marihuana?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have never smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have not used marijuana in the past 12 months or did not know or refused to report whether they have used marijuana in the past 12 months.

ASK Specification: IF R09_ADULTTYPE = 3 AND R09_AG9105_RS != 1 AND R09_AX0085_12M != 1.

BOX ID: R09_AXR120

Continuing and aged-up adult respondents who did not report ever using marijuana as of their last completed interview and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months, or new cohort adult respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have used marijuana in the past 12 months or have ever used marijuana, go to R09_AX0079.

Else, go to Box R09_AXR49.

IF (ADULTTYPE = 1, 2 AND R08_EVER_USER_MARIJUANA != 1 AND (R09_AG9107 = 1 OR R09_AX0085_12M = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AG9105_RS = 1 OR R09_AX0085_12M = 1 OR R09_AX0085_RS = 1)), GO TO R09_AX0079.

ELSE, GO TO BOX R09_AXR49.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0079

¿Qué edad tenía la primera vez que consumió marihuana?

1 |__|__|__| Años

-8 DON'T KNOW

GO TO R09_AX0271

-7 REFUSED

GO TO R09_AX0271

ASK: Continuing and aged-up adult respondents who did not report ever using marijuana as of their last completed interview and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months, or new cohort adult respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have used marijuana in the past 12 months or have ever used marijuana.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_MARIJUANA != 1 AND (R09_AG9107 = 1 OR R09_AX0085_12M = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AG9105_RS = 1 OR R09_AX0085_12M = 1 OR R09_AX0085_RS = 1)).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anoté un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AX0079_LC1

Usted contestó que la primera vez que usted comenzó a consumir marihuana fue a la edad de [R09_AX0079] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0079

2 NEXT

GO TO R09_AX0079_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_MARIJUANA != 1 AND (R09_AG9107 = 1 OR R09_AX0085_12M = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AG9105_RS = 1 OR R09_AX0085_12M = 1 OR R09_AX0085_RS = 1))) AND R09_AX0079 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0079 <= 10.

ELSE, GO TO R09_AX0079_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0079_LC2

Usted contestó que tenía [R09_AX0079] años la primera vez que comenzó a consumir marihuana. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0079

2 NEXT

GO TO BOX R09_AXR49

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_MARIJUANA != 1 AND (R09_AG9107 = 1 OR R09_AX0085_12M = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AG9105_RS = 1 OR R09_AX0085_12M = 1 OR R09_AX0085_RS = 1))) AND R09_AX0079 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0079 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO BOX R09_AXR49 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0271

La primera vez que consumió marihuana, ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who did not report ever using marijuana as of their last completed interview and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and did not know or refused to report the age they first used marijuana, or new cohort adult respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have used marijuana in the past 12 months or have ever used marijuana and did not know or refused to report the age they first used marijuana.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_MARIJUANA != 1 AND (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0079 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AG9105_RS = 1 OR R09_AX0085_12M = 1 OR R09_AX0085_RS = 1) AND R09_AX0079 = -8, -7).

BOX ID: R09_AXR49

Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months, go to R09_AX0675. Else, go to Box R09_AXR137.

IF R09_AG9107 = 1 OR R09_AX0085_12M = 1, GO TO R09_AX0675.
ELSE, GO TO BOX R09_AXR137.

PATH ID: R09_AX0675

¿Ha consumido marihuana en los **últimos 30 días**?

1 Sí	
2 No	GO TO BOX R09_AXR137
-8 DON'T KNOW	GO TO BOX R09_AXR137
-7 REFUSED	GO TO BOX R09_AXR137

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months.

ASK Specification: IF R09_AG9107 = 1 OR R09_AX0085_12M = 1.

DISPLAY: BOLD "últimos 30 días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0668

En los últimos 30 días, ¿cuáles de los siguientes productos consumió? Escoja todas las opciones que correspondan.

- 1 Marihuana (también conocida como hierba, mota, maría, pot, weed, o cannabis)
- 2 Marihuana semisintética o derivada del cáñamo (también conocida como Delta-8 o Delta-10)
- 3 Marihuana sintética (también conocida como K2 o Spice)
- 4 CBD o aceites de CBD
- 6 Otra cosa (ESPECIFIQUE)
- 5 No sé
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply. If option 5 is selected, no other option can be selected. If non-response, suppress option -8 DON'T KNOW.

PATH ID: R09_AX0288

¿En cuántos de los últimos 30 días consumió marihuana?

- 1 |__|__| Cantidad de días
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0290

En los últimos 30 días, ¿en cuáles de las siguientes maneras consumió marihuana? Escoja todas las opciones que correspondan.

- 1 Fumó la hierba o flor seca en un porro, pipa, hookah o bong
- 2 Fumó la hierba o flor seca en un puro, purito o puro con filtro como si fuera un toque o blunt
- 3 Vapeó líquido o aceite de marihuana en un cigarrillo electrónico, un cigarro electrónico o en un producto electrónico
- 6 Concentrados de dab en una pluma para dab o producto electrónico (por ejemplo: ceras, budder o shatter)
- 5 Comió o bebió marihuana (por ejemplo: en galletas, dulces, té o píldoras)
- 4 Consumió marihuana de otra manera (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days.

ASK Specification: IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R09_AXV14

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

R09_P30D_VAPE_MJ = Adult respondents who have vaped marijuana liquids or oils in an ENP in the past 30 days.

BOX ID: R09_AXR135

Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a joint, pipe, hookah, or bong in the past 30 days, go to R09_AX0330.
Else, go to Box R09_AXR136.

IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1 AND R09_AX0290_01 = 1, GO TO R09_AX0330.
ELSE, GO TO BOX R09_AXR136.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0330

¿Cuándo fue la última vez que fumó marihuana en un porro, una pipa, una hookah o un bong?

1	Hace menos de una hora	GO TO BOX R09_AXR136
2	Hoy, pero hace más de una hora	
3	Ayer	
4	Hace dos días	
5	Hace tres o más días	GO TO BOX R09_AXR136
-8	DON'T KNOW	GO TO BOX R09_AXR136
-7	REFUSED	GO TO BOX R09_AXR136

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a joint, pipe, hookah, or bong in the past 30 days.

ASK Specification: IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1 AND R09_AX0290_01 = 1.

PATH ID: R09_AX0332

La última vez que fumó marihuana en un porro, una pipa, una hookah o un bong [FILL BASED ON R09_AX0330], ¿fue...?

1	Entre la medianoche y las 6 de la mañana
2	Entre las 6 de la mañana y el mediodía
3	Entre el mediodía y las 6 de la tarde
4	Entre las 6 de la tarde y la medianoche
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a joint, pipe, hookah, or bong in the past 30 days and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1 AND R09_AX0290_01 = 1 AND R09_AX0330 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R09_AX0330]:

IF R09_AX0330 = 2, DISPLAY "hoy".

IF R09_AX0330 = 3, DISPLAY "ayer".

IF R09_AX0330 = 4, DISPLAY "hace dos días".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR136

Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a blunt cigar, cigarillo, or filtered cigar in the past 30 days, go to R09_AJ0107.
Else, go to Box R09_AXR137.

IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1 AND R09_AX0290_02 = 1, GO TO R09_AJ0107.
ELSE, GO TO BOX R09_AXR137.

PATH ID: R09_AJ0107

Cuando usted ha fumado marihuana en un puro, purito o puro con filtro como si fuera un toque o blunt en los últimos 30 días, ¿alguna vez le agregó o le mezcló tabaco a la marihuana?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a blunt cigar, cigarillo, or filtered cigar in the past 30 days.

ASK Specification: IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1 AND R09_AX0290_02 = 1.

PATH ID: R09_AJ0100

¿Cuándo fue la última vez que fumó marihuana en un puro, purito o puro con filtro como si fuera un toque o blunt?

1 Hace menos de una hora	GO TO BOX R09_AXR137
2 Hoy, pero hace más de una hora	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO BOX R09_AXR137
-8 DON'T KNOW	GO TO BOX R09_AXR137
-7 REFUSED	GO TO BOX R09_AXR137

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a blunt cigar, cigarillo, or filtered cigar in the past 30 days.

ASK Specification: IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1 AND R09_AX0290_02 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AJ0102

La última vez que fumó marihuana en un puro, purito o puro con filtro como si fuera un toque o blunt [FILL BASED ON R09_AJ0100], ¿fue...?

- 1 Entre la medianoche y las 6 de la mañana
- 2 Entre las 6 de la mañana y el mediodía
- 3 Entre el mediodía y las 6 de la tarde
- 4 Entre las 6 de la tarde y la medianoche
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana in the past 12 months and have used marijuana in the past 30 days and have smoked dried herb or flower in a blunt cigar, cigarillo, or filtered cigar in the past 30 days and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R09_AG9107 = 1 OR R09_AX0085_12M = 1) AND R09_AX0675 = 1 AND R09_AX0290_02 = 1 AND R09_AJ0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R09_AJ0100]:

IF R09_AJ0100 = 2, DISPLAY "hoy".

IF R09_AJ0100 = 3, DISPLAY "ayer".

IF R09_AJ0100 = 4, DISPLAY "hace dos días".

BOX ID: R09_AXR137

Continuing and aged-up adult respondents who have not reported whether they ever vaped marijuana liquids or oils in an ENP as of their last completed interview and have not vaped marijuana liquids or oils in an ENP in the past 30 days, or new cohort adult respondents who have not vaped marijuana liquids or oils in an ENP in the past 30 days, go to R09_AW1002.

Else, go to Box R09_AXR140.

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_VAPE_MARIJUANA != 1, 2 AND R09_P30D_VAPE_MJ != 1) OR (R09_ADULTTYPE = 3 AND R09_P30D_VAPE_MJ != 1), GO TO R09_AW1002.
ELSE, GO TO BOX R09_AXR140.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AW1002

Las siguientes preguntas son acerca de fumar o vapear líquidos de marihuana o aceites de cannabis en productos electrónicos con nicotina tales como cigarrillos electrónicos, cigarros electrónicos u otros aparatos para vapear. Por favor, piense únicamente en líquidos de marihuana o aceites de cannabis cuando conteste las siguientes preguntas.

¿Alguna vez ha fumado marihuana en un cigarrillo electrónico, un cigarro electrónico o un producto electrónico con nicotina, incluso si solo fueron una o dos veces?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have not reported whether they ever vaped marijuana liquids or oils in an ENP as of their last completed interview and have not vaped marijuana liquids or oils in an ENP in the past 30 days, or new cohort adult respondents who have not vaped marijuana liquids or oils in an ENP in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_VAPE_MARIJUANA != 1, 2 AND R09_P30D_VAPE_MJ != 1) OR (R09_ADULTTYPE = 3 AND R09_P30D_VAPE_MJ != 1).

BOX ID: R09_AXR140

Continuing and aged-up adult respondents who have not reported whether they ever vaped marijuana liquids or oils in an ENP as of their last completed interview and have not vaped marijuana liquids or oils in an ENP in the past 30 days and have ever used marijuana in an ENP, or new cohort adult respondents who have not vaped marijuana liquids or oils in an ENP in the past 30 days and have ever used marijuana in an ENP, or continuing and aged-up adult respondents who reported whether they ever vaped marijuana liquids or oils in an ENP as of their last completed interview and have not vaped marijuana liquids or oils in an ENP in the past 30 days, go to R09_AW1002_12M.

Else, adult respondents who have vaped marijuana liquids or oils in an ENP in the past 30 days, go to R09_AW1022.

Else, go to Box R09_AXR134.

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_VAPE_MARIJUANA != 1, 2 AND R09_P30D_VAPE_MJ != 1 AND R09_AW1002 = 1) OR (R09_ADULTTYPE = 3 AND R09_P30D_VAPE_MJ != 1 AND R09_AW1002 = 1) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_VAPE_MARIJUANA = 1, 2 AND R09_P30D_VAPE_MJ != 1), GO TO R09_AW1002_12M.

ELSE, IF R09_P30D_VAPE_MJ = 1, GO TO R09_AW1022.

ELSE, GO TO BOX R09_AXR134.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AW1002_12M

En los últimos 12 meses, ¿ha fumado marihuana en un cigarrillo electrónico, un cigarro electrónico o un producto electrónico con nicotina, incluso si solo fueron una o dos veces?

1	Sí	GO TO BOX R09_AXR134
2	No	GO TO BOX R09_AXR134
-8	DON'T KNOW	GO TO BOX R09_AXR134
-7	REFUSED	GO TO BOX R09_AXR134

ASK: Continuing and aged-up adult respondents who have not reported whether they ever vaped marijuana liquids or oils in an ENP as of their last completed interview and have not vaped marijuana liquids or oils in an ENP in the past 30 days and have ever used marijuana in an ENP, or New cohort adult respondents who have not vaped marijuana liquids or oils in an ENP in the past 30 days and have ever used marijuana in an ENP, or Continuing and aged-up adult respondents who reported whether they ever vaped marijuana liquids or oils in an ENP as of their last completed interview and have not vaped marijuana liquids or oils in an ENP in the past 30 days.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_VAPE_MARIJUANA != 1, 2 AND R09_P30D_VAPE_MJ != 1 AND R09_AW1002 = 1) OR (R09_ADULTTYPE = 3 AND R09_P30D_VAPE_MJ != 1 AND R09_AW1002 = 1) OR (R09_ADULTTYPE = 1, 2 AND R08_EVER_VAPE_MARIJUANA = 1, 2 AND R09_P30D_VAPE_MJ != 1).

PATH ID: R09_AW1022

Las siguientes preguntas son acerca de fumar o vapear líquidos de marihuana o aceites de cannabis en productos electrónicos con nicotina tales como cigarrillos electrónicos, cigarros electrónicos u otros aparatos para vapear. Por favor, piense únicamente en líquidos de marihuana o aceites de cannabis cuando conteste las siguientes preguntas.

¿En cuántos de los últimos 30 días fumó usted marihuana en un producto electrónico con nicotina?

1	__ __ Cantidad de días
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who have vaped marijuana liquids or oils in an ENP in the past 30 days.

ASK Specification: IF R09_P30D_VAPE_MJ = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de días" AS A TITLE.

PROGRAM: Range check: 0-30 days.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AW0100

¿Cuándo fue la última vez que fumó marihuana en un **producto electrónico con nicotina**?

1 Hace menos de una hora	GO TO R09_AW0103
2 Hoy, pero hace más de una hora	
3 Ayer	
4 Hace dos días	
5 Hace tres o más días	GO TO R09_AW1003
-8 DON'T KNOW	GO TO R09_AW1003
-7 REFUSED	GO TO R09_AW1003

ASK: Adult respondents who have vaped marijuana liquids or oils in an ENP in the past 30 days.

ASK Specification: IF R09_P30D_VAPE_MJ = 1.

DISPLAY: BOLD "producto electrónico con nicotina".

PATH ID: R09_AW0102

La última vez que fumó marihuana en un **producto electrónico con nicotina** [FILL BASED ON R09_AW0100], ¿fue...?

1 Entre la medianoche y las 6 de la mañana	
2 Entre las 6 de la mañana y el mediodía	
3 Entre el mediodía y las 6 de la tarde	
4 Entre las 6 de la tarde y la medianoche	
-8 DON'T KNOW	
-7 REFUSED	

ASK: Adult respondents who have vaped marijuana liquids or oils in an ENP in the past 30 days and last used marijuana in an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_P30D_VAPE_MJ = 1 AND R09_AW0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R09_AW0100]:

IF R09_AW0100 = 2, DISPLAY "hoy".

IF R09_AW0100 = 3, DISPLAY "ayer".

IF R09_AW0100 = 4, DISPLAY "hace dos días".

BOLD "producto electrónico con nicotina".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AW0103

¿Cuántas probaditas de marihuana [ha dado/dio] en un **producto electrónico con nicotina** [FILL BASED ON R09_AW0100]?

1 |__|__|__| Cantidad de
probadas de marihuana

-8 DON'T KNOW

GO TO R09_AW1003

-7 REFUSED

GO TO R09_AW1003

ASK: Adult respondents who have vaped marijuana liquids or oils in an ENP in the past 30 days and last used marijuana in an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R09_P30D_VAPE_MJ = 1 AND R09_AW0100 = 1, 2, 3, 4.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Cantidad de probaditas de marihuana" AS A TITLE.

IF R09_AW0100 = 1, 2, DISPLAY "ha dado" AND "".

IF R09_AW0100 = 3, 4, DISPLAY "dio" AND "".

FOR [FILL BASED ON R09_AW0100]:

IF R09_AW0100 = 1, 2, DISPLAY "hoy".

IF R09_AW0100 = 3, DISPLAY "ayer".

IF R09_AW0100 = 4, DISPLAY "hace dos días".

BOLD "producto electrónico con nicotina".

PROGRAM: Allow 3 digits.

PATH ID: R09_AW0103_LC1

Usted contestó que le dio [R09_AW0103] probaditas de marihuana en un producto electrónico con nicotina [hoy/ayer/hace dos días]. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AW0103

2 NEXT

GO TO R09_AW1003

ASK: IF R09_P30D_VAPE_MJ = 1 AND R09_AW0100 = 1, 2, 3, 4 AND (R09_AW0103 > 200 OR R09_AW0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R09_AW0100 = 1, 2, DISPLAY "hoy".

IF R09_AW0100 = 3, DISPLAY "ayer".

IF R09_AW0100 = 4, DISPLAY "hace dos días".

PROGRAM: TRIGGER CHECK IF R09_AW0103 > 200 OR R09_AW0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R09_AW1003 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AW1003

¿Actualmente fuma marihuana en un producto electrónico con nicotina...?

- 1 Todos los días
- 2 Algunos días
- 3 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have vaped marijuana liquids or oils in an ENP in the past 30 days.

ASK Specification: IF R09_P30D_VAPE_MJ = 1.

BOX ID: R09_AXR134

Adult respondents who have not reported being evaluated or treated by a doctor for a lung condition related to their use of ENPs and have vaped marijuana liquids or oils in an ENP in the past 30 days or have used marijuana in an ENP in the past 12 months, go to R09_AW7700.
Else, go to Box R09_AXD07.

IF R09_AV7700 != 1 AND (R09_P30D_VAPE_MJ = 1 OR R09_AW1002_12M = 1), GO TO R09_AW7700.
ELSE, GO TO BOX R09_AXD07.

PATH ID: R09_AW7700

¿Alguna vez un médico lo ha evaluado o tratado debido a un problema pulmonar (tal como asma, bronquitis crónica, enfermedad pulmonar obstructiva crónica (COPD) o neumonía) relacionado con su consumo de marihuana en productos electrónicos con nicotina?

1	Sí	
2	No	GO TO BOX R09_AXD07
-8	DON'T KNOW	GO TO BOX R09_AXD07
-7	REFUSED	GO TO BOX R09_AXD07

ASK: Adult respondents who have not reported being evaluated or treated by a doctor for a lung condition related to their use of ENPs and have vaped marijuana liquids or oils in an ENP in the past 30 days or have used marijuana in an ENP in the past 12 months.

ASK Specification: IF R09_AV7700 != 1 AND (R09_P30D_VAPE_MJ = 1 OR R09_AW1002_12M = 1).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AW7701

¿Qué edad tenía la última vez que un médico lo evaluó o trató debido a un problema pulmonar relacionado con su consumo de marihuana en productos electrónicos con nicotina?

1 |__|__| Años

-8 DON'T KNOW

GO TO R09_AW7702

-7 REFUSED

GO TO R09_AW7702

ASK: Adult respondents who have not reported being evaluated or treated by a doctor for a lung condition related to their use of ENPs and have vaped marijuana liquids or oils in an ENP in the past 30 days or have used marijuana in an ENP in the past 12 months and have been evaluated or treated by a doctor for a lung condition related to their use of marijuana in ENPs.

ASK Specification: IF R09_AW7700 != 1 AND (R09_P30D_VAPE_MJ = 1 OR R09_AW1002_12M = 1) AND R09_AW7700 = 1.

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

PATH ID: R09_AW7701_LC1

Usted contestó que tenía [R09_AW7701] años la última vez que un médico lo evaluó o trató debido a un problema pulmonar relacionado con su consumo de marihuana en productos electrónicos con nicotina. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AW7701

2 NEXT

GO TO BOX R09_AXD07

ASK: IF R09_AW7700 != 1 AND (R09_P30D_VAPE_MJ = 1 OR R09_AW1002_12M = 1) AND R09_AW7700 = 1 AND R09_AW7701 > R09_ACHIEVEDAGE.

PROGRAM: TRIGGER CHECK IF R09_AW7701 > R09_ACHIEVEDAGE.

ELSE, GO TO BOX R09_AXD07 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AW7702

La última vez que lo evaluaron o trataron debido a un problema pulmonar relacionado con su consumo de marihuana en productos electrónicos con nicotina, ¿tenía usted...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not reported being evaluated or treated by a doctor for a lung condition related to their use of ENPs and have vaped marijuana liquids or oils in an ENP in the past 30 days or have used marijuana in an ENP in the past 12 months and have been evaluated or treated by a doctor for a lung condition related to their use of marijuana in ENPs and did not know or refused to report the age they were last evaluated.

ASK Specification: IF R09_AW7700 != 1 AND (R09_P30D_VAPE_MJ = 1 OR R09_AW1002_12M = 1) AND R09_AW7700 = 1 AND R09_AW7701 = -8, -7.

BOX ID: R09_AXD07

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0089_12M.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display R09_AX0089_12M using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one leaf per screen. Include the question text on each screen.

PATH ID: R09_AX0089_12M

En los últimos 12 meses, ¿ha tomado alguno de los siguientes medicamentos que se venden con receta médica y que NO le recetaron o que ha tomado ÚNICAMENTE por las sensaciones que dan? [Marque Sí o No para cada uno.]

- 1 Ritalin® o Adderall®
- 2 Analgésicos
- 3 Sedantes o tranquilizantes
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada uno." ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXD16

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AX0220_12M.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display R09_AX0220_12M using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one leaf per screen. Include the question text on each screen.

PATH ID: R09_AX0220_12M

En los últimos 12 meses, ¿ha consumido alguna de las siguientes sustancias? [Marque Sí o No para cada una.]

- 1 Cocaína o crack
- 2 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 3 Heroína
- 4 Inhalantes o disolventes
- 5 Alucinógenos
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada una."
ELSE, DO NOT DISPLAY THIS TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR122

Continuing and aged-up adult respondents who have ever used painkillers, sedatives, or tranquilizers not prescribed for them as of their last completed interview and have not reported whether they have ever used painkillers not prescribed for them as of their last completed interview and have not used painkillers not prescribed for them in the past 12 months or did not know or refused to report whether they have used painkillers not prescribed for them in the past 12 months or have not reported whether they have ever used sedatives or tranquilizers not prescribed for them as of their last completed interview and have not used sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used sedatives or tranquilizers not prescribed for them in the past 12 months, or new cohort adult respondents who have not used Ritalin® or Adderall® not prescribed for them in the past 12 months or did not know or refused to report whether they have used Ritalin® or Adderall® not prescribed for them in the past 12 months or have not used painkillers not prescribed for them in the past 12 months or did not know or refused to report whether they have used painkillers not prescribed for them in the past 12 months or have not used sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used sedatives or tranquilizers not prescribed for them in the past 12 months, go to R09_AX0089.

Else, go to Box R09_AXR123.

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_PAINSEDTRANQ = 1 AND ((R08_EVER_USER_PAINKILLERS = 3 AND R09_AX0089_12M_02 != 1) OR (R08_EVER_USER_SEDATIVES = 3 AND R09_AX0089_12M_03 != 1))) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_01 != 1 OR R09_AX0089_12M_02 != 1 OR R09_AX0089_12M_03 != 1)), GO TO R09_AX0089.
ELSE, GO TO BOX R09_AXR123.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0089

¿Cuál de los siguientes medicamentos ha tomado ALGUNA VEZ que se venden con receta médica y que NO le recetaron o que ha tomado ÚNICAMENTE por las sensaciones que dan? Escoja todas las opciones que correspondan.

- 1 Ritalin® o Adderall®
- 2 Analgésicos
- 3 Sedantes o tranquilizantes
- 4 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used painkillers, sedatives, or tranquilizers not prescribed for them as of their last completed interview and have not reported whether they have ever used painkillers not prescribed for them as of their last completed interview and have not used painkillers not prescribed for them in the past 12 months or did not know or refused to report whether they have used painkillers not prescribed for them in the past 12 months or have not reported whether they have ever used sedatives or tranquilizers not prescribed for them as of their last completed interview and have not used sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used sedatives or tranquilizers not prescribed for them in the past 12 months, or

New cohort adult respondents who have not used Ritalin® or Adderall® not prescribed for them in the past 12 months or did not know or refused to report whether they have used Ritalin® or Adderall® not prescribed for them in the past 12 months or have not used painkillers not prescribed for them in the past 12 months or did not know or refused to report whether they have used painkillers not prescribed for them in the past 12 months or have not used sedatives or tranquilizers not prescribed for them in the past 12 months or did not know or refused to report whether they have used sedatives or tranquilizers not prescribed for them in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_PAINSEDTRANQ = 1 AND ((R08_EVER_USER_PAINKILLERS = 3 AND R09_AX0089_12M_02 != 1) OR (R08_EVER_USER_SEDATIVES = 3 AND R09_AX0089_12M_03 != 1))) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_01 != 1 OR R09_AX0089_12M_02 != 1 OR R09_AX0089_12M_03 != 1)).

PROGRAM: Suppress option 1 if R09_AX0089_12M_01 = 1. Suppress option 2 if R09_AX0089_12M_02 = 1. Suppress option 3 if R09_AX0089_12M_03 = 1.

Allow respondent to choose all that apply. If option 4 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR123

Continuing and aged-up adult respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview and have not reported whether they have ever used heroin as of their last completed interview and have not used heroin in the past 12 months or did not know or refused to report whether they have used heroin in the past 12 months or have not reported whether they have ever used inhalants or solvents as of their last completed interview and have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they have used inhalants or solvents in the past 12 months or have not reported whether they have ever used hallucinogens as of their last completed interview and have not used hallucinogens in the past 12 months or did not know or refused to report whether they have used hallucinogens in the past 12 months, or new cohort adult respondents who have not used cocaine or crack in the past 12 months or did not know or refused to report whether they used cocaine or crack in the past 12 months, or have not used stimulants like methamphetamine or speed in the past 12 months or did not know or refused to report whether they used stimulants like methamphetamine or speed in the past 12 months, or have not used heroin in the past 12 months or did not know or refused to report whether they used heroin in the past 12 months, or have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they used inhalants or solvents in the past 12 months, or have not used hallucinogens in the past 12 months or did not know or refused to report whether they used hallucinogens in the past 12 months, go to R09_AX0220.

Else, go to Box R09_AXR104.

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_OTHERDRUG = 1 AND
((R08_EVER_USER_HEROIN = 3 AND R09_AX0220_12M_03 != 1) OR
(R08_EVER_USER_INHALANTS = 3 AND R09_AX0220_12M_04 != 1) OR
(R08_EVER_USER_HALLUCINOGENS = 3 AND R09_AX0220_12M_05 != 1))) OR (R09_ADULTTYPE
= 3 AND (R09_AX0220_12M_01 != 1 OR R09_AX0220_12M_02 != 1 OR R09_AX0220_12M_03 != 1
OR R09_AX0220_12M_04 != 1 OR R09_AX0220_12M_05 != 1)), GO TO R09_AX0220.
ELSE, GO TO BOX R09_AXR104.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0220

¿Cuál de las siguientes sustancias ha consumido ALGUNA VEZ? Marque todas las opciones que correspondan.

- 1 Cocaína o crack
- 2 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 3 Heroína
- 4 Inhalantes o disolventes
- 5 Alucinógenos
- 6 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens as of their last completed interview and have not reported whether they have ever used heroin as of their last completed interview and have not used heroin in the past 12 months or did not know or refused to report whether they have used heroin in the past 12 months or have not reported whether they have ever used inhalants or solvents as of their last completed interview and have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they have used inhalants or solvents in the past 12 months or have not reported whether they have ever used hallucinogens as of their last completed interview and have not used hallucinogens in the past 12 months or did not know or refused to report whether they have used hallucinogens in the past 12 months, or

New cohort adult respondents who have not used cocaine or crack in the past 12 months or did not know or refused to report whether they used cocaine or crack in the past 12 months or have not used stimulants like methamphetamine or speed in the past 12 months or did not know or refused to report whether they used stimulants like methamphetamine or speed in the past 12 months or have not used heroin in the past 12 months or did not know or refused to report whether they used heroin in the past 12 months or have not used inhalants or solvents in the past 12 months or did not know or refused to report whether they used inhalants or solvents in the past 12 months or have not used hallucinogens in the past 12 months or did not know or refused to report whether they used hallucinogens in the past 12 months.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_OTHERDRUG = 1 AND ((R08_EVER_USER_HEROIN = 3 AND R09_AX0220_12M_03 != 1) OR (R08_EVER_USER_INHALANTS = 3 AND R09_AX0220_12M_04 != 1) OR (R08_EVER_USER_HALLUCINOGENS = 3 AND R09_AX0220_12M_05 != 1))) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_01 != 1 OR R09_AX0220_12M_02 != 1 OR R09_AX0220_12M_03 != 1 OR R09_AX0220_12M_04 != 1 OR R09_AX0220_12M_05 != 1)).

PROGRAM: Suppress option 1 if R09_AX0220_12M_01 = 1. Suppress option 2 if R09_AX0220_12M_02 = 1. Suppress option 3 if R09_AX0220_12M_03 = 1. Suppress option 4 if R09_AX0220_12M_04 = 1. Suppress option 5 if R09_AX0220_12M_05 = 1.
Allow respondent to choose all that apply. If option 6 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR104

For continuing and aged-up adult respondents:

Items R09_AX0082[01/.../ 08] and R09_AX0272[01/.../ 08] are asked for each substance reported in R09_AX0089_12M[01/ 02/ 03], R09_AX0220_12M[01/.../ 05], R09_AX0089[01/ 02/ 03], and R09_AX0220[01/.../ 05] that the respondent did not report ever having used as of their last completed interview. If respondent initiated use of more than one substance, repeat items in a loop.

Else, if no new substances reported, go to Box R09_AXR06.

For new cohort adult respondents:

Items R09_AX0082[01/.../ 08] and R09_AX0272[01/.../ 08] are asked for each substance reported in R09_AX0089_12M[01/ 02/ 03], R09_AX0220_12M[01/.../ 05], R09_AX0089[01/ 02/ 03], and R09_AX0220[01/.../ 05]. If respondent uses more than one substance, repeat items in a loop.

Else, if no substances reported, go to Box R09_AXR06.

REPEAT R09_AX0082[01/.../ 08] AND R09_AX0272[01/.../ 08] UP TO 8 TIMES FOR EACH SUBSTANCE REPORTED IN R09_AX0089_12M[01/ 02/ 03] AND R09_AX0220_12M[01/.../ 05] AND R09_AX0089[01/ 02/ 03] AND R09_AX0220[01/.../ 05] IF R08_EVER_USER_[RITALIN/ PAINKILLERS/SEDATIVES/COCAINE/STIMULANTS/HEROIN/INHALANTS/HALLUCINOGENS] != 1:

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_RITALIN != 1 AND (R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1)), ASK R09_AX0082_01 AND R09_AX0272_01 ABOUT "Ritalin® or Adderall®".
IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_PAINKILLERS != 1 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1)), ASK R09_AX0082_02 AND R09_AX0272_02 ABOUT "painkillers".

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_SEDATIVES != 1 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1)), ASK R09_AX0082_03 AND R09_AX0272_03 ABOUT "sedatives or tranquilizers".

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_COCAINE != 1 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1)), ASK R09_AX0082_04 AND R09_AX0272_04 ABOUT "cocaine or crack".

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_STIMULANTS != 1 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1)), ASK R09_AX0082_05 AND R09_AX0272_05 ABOUT "stimulants like methamphetamine or speed".

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HEROIN != 1 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1)), ASK R09_AX0082_06 AND R09_AX0272_06 ABOUT "heroin".

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_INHALANTS != 1 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1)), ASK R09_AX0082_07 AND R09_AX0272_07 ABOUT "inhalants or solvents".

IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HALLUCINOGENS != 1 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1)), ASK R09_AX0082_08 AND R09_AX0272_08 ABOUT "hallucinogens".

ELSE, IF (R09_ADULTTYPE = 1, 2 AND (R08_EVER_USER_RITALIN = 1 OR (R08_EVER_USER_RITALIN != 1 AND R09_AX0089_12M_01 != 1 AND R09_AX0089_01 != 1)) OR (R08_EVER_USER_PAINKILLERS = 1 OR (R08_EVER_USER_PAINKILLERS != 1 AND R09_AX0089_12M_02 != 1 AND R09_AX0089_02 != 1)) OR (R08_EVER_USER_SEDATIVES = 1 OR (R08_EVER_USER_SEDATIVES != 1 AND R09_AX0089_12M_03 != 1 AND R09_AX0089_03 != 1)) OR (R08_EVER_USER_COCAINE = 1 OR (R08_EVER_USER_COCAINE != 1 AND R09_AX0220_12M_01 != 1 AND R09_AX0220_01 != 1)) OR (R08_EVER_USER_STIMULANTS = 1 OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

(R08_EVER_USER_STIMULANTS != 1 AND R09_AX0220_12M_02 != 1 AND R09_AX0220_02 != 1))
OR (R08_EVER_USER_HEROIN = 1 OR (R08_EVER_USER_HEROIN != 1 AND
R09_AX0220_12M_03 != 1 AND R09_AX0220_03 != 1)) OR (R08_EVER_USER_INHALANTS = 1 OR
(R08_EVER_USER_INHALANTS != 1 AND R09_AX0220_12M_04 != 1 AND R09_AX0220_04 != 1))
OR (R08_EVER_USER_HALLUCINOGENS = 1 OR (R08_EVER_USER_HALLUCINOGENS != 1 AND
R09_AX0220_12M_05 != 1 AND R09_AX0220_05 != 1))) OR (R09_ADULTTYPE = 3 AND
R09_AX0089_12M_01 != 1 AND R09_AX0089_12M_02 != 1 AND R09_AX0089_12M_03 != 1 AND
R09_AX0220_12M_01 != 1 AND R09_AX0220_12M_02 != 1 AND R09_AX0220_12M_03 != 1 AND
R09_AX0220_12M_04 != 1 AND R09_AX0220_12M_05 != 1 AND R09_AX0089_01 != 1 AND
R09_AX0089_02 != 1 AND R09_AX0089_03 != 1 AND R09_AX0220_01 != 1 AND R09_AX0220_02 != 1
AND R09_AX0220_03 != 1 AND R09_AX0220_04 != 1 AND R09_AX0220_05 != 1), GO TO BOX
R09_AXR06.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0082

¿Qué edad tenía la primera vez que [tomó/consumió] [SUBSTANCEFILL]?

1 |__|__|__| Años

-8 DON'T KNOW

GO TO R09_AX0272[_01/.../
_08]

-7 REFUSED

GO TO R09_AX0272[_01/.../
_08]

ASK: Continuing and aged-up adult respondents who did not report ever using Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens as of their last completed interview and have used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens, or
New cohort adult respondents who have used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R09_AX0082_01: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_RITALIN != 1 AND (R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1)).
FOR R09_AX0082_02: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_PAINKILLERS != 1 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1)).
FOR R09_AX0082_03: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_SEDATIVES != 1 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1)).
FOR R09_AX0082_04: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_COCAINE != 1 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1)).
FOR R09_AX0082_05: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_STIMULANTS != 1 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1)).
FOR R09_AX0082_06: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HEROIN != 1 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1)).
FOR R09_AX0082_07: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_INHALANTS != 1 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1)).
FOR R09_AX0082_08: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HALLUCINOGENS != 1 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1)).

DISPLAY: ALLOW NUMERIC ENTRY; IF R09_ADULT_MODE = 1, DISPLAY "Anote un número" AS GHOST TEXT.

DISPLAY "Años" AS A TITLE.

FOR [tomó/consumió] AND [SUBSTANCEFILL]:

FOR R09_AX0082_01: IF R09_AX0089_01 = 1, DISPLAY "tomó" AND "Ritalin® o Adderall®".

FOR R09_AX0082_02: IF R09_AX0089_02 = 1, DISPLAY "tomó" AND "analgésicos".

FOR R09_AX0082_03: IF R09_AX0089_03 = 1, DISPLAY "tomó" AND "sedantes o tranquilizantes".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

FOR R09_AX0082_04: IF R09_AX0220_01 = 1, DISPLAY "consumió" AND "cocaína o crack".
FOR R09_AX0082_05: IF R09_AX0220_02 = 1, DISPLAY "consumió" AND "medicamentos
estimulantes como metanfetaminas o anfetaminas (speed)".
FOR R09_AX0082_06: IF R09_AX0220_03 = 1, DISPLAY "consumió" AND "heroína".
FOR R09_AX0082_07: IF R09_AX0220_04 = 1, DISPLAY "consumió" AND "inhalantes o disolventes".
FOR R09_AX0082_08: IF R09_AX0220_05 = 1, DISPLAY "consumió" AND "alucinógenos".

PATH ID: R09_AX0082_01_LC1

Usted contestó que la primera vez que usted comenzó a tomar Ritalin® o Adderall® fue a la edad de [R09_AX0082_01] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_01
2 NEXT	GO TO R09_AX0082_01_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_RITALIN != 1 AND
(R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1)) OR (R09_ADULTTYPE = 3 AND
(R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1))) AND R09_AX0082_01 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0082_01 <= 10.
ELSE, GO TO R09_AX0082_01_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_01_LC2

Usted contestó que tenía [R09_AX0082_01] años la primera vez que tomó Ritalin® or Adderall®. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_01
2 NEXT	GO TO BOX R09_AXR06

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_RITALIN != 1 AND
(R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1)) OR (R09_ADULTTYPE = 3 AND
(R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1))) AND R09_AX0082_01 > R09_ACHIEVEDAGE
AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0082_01 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE
>= 18.
ELSE, GO TO BOX R09_AXR06 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0082_02_LC1

Usted contestó que la primera vez que usted comenzó a tomar analgésicos fue a la edad de [R09_AX0082_02] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_02
2 NEXT	GO TO R09_AX0082_02_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_PAINKILLERS != 1 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1))) AND R09_AX0082_02 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0082_02 <= 10.
ELSE, GO TO R09_AX0082_02_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_02_LC2

Usted contestó que tenía [R09_AX0082_02] años la primera vez que comenzó a tomar analgésicos. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_02
2 NEXT	GO TO BOX R09_AXR06

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_PAINKILLERS != 1 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1))) AND R09_AX0082_02 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0082_02 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.
ELSE, GO TO BOX R09_AXR06 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_03_LC1

Usted contestó que la primera vez que usted comenzó a tomar sedantes o tranquilizantes fue a la edad de [R09_AX0082_03] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_03
2 NEXT	GO TO R09_AX0082_03_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_SEDATIVES != 1 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1))) AND R09_AX0082_03 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0082_03 <= 10.
ELSE, GO TO R09_AX0082_03_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0082_03_LC2

Usted contestó que tenía [R09_AX0082_03] años la primera vez que comenzó a tomar sedantes o tranquilizantes. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R09_AX0082_03

2 NEXT GO TO BOX R09_AXR06

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_SEDATIVES != 1 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1))) AND R09_AX0082_03 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0082_03 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO BOX R09_AXR06 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_04_LC1

Usted contestó que la primera vez que usted comenzó a consumir cocaína o crack fue a la edad de [R09_AX0082_04] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R09_AX0082_04

2 NEXT GO TO R09_AX0082_04_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_COCAINE != 1 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1))) AND R09_AX0082_04 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0082_04 <= 10.

ELSE, GO TO R09_AX0082_04_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_04_LC2

Usted contestó que tenía [R09_AX0082_04] años la primera vez que comenzó a consumir cocaína o crack. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK GO TO R09_AX0082_04

2 NEXT GO TO BOX R09_AXR06

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_COCAINE != 1 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1))) AND R09_AX0082_04 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0082_04 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO BOX R09_AXR06 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0082_05_LC1

Usted contestó que la primera vez que usted comenzó a consumir estimulantes como metanfetamina o speed fue a la edad de [R09_AX0082_05] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_05
2 NEXT	GO TO R09_AX0082_05_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_STIMULANTS != 1 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1))) AND R09_AX0082_05 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0082_05 <= 10.
ELSE, GO TO R09_AX0082_05_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_05_LC2

Usted contestó que tenía [R09_AX0082_05] años la primera vez que consumió estimulantes como metanfetaminas o anfetaminas (speed). Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_05
2 NEXT	GO TO BOX R09_AXR06

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_STIMULANTS != 1 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1))) AND R09_AX0082_05 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0082_05 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.
ELSE, GO TO BOX R09_AXR06 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_06_LC1

Usted contestó que la primera vez que usted comenzó a consumir heroína fue a la edad de [R09_AX0082_06] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_06
2 NEXT	GO TO R09_AX0082_06_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER HEROIN != 1 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1))) AND R09_AX0082_06 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0082_06 <= 10.
ELSE, GO TO R09_AX0082_06_LC2 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0082_06_LC2

Usted contestó que tenía [R09_AX0082_06] años la primera vez que usted consumió heroína. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_06
2 NEXT	GO TO BOX R09_AXR06

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HEROIN != 1 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1))) AND R09_AX0082_06 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0082_06 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO BOX R09_AXR06 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_07_LC1

Usted contestó que la primera vez que usted comenzó a consumir inhalantes o disolventes fue a la edad de [R09_AX0082_07] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_07
2 NEXT	GO TO R09_AX0082_07_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_INHALANTS != 1 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1))) AND R09_AX0082_07 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0082_07 <= 10.

ELSE, GO TO R09_AX0082_07_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_07_LC2

Usted contestó que tenía [R09_AX0082_07] años la primera vez que usted consumió inhalantes o disolventes. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK	GO TO R09_AX0082_07
2 NEXT	GO TO BOX R09_AXR06

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_INHALANTS != 1 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1))) AND R09_AX0082_07 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0082_07 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO BOX R09_AXR06 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0082_08_LC1

Usted contestó que la primera vez que usted comenzó a consumir alucinógenos fue a la edad de [R09_AX0082_08] años. ¿Es correcto?

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0082_08

2 NEXT

GO TO R09_AX0082_08_LC2

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HALLUCINOGENS != 1 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1))) AND R09_AX0082_08 <= 10.

PROGRAM: TRIGGER CHECK IF R09_AX0082_08 <= 10.

ELSE, GO TO R09_AX0082_08_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH ID: R09_AX0082_08_LC2

Usted contestó que tenía [R09_AX0082_08] años la primera vez que usted consumió alucinógenos. Son más años de los que usted tiene actualmente.

Si esto es correcto, por favor, seleccione el botón SIGUIENTE para continuar. Si esto NO es correcto, por favor, seleccione el botón que dice ATRÁS y vuelva a seleccionar su respuesta.

1 BACK

GO TO R09_AX0082_08

2 NEXT

GO TO BOX R09_AXR06

ASK: IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HALLUCINOGENS != 1 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1)) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1))) AND R09_AX0082_08 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

PROGRAM: TRIGGER CHECK IF R09_AX0082_08 > R09_ACHIEVEDAGE AND R09_ACHIEVEDAGE >= 18.

ELSE, GO TO BOX R09_AXR06 AND DO NOT DISPLAY THIS SCREEN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0272

La primera vez que consumió [SUBSTANCEFILL], ¿tenía...?

- 1 Menos de 18 años de edad,
- 2 Entre 18 y 24 años de edad,
- 3 Entre 25 y 34 años de edad,
- 4 Entre 35 y 44 años de edad,
- 5 Entre 45 y 54 años de edad o
- 6 55 años de edad o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who did not report ever using Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens as of their last completed interview and have used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens and did not know or refused to report the age they first used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens, or New cohort adult respondents who have used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months or have ever used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens and did not know or refused to report the age they first used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens.

ASK Specification: FOR R09_AX0272_01: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_RITALIN != 1 AND (R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1) AND R09_AX0082_01 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_01 = 1 OR R09_AX0089_01 = 1) AND R09_AX0082_01 = -8, -7).

FOR R09_AX0272_02: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_PAINKILLERS != 1 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1) AND R09_AX0082_02 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_02 = 1 OR R09_AX0089_02 = 1) AND R09_AX0082_02 = -8, -7).

FOR R09_AX0272_03: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_SEDATIVES != 1 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1) AND R09_AX0082_03 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0089_12M_03 = 1 OR R09_AX0089_03 = 1) AND R09_AX0082_03 = -8, -7).

FOR R09_AX0272_04: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_COCAINE != 1 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1) AND R09_AX0082_04 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_01 = 1 OR R09_AX0220_01 = 1) AND R09_AX0082_04 = -8, -7).

FOR R09_AX0272_05: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_STIMULANTS != 1 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1) AND R09_AX0082_05 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_02 = 1 OR R09_AX0220_02 = 1) AND R09_AX0082_05 = -8, -7).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

FOR R09_AX0272_06: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HEROIN != 1 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1) AND R09_AX0082_06 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_03 = 1 OR R09_AX0220_03 = 1) AND R09_AX0082_06 = -8, -7).

FOR R09_AX0272_07: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_INHALANTS != 1 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1) AND R09_AX0082_07 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_04 = 1 OR R09_AX0220_04 = 1) AND R09_AX0082_07 = -8, -7).

FOR R09_AX0272_08: IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_USER_HALLUCINOGENS != 1 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1) AND R09_AX0082_08 = -8, -7) OR (R09_ADULTTYPE = 3 AND (R09_AX0220_12M_05 = 1 OR R09_AX0220_05 = 1) AND R09_AX0082_08 = -8, -7).

DISPLAY: FOR [SUBSTANCEFILL]:

FOR R09_AX0272_01: DISPLAY "Ritalin® o Adderall®".

FOR R09_AX0272_02: DISPLAY "analgésicos".

FOR R09_AX0272_03: DISPLAY "sedantes o tranquilizantes".

FOR R09_AX0272_04: DISPLAY "cocaína o crack".

FOR R09_AX0272_05: DISPLAY "medicamentos estimulantes como metanfetaminas o anfetaminas (speed)".

FOR R09_AX0272_06: DISPLAY "heroína".

FOR R09_AX0272_07: DISPLAY "inhalantes o disolventes".

FOR R09_AX0272_08: DISPLAY "alucinógenos".

BOX ID: R09_AXR06

Repeat R09_AX0676[_01/.../_08] up to eight times for each substance reported in R09_AX0089_12M [_01/_02/_03] and R09_AX0220_12M[_01/.../_05].

Else, if no substances reported, go to Box R09_AXV04.

REPEAT R09_AX0676[_01/.../_08] UP TO 8 TIMES FOR EACH SUBSTANCE REPORTED IN RS, R09_AX0089_12M AND R09_AX0220_12M, IN THE FOLLOWING ORDER:

IF R09_AX0089_12M_01 = 1, ASK R09_AX0676_01 ABOUT "Ritalin® o Adderall®".

IF R09_AX0089_12M_02 = 1, ASK R09_AX0676_02 ABOUT "analgésicos".

IF R09_AX0089_12M_03 = 1, ASK R09_AX0676_03 ABOUT "sedantes o tranquilizantes".

IF R09_AX0220_12M_01 = 1, ASK R09_AX0676_04 ABOUT "cocaína o crack".

IF R09_AX0220_12M_02 = 1, ASK R09_AX0676_05 ABOUT "medicamentos estimulantes como metanfetaminas o anfetaminas (speed)".

IF R09_AX0220_12M_03 = 1, ASK R09_AX0676_06 ABOUT "heroína".

IF R09_AX0220_12M_04 = 1, ASK R09_AX0676_07 ABOUT "inhalantes o disolventes".

IF R09_AX0220_12M_05 = 1, ASK R09_AX0676_08 ABOUT "alucinógenos".

WHEN ALL R09_AX0676[_01/.../_08] HAS BEEN ASKED ABOUT ALL SELECTED SUBSTANCES, GO TO BOX R09_AXV04.

ELSE, IF R09_AX0089_12M_01 != 1 AND R09_AX0089_12M_02 != 1 AND R09_AX0089_12M_03 != 1 AND R09_AX0220_12M_01 != 1 AND R09_AX0220_12M_02 != 1 AND R09_AX0220_12M_03 != 1 AND R09_AX0220_12M_04 != 1 AND R09_AX0220_12M_05 != 1, GO TO BOX R09_AXV04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0676

¿Ha consumido [SUBSTANCEFILL] en los **últimos 30 días**?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used Ritalin® or Adderall® not prescribed for them/painkillers not prescribed for them/sedatives or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/heroin/inhalants or solvents/hallucinogens in the past 12 months.

ASK Specification: FOR R09_AX0676_01: IF R09_AX0089_12M_01 = 1.

FOR R09_AX0676_02: IF R09_AX0089_12M_02 = 1.

FOR R09_AX0676_03: IF R09_AX0089_12M_03 = 1.

FOR R09_AX0676_04: IF R09_AX0220_12M_01 = 1.

FOR R09_AX0676_05: IF R09_AX0220_12M_02 = 1.

FOR R09_AX0676_06: IF R09_AX0220_12M_03 = 1.

FOR R09_AX0676_07: IF R09_AX0220_12M_04 = 1.

FOR R09_AX0676_08: IF R09_AX0220_12M_05 = 1.

DISPLAY: BOLD "últimos 30 días".

FOR [SUBSTANCEFILL]:

FOR R09_AX0676_01: IF R09_AX0089_12M_01 = 1, DISPLAY "Ritalin® o Adderall®".

FOR R09_AX0676_02: IF R09_AX0089_12M_02 = 1, DISPLAY "analgésicos".

FOR R09_AX0676_03: IF R09_AX0089_12M_03 = 1, DISPLAY "sedantes o tranquilizantes".

FOR R09_AX0676_04: IF R09_AX0220_12M_01 = 1, DISPLAY "cocaína o crack".

FOR R09_AX0676_05: IF R09_AX0220_12M_02 = 1, DISPLAY "medicamentos estimulantes como metanfetaminas o anfetaminas (speed)".

FOR R09_AX0676_06: IF R09_AX0220_12M_03 = 1, DISPLAY "heroína".

FOR R09_AX0676_07: IF R09_AX0220_12M_04 = 1, DISPLAY "inhalantes o disolventes".

FOR R09_AX0676_08: IF R09_AX0220_12M_05 = 1, DISPLAY "alucinógenos".

BOX ID: R09_AXR50

If more than one substance is selected in R09_AX0089_12M[_01/_02/_03] or R09_AX0220_12M[_01/_.../_05], go back to box R09_AXR06, until R09_AX0676 has been asked about all selected substances.

Else, if R09_AX0676[_01/_.../_08] has been asked about all selected substances, go to Box R09_AXV04.

IF R09_AX0089_12M[_01/_02/_03] = 1 OR R09_AX0220_12M[_01/_.../_05] = 1, GO BACK TO BOX R09_AXR06 UNTIL R09_AX0676 HAS BEEN ASKED ABOUT FOR ALL SELECTED SUBSTANCES.

WHEN THERE ARE NO REMAINING SUBSTANCES, GO TO BOX R09_AXV04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXV04

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R09_EVER_USER_ALC = Adult respondents who have ever used alcohol.
R09_EVER_USER_MJ = Adult respondents who have ever used marijuana.
R09_EVER_USER_RIT = Adult respondents who have ever used Ritalin® or Adderall®.
R09_EVER_USER_PK = Adult respondents who have ever used painkillers.
R09_EVER_USER_SED = Adult respondents who have ever used sedatives or tranquilizers.
R09_EVER_USER_COC = Adult respondents who have ever used cocaine or crack.
R09_EVER_USER_STIM = Adult respondents who have ever used stimulants like methamphetamine or speed.
R09_EVER_USER_HERO = Adult respondents who have ever used heroin.
R09_EVER_USER_INH = Adult respondents who have ever used inhalants or solvents.
R09_EVER_USER_HALL = Adult respondents who have ever used hallucinogens.
R09_SUBSTANCE_COUNT = Number of substances the respondent has ever used.
R09_PASTUSE_ALC = Adult respondents who have used alcohol in the past 12 months or had used alcohol in the past 12 months as of their last completed interview.
R09_PASTUSE_MJ = Adult respondents who have used marijuana in the past 12 months or had used marijuana in the past 12 months as of their last completed interview.
R09_PASTUSE_RIT = Adult respondents who have used Ritalin® or Adderall® in the past 12 months or had used Ritalin® or Adderall® in the past 12 months as of their last completed interview.
R09_PASTUSE_PK = Adult respondents who have used painkillers in the past 12 months or had used painkillers in the past 12 months as of their last completed interview.
R09_PASTUSE_SED = Adult respondents who have used sedatives or tranquilizers in the past 12 months or had used sedatives or tranquilizers in the past 12 months as of their last completed interview.
R09_PASTUSE_COC = Adult respondents who have used cocaine or crack in the past 12 months or had used cocaine or crack in the past 12 months as of their last completed interview.
R09_PASTUSE_STIM = Adult respondents who have used stimulants like methamphetamine or speed in the past 12 months or had used stimulants like methamphetamine or speed in the past 12 months as of their last completed interview.
R09_PASTUSE_HERO = Adult respondents who have used heroin in the past 12 months or had used heroin in the past 12 months as of their last completed interview.
R09_PASTUSE_INH = Adult respondents who have used inhalants or solvents in the past 12 months or had used inhalants or solvents in the past 12 months as of their last completed interview.
R09_PASTUSE_HALL = Adult respondents who have used hallucinogens in the past 12 months or had used hallucinogens in the past 12 months as of their last completed interview.
R09_PASTUSE_COUNT = Number of substances the respondent has used in the past 12 months or had used in the past 12 months as of their last completed interview.

BOX ID: R09_AXR03

Continuing and aged-up adult respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new cohort adult respondents who have ever used alcohol or drugs, go to R09_AX0170.
Else, go to Box R09_AXT04.

IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 1) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 1), GO TO R09_AX0170.
ELSE, GO TO BOX R09_AXT04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0170

¿Cuándo fue la última vez que...

consumió [alcohol/alcohol u otras drogas] semanalmente o con mayor frecuencia?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new cohort adult respondents who have ever used alcohol or drugs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 1) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 1).

DISPLAY: IF R09_PASTUSE_COUNT = 1 AND R09_PASTUSE_ALC = 1, DISPLAY "alcohol".
ELSE, DISPLAY "alcohol u otras drogas".

BOX ID: R09_AXR04

Continuing and aged-up adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new cohort adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and have ever used two or more substances, go to R09_AX0175.
Else, go to R09_AX0171.

IF (R09_ADULTTYPE = 1, 2 AND R09_AX0170 = 1, 2, 3 AND R09_PASTUSE_COUNT >= 2) OR (R09_ADULTTYPE = 3 AND R09_AX0170 = 1, 2, 3 AND R09_SUBSTANCE_COUNT >= 2), GO TO R09_AX0175.
ELSE, GO TO R09_AX0171.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0175

Usted mencionó que en el pasado consumió alcohol o drogas por lo menos semanalmente. ¿Qué sustancias consumió semanalmente o con mayor frecuencia? No incluya los medicamentos que le recetaron. Escoja todas las opciones que correspondan.

- 1 Alcohol
- 2 Marihuana o cannabis
- 3 Ritalin® o Adderall®
- 4 Analgésicos
- 5 Sedantes o tranquilizantes
- 6 Cocaína o crack
- 7 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 8 Heroína
- 9 Inhalantes o disolventes
- 10 Alucinógenos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview, or new cohort adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and have ever used two or more substances.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_AX0170 = 1, 2, 3 AND R09_PASTUSE_COUNT >= 2) OR (R09_ADULTTYPE = 3 AND R09_AX0170 = 1, 2, 3 AND R09_SUBSTANCE_COUNT >= 2).

PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_ALC = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_ALC = 1), DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_MJ = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_MJ = 1), DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_RIT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_RIT = 1), DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_PK = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_PK = 1), DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_SED = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_SED = 1), DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COC = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_COC = 1), DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_STIM = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_STIM = 1), DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_HERO = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_HERO = 1), DISPLAY OPTION 8; ELSE, DO NOT DISPLAY OPTION 8.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_INH = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_INH = 1), DISPLAY OPTION 9; ELSE, DO NOT DISPLAY OPTION 9.
 IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_HALL = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_HALL = 1), DISPLAY OPTION 10; ELSE, DO NOT DISPLAY OPTION 10.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0171

¿Cuándo fue la última vez que...

pasó mucho tiempo consiguiendo [alcohol/alcohol u otras drogas]?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new cohort adult respondents who have ever used alcohol or drugs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 1) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 1).

DISPLAY: IF R09_PASTUSE_COUNT = 1 AND R09_PASTUSE_ALC = 1, DISPLAY "alcohol".
ELSE, DISPLAY "alcohol u otras drogas".

PATH ID: R09_AX0172

¿Cuándo fue la última vez que...

seguía consumiendo [alcohol/alcohol u otras drogas] a pesar de que le provocaba problemas sociales, originaba peleas o lo metía en problemas con otras personas?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new cohort adult respondents who have ever used alcohol or drugs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 1) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 1).

DISPLAY: IF R09_PASTUSE_COUNT = 1 AND R09_PASTUSE_ALC = 1, DISPLAY "alcohol".
ELSE, DISPLAY "alcohol u otras drogas".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0173

¿Cuándo fue la última vez que...

su consumo de [alcohol/alcohol u otras drogas] disminuyó su compromiso con el trabajo, la escuela, la casa o eventos sociales?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new cohort adult respondents who have ever used alcohol or drugs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 1) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 1).

DISPLAY: IF R09_PASTUSE_COUNT = 1 AND R09_PASTUSE_ALC = 1, DISPLAY "alcohol".
ELSE, DISPLAY "alcohol u otras drogas".

PATH ID: R09_AX0193

¿Cuándo fue la última vez que...

Pasó mucho tiempo consumiendo [alcohol/alcohol u otras drogas] o recuperándose de los efectos del consumo?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new cohort adult respondents who have ever used alcohol or drugs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 1) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 1).

DISPLAY: IF R09_PASTUSE_COUNT = 1 AND R09_PASTUSE_ALC = 1, DISPLAY "alcohol".
ELSE, DISPLAY "alcohol u otras drogas".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0174

¿Cuándo fue la última vez que...

tuvo síntomas de abstinencia al alcohol u otras drogas como manos temblorosas, vómitos, dificultad para estar quieto o dificultad para dormir?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new cohort adult respondents who have ever used alcohol or drugs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 1) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 1).

PATH ID: R09_AX0194

¿Cuándo fue la última vez que...

consumió [alcohol/alcohol u otras drogas] para dejar de sentirse enfermo o para evitar sentir los síntomas de abstinencia?

- 1 El mes pasado
- 2 Hace 2 a 12 meses
- 3 Hace más de un año
- 4 Nunca
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have used alcohol or drugs in the past 12 months or had used alcohol or drugs in the past 12 months as of their last completed interview, or new cohort adult respondents who have ever used alcohol or drugs.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 1) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 1).

DISPLAY: IF R09_PASTUSE_COUNT = 1 AND R09_PASTUSE_ALC = 1, DISPLAY "alcohol".
ELSE, DISPLAY "alcohol u otras drogas".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR51

Continuing and aged-up adult respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or new cohort adult respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, go to R09_AX0176.
Else, go to Box R09_AXT04.

IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 2 AND (R09_AX0193 = 1, 2, 3 OR R09_AX0172 = 1, 2, 3 OR R09_AX0173 = 1, 2, 3 OR R09_AX0174 = 1, 2, 3 OR R09_AX0194 = 1, 2, 3)) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 2 AND (R09_AX0193 = 1, 2, 3 OR R09_AX0172 = 1, 2, 3 OR R09_AX0173 = 1, 2, 3 OR R09_AX0174 = 1, 2, 3 OR R09_AX0194 = 1, 2, 3)), GO TO R09_AX0176.
ELSE, GO TO BOX R09_AXT04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0176

Usted mencionó que el alcohol o las drogas le han provocado problemas. ¿Qué sustancias le provocaron estos problemas? No incluya los medicamentos que le recetaron. Escoja todas las opciones que correspondan.

- 1 Alcohol
- 2 Marihuana o cannabis
- 3 Ritalin® o Adderall®
- 4 Analgésicos
- 5 Sedantes o tranquilizantes
- 6 Cocaína o crack
- 7 Medicamentos estimulantes como metanfetaminas o anfetaminas (speed)
- 8 Heroína
- 9 Inhalantes o disolventes
- 10 Alucinógenos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have used two or more substances in the past 12 months or in the past 12 months as of their last completed interview and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, or

New cohort adult respondents who have ever used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COUNT >= 2 AND (R09_AX0193 = 1, 2, 3 OR R09_AX0172 = 1, 2, 3 OR R09_AX0173 = 1, 2, 3 OR R09_AX0174 = 1, 2, 3 OR R09_AX0194 = 1, 2, 3)) OR (R09_ADULTTYPE = 3 AND R09_SUBSTANCE_COUNT >= 2 AND (R09_AX0193 = 1, 2, 3 OR R09_AX0172 = 1, 2, 3 OR R09_AX0173 = 1, 2, 3 OR R09_AX0174 = 1, 2, 3 OR R09_AX0194 = 1, 2, 3)).

PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_ALC = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_ALC = 1), DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_MJ = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_MJ = 1), DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_RIT = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_RIT = 1), DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_PK = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_PK = 1), DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.
IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_SED = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_SED = 1), DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.
IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_COC = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_COC = 1), DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.
IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_STIM = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_STIM = 1), DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.
IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_HERO = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_HERO = 1), DISPLAY OPTION 8; ELSE, DO NOT DISPLAY OPTION 8.
IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_INH = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_INH = 1), DISPLAY OPTION 9; ELSE, DO NOT DISPLAY OPTION 9.
IF (R09_ADULTTYPE = 1, 2 AND R09_PASTUSE_HALL = 1) OR (R09_ADULTTYPE = 3 AND R09_EVER_USER_HALL = 1), DISPLAY OPTION 10; ELSE, DO NOT DISPLAY OPTION 10.

MEDIA AND MARKETING

BOX ID: R09_AXT04

Las siguientes preguntas son acerca de su uso de las redes sociales.

PATH ID: R09_AX0370

Algunas veces la gente usa el Internet o aplicaciones para comunicarse con otras personas en línea mediante redes sociales como Facebook, YouTube, TikTok, Instagram, Snapchat y Twitter/X. A esto se le suele llamar redes sociales.

En un día normal **entre semana**, ¿aproximadamente cuánto tiempo pasa usando redes sociales?

- 1 Ninguno
- 2 Menos de una hora
- 3 Una a 2 horas
- 4 3 a 4 horas
- 5 5 a 6 horas
- 6 7 a 8 horas
- 7 9 a 10 horas
- 8 11 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "entre semana".

PATH ID: R09_AX0371

En un día normal de **fin de semana**, ¿aproximadamente cuánto tiempo pasa usando redes sociales?

- 1 Ninguno
- 2 Menos de una hora
- 3 Una a 2 horas
- 4 3 a 4 horas
- 5 5 a 6 horas
- 6 7 a 8 horas
- 7 9 a 10 horas
- 8 11 horas o más
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "fin de semana".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR175

Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day, go to R09_AX0416.
Else, go to Box R09_AXR133.

IF R09_AX0370 != 1 OR R09_AX0371 != 1, GO TO R09_AX0416.
ELSE, GO TO BOX R09_AXR133.

PATH ID: R09_AX0416

¿Cuáles redes sociales ha usado en las últimas 2 semanas? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Instagram
- 2 Twitter/X
- 3 Facebook
- 4 YouTube
- 5 Snapchat
- 6 TikTok
- 8 Discord
- 9 Reddit
- 10 Pinterest
- 11 LinkedIn
- 12 Twitch
- 7 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day.

ASK Specification: IF R09_AX0370 != 1 OR R09_AX0371 != 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0417

¿Cuál de las siguientes redes sociales usa con **más frecuencia**? Desplace para ver más opciones, si es necesario.

- 1 Instagram
- 2 Twitter/X
- 3 Facebook
- 4 YouTube
- 5 Snapchat
- 6 TikTok
- 8 Discord
- 9 Reddit
- 10 Pinterest
- 11 LinkedIn
- 12 Twitch
- 7 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day.

ASK Specification: IF R09_AX0370 != 1 OR R09_AX0371 != 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF

R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

BOLD "más frecuencia".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0427

En las últimas 2 semanas, ¿ha visto algún contenido publicado en las redes sociales relacionado con alguno de los siguientes productos? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Cigarrillos
- 2 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 10 IQOS
- 3 Puros tradicionales
- 4 Puritos
- 5 Puros con filtro
- 6 Tabaco para pipa
- 7 Shisha o tabaco para hookah
- 11 Bolsitas de nicotina (como Zyn, on! o Rogue)
- 8 Snus
- 9 Tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)
- 12 Productos orales con nicotina (como pastillas de chupar Velo, tabletas Rogue, chicles Lucy o palillos Pixotine)
- 13 Algún otro tipo de producto de tabaco o nicotina (ESPECIFIQUE)
- 14 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day.

ASK Specification: IF R09_AX0370 != 1 OR R09_AX0371 != 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply. If option 14 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR176

Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day and have seen content posted on social media related to ENPs in the past 2 weeks, go to R09_AX0419.

Else, go to R09_AX0423.

IF (R09_AX0370 != 1 OR R09_AX0371 != 1) AND R09_AX0427_02 = 1, GO TO R09_AX0419.
ELSE, GO TO R09_AX0423.

PATH ID: R09_AX0419

En las últimas 2 semanas, ¿con qué frecuencia ha visto contenido en las redes sociales relacionado con los cigarrillos electrónicos u otros productos electrónicos con nicotina? Denos una respuesta aproximada.

- 1 Más de una vez al día
- 2 Una vez al día
- 3 Algunas veces en las últimas 2 semanas
- 4 Una vez en las últimas 2 semanas
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day and have seen content posted on social media related to ENPs in the past 2 weeks.

ASK Specification: IF (R09_AX0370 != 1 OR R09_AX0371 != 1) AND R09_AX0427_02 = 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0420

En las últimas 2 semanas, ¿cuáles de los siguientes tipos de información sobre los cigarrillos electrónicos u otros tipos de productos electrónicos con nicotina ha visto usted en las redes sociales? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Noticias
- 2 Instrucciones de uso
- 3 Beneficios de usarlos (ejemplos: ayuda con el estrés, trucos de vapeo)
- 4 Chistes o memes sobre su uso
- 5 Fotos o video de personas usando el producto
- 6 Reseñas de productos
- 7 Información acerca de cómo dejarlos
- 8 Consecuencias negativas para la salud por su uso (incluyendo mensajes de salud pública)
- 9 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day and have seen content posted on social media related to ENPs in the past 2 weeks.

ASK Specification: IF (R09_AX0370 != 1 OR R09_AX0371 != 1) AND R09_AX0427_02 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0421

En las últimas 2 semanas, ¿quién publicó el contenido en las redes sociales que usted ha visto relacionado con los cigarrillos electrónicos u otros productos electrónicos con nicotina? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 1 Personas que conozco personalmente
- 2 Personas que conozco solamente en Internet
- 3 Creadores de contenido, personas influyentes en las redes sociales o personas famosas
- 4 Marcas de cigarrillos electrónicos o tiendas para vapeadores
- 5 Medios informativos
- 6 Mensaje de salud pública (ejemplos: Truth Initiative, Real Cost)
- 7 Otro (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day and have seen content posted on social media related to ENPs in the past 2 weeks.

ASK Specification: IF (R09_AX0370 != 1 OR R09_AX0371 != 1) AND R09_AX0427_02 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0422

En las últimas 2 semanas, ¿ha hecho usted alguna de las siguientes cosas respecto del contenido que ha visto relacionado con los cigarrillos electrónicos u otros productos electrónicos con nicotina en las redes sociales? Escoja todas las opciones que correspondan.

1	Darle un "like"	
2	Escribir un comentario	
3	Hacerle clic	
5	Compartir	GO TO R09_AX0424
4	Ninguna de las anteriores	
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day and have seen content posted on social media related to ENPs in the past 2 weeks.

ASK Specification: IF (R09_AX0370 != 1 OR R09_AX0371 != 1) AND R09_AX0427_02 = 1.

PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, no other option can be selected.

PATH ID: R09_AX0423

¿Alguna vez ha publicado o compartido **ALGÚN** contenido acerca de los cigarrillos electrónicos u otros productos electrónicos con nicotina en las redes sociales?

1	Sí	
2	No	GO TO R09_AX0425
-8	DON'T KNOW	GO TO R09_AX0425
-7	REFUSED	GO TO R09_AX0425

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day and did not report sharing any content related to ENPs on social media in the past two weeks.

ASK Specification: IF (R09_AX0370 != 1 OR R09_AX0371 != 1) AND R09_AX0422_05 != 1.

DISPLAY: BOLD "ALGÚN".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0424

Piense en la vez más reciente que recuerda haber publicado o compartido contenido acerca de los cigarrillos electrónicos u otros productos electrónicos con nicotina en las redes sociales, ¿en qué plataforma lo publicó o compartió? Desplace para ver más opciones, si es necesario.

- 1 Instagram
- 2 Twitter/X
- 3 Facebook
- 4 YouTube
- 5 Snapchat
- 6 TikTok
- 8 Discord
- 9 Reddit
- 10 Pinterest
- 11 LinkedIn
- 12 Twitch
- 7 Otra cosa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day and have shared any content related to ENPs on social media in the past two weeks or have ever posted or shared any content related to ENPs on social media.

ASK Specification: IF (R09_AX0370 != 1 OR R09_AX0371 != 1) AND (R09_AX0422_05 = 1 OR R09_AX0423 = 1).

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AX0425

¿Sigue usted actualmente o busca periódicamente alguna marca de productos de tabaco o nicotina en las redes sociales? Esto incluye seguir o buscar hashtags como #myblu o #marlboro.

1	Sí	
2	No	GO TO R09_AXR133
-8	DON'T KNOW	GO TO R09_AXR133
-7	REFUSED	GO TO R09_AXR133

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day.

ASK Specification: IF R09_AX0370 != 1 OR R09_AX0371 != 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0426

¿Cuáles marcas sigue actualmente o busca periódicamente en las redes sociales? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 26 Elf Bar
- 30 Geek Bar
- 32 Raz
- 1 JUUL
- 31 Breeze
- 2 Vuse
- 6 Smok
- 4 NJOY
- 23 Zyn
- 25 on!
- 33 Rogue
- 8 Black & Mild
- 9 Swisher Sweets
- 10 Dutch Masters
- 34 White Owl
- 35 Backwoods
- 13 Camel
- 14 Marlboro
- 15 Newport
- 16 American Spirit
- 17 IQOS
- 18 Skoal
- 19 America's Best Chew (conocido anteriormente como Red Man)
- 20 Grizzly
- 21 Copenhagen
- 22 Alguna otra marca (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who spend time using social media on an average weekday or did not know or refused to report whether they spend time using social media on an average weekday or spend time using social media on an average weekend day or did not know or refused to report whether they spend time using social media on an average weekend day and follow or regularly search for a brand on social media.

ASK Specification: IF (R09_AX0370 != 1 OR R09_AX0371 != 1) AND R09_AX0425 = 1.

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Allow respondent to choose all that apply.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR133

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AXT09.
Else, go to R09_AX0234.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AXT09.
ELSE, GO TO R09_AX0234.

BOX ID: R09_AXT09

Las siguientes preguntas son acerca de eslóganes o temas que posiblemente haya visto o escuchado en los últimos 3 meses.

La gente tal vez ha visto o escuchado anuncios con el siguiente eslogan o tema...

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

BOLD "A Tip From a Former Smoker".

PATH ID: R09_AX0234

Las siguientes preguntas son acerca de eslóganes o temas que posiblemente haya visto o escuchado en los últimos 3 meses.

En los últimos 3 meses, ¿ha visto o escuchado [este/el siguiente] eslogan o tema?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "A Tip From a Former Smoker".

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Las siguientes preguntas son acerca de eslóganes o temas que posiblemente haya visto o escuchado en los últimos 3 meses."

ELSE, DO NOT DISPLAY THIS TEXT.

IF WEBDEVICE = 2, DISPLAY "este".

ELSE, DISPLAY "el siguiente".

IMAGE: DISPLAY IMAGE OF TIPS CAMPAIGN LOGO. IF WEBDEVICE = 2, DO NOT SHOW CAMPAIGN LOGO.

BOX ID: R09_AXR138

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AXT10.
Else, go to R09_AX0235.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AXT10.
ELSE, GO TO R09_AX0235.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

BOX ID: R09_AXT10

La gente tal vez ha visto o escuchado anuncios con el siguiente eslogan o tema...

"Truth"

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

BOLD "Truth".

PATH ID: R09_AX0235

En los últimos 3 meses, ¿ha visto o escuchado el siguiente eslogan o tema?

"Truth"

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Truth".

IF WEBDEVICE = 2, DISPLAY "este".

ELSE, DISPLAY "el siguiente".

IMAGE: DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO. IF WEBDEVICE = 2, DO NOT SHOW CAMPAIGN LOGO.

BOX ID: R09_AXR174

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AXT12.
Else, go to R09_AX0763.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AXT12.
ELSE, GO TO R09_AX0763.

BOX ID: R09_AXT12

La gente tal vez ha visto o escuchado anuncios con el siguiente eslogan o tema...

"Next Legends"

[DISPLAY IMAGE OF NEXT LEGENDS CAMPAIGN LOGO]

BOLD "Next Legends".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0763

En los últimos 3 meses, ¿ha visto o escuchado [este/el siguiente] eslogan o tema?

"Next Legends"

[DISPLAY IMAGE OF NEXT LEGENDS CAMPAIGN LOGO]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Next Legends".

IF WEBDEVICE = 2, DISPLAY "este".

ELSE, DISPLAY "el siguiente".

IMAGE: DISPLAY IMAGE OF NEXT LEGENDS CAMPAIGN LOGO. IF WEBDEVICE = 2, DO NOT SHOW CAMPAIGN LOGO.

BOX ID: R09_AXR167

Adult respondents who are completing a web interview on a mobile device, go to Box R09_AXT11.
Else, go to R09_AX0728.

IF R09_ADULT_MODE = 3 AND WEBDEVICE = 2, GO TO BOX R09_AXT11.
ELSE, GO TO R09_AX0728.

BOX ID: R09_AXT11

La gente tal vez ha visto o escuchado anuncios con el siguiente eslogan o tema...

"The Real Cost"

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

BOLD "The Real Cost".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0728

En los últimos 3 meses, ¿ha visto o escuchado [este/el siguiente] eslogan o tema?

"The Real Cost"

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "The Real Cost".

IF WEBDEVICE = 2, DISPLAY "este".

ELSE, DISPLAY "el siguiente".

IMAGE: DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO. IF WEBDEVICE = 2, DO NOT SHOW CAMPAIGN LOGO.

PATH ID: R09_AX0273

En los últimos 3 meses, ¿ha visto o escuchado algún mensaje de The Real Cost acerca de los daños que causa **el vapear**, aparte de lo que vio en esta encuesta?

- 1 Sí
- 2 No
- 3 No está seguro
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "el vapear".

PATH ID: R09_AX0274

En los últimos 3 meses, ¿ha visto o escuchado algún mensaje de The Real Cost acerca de los daños que causa **el fumar**, aparte de lo que vio en esta encuesta?

- 1 Sí
- 2 No
- 3 No está seguro
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "el fumar".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXT02

Las siguientes preguntas son acerca de los anuncios de tabaco o nicotina que puede haber visto.

PATH ID: R09_AX0708

En los últimos 12 meses, ¿ha recibido descuentos o cupones por alguno de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 Cigarrillos
- 2 Cigarrillos electrónicos u otros productos electrónicos con nicotina (incluyendo líquido electrónico)
- 7 IQOS
- 10 Puros tradicionales
- 11 Puritos
- 12 Puros con filtro
- 4 Shisha o tabaco para hookah
- 13 Bolsitas de nicotina (como Zyn, on! o Rogue)
- 5 Snus
- 6 Tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)
- 14 Productos orales con nicotina (como pastillas de chupar Velo, tabletas Rogue, chicles Lucy o palillos Pixotine)
- 8 Algún otro tipo de producto de tabaco o nicotina
- 9 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: Allow respondent to choose all that apply. If option 9 is selected, no other options can be selected.

PATH ID: R09_AX0178

En los últimos 30 días, ¿se ha dado cuenta de los anuncios o promociones de tabaco o nicotina en las ventanas de las tiendas o dentro de las tiendas donde se vende tabaco?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXV10

PROGRAM - CREATE DERIVED VARIABLE:

R09_REGULAR_BRAND = Adult respondents who have a regular brand of any tobacco product.

R09_NO_REGULAR_BRAND = Adult respondents who use a tobacco product and do not have a regular brand of that tobacco product.

BOX ID: R09_AXR64

Adult respondents who are current tobacco users and have a regular brand of any product, go to R09_AX0382.

Else, go to Box R09_AXR67.

IF R09_TOBACCO_USER_STATUS = 1 AND R09_REGULAR_BRAND = 1, GO TO R09_AX0382.
ELSE, GO TO BOX R09_AXR67.

PATH ID: R09_AX0382

En los últimos 30 días, ¿cuántas veces ha comprado un producto de tabaco o nicotina de una marca distinta a la habitual?

1	0 veces	GO TO BOX R09_AXR67
2	Una o dos veces	
3	Algunas veces	
4	Muchas veces	
-8	DON'T KNOW	GO TO BOX R09_AXR67
-7	REFUSED	GO TO BOX R09_AXR67

ASK: Adult respondents who are current tobacco users and have a regular brand of any product.

ASK Specification: IF R09_TOBACCO_USER_STATUS = 1 AND R09_REGULAR_BRAND = 1.

PATH ID: R09_AX0383

En los últimos 30 días, ¿cuántas veces compró un producto de tabaco o nicotina de una marca distinta a la habitual porque lo vio en exhibición en la tienda o en anuncios?

1	0 veces
2	Una o dos veces
3	Algunas veces
4	Muchas veces
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who are current tobacco users and have a regular brand of any product and bought a different brand once, a few times, or many times in the past 30 days.

ASK Specification: IF R09_TOBACCO_USER_STATUS = 1 AND R09_REGULAR_BRAND = 1 AND R09_AX0382 = 2, 3, 4.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0384

En los últimos 30 días cuando estuvo en una tienda en la que se venden productos de tabaco o nicotina, ¿cuántas veces compró una marca distinta a su marca habitual porque se dio cuenta de que estaba en rebaja o que había una promoción, como 2 por 1?

- 1 0 veces
- 2 Una o dos veces
- 3 Algunas veces
- 4 Muchas veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current tobacco users and have a regular brand of any product and bought a different brand once, a few times, or many times in the past 30 days.

ASK Specification: IF R09_TOBACCO_USER_STATUS = 1 AND R09_REGULAR_BRAND = 1 AND R09_AX0382 = 2, 3, 4.

BOX ID: R09_AXR67

Adult respondents who are current tobacco users and use a product for which they do not have a regular brand, go to R09_AX0385.

Else, adult respondents who are recent former or long-term former tobacco users, go to R09_AX0386.
Else, go to R09_AX0678.

IF R09_TOBACCO_USER_STATUS = 1 AND R09_NO_REGULAR_BRAND = 1, GO TO R09_AX0385.
ELSE, IF R09_TOBACCO_USER_STATUS = 4, 5, GO TO R09_AX0386.
ELSE, GO TO R09_AX0678.

PATH ID: R09_AX0385

En los últimos 30 días, ¿cuántas veces ha comprado un producto de tabaco o nicotina de una marca porque se dio cuenta que tenía una promoción especial?

1 0 veces	GO TO R09_AX0678
2 Una o dos veces	GO TO R09_AX0678
3 Algunas veces	GO TO R09_AX0678
4 Muchas veces	GO TO R09_AX0678
-8 DON'T KNOW	GO TO R09_AX0678
-7 REFUSED	GO TO R09_AX0678

ASK: Adult respondents who are current tobacco users and use a product for which they do not have a regular brand.

ASK Specification: IF R09_TOBACCO_USER_STATUS = 1 AND R09_NO_REGULAR_BRAND = 1.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0386

Desde que dejó de consumir tabaco, ¿cuántas veces le ha pasado que cuando ha visto un producto de tabaco o nicotina en exhibición u otros anuncios de que se vende tabaco, ha sentido la necesidad de comprar tabaco?

- 1 0 veces
- 2 Una o dos veces
- 3 Algunas veces
- 4 Muchas veces
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are recent former or long-term former tobacco users.

ASK Specification: IF R09_TOBACCO_USER_STATUS = 4, 5.

PATH ID: R09_AX0678

En los últimos 30 días, ¿ha recibido una muestra gratuita de un **cigarrillo electrónico u otro producto electrónico con nicotina** (incluyendo líquido electrónico)?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "cigarrillo electrónico u otro producto electrónico con nicotina".

BOX ID: R09_AXT08

Las siguientes preguntas son acerca de los anuncios que puede haber visto o escuchado que promueven el consumo y la compra de productos de tabaco o nicotina.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AX0244

En los últimos 30 días, ¿se ha dado cuenta de anuncios de alguno de los siguientes productos? Escoja todas las opciones que correspondan.

- 1 Cigarrillos
- 2 Cigarrillos electrónicos u otros productos electrónicos con nicotina
- 3 IQOS o HeatSticks
- 4 Puros tradicionales
- 5 Puritos
- 6 Puros con filtro
- 7 Tabaco para pipa
- 8 Shisha o tabaco para hookah
- 11 Bolsitas de nicotina (como Zyn, on! o Rogue)
- 9 Snus
- 10 Tabaco que no se fuma (como tabaco de inhalar o rapé, dip o tabaco de mascar)
- 12 Productos orales con nicotina (como pastillas de chupar Velo, tabletas Rogue, chicles Lucy o palillos Pixotine)
- 13 Algún otro tipo de producto de tabaco o nicotina
- 14 No he visto ni escuchado anuncios de productos de tabaco o nicotina en los últimos 30 días
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: Allow respondent to choose all that apply. If option 14 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR107

Repeat R09_AX0245 up to 12 times for each product selected in R09_AX0244.
Else, if no products reported, go to Box R09_AXR164.

REPEAT R09_AX0245 UP TO 12 TIMES FOR EACH PRODUCT SELECTED IN R09_AX0244[_01/_12], IN THE FOLLOWING ORDER:

IF R09_AX0244_01 = 1, ASK R09_AX0245C ABOUT "cigarillos".

IF R09_AX0244_02 = 1, ASK R09_AX0245E ABOUT "cigarrillos electrónicos u otros productos electrónicos con nicotina".

IF R09_AX0244_03 = 1, ASK R09_AX0245Q ABOUT "IQOS o HeatSticks".

IF R09_AX0244_04 = 1, ASK R09_AX0245T ABOUT "puros tradicionales".

IF R09_AX0244_05 = 1, ASK R09_AX0245G ABOUT "puritos".

IF R09_AX0244_06 = 1, ASK R09_AX0245F ABOUT "puros con filtro".

IF R09_AX0244_07 = 1, ASK R09_AX0245P ABOUT "tabaco para pipa".

IF R09_AX0244_08 = 1, ASK R09_AX0245H ABOUT "shisha o tabaco para hookah".

IF R09_AX0244_11 = 1, ASK R09_AX0245N ABOUT "bolsitas de nicotina".

IF R09_AX0244_09 = 1, ASK R09_AX0245U ABOUT "snus".

IF R09_AX0244_10 = 1, ASK R09_AX0245S ABOUT "tabaco que no se fuma".

IF R09_AX0244_12 = 1, ASK R09_AX0245O ABOUT "productos orales con nicotina".

WHEN R09_AX0245 HAS BEEN ASKED ABOUT ALL PRODUCTS SELECTED, GO TO BOX R09_AXR164.

ELSE, IF (R09_AX0244[_01/_12] = 2 AND (R09_AX0244_13 = 1 OR R09_AX0244_14 = 1)) OR R09_AX0244_14 = -8, -7, GO TO BOX R09_AXR164.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AX0245

En los últimos 30 días, ¿dónde se ha dado cuenta de anuncios de [R09_AX0244]? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

- 13 En tiendas especializadas, tiendas para vapeadores, almacenes de tabaco o tabaquerías
- 2 En tiendas de conveniencia, farmacias, supermercados, estaciones de gasolina, quioscos, frente de las tiendas o almacenes
- 3 En vallas publicitarias
- 4 En periódicos o revistas
- 5 En la radio
- 6 En la televisión
- 7 En eventos como ferias, festivales o eventos deportivos
- 8 En discotecas, bares o conciertos
- 9 En mensajes por correo electrónico
- 10 En las redes sociales
- 11 En otras páginas Web
- 12 En otra parte (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have noticed cigarettes/ENPs/IQOS/traditional cigars/cigarillos/filtered cigars/pipe tobacco/hookah/nicotine pouches/snus/smokeless tobacco/oral nicotine products being advertised in the past 30 days.

ASK Specification: FOR R09_AX0245C: IF R09_AX0244_01 = 1.

FOR R09_AX0245E: IF R09_AX0244_02 = 1.

FOR R09_AX0245Q: IF R09_AX0244_03 = 1.

FOR R09_AX0245T: IF R09_AX0244_04 = 1.

FOR R09_AX0245G: IF R09_AX0244_05 = 1.

FOR R09_AX0245F: IF R09_AX0244_06 = 1.

FOR R09_AX0245P: IF R09_AX0244_07 = 1.

FOR R09_AX0245H: IF R09_AX0244_08 = 1.

FOR R09_AX0245N: IF R09_AX0244_11 = 1.

FOR R09_AX0245U: IF R09_AX0244_09 = 1.

FOR R09_AX0245S: IF R09_AX0244_10 = 1.

FOR R09_AX0245O: IF R09_AX0244_12 = 1.

DISPLAY: FOR [R09_AX0244]:

FOR R09_AX0245C: IF R09_AX0244_01 = 1, DISPLAY "cigarillos".

FOR R09_AX0245E: IF R09_AX0244_02 = 1, DISPLAY "cigarillos electrónicos u otros productos electrónicos con nicotina".

FOR R09_AX0245Q: IF R09_AX0244_03 = 1, DISPLAY "IQOS o HeatSticks".

FOR R09_AX0245T: IF R09_AX0244_04 = 1, DISPLAY "puros tradicionales".

FOR R09_AX0245G: IF R09_AX0244_05 = 1, DISPLAY "puritos".

FOR R09_AX0245F: IF R09_AX0244_06 = 1, DISPLAY "puros con filtro".

FOR R09_AX0245P: IF R09_AX0244_07 = 1, DISPLAY "tabaco para pipa".

FOR R09_AX0245H: IF R09_AX0244_08 = 1, DISPLAY "shisha o tabaco para hookah".

FOR R09_AX0245N: IF R09_AX0244_11 = 1, DISPLAY "bolsitas de nicotina".

FOR R09_AX0245U: IF R09_AX0244_09 = 1, DISPLAY "snus".

FOR R09_AX0245S: IF R09_AX0244_10 = 1, DISPLAY "tabaco que no se fuma".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

FOR R09_AX02450: IF R09_AX0244_12 = 1, DISPLAY "productos orales con nicotina".

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Escriba su respuesta a continuación."

ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PROGRAM: Repeat the question for each product the respondent selected in R09_AX0244. Allow respondent to choose all that apply.

BOX ID: R09_AXR164

Adult respondents who have ever seen or heard of IQOS and have not noticed IQOS being advertised in the past 30 days or did not know or refused to report whether they have noticed IQOS being advertised in the past 30 days, go to R09_AQ9206.

Else, adult respondents who have noticed IQOS being advertised in the past 30 days, go to R09_AQ9207.

Else, go to R09_AR0260.

IF R09_AQ1001 = 1 AND R09_AX0244_03 = 2, -8, -7, GO TO R09_AQ9206.

ELSE, IF R09_AX0244_03 = 1, GO TO R09_AQ9207.

ELSE, GO TO R09_AR0260.

PATH ID: R09_AQ9206

¿Alguna vez ha visto o escuchado anuncios de IQOS o HeatSticks, como en Internet o en tiendas donde se venden productos de tabaco y nicotina?

1 Sí

2 No

GO TO R09_AR0260

-8 DON'T KNOW

GO TO R09_AR0260

-7 REFUSED

GO TO R09_AR0260

ASK: Adult respondents who have ever seen or heard of IQOS and have not noticed IQOS being advertised in the past 30 days or did not know or refused to report whether they have noticed IQOS being advertised in the past 30 days.

ASK Specification: IF R09_AQ1001 = 1 AND R09_AX0244_03 = 2, -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AQ9207

¿Alguna vez ha visto o escuchado anuncios de IQOS o HeatSticks que hacen alguna de las siguientes afirmaciones? Escoja todas las opciones que correspondan.

- 1 Cambiar totalmente de los cigarrillos a IQOS reduce la exposición del cuerpo a las sustancias químicas dañinas
- 2 Tan parecido a un cigarrillo, es fácil olvidar que no lo es
- 3 Este producto reduce su consumo de nicotina enormemente
- 4 Si fuma, considera esto: Cambiar totalmente de los cigarrillos a este producto reduce el riesgo de cáncer pulmonar
- 5 Ninguna de las anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever seen or heard of IQOS and have not noticed IQOS being advertised in the past 30 days or did not know or refused to report whether they have noticed IQOS being advertised in the past 30 days and have ever seen or heard IQOS or HeatStick advertisements, or adult respondents who have noticed IQOS being advertised in the past 30 days.

ASK Specification: IF (R09_AQ1001 = 1 AND R09_AX0244_03 = 2, -8, -7 AND R09_AQ9206 = 1) OR R09_AX0244_03 = 1.

PROGRAM: Allow respondent to choose all that apply. If option 5 is selected, no other option can be selected.

PATH ID: R09_AR0260

Los anuncios de la venta de cigarrillos incluyen advertencias o imágenes que resaltan las consecuencias negativas de fumar.

En los últimos 30 días, ¿con qué frecuencia se ha dado cuenta de las advertencias de riesgo para la salud en los anuncios de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AXR13

Adult respondents who are current cigarette smokers and have noticed cigarettes being advertised in the past 30 days and have noticed the health warnings on cigarette advertisements in the past 30 days, go to R09_AR0261.
Else, go to Box R09_AMT01.

IF R09_CIG_USER_STATUS = 1 AND R09_AX0244_01 = 1 AND R09_AR0260 > 1, GO TO R09_AR0261.
ELSE, GO TO BOX R09_AMT01.

PATH ID: R09_AR0261

En los últimos 30 días, ¿con qué frecuencia ha leído o mirado con atención las advertencias de riesgo para la salud en los anuncios de cigarrillos?

- 1 Nunca
- 2 Rara vez
- 3 A veces
- 4 A menudo
- 5 Muy a menudo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers and have noticed cigarettes being advertised in the past 30 days and have noticed the health warnings on cigarette advertisements in the past 30 days.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AX0244_01 = 1 AND R09_AR0260 > 1.

PATH ID: R09_AR0262

Las advertencias de riesgo para la salud en los anuncios de cigarrillos, ¿le hacen pensar acerca de los riesgos para la salud que implica fumar?

- 1 Para nada
- 2 Muy poco
- 3 Algo
- 4 Mucho
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current cigarette smokers and have noticed cigarettes being advertised in the past 30 days and have noticed the health warnings on cigarette advertisements in the past 30 days.

ASK Specification: IF R09_CIG_USER_STATUS = 1 AND R09_AX0244_01 = 1 AND R09_AR0260 > 1.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

ADDITIONAL DEMOGRAPHICS

BOX ID: R09_AMT01

El consumo y el no consumo de tabaco y nicotina está relacionado con muchos tipos de características sociales e individuales. Otras características sobre las cuales preguntamos incluyen la raza, la actividad física y la salud.

Las siguientes preguntas se hacen por el mismo motivo - para conocer cómo el consumo de tabaco y nicotina podría estar relacionado con otros tipos de características. Recuerde que toda la información que usted le dé al Estudio PATH se mantendrá en privado.

BOX ID: R09_AMR01

Adult respondents who do not currently work for pay, go to R09_AM0017.
Else, go to Box R09_AMR17.

IF R09_AM0014 = 4, GO TO R09_AM0017.
ELSE, GO TO BOX R09_AMR17.

PATH ID: R09_AM0017

¿Actualmente...?

- 1 Está buscando un trabajo pagado
- 2 Es un estudiante que no está buscando un trabajo pagado
- 3 Cuida del hogar o de otra persona y no está buscando un trabajo pagado
- 4 Está jubilado/retirado
- 5 No puede trabajar debido a un problema físico o de salud mental
- 6 No puede trabajar debido a otras razones
- 7 Ninguno de los anteriores
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently work for pay.

ASK Specification: IF R09_AM0014 = 4.

BOX ID: R09_AMR17

Adult respondents who did not already complete a parent interview, go to R09_AM0018.
Else, go to R09_AM0019.

IF R09_PARENT_COMPLETE_LD != 1, GO TO R09_AM0018.
ELSE, GO TO R09_AM0019.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM0018

¿Cuál es el grado o nivel escolar más alto que usted completó?

1 Sin educación secundaria	
2 Parte de la secundaria, sin diploma	
3 Diploma de equivalencia general o GED	GO TO R09_AM0019
4 Secundaria completa - obtuvo diploma	GO TO R09_AM0019
5 Universidad por tiempo breve, sin graduarse	GO TO R09_AM0019
6 Título para una carrera intermedia - ocupacional/ vocacional	GO TO R09_AM0019
7 Título para una carrera intermedia - programa académico	GO TO R09_AM0019
8 Título universitario (por ejemplo: BA, AB o BS)	GO TO R09_AM0019
9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)	GO TO R09_AM0019
10 Título profesional universitario (por ejemplo: MD, DDS, DVM, JD)	GO TO R09_AM0019
11 Doctorado (por ejemplo: PhD, EdD)	GO TO R09_AM0019
-8 DON'T KNOW	GO TO R09_AM0019
-7 REFUSED	GO TO R09_AM0019

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1.

PATH ID: R09_AM0067

Actualmente, ¿está matriculado en una escuela secundaria o high school?

1 Sí	
2 No	GO TO R09_AM0019
-8 DON'T KNOW	GO TO R09_AM0019
-7 REFUSED	GO TO R09_AM0019

ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than high school or some high school, no diploma.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1 AND R09_AM0018 = 1, 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM0068

¿En qué grado está? Si está en vacaciones de verano o en feriado, elija el grado o año al que ingresará cuando vuelva a la escuela.

- 6 9 °
- 7 10 °
- 8 11 °
- 9 12 °
- 12 Recibo mi educación en casa
- 13 En mi escuela a los estudiantes no se les separa por grados
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than high school or some high school, no diploma and are currently enrolled in high school.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1 AND R09_AM0018 = 1, 2 AND R09_AM0067 = 1.

PATH ID: R09_AM0019

¿Está [también]matriculado actualmente en un programa universitario?

1	Sí	
2	No	GO TO R09_AM0015
-8	DON'T KNOW	GO TO R09_AM0015
-7	REFUSED	GO TO R09_AM0015

ASK: All adult respondents.

DISPLAY: IF R09_AM0067 = 1, DISPLAY "también".
ELSE, DO NOT DISPLAY THIS FILL.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM0020

¿En qué tipo de programa está matriculado actualmente?

- 1 Programa técnico o vocacional
- 2 Programa universitario de 2 años
- 3 Programa universitario de 4 años
- 4 Programa de postgraduado o especialización
- 5 Otro tipo de programa (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are currently enrolled in a degree program.

ASK Specification: IF R09_AM0019 = 1

DISPLAY: IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

PATH ID: R09_AM0015

En los últimos 30 días, debido a la falta de dinero, ¿tuvo problemas para pagar las cuentas a tiempo, tales como el alquiler, la electricidad o el teléfono?

- 1 Sí
- 2 No
- 7 No aplica
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH ID: R09_AM0039

En los últimos 12 meses, ¿ha recibido asistencia o ingresos de algún programa federal, estatal o local como estampillas de alimentos, welfare o bienestar social, ayuda en efectivo, beneficios por desempleo, asistencia de vivienda, cuidado infantil o Medicaid?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R09_AMR16

Adult respondents who did not already complete a parent interview, go to R09_AM0030.
Else, go to Box R09_ALR05.

IF R09_PARENT_COMPLETE_LD != 1, GO TO BOX R09_AM0030.
ELSE, GO TO BOX R09_ALR05.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AM0030

¿Cuál de las siguientes categorías describe mejor el ingreso total de su **hogar** en los últimos 12 meses?

Esto es el ingreso total, antes de impuestos, de **todas las personas de su hogar en conjunto**. Incluya el dinero que recibió de trabajos, familiares, pensiones, dividendos, intereses, pagos del Seguro Social o pensiones de jubilación, ingresos netos de negocios, agricultura o alquiler y cualquier otro dinero recibido por los miembros del hogar.

1	Menos de 10,000 dólares	GO TO R09_AL0040
2	10,000 a 14,999 dólares	GO TO R09_AL0040
3	15,000 a 24,999 dólares	GO TO R09_AL0040
4	25,000 a 34,999 dólares	GO TO R09_AL0040
5	35,000 a 49,999 dólares	GO TO R09_AL0040
6	50,000 a 74,999 dólares	GO TO R09_AL0040
7	75,000 a 99,999 dólares	GO TO R09_AL0040
8	100,000 a 149,999 dólares	GO TO R09_AL0040
9	150,000 a 199,999 dólares	GO TO R09_AL0040
10	200,000 dólares o más	GO TO R09_AL0040
-8	DON'T KNOW	
-7	REFUSED	

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1.

DISPLAY: BOLD "hogar" AND "todas las personas de su hogar en conjunto".

PATH ID: R09_AM0031

El ingreso total de su hogar en los últimos 12 meses, ¿es mayor o menor de 50,000 dólares?

1	Mayor de 50,000 dólares
2	Menor de 50,000 dólares
-8	DON'T KNOW
-7	REFUSED

ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1 AND R09_AM0030 = -8, -7.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0040

¿Es usted propietario de la casa o la alquila?

(Ser propietario incluye tener una hipoteca o un préstamo.)

- 1 Propietario
- 2 Alquila
- 3 Otra cosa
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R09_PARENT_COMPLETE_LD != 1.

BOX ID: R09_ALR05

Young adult respondents, go to R09_AM0042.

Else, go to Box R09_AMD02.

IF 18 <= R09_ACHIEVEDAGE < 25, GO TO R09_AM0042.

ELSE, GO TO BOX R09_AMD02.

PATH ID: R09_AM0042

¿Dónde vive actualmente? Si vive en más de un lugar durante el año, por favor, conteste pensando en el lugar donde vive **actualmente**.

1	Apartamento, condominio o casa	
2	En un campus universitario u otra vivienda universitaria	GO TO R09_AM0033
3	En la casa de una fraternidad	GO TO R09_AM0033
4	En otro lugar	GO TO R09_AM0033
-8	DON'T KNOW	
-7	REFUSED	

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

DISPLAY: BOLD SECOND INSTANCE OF "actualmente".

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

PATH ID: R09_AM0041

¿Con quién vive actualmente? Si vive en más de un lugar durante el año, por favor, conteste pensando en el lugar donde vive **actualmente**. Escoja todas las opciones que correspondan.

- 1 Padres o tutores
- 2 Amigos u otros compañeros de vivienda
- 3 Cónyuge o pareja sentimental
- 4 Mis hijos
- 5 Otro familiar o amigo de la familia
- 6 Vivo solo
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who currently live in an apartment, condo, or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_AM0042 = 1, -8, -7.

DISPLAY: BOLD SECOND INSTANCE OF "actualmente".

PROGRAM: Allow respondent to choose all that apply.

PATH ID: R09_AM0033

Las siguientes preguntas son acerca de sus **padres**. Piense en sus padres o figuras paternas o maternas (padrastros o madrastras, padres temporales, tutores, etc.) con quienes vivió la mayor parte del tiempo cuando era menor de 17 años.

¿Cuál es el grado o nivel escolar más alto que completó su **madre, madrastra o figura materna**?

- 1 Sin educación secundaria
- 2 Parte de la secundaria, sin diploma
- 3 Diploma de equivalencia general o GED
- 4 Secundaria completa - obtuvo diploma
- 5 Universidad por tiempo breve, sin graduarse
- 6 Título para una carrera intermedia - ocupacional/ vocacional
- 7 Título para una carrera intermedia - programa académico
- 8 Título universitario (por ejemplo: BA, AB o BS)
- 9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)
- 10 Título profesional universitario (por ejemplo: MD, DDS, DVM, JD)
- 11 Doctorado (por ejemplo: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

DISPLAY: BOLD THE FIRST OCCURRENCE OF "padres" AND "madre", "madrastra", AND "figura materna".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM0034

¿Cuál es el grado o nivel escolar más alto que completó su **padre, padrastro o figura paterna**?

- 1 Sin educación secundaria
- 2 Parte de la secundaria, sin diploma
- 3 Diploma de equivalencia general o GED
- 4 Secundaria completa - obtuvo diploma
- 5 Universidad por tiempo breve, sin graduarse
- 6 Título para una carrera intermedia - ocupacional/
vocacional
- 7 Título para una carrera intermedia - programa académico
- 8 Título universitario (por ejemplo: BA, AB o BS)
- 9 Maestría (por ejemplo: MA, MS, MEng, MEd, MSW)
- 10 Título profesional universitario (por ejemplo: MD, DDS,
DVM, JD)
- 11 Doctorado (por ejemplo: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25.

DISPLAY: BOLD "padre", "padrastro", AND "figura paterna".

BOX ID: R09_AMR04

Young adult respondents who do not live with their parents, go to R09_AM0036.
Else, go to Box R09_AMD02.

IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_AM0041_01 != 1, GO TO R09_AM0036.
ELSE, GO TO BOX R09_AMD02.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AM0036

¿Cuál de las siguientes categorías describe mejor el **ingreso total del hogar de sus padres** en los últimos 12 meses?

Esto es el ingreso total, antes de impuestos, de **todas las personas del hogar de sus padres en conjunto**. Incluya el dinero que recibió de trabajos, familiares, pensiones, dividendos, intereses, pagos del Seguro Social o pensiones de jubilación, ingresos netos de negocios, agricultura o alquiler y cualquier otro dinero recibido por los miembros del hogar.

1	Menos de 10,000 dólares	GO TO BOX R09_AMD02
2	10,000 a 14,999 dólares	GO TO BOX R09_AMD02
3	15,000 a 24,999 dólares	GO TO BOX R09_AMD02
4	25,000 a 34,999 dólares	GO TO BOX R09_AMD02
5	35,000 a 49,999 dólares	GO TO BOX R09_AMD02
6	50,000 a 74,999 dólares	GO TO BOX R09_AMD02
7	75,000 a 99,999 dólares	GO TO BOX R09_AMD02
8	100,000 a 149,999 dólares	GO TO BOX R09_AMD02
9	150,000 a 199,999 dólares	GO TO BOX R09_AMD02
10	200,000 dólares o más	GO TO BOX R09_AMD02
-8	DON'T KNOW	
-7	REFUSED	

ASK: Young adult respondents who do not live with their parents.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_AM0041_01 != 1.

DISPLAY: BOLD "ingreso total del hogar de sus padres" AND "todas las personas del hogar de sus padres en conjunto".

PATH ID: R09_AM0037

El ingreso total del hogar de sus **padres** en los últimos 12 meses, ¿es mayor o menor de 50,000 dólares?

1	Mayor de 50,000 dólares
2	Menor de 50,000 dólares
-8	DON'T KNOW
-7	REFUSED

ASK: Young adult respondents who do not live with their parents and did not know or refused to report their parents' total household income.

ASK Specification: IF 18 <= R09_ACHIEVEDAGE < 25 AND R09_AM0041_01 != 1 AND R09_AM0036 = -8, -7.

DISPLAY: BOLD "padres".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_AMD02

PROGRAM - STEM-LEAF SCREEN (YES/NO); SIMULTANEOUS DISPLAY; FIXED ORDER:
R09_AM0026.

IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1:

Display R09_AM0026 using the yes/no stem-leaf screen. The question text is the stem, the response options are the leaves. Show all leaves on the screen at once.

IF WEBDEVICE = 2:

Display one leaf per screen. Include the question text on each screen.

PATH ID: R09_AM0026

Actualmente, ¿tiene seguro de salud de alguna de las siguientes compañías de seguros o planes de seguros? [Marque Sí o No para cada una. Desplace para ver más afirmaciones.]

- 1 Asegurado por medio del empleador actual, del empleador antiguo o por el sindicato (suyo o de un miembro de su familia)
- 2 Asegurado directamente con una compañía de seguros (lo compró usted o un miembro de su familia)
- 3 Medicare, para personas mayores de 65 años o, personas con algunas discapacidades
- 4 Medicaid, Medical Assistance o algún tipo de plan de ayuda del gobierno para aquellos con bajos recursos o con discapacidades
- 5 Seguro de salud de VA
- 6 TRICARE u otro tipo de cuidado de salud militar
- 7 Servicio de salud indígena
- 8 Cualquier otro tipo de seguro de salud o plan de seguro
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 OR WEBDEVICE = 1, DISPLAY "Marque Sí o No para cada una. Desplace para ver más afirmaciones."
ELSE, DO NOT DISPLAY THIS TEXT.

PATH ID: R09_AM0063

¿Se considera...?

- 1 Lesbiana o gay
- 2 Heterosexual, o sea no es lesbiana ni gay
- 3 Bisexual
- 4 Otro
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

WEB NONRESPONSE DEBRIEF

BOX ID: R09_AXR162

Adult respondents who are completing an in-person interview and are in the web sample and did not start the web interview go to R09_AWNS01.

Else, adult respondents who are completing an in-person interview and are in the web sample and started the web interview without completing it, go to R09_AWNF01.

Else, go to R09_AL3000.

IF R09_ADULT_MODE = 1 AND W9WebStatus_Adult = WNS, GO TO R09_AWNS01.

ELSE, IF R09_ADULT_MODE = 1 AND W9WebStatus_Adult = WNF, GO TO R09_AWNF01.

ELSE, GO TO R09_AL3000.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AWNS01

Hace algunas semanas, el Estudio PATH le invitó a contestar el cuestionario del Estudio PATH por Internet. Se envió una carta de invitación del Estudio PATH a este domicilio, con instrucciones para contestar el cuestionario por Internet, pero no hemos recibido su cuestionario.

¿Cuál es el motivo PRINCIPAL por el que no contestó el cuestionario por Internet? Desplace para ver más opciones, si es necesario.

1	No tengo acceso al Internet	GO TO R09_AL3000
2	Mi conexión al Internet es lenta o poco fiable	
3	Pensé que sería muy difícil contestar el cuestionario por Internet	
4	Recibí varias cartas de invitación y no sé cuál debo usar	
5	Recibí varias cartas de invitación y me pareció mucho trabajo	
6	Prefiero que un entrevistador venga a mi casa	
7	Me preocupa que mi información no se guarde confidencialmente	
8	Me preocupa que tal vez no reciba el incentivo de agradecimiento	
9	Fue una invasión de mi privacidad comunicarse por correo electrónico, por texto, y con mis padres o tutores, o alguna combinación de estos	
10	Me molestó recibir más de un recordatorio	
11	La invitación que recibí no parecía una invitación legítima	
12	No recibí la invitación	GO TO R09_AL3000
13	Otro motivo (ESPECIFIQUE)	
-8	DON'T KNOW	GO TO R09_AL3000
-7	REFUSED	GO TO R09_AL3000

ASK: Adult respondents who are completing an in-person interview and are in the web sample and did not start the web interview.

ASK Specification: IF R09_ADULT_MODE = 1 AND W9WebStatus_Adult = WNS.

DISPLAY: IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN WITH GHOST TEXT "Escriba su respuesta".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AWNS02

¿Hubo otros motivos por los que no contestó el cuestionario por Internet? Escoja todas las opciones que correspondan. Desplace para ver más opciones, si es necesario.

1	No tengo acceso al Internet	GO TO R09_AL3000
2	Mi conexión a Internet es lenta o poco fiable	GO TO R09_AL3000
3	Pensé que sería muy difícil contestar el cuestionario por Internet	GO TO R09_AL3000
4	Recibí varias cartas de invitación y no sé cuál debo usar	GO TO R09_AL3000
5	Recibí varias cartas de invitación y me pareció mucho trabajo	GO TO R09_AL3000
6	Prefiero que un entrevistador venga a mi casa	GO TO R09_AL3000
7	Me preocupa que mi información no se guarde confidencialmente	GO TO R09_AL3000
8	Me preocupa que tal vez no reciba el incentivo de agradecimiento	GO TO R09_AL3000
9	Fue una invasión de mi privacidad comunicarse por correo electrónico, por texto, y con mis padres o tutores, o alguna combinación de estos	GO TO R09_AL3000
10	Me molestó recibir más de un recordatorio	GO TO R09_AL3000
11	La invitación que recibí no parecía una invitación legítima	GO TO R09_AL3000
12	No recibí la invitación	GO TO R09_AL3000
13	Otro motivo (ESPECIFIQUE)	GO TO R09_AL3000
0	No hubo otros motivos	GO TO R09_AL3000
-8	DON'T KNOW	GO TO R09_AL3000
-7	REFUSED	GO TO R09_AL3000

ASK: Adult respondents who are completing an in-person interview and are in the web sample and did not start the web interview and reported the main reason they did not start the web interview was not lack of internet access or not knowing they were invited to complete the interview online.

ASK Specification: IF R09_ADULT_MODE = 1 AND W9WebStatus_Adult = WNS AND R09_AWNS01 != 1, 12, -8, -7.

DISPLAY: IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN WITH GHOST TEXT "Escriba su respuesta".

PROGRAM: Allow respondent to choose all that apply. If option 0 is selected, no other option can be selected.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AWNF01

Hace algunas semanas, el Estudio PATH le invitó a contestar el cuestionario del Estudio PATH por Internet. Observamos que empezó a contestar el cuestionario por Internet, pero no lo terminó.

¿Cuál es el motivo PRINCIPAL por el que no terminó de contestar el cuestionario en Internet?

- 1 Fue muy difícil contestarlo por Internet
- 2 Tomó mucho tiempo contestarlo por Internet
- 3 Tuve problemas técnicos al contestarlo por Internet (p. ej., se me cerró el cuestionario, las imágenes no aparecieron, no pude verlo en mi dispositivo, etc.)
- 4 Recibí demasiados mensajes por correo electrónico y texto del Estudio PATH
- 5 Prefiero que un entrevistador venga a mi casa
- 6 Otro motivo (ESPECIFIQUE)
- 8 DON'T KNOW GO TO R09_AL3000
- 7 REFUSED GO TO R09_AL3000

ASK: Adult respondents who are completing an in-person interview and are in the web sample and started the web interview without completing it.

ASK Specification: IF R09_ADULT_MODE = 1 AND W9WebStatus_Adult = WNF.

DISPLAY: IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN WITH GHOST TEXT "Escriba su respuesta".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AWNF02

¿Hubo otros motivos por los que no terminó de contestar el cuestionario por Internet? Escoja todas las opciones que correspondan.

- 1 Fue muy difícil contestarlo por Internet
- 2 Tomó mucho tiempo contestarlo por Internet
- 3 Tuve problemas técnicos al contestarlo por Internet (p. ej., se me cerró el cuestionario, las imágenes no aparecieron, no pude verlo en mi dispositivo, etc.)
- 4 Recibí demasiados mensajes por correo electrónico y texto del Estudio PATH
- 5 Prefiero que un entrevistador venga a mi casa
- 6 Otro motivo (ESPECIFIQUE)
- 0 No hubo otros motivos
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing an in-person interview and are in the web sample and started the web interview without completing it and reported the main reason they did not finish the web interview.

ASK Specification: IF R09_ADULT_MODE = 1 AND W9WebStatus_Adult = WNF AND R09_AWNF01 != -8, -7.

DISPLAY: IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN WITH GHOST TEXT "Escriba su respuesta".

PROGRAM: Allow respondent to choose all that apply. If option 0 is selected, no other option can be selected.

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

CONTACT INFORMATION

PATH ID: R09_AL3000

Ha terminado esta parte del cuestionario. [Por favor, entréguele la computadora al entrevistador./
Seleccione el botón Siguiente para continuar.]

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Por favor, entréguele la computadora al entrevistador."
ELSE, DISPLAY "Seleccione el botón Siguiente para continuar."

PROGRAM: For all interviews: Set R09_ADULT_COMPLETE = 1 for Int812_PID.
For web interviews only: Blaise sets Adult Survey status to FPC (Final Partial Complete).

BOX ID: R09_ALR21

Adult respondents who are completing an in-person interview, go to R09_AL3003.
Else, go to Box R09_ALR01.

IF R09_ADULT_MODE = 1, GO TO R09_AL3003.
ELSE, GO TO BOX R09_ALR01.

PATH ID: R09_AL3003

Ahora el entrevistador tendrá que ingresar la contraseña de monitor en la computadora.

1 |__|__|__|__| Monitor Password

ASK: Adult respondents who are completing an in-person interview.

ASK Specification: IF R09_ADULT_MODE = 1.

DISPLAY: DISPLAY "Anoté un número" AS GHOST TEXT.

PROGRAM: The Monitor Password is 8954.

If Monitor Password != 8954, display hard error: "The monitor password you entered is not valid. Enter the correct monitor password."

Transition to CAPI.

PATH ID: R09_AL3007

{COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS
ALREADY PROVIDED CONTACT INFORMATION}

SELECT THE NEXT BUTTON TO CONTINUE.

1 NEXT

ASK: Adult respondents who are completing an in-person interview.

ASK Specification: IF R09_ADULT_MODE = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTIONS IN BLUE.

IF CONTACTFLAG_LD != 1, DISPLAY "COLLECT CONTACT INFORMATION FOR THIS
RESPONDENT".

ELSE, DISPLAY "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ALR01

ASK CONTACT INFORMATION 1 TIME FOR EACH ADULT RESPONDENT.

Adult respondents who have not already provided contact information in another completed interview, go to R09_AL0041.

Else, go to R09_AL3005.

IF CONTACTFLAG_LD != 1, GO TO R09_AL0041.

ELSE, GO TO R09_AL3005.

PATH ID: R09_AL0041

Ya que su continua participación en el Estudio PATH es importante para el éxito del estudio, {quisiera brevemente/quisiéramos} confirmar su información de contacto {para mis registros}. Únicamente usaremos esta información para contactarle acerca de su participación en el estudio.

Selecione el botón SIGUIENTE para continuar.

1 SIGUIENTE

ASK: Adult respondents who have not already provided contact information in another completed interview.

ASK Specification: IF CONTACTFLAG_LD != 1.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "quisiera brevemente" AND "para mis registros".

ELSE, DISPLAY "quisiéramos" AND DO NOT DISPLAY "para mis registros".

IF R09_ADULT_MODE = 1, DISPLAY "Selecione el botón SIGUIENTE para continuar." IN

UPPERCASE LETTERS AS BLUE TEXT.

ELSE, DISPLAY AS SHOWN.

BOX ID: R09_ALR02

Adult respondents who have not already provided contact information in another completed interview and have a valid physical address on file, go to R09_AL0001.

Else, go to R09_AL0037.

IF CONTACTFLAG_LD != 1 AND LinkedAddress1 != -1, GO TO R09_AL0001.

ELSE, GO TO R09_AL0037.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0001

{Tengo/Tenemos} anotado que su dirección es ...

{**READ ADDRESS ALOUD.**}

ADDRESS

APT #

CITY, STATE ZIP CODE

¿Es correcto?

1 Sí

GO TO BOX R09_ALR22

2 No

ASK: Adult respondents who have not already provided contact information in another completed interview and have a valid physical address on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND LinkedAddress1 != -1.

DISPLAY: DISPLAY ADDRESS IN EASY TO READ FORMAT.

IF R09_ADULT_MODE = 1, DISPLAY "Tengo".

ELSE, DISPLAY "Tenemos".

IF R09_ADULT_MODE = 1, DISPLAY "READ ADDRESS ALOUD." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.

ELSE, DISPLAY AS SHOWN.

PROGRAM: Populate Address, Apt #, City, State, Zip Code with address data from LinkedAddress1, LinkedAddress2, LinkedCity, LinkedState, LinkedZip.

Suppress non-response options.

PATH ID: R09_AL0037

¿Cuál es su dirección?

{**VERIFY ALL SPELLING.**}

1 DIRECCIÓN

2 DIRECCIÓN (CONT.)

3 CIUDAD

4 ESTADO

5 CÓDIGO POSTAL

ASK: Adult respondents who have not already provided contact information in another completed interview and need to correct their physical address or do not have a valid physical address on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0001 = 2 OR LinkedAddress1 = -1).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ALR28

Adult respondents who have not already provided contact information in another completed interview and need to correct their physical address or do not have a valid physical address on file and did not provide the city or did not provide the state and ZIP code, go to R09_AL2037.
Else, go to Box R09_ALR22.

IF CONTACTFLAG_LD != 1 AND (R09_AL0001 = 2 OR LinkedAddress1 = -1) AND (R09_AL0037 CITY = -1 OR (R09_AL0037 STATE = -1 AND R09_AL0037 ZIP = -1)), GO TO R09_AL2037.
ELSE, GO TO BOX R09_ALR22.

PATH ID: R09_AL2037

{Anotó el número y nombre de su calle.} Por favor, considere anotar su {ciudad, estado y código postal/ciudad y estado/ciudad y código postal/ciudad/estado y código postal}.

Su participación en el Estudio PATH tiene un impacto positivo al ayudarnos a entender cómo el consumir o no consumir tabaco se relaciona con la salud. En aproximadamente un año, nos volveremos a comunicar con usted para pedirle que continúe participando en el estudio.

{**VERIFY ALL SPELLING.**}

- 3 CIUDAD
- 4 ESTADO
- 5 CÓDIGO POSTAL

ASK: Adult respondents who have not already provided contact information in another completed interview and need to correct their physical address or do not have a valid physical address on file and did not provide the city or did not provide the state and ZIP code.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0001 = 2 OR LinkedAddress1 = -1) AND (R09_AL0037 CITY = -1 OR (R09_AL0037 STATE = -1 AND R09_AL0037 ZIP = -1)).

DISPLAY: IF R09_AL0037 ADDRESS LINE 1 != -1 OR R09_AL0037 ADDRESS LINE 2 != -1, DISPLAY "Anotó el número y nombre de su calle."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_AL0037 CITY = -1 AND R09_AL0037 STATE = -1 AND R09_AL0037 ZIP = -1, DISPLAY "ciudad, estado y código postal".

ELSE, IF R09_AL0037 CITY = -1 AND R09_AL0037 STATE = -1 AND R09_AL0037 ZIP != -1, DISPLAY "ciudad y estado".

ELSE, IF R09_AL0037 CITY = -1 AND R09_AL0037 STATE != -1 AND R09_AL0037 ZIP = -1, DISPLAY "ciudad y código postal".

ELSE, IF R09_AL0037 CITY = -1 AND R09_AL0037 STATE != -1 AND R09_AL0037 ZIP != -1, DISPLAY "ciudad".

ELSE, IF R09_AL0037 CITY != -1 AND R09_AL0037 STATE = -1 AND R09_AL0037 ZIP = -1, DISPLAY "estado y código postal".

IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data.

Suppress CITY field if R09_AL0037 CITY != -1.

Suppress STATE drop down menu if R09_AL0037 STATE != -1.

Suppress ZIP CODE field if R09_AL0037 ZIP != -1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ALR22

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their physical address, go to R09_AL0002.
Else, go to R09_AL0035.

IF CONTACTFLAG_LD != 1 AND ((R09_AL0001 = 1 OR LinkedAddress1 = -1) OR (R09_AL0001 = 2 AND R09_AL0037 ADDRESS LINE 1 != -1 AND (R09_AL0037 CITY != -1 OR R09_AL2037 CITY != -1) AND (R09_AL0037 STATE != -1 OR R09_AL2037 STATE != -1) AND (R09_AL0037 ZIP != -1 OR R09_AL2037 ZIP != -1))), GO TO R09_AL0002.
ELSE, GO TO R09_AL0035.

PATH ID: R09_AL0002

¿Recibe usted el correo en esta dirección?

1	Sí	GO TO R09_AL0035
2	No	
-8	DON'T KNOW	GO TO R09_AL0035
-7	REFUSED	GO TO R09_AL0035

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their physical address.

ASK Specification: IF CONTACTFLAG_LD != 1 AND ((R09_AL0001 = 1 OR LinkedAddress1 = -1) OR (R09_AL0001 = 2 AND R09_AL0037 ADDRESS LINE 1 != -1 AND (R09_AL0037 CITY != -1 OR R09_AL2037 CITY != -1) AND (R09_AL0037 STATE != -1 OR R09_AL2037 STATE != -1) AND (R09_AL0037 ZIP != -1 OR R09_AL2037 ZIP != -1)))

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

PATH ID: R09_AL0003

¿Me podría dar su dirección postal?

{[VERIFY ALL SPELLING.](#)}

- 1 DIRECCIÓN
- 2 DIRECCIÓN (CONT.)
- 3 CIUDAD
- 4 ESTADO
- 5 CÓDIGO POSTAL

ASK: Adult respondents who have not already provided contact information in another completed interview and do not receive mail at their physical address.

ASK Specification: IF CONTACTFLAG_LD != 1 AND R09_AL0002 = 2.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING." IN BLUE.
ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ALR29

Adult respondents who have not already provided contact information in another completed interview and do not receive mail at their physical address and did not provide the city or did not provide the state and ZIP code, go to R09_AL2003.
Else, go to R09_AL0035.

IF CONTACTFLAG_LD != 1 AND R09_AL0002 = 2 AND (R09_AL0003 CITY = -1 OR (R09_AL0003 STATE = -1 AND R09_AL0003 ZIP = -1)), GO TO R09_AL2003.
ELSE, GO TO R09_AL0035.

PATH ID: R09_AL2003

{Anotó el número y nombre de su calle.} Por favor, considere anotar su {ciudad, estado y código postal/ciudad y estado/ciudad y código postal/ciudad/estado y código postal}.

Su participación en el Estudio PATH tiene un impacto positivo al ayudarnos a entender cómo el consumir o no consumir tabaco se relaciona con la salud. En aproximadamente un año, nos volveremos a comunicar con usted para pedirle que continúe participando en el estudio.

{**VERIFY ALL SPELLING.**}

- 3 CIUDAD
- 4 ESTADO
- 5 CÓDIGO POSTAL

ASK: Adult respondents who have not already provided contact information in another completed interview and do not receive mail at their physical address and did not provide the city or did not provide the state and ZIP code.

ASK Specification: IF CONTACTFLAG_LD != 1 AND R09_AL0002 = 2 AND (R09_AL0003 CITY = -1 OR (R09_AL0003 STATE = -1 AND R09_AL0003 ZIP = -1)).

DISPLAY: IF R09_AL0003 ADDRESS LINE 1 != -1 OR R09_AL0003 ADDRESS LINE 2 != -1, DISPLAY "Anotó el número y nombre de su calle."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_AL0003 CITY = -1 AND R09_AL0003 STATE = -1 AND R09_AL0003 ZIP = -1, DISPLAY "ciudad, estado y código postal".

ELSE, IF R09_AL0003 CITY = -1 AND R09_AL0003 STATE = -1 AND R09_AL0003 ZIP != -1, DISPLAY "ciudad y estado".

ELSE, IF R09_AL0003 CITY = -1 AND R09_AL0003 STATE != -1 AND R09_AL0003 ZIP = -1, DISPLAY "ciudad y código postal".

ELSE, IF R09_AL0003 CITY = -1 AND R09_AL0003 STATE != -1 AND R09_AL0003 ZIP != -1, DISPLAY "ciudad".

ELSE, IF R09_AL0003 CITY != -1 AND R09_AL0003 STATE = -1 AND R09_AL0003 ZIP = -1, DISPLAY "estado y código postal".

IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data.

Suppress CITY field if R09_AL0003 CITY != -1.

Suppress STATE drop down menu if R09_AL0003 STATE != -1.

Suppress ZIP CODE field if R09_AL0003 ZIP != -1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0035

¿Tiene otra vivienda en la que viva durante el año?

1	Sí	
2	No	GO TO BOX R09_ALR03
-8	DON'T KNOW	GO TO BOX R09_ALR03
-7	REFUSED	GO TO BOX R09_ALR03

ASK: Adult respondents who have not already provided contact information in another completed interview.

ASK Specification: IF CONTACTFLAG_LD != 1.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

PATH ID: R09_AL0036

¿Cuál es la dirección de la otra vivienda?

{**VERIFY ALL SPELLING.**}

1	DIRECCIÓN
2	DIRECCIÓN (CONT.)
3	CIUDAD
4	ESTADO
5	CÓDIGO POSTAL

ASK: Adult respondents who have not already provided contact information in another completed interview and have a second home.

ASK Specification: IF CONTACTFLAG_LD != 1 AND R09_AL0035 = 1.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING." IN BLUE.
ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data.

BOX ID: R09_ALR30

Adult respondents who have not already provided contact information in another completed interview and have a second home and did not provide the city or did not provide the state and ZIP code, go to R09_AL2036.

Else, go to Box R09_ALR03.

IF CONTACTFLAG_LD != 1 AND R09_AL0035 = 1 AND (R09_AL0036 CITY = -1 OR (R09_AL0036 STATE = -1 AND R09_AL0036 ZIP = -1)), GO TO R09_AL2036.
ELSE, GO TO BOX R09_ALR03.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL2036

{Anotó el número y nombre de su calle.} Por favor, considere anotar su {ciudad, estado y código postal/ciudad y estado/ciudad y código postal/ciudad/estado y código postal}.

Su participación en el Estudio PATH tiene un impacto positivo al ayudarnos a entender cómo el consumir o no consumir tabaco se relaciona con la salud. En aproximadamente un año, nos volveremos a comunicar con usted para pedirle que continúe participando en el estudio.

{**VERIFY ALL SPELLING.**}

- 3 CIUDAD
- 4 ESTADO
- 5 CÓDIGO POSTAL

ASK: Adult respondents who have not already provided contact information in another completed interview and have a second home and did not provide the city or did not provide the state and ZIP code.

ASK Specification: IF CONTACTFLAG_LD != 1 AND R09_AL0035 = 1 AND (R09_AL0036 CITY = -1 OR (R09_AL0036 STATE = -1 AND R09_AL0036 ZIP = -1)).

DISPLAY: IF R09_AL0036 ADDRESS LINE 1 != -1 OR R09_AL0036 ADDRESS LINE 2 != -1, DISPLAY "Anotó el número y nombre de su calle."
ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_AL0036 CITY = -1 AND R09_AL0036 STATE = -1 AND R09_AL0036 ZIP = -1, DISPLAY "ciudad, estado y código postal".

ELSE, IF R09_AL0036 CITY = -1 AND R09_AL0036 STATE = -1 AND R09_AL0036 ZIP != -1, DISPLAY "ciudad y estado".

ELSE, IF R09_AL0036 CITY = -1 AND R09_AL0036 STATE != -1 AND R09_AL0036 ZIP = -1, DISPLAY "ciudad y código postal".

ELSE, IF R09_AL0036 CITY = -1 AND R09_AL0036 STATE != -1 AND R09_AL0036 ZIP != -1, DISPLAY "ciudad".

ELSE, IF R09_AL0036 CITY != -1 AND R09_AL0036 STATE = -1 AND R09_AL0036 ZIP = -1, DISPLAY "estado y código postal".

IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data.

Suppress CITY field if R09_AL0036 CITY != -1.

Suppress STATE drop down menu if R09_AL0036 STATE != -1.

Suppress ZIP CODE field if R09_AL0036 ZIP != -1.

BOX ID: R09_ALR03

Adult respondents who have not already provided contact information in another completed interview and have a valid best telephone number on file, go to R09_AL0004_12M.
Else, go to R09_AL0004.

IF CONTACTFLAG_LD != 1 AND (PHONE1 != -1 AND = 10 DIGITS), GO TO R09_AL0004_12M.
ELSE, GO TO R09_AL0004.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0004_12M

{Tengo/Tenemos} anotado que su número de teléfono es {PHONE1}.

¿Es correcto?

1 Sí	GO TO BOX R09_ALR14
2 No	
-8 DON'T KNOW	
-7 REFUSED	GO TO BOX R09_ALR14

ASK: Adult respondents who have not already provided contact information in another completed interview and have a valid best telephone number on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (PHONE1 != -1 AND = 10 DIGITS).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Tengo".

ELSE, DISPLAY "Tenemos".

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.

ELSE, DISPLAY AS SHOWN.

PROGRAM: Populate {PHONE1} with phone number data from PHONE1 and apply this format: (XXX) XXX-XXXX.

PATH ID: R09_AL0004

¿Cuál es el mejor número de teléfono para comunicarse con usted?

Anote únicamente números. No anote guiones, rayas ni otros símbolos.

1 Mejor número de teléfono (____) ____-____

ASK: Adult respondents who have not already provided contact information in another completed interview and need to correct their best telephone number on file, who or don't know if whether the best telephone number provided on file is correct, or who do not have a valid best telephone number on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0004_12M = 2, -8 OR (PHONE1 = -1 OR != 10 DIGITS)).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Anote únicamente números. No anote guiones, rayas ni otros símbolos." IN UPPERCASE LETTERS AS BLUE TEXT.

ELSE, DISPLAY AS SHOWN.

DISPLAY "Mejor número de teléfono" AS TITLE.

PROGRAM: Apply edit mask for this format: (XXX) XXX-XXXX.

Allow blank fields/missing data.

BOX ID: R09_ALR14

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their best telephone number, go to R09_AL0038.

Else, go to Box R09_ALR04.

IF CONTACTFLAG_LD != 1 AND (R09_AL0004_12M = 1 OR R09_AL0004 != -1), GO TO R09_AL0038.
ELSE, GO TO R09_ALR04.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0038

¿Es este número de un celular?

1 Sí	
2 No	GO TO R09_ALR04
-8 DON'T KNOW	
-7 REFUSED	

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their best telephone number.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0004_12M = 1 OR R09_AL0004 != -1).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

PATH ID: R09_AL0032

¿Podemos comunicarnos con usted con mensajes de texto por este número? Podrían aplicarse tarifas de mensaje y datos.

- | |
|-----------------|
| 1 Sí |
| 2 No |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who have not already provided contact information in another completed interview and reported their best telephone number is a cell phone or did not know or refused to report whether their best telephone number is a cell phone.

ASK Specification: IF CONTACTFLAG_LD != 1 AND R09_AL0038 != 21, -8, -7.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

BOX ID: R09_ALR04

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their best telephone number and have a valid second telephone number on file, go to R09_AL0005.
Else, go to Box R09_ALR15.

IF CONTACTFLAG_LD != 1 AND (R09_AL0004_12M = 1 OR R09_AL0004 != -1) AND (PHONE2 != -1 AND = 10 DIGITS), GO TO R09_AL0005.
ELSE, GO TO BOX R09_ALR15.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0005

{Tengo/Tenemos} anotado que su número de teléfono alternativo es {PHONE2}.

¿Es correcto?

1 Sí	GO TO BOX R09_ALR15
2 No	
-8 DON'T KNOW	
-7 REFUSED	GO TO BOX R09_ALR15

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their best telephone number and have a valid second telephone number on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0004_12M = 1 OR R09_AL0004 != -1) AND (PHONE2 != -1 AND = 10 DIGITS).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Tengo".

ELSE, DISPLAY "Tenemos".

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.

ELSE, DISPLAY AS SHOWN.

PROGRAM: Populate {PHONE2} with phone number data from PHONE2 and apply this format: (XXX) XXX-XXXX.

PATH ID: R09_AL0006

¿Cuál es un número alternativo que podamos utilizar para comunicarnos con usted?

Anote únicamente números. No anote guiones, rayas ni otros símbolos.

1 Número de teléfono alternativo (____) ____-____

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their best telephone number and need to correct their second telephone number on file or did not know whether the second telephone number on file is correct or who do not have a valid second telephone number on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0004_12M = 1 OR R09_AL0004 != -1) AND (R09_AL0005 = 2, -8 OR (PHONE2 = -1 OR != 10 DIGITS)).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Anote únicamente números. No anote guiones, rayas ni otros símbolos." IN UPPERCASE LETTERS AS BLUE TEXT.

ELSE, DISPLAY AS SHOWN.

DISPLAY "Número de teléfono alternativo" AS TITLE.

PROGRAM: Apply edit mask for this format: (XXX) XXX-XXXX.

Allow blank fields/missing data.

BOX ID: R09_ALR15

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their second telephone number, go to R09_AL0039.

Else, go to Box R09_ALR16.

IF CONTACTFLAG_LD != 1 AND (R09_AL0005 = 1 OR R09_AL0006 != -1), GO TO R09_AL0039.

ELSE, GO TO BOX R09_ALR16.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0039

¿Es este número de un celular?

1 SÍ	
2 NO	GO TO BOX R09_ALR16
-8 DON'T KNOW	
-7 REFUSED	

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided their second telephone number.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0005 = 1 OR R09_AL0006 != -1).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

PATH ID: R09_AL0033

¿Podemos comunicarnos con usted con mensajes de texto por este número? Podrían aplicarse tarifas de mensaje y datos.

- | |
|---------------|
| 1 SÍ |
| 2 NO |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who have not already provided contact information in another completed interview and reported their second telephone number is a cell phone or did not know or refused to report whether their second telephone number is a cell phone.

ASK Specification: IF CONTACTFLAG_LD != 1 AND R09_AL0039 = 1, -8, -7.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

BOX ID: R09_ALR16

Adult respondents who have not already provided contact information in another completed interview and have a valid email address on file, go to R09_AL0042.
Else, go to R09_AL0012.

IF CONTACTFLAG_LD != 1 AND EMAIL != 1, GO TO R09_AL0042.
ELSE, GO TO R09_AL0012.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0042

{Tengo/Tenemos} anotado que su correo electrónico es {EMAIL}.

¿Es correcto?

1 Sí	GO TO BOX R09_ALR23
2 No	
-8 DON'T KNOW	
-7 REFUSED	GO TO BOX R09_ALR23

ASK: Adult respondents who have not already provided contact information in another completed interview and have a valid email address on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND EMAIL != 1.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Tengo".

ELSE, DISPLAY "Tenemos".

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.

ELSE, DISPLAY AS SHOWN.

PROGRAM: Populate {EMAIL} with email address data from EMAIL

PATH ID: R09_AL0012

¿Me podría dar su correo electrónico?

VERIFY ALL SPELLING AND PUNCTUATION.

- 1 Correo electrónico

ASK: Adult respondents who have not already provided contact information in another completed interview and need to correct the email address on file or did not know whether the email address on file is correct or do not have a valid email address on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0042 = 2, -8 OR EMAIL = -1).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING AND PUNCTUATION." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAME AS TITLE.

IF INVALID FORMAT IS ENTERED, DISPLAY ERROR MESSAGE: "Por favor, anote un correo electrónico válido usando este formato 'abc@proveedor.com'."

PROGRAM: Apply edit mask for this format: abc@provider.com.

Allow blank fields/missing data.

BOX ID: R09_ALR23

Adult respondents who have not already provided contact information in another completed interview and have confirmed or provided their email address, go to R09_AL0052.

Else, go to Box R09_ALR09.

IF CONTACTFLAG_LD != 1 AND (R09_AL0042 = 1 OR R09_AL0012 != -1), GO TO R09_AL0052.

ELSE, GO TO BOX R09_ALR09.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0052

¿Podemos comunicarnos con usted en este correo electrónico?

- 1 Sí
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview and have confirmed or provided their email address.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0042 = 1 OR R09_AL0012 != -1).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

BOX ID: R09_ALR09

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided more than one mode of contact information, go to R09_AL0017.
Else, go to R09_AL0018.

IF ANY 2 OF THE FOLLOWING CONDITIONS ARE MET:

[R09_AL0004_12M = 1 OR R09_AL0004 != -1 OR R09_AL0005 = 1 OR R09_AL0006 != -1]

[R09_AL0032 = 1 OR R09_AL0033 = 1]

[(R09_AL0042 = 1 OR R09_AL0012 != -1) AND R09_AL0052 = 1]

GO TO R09_AL0017.

ELSE, GO TO R09_AL0018.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0017

¿Cuál es la mejor manera para comunicarse con usted?

- 1 Teléfono
- 2 Mensaje de texto
- 3 Correo electrónico
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided more than one mode of contact information.

ASK Specification: IF CONTACTFLAG_LD != 1 AND ANY 2 OF THE FOLLOWING CONDITIONS ARE MET: [R09_AL0004_12M = 1 OR R09_AL0004 != -1 OR R09_AL0005 = 1 OR R09_AL0006 != -1] OR [R09_AL0032 = 1 OR R09_AL0033 = 1] OR [(R09_AL0042 = 1 OR R09_AL0012 != -1) AND R09_AL0052 = 1].

DISPLAY: IF R09_AL0004_12M = 1 OR R09_AL0004 != -1 OR R09_AL0005 = 1 OR R09_AL0006 != -1, DISPLAY OPTION 1 "Teléfono".

ELSE, DO NOT DISPLAY OPTION 1.

IF R09_AL0032 = 1 OR R09_AL0033 = 1, DISPLAY OPTION 2 "Mensaje de texto".

ELSE, DO NOT DISPLAY OPTION 2.

IF (R09_AL0042 = 1 OR R09_AL0012 != -1) AND R09_AL0052 = 1, DISPLAY OPTION 3 "Correo electrónico".

ELSE, DO NOT DISPLAY OPTION 3.

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.

ELSE, DISPLAY AS SHOWN.

PATH ID: R09_AL0018

¿Tiene pensado mudarse ya sea de manera permanente o temporal dentro de los próximos 12 meses?

- 1 Sí
- 2 No GO TO BOX R09_ALR17
- 3 Quizás
- 8 DON'T KNOW GO TO BOX R09_ALR17
- 7 REFUSED GO TO BOX R09_ALR17

ASK: Adult respondents who have not already provided contact information in another completed interview.

ASK Specification: IF CONTACTFLAG_LD != 1.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.

ELSE, DISPLAY AS SHOWN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0019

{Me/Nos} podría decir un poco más acerca de sus planes de mudanza? {Por favor, escriba su respuesta a continuación.}

{IF NEEDED:} [Por ejemplo, su nueva dirección o la ciudad o el estado a donde tiene pensado mudarse, o el nombre de la universidad a la que piensa asistir.]

{PROBE FOR AND RECORD ANY KNOWN INFORMATION.}

1 [OPEN TEXT RESPONSE]

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview and plan to move in the next 12 months.

ASK Specification: IF CONTACTFLAG_LD != 1 AND R09_AL0018 = 1, 3.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Me"; DO NOT DISPLAY "Por favor, escriba la respuesta a continuación."; DISPLAY "IF NEEDED: " AND "PROBE FOR AND RECORD ANY KNOWN INFORMATION." IN BLUE; DISPLAY "Escriba su respuesta" AS GHOST TEXT.

ELSE, DISPLAY "Nos" AND "Por favor, escriba la respuesta a continuación."; DO NOT DISPLAY "IF NEEDED: " AND "PROBE FOR AND RECORD ANY KNOWN INFORMATION."

BOX ID: R09_ALR17

Adult respondents who have not already provided contact information in another completed interview and have the name of a tracing contact on file, go to R09_AL0043.

Else, adult respondents who have not already provided contact information in another completed interview and do not have the name of a tracing contact on file, go to R09_AL0020.

Else, go to R09_AL3005.

IF CONTACTFLAG_LD != 1 AND ContactName != -1, GO TO R09_AL0043.

ELSE, IF CONTACTFLAG_LD != 1 AND ContactName = -1, GO TO R09_AL0020.

ELSE, GO TO R09_AL3005.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0043

Ya que quisiéramos volver a entrevistarle es importante que podamos contactarlo en aproximadamente un año. En caso de que no podamos contactarlo, nos comunicaremos con algún familiar o amigo que no viva con usted y que sepa cómo comunicarse con usted. {Quisiera confirmar brevemente la información de contacto de esta persona que usted nos dio en una entrevista anterior.}

{Tengo anotado que el nombre es {NAME}. / En una entrevista anterior usted dijo que {NAME} sabe cómo comunicarse con usted.}

¿Es correcto?

1 Sí

GO TO BOX R09_ALR10

2 No

ASK: Adult respondents who have not already provided contact information in another completed interview and have the name of a tracing contact on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND ContactName != -1.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Quisiera confirmar brevemente la información de contacto de esta persona que usted nos dio en una entrevista anterior." AND "Tengo anotado que el nombre es {NAME}."

ELSE, DISPLAY "En una entrevista anterior usted dijo que {NAME} sabe cómo comunicarse con usted." AND DO NOT DISPLAY "Quisiera confirmar brevemente..." TEXT.

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.

ELSE, DISPLAY AS SHOWN.

PROGRAM: Populate {NAME} with data from ContactName.

Suppress non-response options.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0020

{Ya que quisiéramos volver a entrevistarle es importante que podamos contactarlo en aproximadamente un año. En caso de que no podamos contactarlo, ¿tiene algún familiar o amigo que no viva con usted y que sepa cómo comunicarse con usted? **IF NEEDED:** Tenga la certeza de que solo usaremos esta información si no podemos comunicarnos con usted. /Ya que quisiéramos volver a entrevistarle es importante que podamos contactarlo en aproximadamente un año. En caso de que no podamos contactarlo, ¿tiene algún familiar o amigo que no viva con usted y que sepa cómo comunicarse con usted? Solo usaremos esta información si no podemos comunicarnos con usted.}

¿Cómo se llama esa persona?

{VERIFY ALL SPELLING.

IF SP IS UNABLE OR UNWILLING TO PROVIDE A FIRST OR LAST NAME LEAVE THAT FIELD BLANK.}

1 PRIMER NOMBRE

2 APELLIDO

ASK: Adult respondents who have not already provided contact information in another completed interview and need to correct the name of the tracing contact on file or do not have the name of a tracing contact on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 2 OR ContactName = -1).

DISPLAY: IF R09_ADULT_MODE = 1 AND ContactName = -1, DISPLAY "Ya que quisiéramos volver a entrevistarle es importante que podamos contactarlo en aproximadamente un año. En caso de que no podamos contactarlo, ¿tiene algún familiar o amigo que no viva con usted y que sepa cómo comunicarse con usted? **IF NEEDED:** Tenga la certeza de que solo usaremos esta información si no podemos comunicarnos con usted." AND DISPLAY "IF NEEDED:" IN BLUE.

ELSE, IF ContactName = -1, DISPLAY "Ya que quisiéramos volver a entrevistarle es importante que podamos contactarlo en aproximadamente un año. En caso de que no podamos contactarlo, ¿tiene algún familiar o amigo que no viva con usted y que sepa cómo comunicarse con usted? Solo usaremos esta información si no podemos comunicarnos con usted."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING. IF SP IS UNABLE OR UNWILLING TO PROVIDE A FIRST OR LAST NAME LEAVE THAT FIELD BLANK." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data.

BOX ID: R09_ALR10

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and have the address of a tracing contact on file, go to R09_AL0044.

Else, adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and do not have the address of a tracing contact on file, go to R09_AL0022.

Else, go to R09_AL3005.

IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND ContactAddress != -1, GO TO R09_AL0044.

ELSE, IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND ContactAddress = -1, GO TO R09_AL0022.

ELSE, GO TO R09_AL3005.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0044

{Tengo/Tenemos} anotado que la dirección es...

{**READ ADDRESS ALOUD.**}

ADDRESS

APT #

CITY, STATE ZIP CODE

¿Es correcto?

1 Sí

GO TO BOX R09_ALR18

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R09_ALR18

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and have the address of a tracing contact on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND ContactAddress != -1.

DISPLAY: DISPLAY ADDRESS IN AN EASY TO READ FORMAT.

IF R09_ADULT_MODE = 1, DISPLAY "Tengo".

ELSE, DISPLAY "Tenemos".

IF R09_ADULT_MODE = 1, DISPLAY "READ ADDRESS ALOUD." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.

ELSE, DISPLAY AS SHOWN.

PROGRAM: Populate Address, Apt #, City, State, Zip Code with address data from ContactAddress.

PATH ID: R09_AL0022

¿Cuál es la dirección de esa persona?

{**VERIFY ALL SPELLING.**}

1 DIRECCIÓN

2 DIRECCIÓN (CONT.)

3 CIUDAD

4 ESTADO

5 CÓDIGO POSTAL

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and need to correct the address of the tracing contact on file or did not know whether the address of the tracing contact on file is correct or do not have the address of a tracing contact on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND (R09_AL0044 = 2, -8 OR ContactAddress = -1).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ALR31

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and need to correct the address of the tracing contact on file or did not know whether the address of the tracing contact on file is correct or do not have the address of a tracing contact on file and did not provide the city or did not provide the state and ZIP code, go to R09_AL2022.

Else, go to Box R09_ALR18.

IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND (R09_AL0044 = 2, -8 OR ContactAddress = -1) AND (R09_AL0022 CITY = -1 OR (R09_AL0022 STATE = -1 AND R09_AL0022 ZIP = -1)), GO TO R09_AL2022.
ELSE, GO TO BOX R09_ALR18.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL2022

{Anotó el número y nombre de su calle.} Por favor, considere anotar su {ciudad, estado y código postal/ciudad y estado/ciudad y código postal/ciudad/estado y código postal}.

Su participación en el Estudio PATH tiene un impacto positivo al ayudarnos a entender cómo el consumir o no consumir tabaco se relaciona con la salud. En aproximadamente un año, nos volveremos a comunicar con usted para pedirle que continúe participando en el estudio. Solamente nos comunicaremos con {NAME} si no podemos comunicarnos con usted.

{**VERIFY ALL SPELLING.**}

- 3 CIUDAD
- 4 ESTADO
- 5 CÓDIGO POSTAL

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and need to correct the address of the tracing contact on file or did not know whether the address of the tracing contact on file is correct or do not have the address of a tracing contact on file and did not provide the city or did not provide the state and ZIP code.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND (R09_AL0044 = 2, -8 OR ContactAddress = -1) AND (R09_AL0022 CITY = -1 OR (R09_AL0022 STATE = -1 AND R09_AL0022 ZIP = -1)).

DISPLAY: IF R09_AL0022 ADDRESS LINE 1 != -1 OR R09_AL0022 ADDRESS LINE 2 != -1, DISPLAY "Anotó el número y nombre de su calle."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_AL0022 CITY = -1 AND R09_AL0022 STATE = -1 AND R09_AL0022 ZIP = -1, DISPLAY "ciudad, estado y código postal".

ELSE, IF R09_AL0022 CITY = -1 AND R09_AL0022 STATE = -1 AND R09_AL0022 ZIP != -1, DISPLAY "ciudad y estado".

ELSE, IF R09_AL0022 CITY = -1 AND R09_AL0022 STATE != -1 AND R09_AL0022 ZIP = -1, DISPLAY "ciudad y código postal".

ELSE, IF R09_AL0022 CITY = -1 AND R09_AL0022 STATE != -1 AND R09_AL0022 ZIP != -1, DISPLAY "ciudad".

ELSE, IF R09_AL0022 CITY != -1 AND R09_AL0022 STATE = -1 AND R09_AL0022 ZIP = -1, DISPLAY "estado y código postal".

IF R09_ADULT_MODE = 1, DISPLAY "VERIFY ALL SPELLING." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY FIELD NAMES AS TITLES.

PROGRAM: Allow blank fields/missing data for all fields.

Suppress CITY field if R09_AL0022 CITY != -1.

Suppress STATE drop down menu if R09_AL0022 STATE != -1.

Suppress ZIP CODE field if R09_AL0022 ZIP != -1.

Populate {NAME} with data from ContactName if R09_AL0043 = 1; else populate {NAME} with data from R09_AL0020 FIRST NAME.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ALR18

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and have the telephone number of a tracing contact on file, go to R09_AL0045.
Else, go to R09_AL0023.

IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND ContactPhone != -1, GO TO R09_AL0045.
ELSE, GO TO R09_AL0023.

PATH ID: R09_AL0045

{Tengo/Tenemos} anotado que el número de teléfono es {ContactPhone}.

¿Es correcto?

1 Sí	GO TO BOX R09_ALR19
2 No	
-8 DON'T KNOW	
-7 REFUSED	GO TO BOX R09_ALR19

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and have the telephone number of a tracing contact on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND ContactPhone != -1.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Tengo".
ELSE, DISPLAY "Tenemos".

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

PROGRAM: Populate {ContactPhone} with phone number data from ContactPhone and apply this format: (XXX) XXX-XXXX.

PATH ID: R09_AL0023

¿Cuál es el número de teléfono de esa persona?

Anote únicamente números. No anote guiones, rayas ni otros símbolos.

1 Número de teléfono (____) ____ - ____

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and need to correct the telephone number of the tracing contact on file or did not know whether the telephone number of the tracing contact on file is correct or do not have the telephone number of a tracing contact on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND (R09_AL0045 = 2, -8 OR ContactPhone = -1).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Anote únicamente números. No anote guiones, rayas ni otros símbolos." IN UPPERCASE LETTERS AS BLUE TEXT.
ELSE, DISPLAY AS SHOWN.
DISPLAY "Número de teléfono" AS TITLE.

PROGRAM: Apply edit mask for this format: (XXX) XXX-XXXX.
Allow blank fields/missing data.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

BOX ID: R09_ALR19

Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and have the relationship of a tracing contact on file, go to R09_AL0046.
Else, go to R09_AL0021.

IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND ContactRelationship != -1, GO TO R09_AL0046.
ELSE, GO TO R09_AL0021.

PATH ID: R09_AL0046

{Tengo/Tenemos} anotado que es su {ContactRelationship}.

¿Es correcto?

1 Sí	GO TO R09_AL3005
2 No	
-8 DON'T KNOW	
-7 REFUSED	GO TO R09_AL3005

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and have the relationship of a tracing contact on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND ContactRelationship != -1.

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY "Tengo".
ELSE, DISPLAY "Tenemos".

IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

PROGRAM: Populate {ContactRelationship} with data from ContactRelationship.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL0021

¿Qué relación o parentesco tiene con usted?

- 1 Esposo/Esposa/Cónyuge
- 2 Padre o madre (incluyendo los suegros)
- 4 Abuelo o abuela
- 5 Hijo/Hija (incluyendo yernos/nueras)
- 7 Nieto/nieta
- 8 Hermano o hermana (incluyendo cuñados y cuñadas)
- 13 Amigo o amiga/vecino o vecina
- 91 Otro pariente (ESPECIFIQUE)
- 92 Otra persona no emparentada (ESPECIFIQUE)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not already provided contact information in another completed interview and confirmed or provided the name of a tracing contact and need to correct the relationship of the tracing contact on file or did not know whether the relationship of the tracing contact on file is correct or do not have the relationship of a tracing contact on file.

ASK Specification: IF CONTACTFLAG_LD != 1 AND (R09_AL0043 = 1 OR R09_AL0020 FIRST NAME != -1) AND (R09_AL0046 = 2, -8 OR ContactRelationship = -1).

DISPLAY: IF R09_ADULT_MODE = 1, DISPLAY RESPONSES IN UPPERCASE LETTERS.
ELSE, DISPLAY AS SHOWN.

IF WEBDEVICE = 2 AND OS FIELD SELECTED AND OS SCREEN IS SHOWN, DISPLAY THE QUESTION TEXT AND ADD "Por favor, escriba su respuesta a continuación."
ELSE, IF OS FIELD SELECTED, ALLOW TEXT ENTRY ON THE SAME SCREEN; IF R09_ADULT_MODE = 1, DISPLAY "Escriba su respuesta" AS GHOST TEXT.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

PATH ID: R09_AL3005

{THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION.}

Si se muda o cambia de número de teléfono sírvase actualizar su información de contacto en la página en Internet del Estudio PATH o llamando a nuestra línea directa y gratuita. Cada año usted puede recibir 5 dólares como agradecimiento si usted actualiza su información de contacto.

{Gracias por su tiempo y por contestar estas preguntas.}

Seleccione el botón SIGUIENTE para continuar.

1 NEXT

ASK: All adult respondents.

DISPLAY: IF R09_ADULT_MODE = 1 AND CONTACTFLAG_LD = 1, DISPLAY "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION." IN BLUE.

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_ADULT_MODE = 1, DISPLAY "Gracias por su tiempo y por contestar estas preguntas."

ELSE, DO NOT DISPLAY THIS TEXT.

IF R09_ADULT_MODE = 1, DISPLAY "Seleccione el botón SIGUIENTE para continuar." IN UPPERCASE LETTERS AS BLUE TEXT.

ELSE, DISPLAY AS SHOWN.

PROGRAM: If R09_ADULTTYPE = 3 and R09_AM0007 = 1, Blaise sets Adult Survey status to CAM (Active Duty Military).

Else, Blaise sets Adult Survey status to CPE (Completed Adult Interview).

BOX ID: R09_ALV02

PROGRAM - Contact information was provided by adult respondent, set CONTACTFLAG.

IF CONTACTFLAG_LD != 1, SET CONTACTFLAG = 1.

BOX ID: R09_ALR20

Adult respondents who are completing an in-person interview, go to R09_LCAD01.

Else, adult respondents who are completing a web interview, go to Incentives.

IF R09_ADULT_MODE = 1, GO TO R09_LCAD01.

ELSE, IF R09_ADULT_MODE = 3, GO TO INCENTIVES.

PATH ID: R09_LCAD01

INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?

1 ENGLISH

END INTERVIEW AND
RETURN TO IMS

2 SPANISH

END INTERVIEW AND
RETURN TO IMS

ASK: Adult respondents who are completing an in-person interview (asked of Interviewer).

ASK Specification: IF R09_ADULT_MODE = 1.

DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.

APPENDIX – ADULT GENERIC IMAGES

Section	PATH ID	Generic Image
Tobacco Use	R09_AVT01	 Cigarrillos electrónicos y otros productos electrónicos con nicotina
Tobacco Use	R09_AVT03	
Tobacco Use	R09_AV1001_RS	
Tobacco Use	R09_AV1002	
Tobacco Use	R09_AV1004	
Tobacco Use	R09_AV1002_12M	
ENDS	R09_AVT02	
ENDS	R09_AVT06	
Packaging and Health Warnings	R09_ART03	
Packaging and Health Warnings	R09_AR0110	
Risk Perceptions and Attitudes	R09_AVT05	
Risk Perceptions and Attitudes	R09_AE9050	
Tobacco Use	R09_AQT01	 IQOS y HeatSticks
Tobacco Use	R09_AQT04	
Tobacco Use	R09_AQ1001	
Tobacco Use	R09_AQ1002	
Tobacco Use	R09_AQ1004	
Tobacco Use	R09_AQ1002_12M	
IQOS	R09_AQT02	
IQOS	R09_AQT06	
Packaging and Health Warnings	R09_ART04	
Packaging and Health Warnings	R09_AR0265	
Risk Perceptions and Attitudes	R09_AQT05	
Risk Perceptions and Attitudes	R09_AQ9050	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AGT06	 Puros tradicionales
Tobacco Use	R09_AGT16	
Tobacco Use	R09_AG9003	
Tobacco Use	R09_AGT01	
Tobacco Use	R09_AGT18	
Tobacco Use	R09_AG9030	
Tobacco Use	R09_AG9003_12M	
Tobacco Use	R09_AGT04	
Tobacco Use	R09_AGT08	
Tobacco Use	R09_AG9010	
Tobacco Use	R09_AG9020	
Tobacco Use	R09_AG9013	
Tobacco Use	R09_AG9016	
Cigar	R09_AJT03	
Cigar	R09_AJT05	
Cigar	R09_AGT03	
Cigar	R09_AGT20	
Packaging and Health Warnings	R09_ART05	
Packaging and Health Warnings	R09_AR0115	
Risk Perceptions and Attitudes	R09_AGT13	
Risk Perceptions and Attitudes	R09_AG9050	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AG1001_RS	 Puros tradicionales Puritos Puros con filtro
Tobacco Use	R09_AGT05	 Puritos Puros con filtro
Tobacco Use	R09_AGT17	
Tobacco Use	R09_AG9004	
Tobacco Use	R09_AGT02	
Tobacco Use	R09_AGT19	
Tobacco Use	R09_AG9031	
Tobacco Use	R09_AG9004_12M	
Tobacco Use	R09_AG9009	 Tienen una boquilla de plástico o madera Tienen un filtro (como un filtro de cigarrillo) No tienen una boquilla ni un filtro
Tobacco Use	R09_AG9049	
Tobacco Use	R09_AG9009_12M	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AG9051	 Con boquilla
Tobacco Use	R09_AG9052	 Con filtro
Tobacco Use	R09_AG9053	 Sin boquilla ni filtro

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AG1095	 Grupo 1 Grupo 2 Grupo 3
Tobacco Use	R09_AG9106 (BTRAD) If R09_AG1095 = 1, show traditional cigars	
Tobacco Use	R09_AG9106 (BRILLO) If R09_AG1095 = 2, show cigarillos	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AG9106 (BFILTER) If R09_AG1095 = 3, show filtered cigars	
Tobacco Use	R09_AGT04	 Puritos
Tobacco Use	R09_AGT09	
Tobacco Use	R09_AG9011	
Tobacco Use	R09_AG9021	
Tobacco Use	R09_AG9014	
Tobacco Use	R09_AG9017	
Cigar	R09_AJT03	
Cigar	R09_AJT05	
Cigar	R09_AGT03	
Cigar	R09_AGT20	
Packaging and Health Warnings	R09_ART06	
Packaging and Health Warnings	R09_AR0120	
Risk Perceptions and Attitudes	R09_AGT14	
Risk Perceptions and Attitudes	R09_AG9054	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AGT04	 Puros con filtro
Tobacco Use	R09_AGT10	
Tobacco Use	R09_AG9012	
Tobacco Use	R09_AG9022	
Tobacco Use	R09_AG9015	
Tobacco Use	R09_AG9018	
Cigar	R09_AJT03	
Cigar	R09_AJT05	
Cigar	R09_AGT03	
Cigar	R09_AGT20	
Packaging and Health Warnings	R09_ART07	
Packaging and Health Warnings	R09_AR0125	
Risk Perceptions and Attitudes	R09_AGT15	
Risk Perceptions and Attitudes	R09_AG9055	
Tobacco Use	R09_APT01	 Pipa
Tobacco Use	R09_APT03	
Tobacco Use	R09_AP1001_RS	
Tobacco Use	R09_AP1002	
Tobacco Use	R09_AP1004	
Tobacco Use	R09_AP1002_12M	


**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AHT01	 Hookah Shisha o tabaco para hookah
Tobacco Use	R09_AHT03	
Tobacco Use	R09_AH1001_RS	
Tobacco Use	R09_AH1002	
Tobacco Use	R09_AH1004	
Tobacco Use	R09_AH1002_12M	
Hookah	R09_AHT02	
Hookah	R09_AHT05	
Packaging and Health Warnings	R09_ART09	
Packaging and Health Warnings	R09_AR0135	
Risk Perceptions and Attitudes	R09_AHT04	 Bolsitas de nicotina (como Zyn, on! o Rogue) Snus (incluyendo snus suelto y en bolsitas) Tabaco que no se fuma (como tabaco de inhalar o rapé, dip, tabaco de mascar y bolsitas)
Risk Perceptions and Attitudes	R09_AH9050	
Tobacco Use	R09_AYT01	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AAT01	 Bolsitas de nicotina (como Zyn, on! o Rogue)
Tobacco Use	R09_AAT04	
Tobacco Use	R09_AA1001NP_RS	
Tobacco Use	R09_AA1002NP	
Tobacco Use	R09_AA1004NP	
Tobacco Use	R09_AA1002NP_12M	
Nicotine Pouches	R09_AAT02	
Nicotine Pouches	R09_AAT07	
Packaging and Health Warnings	R09_ART12	
Packaging and Health Warnings	R09_AR0273	
Risk Perceptions and Attitudes	R09_AAT06	
Risk Perceptions and Attitudes	R09_AA9050NP	 Snus (incluyendo snus suelto y en bolsitas)
Tobacco Use	R09_AUT03	
Tobacco Use	R09_AUT05	
Tobacco Use	R09_AU1001_RS	
Tobacco Use	R09_AU1002	
Tobacco Use	R09_AU1004	
Tobacco Use	R09_AU1002_12M	
Snus	R09_AUT02	
Snus	R09_AUT07	
Packaging and Health Warnings	R09_ART10	
Packaging and Health Warnings	R09_AR0206	
Risk Perceptions and Attitudes	R09_AUT06	
Risk Perceptions and Attitudes	R09_AU9050	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Suns	R09_AU9010	
Smokeless	R09_AS9010	
Tobacco Use	R09_AST03	 Tabaco que no se fuma (como tabaco de inhalar o rapé, dip, tabaco de mascar y bolsitas)
Tobacco Use	R09_AST05	
Tobacco Use	R09_AS1001_RS	
Tobacco Use	R09_AS1002	
Tobacco Use	R09_AS1004	
Tobacco Use	R09_AS1002_12M	
Smokeless Tobacco	R09_AST02	
Smokeless Tobacco	R09_AST07	
Packaging and Health Warnings	R09_ART11	
Packaging and Health Warnings	R09_AR0060	
Risk Perceptions and Attitudes	R09_AST06	 Productos orales con nicotina (como pastillas de chupar, tabletas, chicles y palillos) Productos de tratamiento de reemplazo de nicotina* (como Nicorette, Equate o NicoDerm) *Medicamentos aprobados por la FDA para ayudar a las personas a dejar de fumar
Risk Perceptions and Attitudes	R09_AS9050	
Tobacco Use	R09_AYT02	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AAT03	 Productos orales con nicotina (como pastillas de chupar, tabletas, chicles y palillos)
Tobacco Use	R09_AAT05	
Tobacco Use	R09_AA1001OT	
Tobacco Use	R09_AA1002OT	
Tobacco Use	R09_AA1004OT	
Tobacco Use	R09_AA1002OT_12M	
Tobacco Use	R09_ANT04	 Productos de tratamiento de reemplazo de nicotina* (como Nicorette, Equate o NicoDerm) *Medicamentos aprobados por la FDA para ayudar a las personas a dejar de fumar
Tobacco Use	R09_ANT06	
Tobacco Use	R09_AN0333	
Tobacco Use	R09_AN0330	
Tobacco Use	R09_AN0330_30D	
Tobacco Use	R09_AN0330_12M	
Tobacco Use	R09_AZ1006	Placeholder Image – HNB Brand 1
Tobacco Use	R09_AZ1007	


**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Tobacco Use	R09_AZ1009	
Tobacco Use	R09_AZ1010	
		Placeholder Image – HNB Brand 2
Tobacco Use	R09_AZ1012	
Tobacco Use	R09_AZ1013	
		Placeholder Image – HNB Brand 3
Cigar	R09_AG9040	 Grupo1 Grupo2 Grupo3 Grupo4

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Pipe	R09_APT02	 Pipa y tabaco para pipa
Pipe	R09_APT04	
Packaging and Health Warnings	R09_ART08	
Packaging and Health Warnings	R09_AR0130	
Snus	R09_AU9041	 Bolsitas o saquitos de snus Snus suelto
Snus	R09_AU9042	
Smokeless Tobacco	R09_AS9041	 Tabaco que no se fuma (como dip o tabaco de mascar) Bolsitas o saquitos de tabaco que no se fuma (sin incluir snus)
Smokeless Tobacco	R09_AS9042	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Modified Risk Tobacco Products (MRTPs)	R09_AR1001_VLN	VLN Cigarettes 
Modified Risk Tobacco Products (MRTPs)	R09_AR1001_GEN	General Snus 
Modified Risk Tobacco Products (MRTPs)	R09_AR1001_COP	Copenhagen Smokeless Tobacco 

PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)

Section	PATH ID	Generic Image
Media and Marketing	R09_AXT09	
Media and Marketing	R09_AX0234	
Media and Marketing	R09_AXT10	
Media and Marketing	R09_AX0235	
Media and Marketing	R09_AXT11	
Media and Marketing	R09_AX0728	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

Section	PATH ID	Generic Image
Media and Marketing	R09_AXT12	
Media and Marketing	R09_AX0763	

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

APPENDIX – ADULT USER GROUPS

NOTE: The User Group Variable specifications defined in this appendix are for questionnaire routing purposes only and are included in this document for reference. These variables will be excluded from the data file. It is not recommended to use these definitions for analytical purposes.

User Group Name	User Group Description	User Group Definition
CIGARETTES		
Ever or Never users - Cigarettes R09_EVER_NEVER_CIGS	(1) Ever user = Adult respondents who have ever smoked a cigarette and did not recant prior use. (2) Never user = Adult respondents who have never smoked a cigarette.	IF ((R08_EVER_NEVER_CIGS = 1 AND R09_AC1002 != 2) OR R09_AC1002 = 1 OR R09_AC1004 = 1 OR R09_AC1002_12M = 1 OR R09_AC1003 = 1, 2) AND R09_AC1010 != 3, THEN R09_EVER_NEVER_CIGS = 1. ELSE, R09_EVER_NEVER_CIGS = 2.
Initiators - Cigarettes R09_INIT_CIGS_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette. (2) Non-initiator = Adult respondents who did not initiate cigarette smoking since their last completed interview.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_CIGS != 1 AND R09_EVER_NEVER_CIGS = 1) OR (R09_ADULTTYPE = 3 AND R09_AC1002 = 1), THEN R09_INIT_CIGS_ADULT = 1. ELSE, R09_INIT_CIGS_ADULT = 2.
Cigarette user status R09_CIG_USER_STATUS	(1) Current user = Adult respondents who currently smoke every day or some days or have smoked any cigarettes in the past 30 days. (4) Recent former user = Continuing adult respondents who were current cigarette smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked cigarettes as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated cigarette smoking	IF R09_EVER_NEVER_CIGS = 1 AND (R09_AC1003 = 1, 2 OR (1 <= R09_AC1009_NN <= 30 AND R09_AC1009_UN = 1) OR (R09_AC1009_NN = 1 AND R09_AC1009_UN = 2) OR R09_AC1004 = 1), THEN R09_CIG_USER_STATUS = 1. ELSE, IF (((R09_ADULTTYPE = 1 AND R08_CIG_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_CIGS_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_CIGS = 1)) AND (R09_AC1009_UN != 1, 2 OR (R09_AC1009_NN > 30 AND R09_AC1009_UN = 1) OR (R09_AC1009_NN

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
	since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked in the past 12 months and did not smoke in the past 30 days and currently smoke not at all. (5) Long-term former user = Continuing adult respondents who were recent former or long-term former cigarette smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a cigarette and have not smoked in the past 12 months. (8) Unknown / missing = Unknown or missing	> 1 AND R09_AC1009_UN = 2) OR R09_AC1009_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AC1009_NN <= 365 AND R09_AC1009_UN = 1) OR (1 < R09_AC1009_NN <= 12 AND R09_AC1009_UN = 2) OR (R09_AC1009_NN <= 1 AND R09_AC1009_UN = 3) OR R09_AC1009_NN = 0 OR (R09_AC1004 = 2 AND R09_AC1002_12M = 1 AND R09_AC1009_NN = -8, -7)))) AND R09_EVER_NEVER_CIGS = 1 AND (R09_AC1002_12M = 2 OR R09_AC1003 = 3) AND R09_AC1004 != 1, THEN R09_CIG_USER_STATUS = 4. ELSE, IF ((R09_ADULTTYPE = 1 AND R08_CIG_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AC1009_NN > 365 AND R09_AC1009_UN = 1) OR (R09_AC1009_NN > 12 AND R09_AC1009_UN = 2) OR (R09_AC1009_NN > 1 AND R09_AC1009_UN = 3)))) AND R09_EVER_NEVER_CIGS = 1 AND (R09_AC1002_12M = 2 OR R09_AC1003 = 3) AND R09_AC1004 != 1, THEN R09_CIG_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_CIGS = 1, THEN R09_CIG_USER_STATUS = 8.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Persistent former users - Cigarettes R09_PERSISTENT_FORMER_CIGS	(1) Persistent former user = Continuing adult respondents who were long-term former cigarette smokers as of their last completed interview and had not smoked a cigarette in the past 12 months at the last two Adult interviews and have not smoked a cigarette in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former cigarette smokers as of their last completed interview or did not complete both of the last two Adult interviews or did not report not smoking a cigarette in the past 12 months at either of the last two Adult interviews or have smoked a cigarette in the past 12 months, or new baseline adult respondents.	IF R08_CIG_USER_STATUS = 5 AND R08_PFORMER_CIG = 1 AND R09_AC1002_12M = 2 AND R09_AC1010 != 3, THEN R09_PERSISTENT_FORMER_CIGS = 1. ELSE, R09_PERSISTENT_FORMER_CIGS = 2.
ELECTRONIC NICOTINE PRODUCTS		
Ever or Never users - ENPs R09_EVER_NEVER_EPRODS	(1) Ever user = Adult respondents who have ever used any ENPs and did not recant prior use. (2) Never user = Adult respondents who have never used any ENPs.	IF ((R08_EVER_NEVER_EPRODS = 1 AND R09_AV1002 != 2) OR R09_AV1002 = 1 OR R09_AV1004 = 1 OR R09_AV1002_12M = 1 OR R09_AV1003 = 1, 2) AND R09_AV1010 != 3, THEN R09_EVER_NEVER_EPRODS = 1. ELSE, R09_EVER_NEVER_EPRODS = 2.
Initiator - ENPs R09_INIT_EPRODS_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated ENP use since their last completed interview, or new cohort adult respondents who have ever used an ENP. (2) Non-initiator = Adult respondents who did not initiate ENP use since their last completed interview.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_EPRODS != 1 AND R09_EVER_NEVER_EPRODS = 1) OR (R09_ADULTTYPE = 3 AND R09_AV1002 = 1), THEN R09_INIT_EPRODS_ADULT = 1. ELSE, R09_INIT_EPRODS_ADULT = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
ENP user status R09_EPROD_USER_STATUS	(1) Current user = Adult respondents who currently use every day or some days or have used any ENPs in the past 30 days. (4) Recent former user = Continuing adult respondents who were current ENP users as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and aged-up adult respondents who have ever used ENPs as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and continuing and aged-up adult respondents who initiated ENP use since their last completed interview, and have not used in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have used an ENP in the past 12 months and did not use in the past 30 days and current use not at all. (5) Long-term former user = Continuing adult respondents who were recent former or long-term former ENP users as of their last completed interview and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have ever used an ENP and have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R09_EVER_NEVER_EPRODS = 1 AND (R09_AV1003 = 1, 2 OR ((1 <= R09_AV1009_NN <= 30 AND R09_AV1009_UN = 1) OR (R09_AV1009_NN = 1 AND R09_AV1009_UN = 2) OR R09_AV1004 = 1)), THEN R09_EPROD_USER_STATUS = 1. ELSE, IF (((R09_ADULTTYPE = 1 AND R08_EPROD_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_EPRODS_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_EPRODS = 1)) AND (R09_AV1009_UN != 1, 2 OR (R09_AV1009_NN > 30 AND R09_AV1009_UN = 1) OR (R09_AV1009_NN > 1 AND R09_AV1009_UN = 2) OR R09_AV1009_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AV1009_NN <= 365 AND R09_AV1009_UN = 1) OR (1 < R09_AV1009_NN <= 12 AND R09_AV1009_UN = 2) OR (R09_AV1009_NN <= 1 AND R09_AV1009_UN = 3) OR R09_AV1009_NN = 0 OR (R09_AV1004 = 2 AND R09_AV1002_12M = 1 AND R09_AV1009_NN = -8, -7)))) AND R09_EVER_NEVER_EPRODS = 1 AND (R09_AV1002_12M = 2 OR R09_AV1003 = 3) AND R09_AV1004 != 1 AND R09_AV9011 != 2, -8, -7, THEN R09_EPROD_USER_STATUS = 4. ELSE, IF ((R09_ADULTTYPE = 1 AND R08_EPROD_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AV1009_NN > 365 AND R09_AV1009_UN = 1) OR (R09_AV1009_NN > 12 AND R09_AV1009_UN = 2) OR (R09_AV1009_NN > 1 AND R09_AV1009_UN

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		= 3)))) AND R09_EVER_NEVER_EPRODS = 1 AND (R09_AV1002_12M = 2 OR R09_AV1003 = 3) AND R09_AV1004 != 1 AND R09_AV9011 != 2, -8, -7, THEN R09_EPROD_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_EPRODS = 1, THEN R09_EPROD_USER_STATUS = 8.
Persistent former users - ENPs R09_PERSISTENT_FORMER_EPRODS	(1) Persistent former user = Continuing adult respondents who were long-term former ENP users as of their last completed interview and had not used an ENP in the past 12 months at the last two Adult interviews and have not used an ENP in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former ENP users as of their last completed interview or did not complete both of the last two Adult interviews or did not report not using an ENP in the past 12 months at either of the last two Adult interviews or have used an ENP in the past 12 months, or new baseline adult respondents.	IF R08_EPROD_USER_STATUS = 5 AND R08_PFORMER_EPROD = 1 AND R09_AV1002_12M = 2 AND R09_AV1010 != 3, THEN R09_PERSISTENT_FORMER_EPRODS = 1. ELSE, R09_PERSISTENT_FORMER_EPRODS = 2.
Use Level - ENPs R09_EPROD_USE_LEVEL	(1) Established electronic nicotine product user = Adult respondents who have ever used ENPs fairly regularly. (2) Experimental electronic nicotine product of multiple device types = Adult respondents who have never used ENPs fairly regularly and have used multiple device types. (3) Experimental electronic nicotine product of a single device type = Adult respondents who have never used ENPs fairly regularly and have only used a single device type. (8) Unknown / missing = Unknown or missing.	IF R08_REGUSE_EPROD = 1 OR R09_AV1100 = 1, THEN R09_EPROD_USE_LEVEL = 1. ELSE, IF R09_EPRODCOUNT > 1, THEN R09_EPROD_USE_LEVEL = 2. ELSE, IF R09_EPRODCOUNT = 1, THEN R09_EPROD_USE_LEVEL = 3. ELSE, R09_EPROD_USE_LEVEL = 8.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
IQOS		
Ever or Never users - IQOS R09_EVER_NEVER_IQOS	(1) Ever user = Adult respondents who have ever used IQOS. (2) Never user = Adult respondents who have never used IQOS.	IF R09_AQ1002 = 1, THEN R09_EVER_NEVER_IQOS = 1. ELSE, R09_EVER_NEVER_IQOS = 2.
IQOS user status R09_IQOS_USER_STATUS	(1) Current user = Adult respondents who currently use every day or some days or have used IQOS in the past 30 days. (4) Recent former user = Adult respondents who have used in the past 12 months and did not use in the past 30 days and currently use not at all. (5) Long-term former user = Adult respondents who have ever used IQOS and have not used IQOS in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R09_EVER_NEVER_IQOS = 1 AND (R09_AQ1003 = 1, 2 OR ((1 <= R09_AQ1009_NN <= 30 AND R09_AQ1009_UN = 1) OR (R09_AQ1009_NN = 1 AND R09_AQ1009_UN = 2) OR R09_AQ1004 = 1)), THEN R09_IQOS_USER_STATUS = 1. ELSE, IF ((30 < R09_AQ1009_NN <= 365 AND R09_AQ1009_UN = 1) OR (1 < R09_AQ1009_NN <= 12 AND R09_AQ1009_UN = 2) OR (R09_AQ1009_NN <= 1 AND R09_AQ1009_UN = 3) OR R09_AQ1009_NN = 0, -8, -7 OR (R09_AQ1004 = 2 AND R09_AQ1002_12M = 1 AND R09_AQ1009_NN = -8, -7)) AND R09_EVER_NEVER_IQOS = 1 AND (R09_AQ1002_12M = 2 OR R09_AQ1003 = 3) AND R09_AQ1004 != 1, THEN R09_IQOS_USER_STATUS = 4. ELSE, IF ((R09_AQ1009_NN > 365 AND R09_AQ1009_UN = 1) OR (R09_AQ1009_NN > 12 AND R09_AQ1009_UN = 2) OR (R09_AQ1009_NN > 1 AND R09_AQ1009_UN = 3)) AND R09_EVER_NEVER_IQOS = 1 AND (R09_AQ1002_12M = 2 OR R09_AQ1003 = 3) AND R09_AQ1004 != 1, THEN R09_IQOS_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_IQOS = 1, THEN R09_IQOS_USER_STATUS = 8.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
CIGARS		
Ever or Never users - Traditional cigars R09_EVER_NEVER_GTRAD	(1) Ever user = Adult respondents who have ever smoked a traditional cigar and did not recant prior use. (2) Never user = Adult respondents who have never smoked a traditional cigar.	IF ((R08_EVER_NEVER_GTRAD = 1 AND R09_AG9003 != 2) OR R09_AG9003 = 1 OR R09_AG9030 = 1 OR R09_AG9003_12M = 1 OR R09_AG1003TC = 1, 2) AND R09_AG1010TC != 3, THEN R09_EVER_NEVER_GTRAD = 1. ELSE, R09_EVER_NEVER_GTRAD = 2.
Ever or Never users - Cigarillos R09_EVER_NEVER_GRILLO	(1) Ever user = Adult respondents who have ever smoked a cigarillo and did not recant prior use. (2) Never user = Adult respondents who have never smoked a cigarillo.	IF ((R08_EVER_NEVER_GRILLO = 1 AND R09_AG9004 != 2 AND R09_AG9009_01 != 2 AND R09_AG9009_03 != 2) OR R09_AG9009_01 = 1 OR R09_AG9009_03 = 1 OR R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1 OR R09_AG1003CG = 1, 2) AND R09_AG1010CG != 3, THEN R09_EVER_NEVER_GRILLO = 1. ELSE, R09_EVER_NEVER_GRILLO = 2.
Ever or Never users - Filtered cigars R09_EVER_NEVER_GFILTR	(1) Ever user = Adult respondents who have ever smoked a filtered cigar and did not recant prior use. (2) Never user = Adult respondents who have never smoked a filtered cigar.	IF ((R08_EVER_NEVER_GFILTR = 1 AND R09_AG9004 != 2 AND R09_AG9009_02 != 2) OR R09_AG9009_02 = 1 OR R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1 OR R09_AG1003FC = 1, 2) AND R09_AG1010FC != 3, THEN R09_EVER_NEVER_GFILTR = 1. ELSE, R09_EVER_NEVER_GFILTR = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Initiators - Traditional Cigars R09_INIT_GTRAD_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers. (2) Non-initiator = Adult respondents who did not initiate traditional cigar smoking since their last completed interview or are past 12 month blunt-only traditional cigar smokers.	IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_GTRAD != 1 AND R09_EVER_NEVER_GTRAD = 1) OR (R09_ADULTTYPE = 3 AND R09_AG9003 = 1)) AND R09_12MBLUNT_ONLY_BTRAD != 1, THEN R09_INIT_GTRAD_ADULT = 1. ELSE, R09_INIT_GTRAD_ADULT = 2.
Initiators - Cigarillos R09_INIT_GRILLO_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers, or new cohort adult respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers. (2) Non-initiator = Adult respondents who did not initiate cigarillo smoking since their last completed interview or are past 12 month blunt-only cigarillo smokers.	IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_GRILLO != 1 AND R09_EVER_NEVER_GRILLO = 1) OR (R09_ADULTTYPE = 3 AND R09_AG9009_01 = 1 OR R09_AG9009_03 = 1)) AND R09_12MBLUNT_ONLY_BRILLO != 1, THEN R09_INIT_GRILLO_ADULT = 1. ELSE, R09_INIT_GRILLO_ADULT = 2.
Initiators - Filtered Cigars R09_INIT_GFILTR_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers, or new cohort adult respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only filtered cigar smokers. (2) Non-initiator = Adult respondents who did not initiate filtered cigar smoking since their last completed interview or are past 12 month blunt-only filtered cigar smokers.	IF ((R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_GFILTR != 1 AND R09_EVER_NEVER_GFILTR = 1) OR (R09_ADULTTYPE = 3 AND R09_AG9009_02 = 1)) AND R09_12MBLUNT_ONLY_BFILTR != 1, THEN R09_INIT_GFILTR_ADULT = 1. ELSE, R09_INIT_GFILTR_ADULT = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Past 12 Month Blunt-Only Users - Traditional Cigars R09_12MBLUNT_ONLY_BTRAD	(1) Past 12 month blunt-only smoker = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke traditional cigars as blunts every time when smoked in the past 12 months.	IF R09_AG1095_01 = 1 AND R09_AG9106_01 = 1, THEN R09_12MBLUNT_ONLY_BTRAD = 1. ELSE, R09_12MBLUNT_ONLY_BTRAD = 2.
Past 12 Month Blunt-Only Users - Cigarillos R09_12MBLUNT_ONLY_BRILLO	(1) Past 12 month blunt-only smoker = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke cigarillos as blunts every time when smoked in the past 12 months.	IF R09_AG1095_02 = 1 AND R09_AG9106_02 = 1, THEN R09_12MBLUNT_ONLY_BRILLO = 1. ELSE, R09_12MBLUNT_ONLY_BRILLO = 2.
Past 12 Month Blunt-Only Users - Filtered Cigars R09_12MBLUNT_ONLY_BFILTR	(1) Past 12 month blunt-only smoker = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke filtered cigars as blunts every time when smoked in the past 12 months.	IF R09_AG1095_03 = 1 AND R09_AG9106_03 = 1, THEN R09_12MBLUNT_ONLY_BFILTR = 1. ELSE, R09_12MBLUNT_ONLY_BFILTR = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Initiators - Blunt-only Traditional Cigars R09_INIT_BLUNT_BTRAD_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated smoking traditional cigars as blunts since their last completed interview and smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months, or new cohort adult respondents who have smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking traditional cigars as blunts since their last completed interview or did not smoke traditional cigars as blunts every time they smoked traditional cigars in the past 12 months.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_BTRAD != 1 AND R09_AG1095_01 = 1 AND R09_AG9106_01 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1095_01 = 1 AND R09_AG9106_01 = 1), THEN R09_INIT_BLUNT_BTRAD_ADULT = 1. ELSE, R09_INIT_BLUNT_BTRAD_ADULT = 2.
Initiators - Blunt-only Cigarillos R09_INIT_BLUNT_BRILLO_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated smoking cigarillos as blunts since their last completed interview and smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months, or new cohort adult respondents who have smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking cigarillos as blunts since their last completed interview or did not smoke cigarillos as blunts every time they smoked cigarillos in the past 12 months.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_BRILLO != 1 AND R09_AG1095_02 = 1 AND R09_AG9106_02 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1095_02 = 1 AND R09_AG9106_02 = 1), THEN R09_INIT_BLUNT_BRILLO_ADULT = 1. ELSE, R09_INIT_BLUNT_BRILLO_ADULT = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Initiators - Blunt-only Filtered Cigars R09_INIT_BLUNT_BFILTR_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated smoking filtered cigars as blunts since their last completed interview and smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months, or new cohort adult respondents who have smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking filtered cigars as blunts since their last completed interview or did not smoke filtered cigars as blunts every time they smoked filtered cigars in the past 12 months.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_BFILTR != 1 AND R09_AG1095_03 = 1 AND R09_AG9106_03 = 1) OR (R09_ADULTTYPE = 3 AND R09_AG1095_03 = 1 AND AG9106_03 = 1), THEN R09_INIT_BLUNT_BFILTR_ADULT = 1. ELSE, R09_INIT_BLUNT_BFILTR_ADULT = 2.
Traditional cigar user status R09_GTRAD_USER_STATUS	(1) Current user = Adult respondents who are not past 12 month blunt-only traditional cigar smokers and currently smoke every day or some days or smoked any traditional cigars in the past 30 days. (4) Recent former user = Continuing adult respondents who are not past 12 month blunt-only traditional cigar smokers and were current traditional cigar smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked traditional cigars as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked a traditional cigar in the past 12	IF R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_EVER_NEVER_GTRAD = 1 AND (R09_AG1003TC = 1, 2 OR ((1 <= R09_AG1009TC_NN <= 30 AND R09_AG1009TC_UN = 1) OR (R09_AG1009TC_NN = 1 AND R09_AG1009TC_UN = 2) OR R09_AG9030 = 1)), THEN R09_GTRAD_USER_STATUS = 1. ELSE, IF R09_12MBLUNT_ONLY_BTRAD != 1 AND (((R09_ADULTTYPE = 1 AND R08_GTRAD_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_GTRAD_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_GTRAD = 1)) AND (R09_AG1009TC_UN != 1, 2 OR (R09_AG1009TC_NN > 30 AND R09_AG1009TC_UN = 1) OR (R09_AG1009TC_NN > 1 AND R09_AG1009TC_UN = 2) OR R09_AG1009TC_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AG1009TC_NN <= 365 AND R09_AG1009TC_UN = 1) OR (1

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
	months and did not smoke a traditional cigar in the past 30 days and currently smoke traditional cigars not at all. (5) Long-term former user = Continuing adult respondents who are not past 12 month blunt-only traditional cigar smokers and were recent former or long-term former traditional cigar smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a traditional cigar and have not smoked in the past 12 months. (8) Unknown / missing = Unknown or missing	< R09_AG1009TC_NN <= 12 AND R09_AG1009TC_UN = 2) OR (R09_AG1009TC_NN <= 1 AND R09_AG1009TC_UN = 3) OR R09_AG1009TC_NN = 0 OR (R09_AG9030 = 2 AND R09_AG9003_12M = 1 AND R09_AG1009TC_NN = -8, -7))) AND R09_EVER_NEVER_GTRAD = 1 AND (R09_AG9003_12M = 2 OR R09_AG1003TC = 3) AND R09_AG9030 != 1, THEN R09_GTRAD_USER_STATUS = 4. ELSE, IF R09_12MBLUNT_ONLY_BTRAD != 1 AND ((R09_ADULTTYPE = 1 AND R08_GTRAD_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AG1009TC_NN > 365 AND R09_AG1009TC_UN = 1) OR (R09_AG1009TC_NN > 12 AND R09_AG1009TC_UN = 2) OR (R09_AG1009TC_NN > 1 AND R09_AG1009TC_UN = 3)))) AND (R09_AG9003_12M = 2 OR R09_AG1003TC = 3) AND R09_AG9030 != 1 AND R09_EVER_NEVER_GTRAD = 1, THEN R09_GTRAD_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_GTRAD = 1, THEN R09_GTRAD_USER_STATUS = 8.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Cigarillo user status R09_GRILLO_USER_STATUS	(1) Current user = Adult respondents who are not past 12 month blunt-only cigarillo smokers and currently smoke every day or some days or smoked any cigarillos in the past 30 days. (4) Recent former user = Continuing adult respondents who are not past 12 month blunt-only cigarillo smokers and were current cigarillo smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked cigarillos as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked a cigarillo in the past 12 months and did not smoke a cigarillo in the past 30 days and currently smoke cigarillos not at all. (5) Long-term former user = Continuing adult respondents who are not past 12 month blunt-only cigarillo smokers and were recent former or long-term former cigarillo smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a cigarillo and have not smoked in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_EVER_NEVER_GRILLO = 1 AND (R09_AG1003CG = 1, 2 OR ((1 <= R09_AG1009CG_NN <= 30 AND R09_AG1009CG_UN = 1) OR (R09_AG1009CG_NN = 1 AND R09_AG1009CG_UN = 2) OR R09_AG9049_01 = 1 OR R09_AG9049_03 = 1)), THEN R09_GRILLO_USER_STATUS = 1. ELSE, IF R09_12MBLUNT_ONLY_BRILLO != 1 AND (((R09_ADULTTYPE = 1 AND R08_GRILLO_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_GRILLO_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_GRILLO = 1)) AND (R09_AG1009CG_UN != 1, 2 OR (R09_AG1009CG_NN > 30 AND R09_AG1009CG_UN = 1) OR (R09_AG1009CG_NN > 1 AND R09_AG1009CG_UN = 2) OR R09_AG1009CG_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AG1009CG_NN <= 365 AND R09_AG1009CG_UN = 1) OR (1 < R09_AG1009CG_NN <= 12 AND R09_AG1009CG_UN = 2) OR (R09_AG1009CG_NN <= 1 AND R09_AG1009CG_UN = 3) OR R09_AG1009CG_NN = 0 OR (((R09_AG9031 = 2 AND (R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1)) OR (R09_AG9049_01 = 2 AND R09_AG9049_03 = 2 AND (R09_AG9051 = 1 OR R09_AG9053 = 1))) AND R09_AG1009CG_NN = -8, -7)))) AND R09_EVER_NEVER_GRILLO = 1 AND

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		((R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1) OR R09_AG1003CG = 3) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1, THEN R09_GRILLO_USER_STATUS = 4. ELSE, IF R09_12MBLUNT_ONLY_BRILLO != 1 AND ((R09_ADULTTYPE = 1 AND R08_GRILLO_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AG1009CG_NN > 365 AND R09_AG1009CG_UN = 1) OR (R09_AG1009CG_NN > 12 AND R09_AG1009CG_UN = 2) OR (R09_AG1009CG_NN > 1 AND R09_AG1009CG_UN = 3)))) AND ((R09_AG9009_12M_01 != 1 AND R09_AG9009_12M_03 != 1 AND R09_AG9051 != 1 AND R09_AG9053 != 1 AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1) OR R09_AG1003CG = 3) AND R09_AG9049_01 != 1 AND R09_AG9049_03 != 1 AND R09_EVER_NEVER_GRILLO = 1, THEN R09_GRILLO_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_GRILLO = 1, THEN R09_GRILLO_USER_STATUS = 8.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Filtered cigar user status R09_GFILTR_USER_STATUS	(1) Current user = Adult respondents who are not past 12 month blunt-only filtered cigar smokers and currently smoke every day or some days or smoked any filtered cigars in the past 30 days. (4) Recent former user = Continuing adult respondents who are not past 12 month blunt-only filtered cigar smokers and were current filtered cigar smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked filtered cigars as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated filtered cigar smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked a filtered cigar in the past 12 months and did not smoke a filtered cigar in the past 30 days and currently smoke filtered cigars not at all. (5) Long-term former user = Continuing adult respondents who are not past 12 month blunt-only filtered cigar smokers and were recent former or long-term former filtered cigar smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a filtered cigar and have not smoked in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_EVER_NEVER_GFILTR = 1 AND (R09_AG1003FC = 1, 2 OR ((1 <= R09_AG1009FC_NN <= 30 AND R09_AG1009FC_UN = 1) OR (R09_AG1009FC_NN = 1 AND R09_AG1009FC_UN = 2) OR R09_AG9049_02 = 1)), THEN R09_GFILTR_USER_STATUS = 1. ELSE, IF R09_12MBLUNT_ONLY_BFILTR != 1 AND (((R09_ADULTTYPE = 1 AND R08_GFILTR_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_GFILTR_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_GFILTR = 1)) AND (R09_AG1009FC_UN != 1, 2 OR (R09_AG1009FC_NN > 30 AND R09_AG1009FC_UN = 1) OR (R09_AG1009FC_NN > 1 AND R09_AG1009FC_UN = 2) OR R09_AG1009FC_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AG1009FC_NN <= 365 AND R09_AG1009FC_UN = 1) OR (1 < R09_AG1009FC_NN <= 12 AND R09_AG1009FC_UN = 2) OR (R09_AG1009FC_NN <= 1 AND R09_AG1009FC_UN = 3) OR R09_AG1009FC_NN = 0 OR ((R09_AG9031 = 2 AND R09_AG9009_12M_02 = 1) OR (R09_AG9049_02 = 2 AND R09_AG9052 = 1))) AND R09_AG1009FC_NN = -8, -7)) AND R09_EVER_NEVER_GFILTR = 1 AND ((R09_AG9009_12M_02 != 1 AND R09_AG9052 != 1) OR R09_AG1003FC = 3) AND R09_AG9049_02 != 1, THEN R09_GFILTR_USER_STATUS = 4. ELSE, IF R09_12MBLUNT_ONLY_BFILTR !=

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		1 AND R09_ADULTTYPE = 1 AND ((R08_GFILTR_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AG1009FC_NN > 365 AND R09_AG1009FC_UN = 1) OR (R09_AG1009FC_NN > 12 AND R09_AG1009FC_UN = 2) OR (R09_AG1009FC_NN > 1 AND R09_AG1009FC_UN = 3)))) AND ((R09_AG9009_12M_02 != 1 AND R09_AG9052 != 1 AND R09_AG9049_02 != 1) OR R09_AG1003FC = 3) AND R09_AG9049_02 != 1 AND R09_EVER_NEVER_GFILTR = 1, THEN R09_GFILTR_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_GFILTR = 1, THEN R09_GFILTR_USER_STATUS = 8.
Persistent former users - Traditional cigars R09_PERSISTENT_FORMER_GTRAD	(1) Persistent former user = Continuing adult respondents who were long-term former traditional cigar smokers as of their last completed interview and had not smoked a traditional cigar in the past 12 months at the last two Adult interviews and have not smoked a traditional cigar in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former traditional cigar smokers as of their last completed interview or did not complete both of the last two Adult interviews or did not report not smoking a traditional cigar in the past 12 months at either of the last two Adult interviews or have smoked a traditional cigar in the past 12 months, or new baseline adult respondents.	IF R08_GTRAD_USER_STATUS = 5 AND R08_PFORMER_GTRAD = 1 AND R09_AG9003_12M = 2 AND R09_AG1010TC != 3, THEN R09_PERSISTENT_FORMER_GTRAD = 1. ELSE, R09_PERSISTENT_FORMER_GTRAD = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Persistent former users - Cigarillos R09_PERSISTENT_FORMER_GRILLO	(1) Persistent former user = Continuing adult respondents who were long-term former cigarillo smokers as of their last completed interview and had not smoked a cigarillo in the past 12 months at the last two Adult interviews and have not smoked a cigarillo in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former cigarillo smokers as of their last completed interview or did not complete both of the last two Adult interviews or did not report not smoking a cigarillo in the past 12 months at either of the last two Adult interviews or have smoked a cigarillo in the past 12 months, or new baseline adult respondents.	IF R08_GRILLO_USER_STATUS = 5 AND R08_PFORMER_GRILLO = 1 AND ((R09_AG9051 = 2 AND R09_AG9053 = 2) OR R09_AG9004_12M = 2 OR (R09_AG9009_12M_01 = 2 AND R09_AG9009_12M_03 = 2)) AND R09_AG1010CG != 3, THEN R09_PERSISTENT_FORMER_GRILLO = 1. ELSE, R09_PERSISTENT_FORMER_GRILLO = 2.
Persistent former users - Filtered cigars R09_PERSISTENT_FORMER_GFILTER	(1) Persistent former user = Continuing adult respondents who were long-term former filtered cigar smokers as of their last completed interview and had not smoked a filtered cigar in the past 12 months at the last two Adult interviews and have not smoked a filtered cigar in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former filtered cigar smokers as of their last completed interview or did not complete both of the last two Adult interviews or did not report not smoking a filtered cigar in the past 12 months at either of the last two Adult interviews or have smoked a filtered cigar in the past 12 months, or new baseline adult respondents.	IF R08_GFILTER_USER_STATUS = 5 AND R08_PFORMER_GFILTER = 1 AND (R09_AG9052 = 2 OR R09_AG9004_12M = 2 OR R09_AG9009_12M_02 = 2) AND R09_AG1010FC != 3, THEN R09_PERSISTENT_FORMER_GFILTER = 1. ELSE, R09_PERSISTENT_FORMER_GFILTER = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
PIPES		
Ever or Never users - Pipes R09_EVER_NEVER_PIPE	(1) Ever user = Adult respondents who have ever smoked a pipe and did not recant prior use. (2) Never user = Adult respondents who have never smoked a pipe.	IF ((R08_EVER_NEVER_PIPE = 1 AND R09_AP1002 != 2) OR R09_AP1002 = 1 OR R09_AP1004 = 1 OR R09_AP1002_12M = 1 OR R09_AP1003 = 1, 2) AND R09_AP1010 != 3, THEN R09_EVER_NEVER_PIPE = 1. ELSE, R09_EVER_NEVER_PIPE = 2.
Initiators - Pipes R09_INIT_PIPE_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe. (2) Non-initiator = Adult respondents who did not initiate pipe smoking since their last completed interview.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_PIPE != 1 AND R09_EVER_NEVER_PIPE = 1) OR (R09_ADULTTYPE = 3 AND R09_AP1002 = 1), THEN R09_INIT_PIPE_ADULT = 1. ELSE, R09_INIT_PIPE_ADULT = 2.
Pipe user status R09_PIPE_USER_STATUS	(1) Current user = Adult respondents who currently smoke every day or some days or have smoked any pipe tobacco in the past 30 days. (4) Recent former user = Continuing adult respondents who were current pipe smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked a pipe as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked in the past 12 months and did not smoke in the past 30 days and currently smoke not at all.	IF R09_EVER_NEVER_PIPE = 1 AND (R09_AP1003 = 1, 2 OR ((1 <= R09_AP1009_NN <= 30 AND R09_AP1009_UN = 1) OR (R09_AP1009_NN = 1 AND R09_AP1009_UN = 2) OR R09_AP1004 = 1)), THEN R09_PIPE_USER_STATUS = 1. ELSE, IF (((R09_ADULTTYPE = 1 AND R08_PIPE_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_PIPE_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_PIPE = 1)) AND (R09_AP1009_UN != 1, 2 OR (R09_AP1009_NN > 30 AND R09_AP1009_UN = 1) OR (R09_AP1009_NN > 1 AND R09_AP1009_UN = 2) OR R09_AP1009_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AP1009_NN <= 365 AND R09_AP1009_UN = 1) OR (1 < R09_AP1009_NN <= 12 AND

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
	(5) Long-term former user = Continuing adult respondents who were recent former or long-term former pipe smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked a pipe and have not smoked in the past 12 months. (8) Unknown / missing = Unknown or missing	R09_AP1009_UN = 2) OR (R09_AP1009_NN <= 1 AND R09_AP1009_UN = 3) OR R09_AP1009_NN = 0 OR (R09_AP1004 = 2 AND R09_AP1002_12M = 1 AND R09_AP1009_NN = -8, -7))) AND R09_EVER_NEVER_PIPE = 1 AND (R09_AP1002_12M = 2 OR R09_AP1003 = 3) AND R09_AP1004 != 1, THEN R09_PIPE_USER_STATUS = 4. ELSE, IF ((R09_ADULTTYPE = 1 AND R08_PIPE_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AP1009_NN > 365 AND R09_AP1009_UN = 1) OR (R09_AP1009_NN > 12 AND R09_AP1009_UN = 2) OR (R09_AP1009_NN > 1 AND R09_AP1009_UN = 3)))) AND R09_EVER_NEVER_PIPE = 1 AND (R09_AP1002_12M = 2 OR R09_AP1003 = 3) AND R09_AP1004 != 1, THEN R09_PIPE_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_PIPE = 1, THEN R09_PIPE_USER_STATUS = 8.
Persistent former users – Pipes R09_PERSISTENT_FORMER_PIPE	(1) Persistent former user = Continuing adult respondents who were long-term former pipe smokers as of their last completed interview and had not smoked a pipe in the past 12 months at the last two Adult interviews and have not smoked a pipe in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former pipe smokers as of their last completed interview or did not complete both of the last two Adult interviews or did not report not smoking a pipe in the past 12 months at either of the last two Adult interviews or have smoked a pipe in the past 12 months, or new baseline adult respondents.	IF R08_PIPE_USER_STATUS = 5 AND R08_PFORMER_PIPE = 1 AND R09_AP1002_12M = 2 AND R09_AP1010 != 3, THEN R09_PERSISTENT_FORMER_PIPE = 1. ELSE, R09_PERSISTENT_FORMER_PIPE = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
HOOKAH		
Ever or Never users - Hookah R09_EVER_NEVER_HOOK	(1) Ever user = Adult respondents who have ever smoked hookah and did not recant prior use. (2) Never user = Adult respondents who have never smoked hookah.	IF ((R08_EVER_NEVER_HOOK = 1 AND R09_AH1002 != 2) OR R09_AH1002 = 1 OR R09_AH1004 = 1 OR R09_AH1002_12M = 1 OR R09_AH1003 = 1, 2) AND R09_AH1010 != 3, THEN R09_EVER_NEVER_HOOK = 1. ELSE, R09_EVER_NEVER_HOOK = 2.
Initiators - Hookah R09_INIT_HOOK_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah. (2) Non-initiator = Adult respondents who did not initiate hookah smoking since their last completed interview	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_HOOK != 1 AND R09_EVER_NEVER_HOOK = 1) OR (R09_ADULTTYPE = 3 AND R09_AH1002 = 1), THEN R09_INIT_HOOK_ADULT = 1. ELSE, R09_INIT_HOOK_ADULT = 2.
Hookah user status R09_HOOK_USER_STATUS	(1) Current user = Current user = Adult respondents who currently smoke every day, some days, weekly, monthly, or in the past 30 days. (4) Recent former user = Continuing adult respondents who were current hookah smokers as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and aged-up adult respondents who have ever smoked hookah as of their last completed interview, and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, and have not smoked in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have smoked in the past 12 months and did not smoke in the past 30 days and	IF R09_EVER_NEVER_HOOK = 1 AND ((R09_AH1003 = 1, 2 OR R09_AH9003 = 1, 2, 3) OR (((1 <= R09_AH1009_NN <= 30 AND R09_AH1009_UN = 1) OR (R09_AH1009_NN = 1 AND R09_AH1009_UN = 2)) OR R09_AH1004 = 1)), THEN R09_HOOK_USER_STATUS = 1. ELSE, IF (((R09_ADULTTYPE = 1 AND R08_HOOK_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_HOOK_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_HOOK = 1)) AND (R09_AH1009_UN != 1, 2 OR (R09_AH1009_NN > 30 AND R09_AH1009_UN = 1) OR (R09_AH1009_NN > 1 AND R09_AH1009_UN = 2) OR R09_AH1009_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AH1009_NN <= 365 AND R09_AH1009_UN = 1) OR (1 < R09_AH1009_NN <= 12 AND

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
	currently smoke not at all. (5) Long-term former user = Continuing adult respondents who were recent former or long-term former hookah smokers as of their last completed interview and did not smoke in the past 12 months or did not smoke in the past 30 days and currently smoke not at all; and new cohort adult respondents who have ever smoked hookah and have not smoked in the past 12 months. (8) Unknown / missing = Unknown or missing	R09_AH1009_UN = 2) OR (R09_AH1009_NN <= 1 AND R09_AH1009_UN = 3) OR R09_AH1009_NN = 0 OR (R09_AH1004 = 2 AND R09_AH1002_12M = 1 AND R09_AH1009_NN = -8, -7))) AND R09_EVER_NEVER_HOOK = 1 AND (R09_AH1002_12M = 2 OR R09_AH1003 = 3) AND R09_AH1004 != 1, THEN R09_HOOK_USER_STATUS = 4. ELSE, IF ((R09_ADULTTYPE = 1 AND R08_HOOK_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AH1009_NN > 365 AND R09_AH1009_UN = 1) OR (R09_AH1009_NN > 12 AND R09_AH1009_UN = 2) OR (R09_AH1009_NN > 1 AND R09_AH1009_UN = 3)))) AND R09_EVER_NEVER_HOOK = 1 AND (R09_AH1002_12M = 2 OR R09_AH1003 = 3) AND R09_AH1004 != 1, THEN R09_HOOK_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_HOOK = 1, THEN R09_HOOK_USER_STATUS = 8.
Past 30 Day Users - Hookah R09_THIRTY_DAY_USER_HOOK	(1) Past 30 day user = Adult respondents who have smoked hookah in the past 30 days. (2) Not a past 30 day user = Adult respondents who have not smoked hookah in the past 30 days.	IF R09_EVER_NEVER_HOOK = 1 AND (((1 <= R09_AH1009_NN <= 30 AND R09_AH1009_UN = 1) OR (R09_AH1009_NN = 1 AND R09_AH1009_UN = 2)) OR R09_AH1004 = 1), THEN R09_THIRTY_DAY_USER_HOOK = 1. ELSE, R09_THIRTY_DAY_USER_HOOK = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Persistent former users - Hookah R09_PERSISTENT_FORMER_HOOK	(1) Persistent former user = Continuing adult respondents who were long-term former hookah smokers as of their last completed interview and had not smoked hookah in the past 12 months at the last two Adult interviews and have not smoked hookah in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former hookah smokers as of their last completed interview or did not complete both of the last two Adult interviews or did not report not smoking hookah in the past 12 months at either of the last two Adult interviews or have smoked hookah in the past 12 months, or new baseline adult respondents.	IF R08_HOOK_USER_STATUS = 5 AND R08_PFORMER_HOOK = 1 AND R09_AH1002_12M = 2 AND R09_AH1010 != 3, THEN R09_PERSISTENT_FORMER_HOOK = 1. ELSE, R09_PERSISTENT_FORMER_HOOK = 2.
NICOTINE POUCHES		
Ever or Never users - Nicotine pouches R09_EVER_NEVER_NICPOUCH	(1) Ever user = Adult respondents who have ever used nicotine pouches. (2) Never user = Adult respondents who have never used nicotine pouches.	IF ((R08_EVER_NEVER_NICPOUCH = 1 AND R09_AA1002NP != 2) OR R09_AA1002NP = 1 OR R09_AA1004NP = 1 OR R09_AA1002NP_12M = 1 OR R09_AA1003NP = 1, 2) AND R09_AA1010NP != 3, THEN R09_EVER_NEVER_NICPOUCH = 1. ELSE, R09_EVER_NEVER_NICPOUCH = 2.
Initiators - Nicotine pouches R09_INIT_NICPOUCH_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview, or new cohort adult respondents who have ever used nicotine pouches. (2) Non-initiator = Adult respondents who did not initiate nicotine pouch use since their last completed interview.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_NICPOUCH != 1 AND R09_EVER_NEVER_NICPOUCH = 1) OR (R09_ADULTTYPE = 3 AND R09_AA1002NP = 1), THEN R09_INIT_NICPOUCH_ADULT = 1. ELSE, R09_INIT_NICPOUCH_ADULT = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Nicotine pouch user status R09_NICPOUCH_USER_STATUS	(1) Current user = Adult respondents who currently use every day or some days or have used nicotine pouches in the past 30 days. (4) Recent former user = Continuing adult respondents who were current nicotine pouch users as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and aged-up adult respondents who have ever used nicotine pouches as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and continuing and aged-up adult respondents who initiated nicotine pouch use since their last completed interview, and have not used in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have used nicotine pouches in the past 12 months and did not use in the past 30 days and currently use not at all. (5) Long-term former user = Continuing adult respondents who were recent former or long-term former nicotine pouch users as of their last completed interview and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have ever used nicotine pouches and have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R09_EVER_NEVER_NICPOUCH = 1 AND (R09_AA1003NP = 1, 2 OR ((1 <= R09_AA1009NP_NN <= 30 AND R09_AA1009NP_UN = 1) OR (R09_AA1009NP_NN = 1 AND R09_AA1009NP_UN = 2) OR R09_AA1004NP = 1)), THEN R09_NICPOUCH_USER_STATUS = 1. ELSE, IF (((R09_ADULTTYPE = 1 AND R08_NICPOUCH_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_NICPOUCH_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_NICPOUCH = 1)) AND (R09_AA1009NP_UN != 1, 2 OR (R09_AA1009NP_NN > 30 AND R09_AA1009NP_UN = 1) OR (R09_AA1009NP_NN > 1 AND R09_AA1009NP_UN = 2) OR R09_AA1009NP_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AA1009NP_NN <= 365 AND R09_AA1009NP_UN = 1) OR (1 < R09_AA1009NP_NN <= 12 AND R09_AA1009NP_UN = 2) OR (R09_AA1009NP_NN <= 1 AND R09_AA1009NP_UN = 3) OR R09_AA1009_NN = 0 OR (R09_AP1004NP = 2 AND R09_AA1002NP_12M = 1 AND R09_AA1009NP_NN = -8, -7)))) AND R09_EVER_NEVER_NICPOUCH = 1 AND (R09_AA1002NP_12M = 2 OR R09_AA1003NP = 3) AND R09_AA1004NP != 1, THEN R09_NICPOUCH_USER_STATUS = 4. ELSE, IF ((R09_ADULTTYPE = 1 AND R08_NICPOUCH_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AA1009NP_NN > 365

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		AND R09_AA1009NP_UN = 1) OR (R09_AA1009NP_NN > 12 AND R09_AA1009NP_UN = 2) OR (R09_AA1009NP_NN > 1 AND R09_AA1009NP_UN = 3)))) AND R09_EVER_NEVER_NICPOUCH = 1 AND (R09_AA1002NP_12M = 2 OR R09_AA1003NP = 3) AND R09_AA1004NP != 1, THEN R09_NICPOUCH_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_NICPOUCH = 1, THEN R09_NICPOUCH_USER_STATUS = 8.
SNUS		
Ever or Never users - Snus R09_EVER_NEVER_SNUS	(1) Ever user = Adult respondents who have ever used snus and did not recant prior use. (2) Never user = Adult respondents who have never used snus.	IF ((R08_EVER_NEVER_SNUS = 1 AND R09_AU1002 != 2) OR R09_AU1002 = 1 OR R09_AU1004 = 1 OR R09_AU1002_12M = 1 OR R09_AU1003 = 1, 2) AND R09_AU1010 != 3, THEN R09_EVER_NEVER_SNUS = 1. ELSE, R09_EVER_NEVER_SNUS = 2.
Initiators - Snus R09_INIT_SNUS_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus. (2) Non-initiator = Adult respondents who did not initiate snus use since their last completed interview.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SNUS != 1 AND R09_EVER_NEVER_SNUS = 1) OR (R09_ADULTTYPE = 3 AND R09_AU1002 = 1), THEN R09_INIT_SNUS_ADULT = 1. ELSE, R09_INIT_SNUS_ADULT = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Snus user status R09_SNUS_USER_STATUS	(1) Current user = Adult respondents who currently use every day or some days or used any snus in the past 30 days. (4) Recent former user = Continuing adult respondents who were current snus users as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and aged-up adult respondents who have ever used snus as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and continuing and aged-up adult respondents who initiated snus use since their last completed interview, and have not used in the past 12 months and did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have used snus in the past 12 months and did not use in the past 30 days and currently use not at all. (5) Long-term former user = Continuing adult respondents who were recent former or long-term former snus users as of their last completed interview and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have ever used snus and have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R09_EVER_NEVER_SNUS = 1 AND (R09_AU1003 = 1, 2 OR ((1 <= R09_AU1009_NN <= 30 AND R09_AU1009_UN = 1) OR (R09_AU1009_NN = 1 AND R09_AU1009_UN = 2) OR R09_AU1004 = 1)), THEN R09_SNUS_USER_STATUS = 1. ELSE, IF (((R09_ADULTTYPE = 1 AND R08_SNUS_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_SNUS_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_SNUS = 1)) AND (R09_AU1009_UN != 1, 2 OR (R09_AU1009_NN > 30 AND R09_AU1009_UN = 1) OR (R09_AU1009_NN > 1 AND R09_AU1009_UN = 2) OR R09_AU1009_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AU1009_NN <= 365 AND R09_AU1009_UN = 1) OR (1 < R09_AU1009_NN <= 12 AND R09_AU1009_UN = 2) OR (R09_AU1009_NN <= 1 AND R09_AU1009_UN = 3) OR R09_AU1009_NN = 0 OR (R09_AU1004 = 2 AND R09_AU1002_12M = 1 AND R09_AU1009_NN = -8, -7)))) AND R09_EVER_NEVER_SNUS = 1 AND (R09_AU1002_12M = 2 OR R09_AU1003 = 3) AND R09_AU1004 != 1, THEN R09_SNUS_USER_STATUS = 4. ELSE, IF ((R09_ADULTTYPE = 1 AND R08_SNUS_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AU1009_NN > 365 AND R09_AU1009_UN = 1) OR (R09_AU1009_NN > 12 AND R09_AU1009_UN = 2) OR (R09_AU1009_NN > 1 AND R09_AU1009_UN = 3)))) AND R09_EVER_NEVER_SNUS = 1

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		AND (R09_AU1002_12M = 2 OR R09_AU1003 = 3) AND R09_AU1004 != 1, THEN R09_SNUS_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_SNUS = 1, THEN R09_SNUS_USER_STATUS = 8.
Persistent former users - Snus R09_PERSISTENT_FORMER_SNUS	(1) Persistent former user = Continuing adult respondents who were long-term former snus users as of their last completed interview and had not used snus in the past 12 months at the last two Adult interviews and have not used snus in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former snus users as of their last completed interview or did not complete both of the last two Adult interviews or did not report not using snus in the past 12 months at either of the last two Adult interviews or have used snus in the past 12 months, or new baseline adult respondents.	IF R08_SNUS_USER_STATUS = 5 AND R08_PFORMER_SNUS = 1 AND R09_AU1002_12M = 2 AND R09_AU1010 != 3, THEN R09_PERSISTENT_FORMER_SNUS = 1. ELSE, R09_PERSISTENT_FORMER_SNUS = 2.
SMOKELESS TOBACCO		
Ever or Never users - Smokeless tobacco R09_EVER_NEVER_SMKLS	(1) Ever user = Adult respondents who have ever used smokeless tobacco and did not recant prior use. (2) Never user = Adult respondents who have never used smokeless tobacco.	IF ((R08_EVER_NEVER_SMKLS = 1 AND R09_AS1002 != 2) OR R09_AS1002 = 1 OR R09_AS1004 = 1 OR R09_AS1002_12M = 1 OR R09_AS1003 = 1, 2) AND R09_AS1010 != 3, THEN R09_EVER_NEVER_SMKLS = 1. ELSE, R09_EVER_NEVER_SMKLS = 2.
Initiators - Smokeless Tobacco R09_INIT_SMKLS_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco. (2) Non-initiator = Adult respondents who did not initiate smokeless tobacco use since their last completed interview.	IF (R09_ADULTTYPE = 1, 2 AND R08_EVER_NEVER_SMKLS != 1 AND R09_EVER_NEVER_SMKLS = 1) OR (R09_ADULTTYPE = 3 AND R09_AS1002 = 1), THEN R09_INIT_SMKLS_ADULT = 1. ELSE, R09_INIT_SMKLS_ADULT = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Smokeless tobacco user status R09_SMKLS_USER_STATUS	(1) Current user = Adult respondents who currently use every day or some days or used any smokeless tobacco in the past 30 days. (4) Recent former user = Continuing adult respondents who were current smokeless tobacco users as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview, and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, and have not used in the past 12 months or have not used in the past 30 days and currently use not at all; and new cohort adult respondents who have used smokeless tobacco in the past 12 months and did not use in the past 30 days and currently use not at all. (5) Long-term former user = Continuing adult respondents who were recent former or long-term former smokeless tobacco users as of their last completed interview and did not use in the past 12 months or did not use in the past 30 days and currently use not at all; and new cohort adult respondents who have ever used smokeless tobacco and have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R09_EVER_NEVER_SMKLS = 1 AND (R09_AS1003 = 1, 2 OR ((1 <= R09_AS1009_NN <= 30 AND R09_AS1009_UN = 1) OR (R09_AS1009_NN = 1 AND R09_AS1009_UN = 2) OR R09_AS1004 = 1)), THEN R09_SMKLS_USER_STATUS = 1. ELSE, IF (((R09_ADULTTYPE = 1 AND R08_SMKLS_USER_STATUS = 1) OR (R09_ADULTTYPE = 1, 2 AND R09_INIT_SMKLS_ADULT = 1) OR (R09_ADULTTYPE = 2 AND R08_EVER_NEVER_SMKLS = 1)) AND (R09_AS1009_UN != 1, 2 OR (R09_AS1009_NN > 30 AND R09_AS1009_UN = 1) OR (R09_AS1009_NN > 1 AND R09_AS1009_UN = 2) OR R09_AS1009_NN = 0, -8, -7)) OR (R09_ADULTTYPE = 3 AND ((30 < R09_AS1009_NN <= 365 AND R09_AS009_UN = 1) OR (1 < R09_AS1009_NN <= 12 AND R09_AS1009_UN = 2) OR (R09_AS1009_NN <= 1 AND R09_AS1009_UN = 3) OR R09_AS1009_NN = 0 OR (R09_AS1004 = 2 AND R09_AS1002_12M = 1 AND R09_AS1009_NN = -8, -7)))) AND R09_EVER_NEVER_SMKLS = 1 AND (R09_AS1002_12M = 2 OR R09_AS1003 = 3) AND R09_AS1004 != 1, THEN R09_SMKLS_USER_STATUS = 4. ELSE, IF ((R09_ADULTTYPE = 1 AND R08_SMKLS_USER_STATUS = 4, 5) OR (R09_ADULTTYPE = 3 AND ((R09_AS1009_NN > 365 AND R09_AS1009_UN = 1) OR (R09_AS1009_NN > 12 AND R09_AS1009_UN = 2) OR (R09_AS1009_NN > 1 AND R09_AS1009_UN = 3)))) AND R09_EVER_NEVER_SMKLS = 1

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		AND (R09_AS1002_12M = 2 OR R09_AS1003 = 3) AND R09_AS1004 != 1, THEN R09_SMKLS_USER_STATUS = 5. ELSE, IF R09_EVER_NEVER_SMKLS = 1, THEN R09_SMKLS_USER_STATUS = 8.
Persistent former users - Smokeless tobacco R09_PERSISTENT_FORMER_SMKLS	(1) Persistent former user = Continuing adult respondents who were long-term former smokeless tobacco users as of their last completed interview and had not used smokeless tobacco in the past 12 months at the last two Adult interviews and have not used smokeless tobacco in the past 12 months and did not recant prior use. (2) Not a persistent former user = Continuing adult respondents who were not long-term former smokeless tobacco users as of their last completed interview or did not complete both of the last two Adult interviews or did not report not using smokeless tobacco in the past 12 months at either of the last two Adult interviews or have used smokeless tobacco in the past 12 months, or new baseline adult respondents.	IF R08_SMKLS_USER_STATUS = 5 AND R08_PFORMER_SMKLS = 1 AND R09_AS1002_12M = 2 AND R09_AS1010 != 3, THEN R09_PERSISTENT_FORMER_SMKLS = 1. ELSE, R09_PERSISTENT_FORMER_SMKLS = 2.
TOBACCO (GENERAL)		
Ever Users - Tobacco R09_EVER_NEVER_TOBACCO	(1) Ever user = Adult respondents who have ever used any tobacco product (including ENPs). (2) Never user = Adult respondents who have never used any tobacco product (including ENPs).	IF R09_EVER_NEVER_CIGS = 1 OR R09_EVER_NEVER_EPRODS = 1 OR R09_EVER_NEVER_IQOS = 1 OR R09_EVER_NEVER_GTRAD = 1 OR R09_EVER_NEVER_GRILLO = 1 OR R09_EVER_NEVER_GFILTR = 1 OR R09_EVER_NEVER_PIPE = 1 OR R09_EVER_NEVER_HOOK = 1 OR R09_EVER_NEVER_SMKLS = 1 OR R09_EVER_NEVER_SNUS = 1 OR R09_EVER_NEVER_NICPOUCH = 1, THEN R09_EVER_NEVER_TOBACCO = 1. ELSE, R09_EVER_NEVER_TOBACCO = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Tobacco user status R09_TOBACCO_USER_STATUS	(1) Current user = Adult respondents who are current users of at least one tobacco product (including ENPs). (4) Recent former user = Adult respondents who are recent former users of any tobacco product (including ENPs), and are not current users of any other tobacco product (including ENPs). (5) Long-term former user = Adult respondents who are long-term former users of at least one tobacco product (including ENPs), and are not current or recent former users of any other tobacco product (including ENPs). (8) Unknown / missing = Unknown or missing.	IF (R09_CIG_USER_STATUS = 1 OR R09_EPROD_USER_STATUS = 1 OR R09_IQOS_USER_STATUS = 1 OR (R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR R09_PIPE_USER_STATUS = 1 OR R09_HOOK_USER_STATUS = 1 OR R09_SNUS_USER_STATUS = 1 OR R09_SMKLS_USER_STATUS = 1 OR R09_NICPOUCH_USER_STATUS = 1), THEN R09_TOBACCO_USER_STATUS = 1. ELSE, IF (R09_CIG_USER_STATUS = 4 OR R09_EPROD_USER_STATUS = 4 OR R09_IQOS_USER_STATUS = 4 OR (R09_GTRAD_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GRILLO_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_GFILTR_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR R09_PIPE_USER_STATUS = 4 OR R09_HOOK_USER_STATUS = 4 OR R09_SNUS_USER_STATUS = 4 OR R09_SMKLS_USER_STATUS = 4 OR R09_NICPOUCH_USER_STATUS = 4), THEN R09_TOBACCO_USER_STATUS = 4. ELSE, IF (R09_CIG_USER_STATUS = 5 OR R09_EPROD_USER_STATUS = 5 OR R09_IQOS_USER_STATUS = 5 OR (R09_GTRAD_USER_STATUS = 5 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GRILLO_USER_STATUS = 5 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_GFILTR_USER_STATUS = 5 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		R09_PIPE_USER_STATUS = 5 OR R09_HOOK_USER_STATUS = 5 OR R09_SNUS_USER_STATUS = 5 OR R09_SMKLS_USER_STATUS = 5 OR R09_NICPOUCH_USER_STATUS = 5), THEN R09_TOBACCO_USER_STATUS = 5. ELSE, R09_TOBACCO_USER_STATUS = 8.
Non-electronic tobacco user status R09_TOBXEPROD_USER_STATUS	(1) Current user = Adult respondents who are current users of at least one tobacco product other than ENPs. The respondent may have any ENP user status. (4) Recent former user = Adult respondents who are recent former users of any tobacco product other than ENPs, and are not current users of any tobacco products other than ENPs. The respondent may have any ENP user status. (5) Long-term former user = Adult respondents who are long-term former users of any tobacco product other than ENPs, and are not current or recent former users of any tobacco products other than ENPs. The respondent may have any ENP user status. (8) Unknown / missing = Unknown or missing.	IF (R09_CIG_USER_STATUS = 1 OR R09_IQOS_USER_STATUS = 1 OR R09_GTRAD_USER_STATUS = 1 OR R09_GRILLO_USER_STATUS = 1 OR R09_GFILTR_USER_STATUS = 1 OR R09_PIPE_USER_STATUS = 1 OR R09_HOOK_USER_STATUS = 1 OR R09_SMKLS_USER_STATUS = 1 OR R09_SNUS_USER_STATUS = 1 OR R09_NICPOUCH_USER_STATUS = 1), THEN R09_TOBXEPROD_USER_STATUS = 1. ELSE, IF (R09_CIG_USER_STATUS = 4 OR R09_IQOS_USER_STATUS = 4 OR (R09_GTRAD_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GRILLO_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR (R09_GFILTR_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR R09_PIPE_USER_STATUS = 4 OR R09_HOOK_USER_STATUS = 4 OR R09_SNUS_USER_STATUS = 4 OR R09_SMKLS_USER_STATUS = 4 OR R09_NICPOUCH_USER_STATUS = 4), THEN R09_TOBXEPROD_USER_STATUS = 4. ELSE, IF (R09_CIG_USER_STATUS = 5 OR R09_IQOS_USER_STATUS = 5 OR (R09_GTRAD_USER_STATUS = 5 AND R09_12MBLUNT_ONLY_BTRAD != 1) OR (R09_GRILLO_USER_STATUS = 5 AND R09_12MBLUNT_ONLY_BRILLO != 1) OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		(R09_GFILTR_USER_STATUS = 5 AND R09_12MBLUNT_ONLY_BFILTR != 1) OR R09_PIPE_USER_STATUS = 5 OR R09_HOOK_USER_STATUS = 5 OR R09_SNUS_USER_STATUS = 5 OR R09_SMKLS_USER_STATUS = 5 OR R09_NICPOUCH_USER_STATUS = 5), THEN R09_TOBXEPROD_USER_STATUS = 5. ELSE, R09_TOBXEPROD_USER_STATUS = 8.
Every day or Some day use - tobacco R09_CURRENT_TOBACCO_USE	(1) Every day user = Adult respondents who are every day users of at least one tobacco product, or who are current users of multiple tobacco products and use at least one each day. (2) Some day user = Adult respondents who are current users of at least one tobacco product and do not use tobacco every day. (8) Unknown / missing = Unknown or missing	IF (R09_AC1003 = 1 OR R09_AV1003 = 1 OR R09_AQ1003 = 1 OR (R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD = 2) OR (R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO = 2) OR (R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR = 2) OR R09_AP1003 = 1 OR R09_AH1003 = 1 OR R09_AH9003 = 1 OR R09_AU1003 = 1 OR R09_AS1003 = 1 OR R09_AA1003NP = 1 OR R09_AY0005 = 1) AND R09_TOBACCO_USER_STATUS = 1, THEN R09_CURRENT_TOBACCO_USE = 1. ELSE, IF (R09_AC1003 != 1 AND R09_AV1003 != 1 AND R09_AQ1003 != 1 AND (R09_AG1003TC != 1 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_AG1003CG != 1 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_AG1003FC != 1 OR R09_12MBLUNT_ONLY_BFILTR = 1) AND R09_AP1003 != 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1 AND R09_AU1003 != 1 AND R09_AS1003 != 1 AND R09_AA1003NP != 1 AND R09_AY0005 != 1) AND R09_TOBACCO_USER_STATUS = 1, THEN R09_CURRENT_TOBACCO_USE = 2. ELSE, R09_CURRENT_TOBACCO_USE = 8.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Use level - Non-electronic tobacco products R09_TOBXEPROD_USE_LEVEL	(1) Established non-electronic tobacco user = Adult respondents who have smoked 100 or more cigarettes in their lifetime or have ever used at least one tobacco product other than ENPs fairly regularly. The respondent may have any ENP use level. (2) Experimental non-electronic tobacco user of multiple products = Adult respondents who used two or more tobacco products other than ENPs and have never smoked cigarettes or smoked fewer than 100 cigarettes in their lifetime and have never used any tobacco product other than ENPs fairly regularly. The respondent may have any ENP use level. (3) Experimental non-electronic tobacco user of a single product = Adult respondent who have only used a single tobacco product other than ENPs and have never smoked cigarettes or smoked fewer than 100 cigarettes in their lifetime and have never used any tobacco product other than ENPs fairly regularly. The respondent may have any ENP use level. (8) Unknown / missing = Unknown or missing.	IF R08_NUMLIFE_CIGS = 1 OR R09_AC1005 = 6 OR R09_AQ1100 = 1 OR ((R08_REGUSE_GTRAD = 1 OR R09_AG1100TC = 1) AND R09_12MBLUNT_ONLY_BTRAD != 1) OR ((R08_REGUSE_GRILLO = 1 OR R09_AG1100CG = 1) AND R09_12MBLUNT_ONLY_BRILLO != 1) OR ((R08_REGUSE_GFILTR = 1 OR R09_AG1100FC = 1) AND R09_12MBLUNT_ONLY_BFILTR != 1) OR R08_REGUSE_PIPE = 1 OR R09_AP1100 = 1 OR R08_REGUSE_HOOK = 1 OR R09_AH1100 = 1 OR R08_REGUSE_SNUS = 1 OR R09_AU1100 = 1 OR R08_REGUSE_SMKLS = 1 OR R09_AS1100 = 1 OR R08_REGUSE_NICPOUCH = 1 OR R09_AA1100NP = 1, THEN R09_TOBXEPROD_USE_LEVEL = 1. ELSE, IF (R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT > 2) OR ((R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT = 2) AND R09_EPROD_USER_STATUS != 1, 4), THEN R09_TOBXEPROD_USE_LEVEL = 2. ELSE, IF (R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT = 1) OR ((R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT = 2) AND R09_EPROD_USER_STATUS = 1, 4), THEN R09_TOBXEPROD_USE_LEVEL = 3. ELSE, R09_TOBXEPROD_USE_LEVEL = 8.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
DERIVED QUESTIONNAIRE VARIABLES		
R09_CIGSPERDAY	Number of cigarettes smoked per day for current established, current experimental, and recent former established cigarette smokers.	IF R09_AC1003 = 1 AND R09_AC1021_NN != -7, -8 AND R09_AC1021_UN = 1, THEN R09_CIGSPERDAY = R09_AC1021_NN. IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1023_NN != -8, -7 AND R09_AC1023_UN = 1, THEN R09_CIGSPERDAY = R09_AC1023_NN. IF R09_CIG_USER_STATUS = 4 AND R09_AC9003_NN != -8, -7 AND R09_AC9003_UN = 1, THEN R09_CIGSPERDAY = R09_AC9003_NN.
R09_CIGSPERDAY2	Estimate of cigarettes smoked per day for current established, current experimental, and recent former established cigarette smokers when actual number is DK/RF.	IF R09_AC1090 = 1, THEN R09_CIGSPERDAY2 = "more than 20 cigarettes each day". IF R09_AC1090 = 2, THEN R09_CIGSPERDAY2 = "about 20 cigarettes each day". IF R09_AC1090 = 3, THEN R09_CIGSPERDAY2 = "less than 20 cigarettes each day".
R09_PCKSPERDAY	Number of packs smoked per day for current established, current experimental, and recent former established cigarette smokers.	IF R09_AC1003 = 1 AND R09_AC1021_NN != -7, -8 AND R09_AC1021_UN = 2, THEN R09_PCKSPERDAY = R09_AC1021_NN. IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1 AND R09_AC1023_NN != -8, -7 AND R09_AC1023_UN = 2, THEN R09_PCKSPERDAY = R09_AC1023_NN. IF R09_CIG_USER_STATUS = 4 AND R09_AC9003_NN != -8, -7 AND R09_AC9003_UN = 2, THEN R09_PCKSPERDAY = R09_AC9003_NN.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_HEATSPERDAY	Number of HeatSticks used per day.	IF R09_AQ1003 = 1 AND R09_AQ1021_UN = 1, THEN R09_HEATSPERDAY = R09_AQ1021_NN. ELSE, IF R09_AQ1003 != 1 AND R09_AQ1023_UN = 1, THEN R09_HEATSPERDAY = R09_AQ1023_NN. ELSE, DO NOT SET R09_HEATSPERDAY.
R09_HEATSPERDAY2	Estimate of HeatSticks used per day when actual number is DK/RF.	IF R09_AQ1090 = 1, THEN R09_HEATSPERDAY2 = "more than 20 HeatSticks each day". ELSE, IF R09_AQ1090 = 2, THEN R09_HEATSPERDAY2 = "about 20 HeatSticks each day". ELSE, IF R09_AQ1090 = 3, THEN R09_HEATSPERDAY2 = "less than 20 HeatSticks each day". ELSE, DO NOT SET R09_HEATSPERDAY2.
R09_HEATSPACKSPERDAY	Number of packs used per day.	IF R09_AQ1003 = 1 AND R09_AQ1021_UN = 2, THEN R09_HEATSPACKSPERDAY = R09_AQ1021_NN. ELSE, IF R09_AQ1003 != 1 AND R09_AQ1023_UN = 2, THEN R09_HEATSPACKSPERDAY = R09_AQ1023_NN. ELSE, DO NOT SET R09_HEATSPACKSPERDAY.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_EPRODCOUNT	Number of ENPs used.	R09_EPRODCOUNT = 0 IF R09_AV9039_01 = 1, SET R09_EPRODCOUNT = R09_EPRODCOUNT + 1; IF R09_AV9039_02 = 1, SET R09_EPRODCOUNT = R09_EPRODCOUNT + 1; IF R09_AV9039_03 = 1, SET R09_EPRODCOUNT = R09_EPRODCOUNT + 1; IF R09_AV9039_05 = 1, SET R09_EPRODCOUNT = R09_EPRODCOUNT + 1. Range 0 to 4.
R09_EDEVICETYPE	ENP device type.	IF (R09_EPRODCOUNT = 1 AND R09_AV9039_01 = 1) OR (R09_EPRODCOUNT > 1 AND R09_AV9001 = 1), THEN R09_EDEVICETYPE = 1 (Disposable device type). ELSE, IF ((R09_EPRODCOUNT = 1 AND R09_AV9039_02 = 1) OR (R09_EPRODCOUNT > 1 AND R09_AV9001 = 2)) AND R09_AV9014 != 1, THEN R09_EDEVICETYPE = 2 (Prefilled Pod or Cartridge device type). ELSE, IF (R09_EPRODCOUNT = 1 AND R09_AV9039_03 = 1) OR (R09_EPRODCOUNT > 1 AND R09_AV9001 = 3) OR R09_AV9014 = 1, THEN R09_EDEVICETYPE = 3 (Refillable device type). ELSE, R09_EDEVICETYPE = 5 (Unknown).

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_ENP_SUBBRANDS	(1) Subbrands = Adult respondents who selected a brand of ENPs that has sub-brands. (2) No sub-brands = Adult respondents who did not select a brand of ENPs that has sub-brands.	IF (R09_AV1048_BRAND = 1028 [blu], 1406 [Breeze], 1479 [Breeze Smoke], 1269 [JUUL], 1463 [KangVape], 1248 [Logic], 1146 [NJOY], 1258 [Vuse]) OR (R09_AV2048_BRAND = 1028 [blu], 1406 [Breeze], 1479 [Breeze Smoke], 1269 [JUUL], 1463 [KangVape], 1248 [Logic], 1146 [NJOY], 1258 [Vuse]), THEN R09_ENP_SUBBRANDS = 1. ELSE, R09_ENP_SUBBRANDS = 2.
R09_ENP_QUITAID_SUBBRANDS	(1) Subbrands = Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used e-cigarettes or other ENPs to help them quit and selected a brand of ENPs that has sub-brands. (2) No sub-brands = Adult respondents who are not past 12 month non-electronic tobacco quitters or quit attempters or did not use e-cigarettes or other ENPs to help them quit or did not select a brand of ENPs that has sub-brands.	IF (R09_AN0267_BRAND = 1028 [blu], 1406 [Breeze], 1479 [Breeze Smoke], 1269 [JUUL], 1463 [KangVape], 1248 [Logic], 1146 [NJOY], 1258 [Vuse]) OR (R09_AN2267_BRAND = 1028 [blu], 1406 [Breeze], 1479 [Breeze Smoke], 1269 [JUUL], 1463 [KangVape], 1248 [Logic], 1146 [NJOY], 1258 [Vuse]), THEN R09_ENP_QUITAID_SUBBRANDS = 1. ELSE, R09_ENP_QUITAID_SUBBRANDS = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
CIGARLOOP1	Cigars as Non-Blunts: CIGARLOOP1 = BOX R09_AGR05 THROUGH BOX_R09_AGR06. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts everytime when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts everytime when smoked in the past 12 months. GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: CIGARLOOP1 = BOX R09_AGR05 THROUGH BOX_R09_AGR06. DO NOT ASK ITEM R09_AG1010. BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	Cigars as Non-Blunts: CIGARLOOP1 = BOX R09_AGR05 THROUGH BOX_R09_AGR06. GTRAD: IF R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only: CIGARLOOP1 = BOX R09_AGR05 THROUGH BOX_R09_AGR06. DO NOT ASK ITEM R09_AG1010. BTRAD: IF R09_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R09_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R09_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
CIGARLOOP2	Cigars as Non-Blunts: CIGARLOOP2 = BOX R09_AGT03 THROUGH R09_AG1080. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months. GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: CIGARLOOP2 = R09_AJT03, R09_AJR01, R09_AJ1008, R09_AJ1011, R09_AJ1030, R09_AJ1032, R09_AJ1033, R09_AJ1039, R09_AJ1040, R09_AJ1042, R09_AJ1043, R09_AJ1047, R09_AJ1048, R09_AJ1070, R09_AJ1049, R09_AJ1071, R09_AJ1050, R09_AJ1012, and R09_AJR04. BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	Cigars as Non-Blunts: CIGARLOOP2 = BOX R09_AGT03 THROUGH R09_AG1080. GTRAD: IF R09_EVER_NEVER_GTRAD = 1 AND R09_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R09_EVER_NEVER_GRILLO = 1 AND R09_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R09_EVER_NEVER_GFILTR = 1 AND R09_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only: CIGARLOOP2 = R09_AJT03, R09_AJR01, R09_AJ1008, R09_AJ1011, R09_AJ1030, R09_AJ1032, R09_AJ1033, R09_AJ1039, R09_AJ1040, R09_AJ1042, R09_AJ1043, R09_AJ1047, R09_AJ1048, R09_AJ1070, R09_AJ1049, R09_AJ1071, R09_AJ1050, R09_AJ1012, and R09_AJR04. BTRAD: IF R09_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R09_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R09_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Nicotine replacement therapy product user status R09_NRT_USER_STATUS	(1) Current user = Adult respondents who have used any nicotine replacement therapy products in the past 30 days. (4) Recent former user = Adult respondents who have used nicotine replacement therapy products in the past 12 months and did not use in the past 30 days. (5) Long-term former user = Adult respondents who have ever used nicotine replacement therapy products and have not used nicotine replacement therapy products in the past 12 months. (8) Unknown / missing = Unknown or missing	IF R09_AN0330_30D = 1, THEN R09_NRT_USER_STATUS = 1. ELSE, IF R09_AN0330_12M = 1, THEN R09_NRT_USER_STATUS = 4. ELSE, IF R09_AN0330 = 1, THEN R09_NRT_USER_STATUS = 5. ELSE, R09_NRT_USER_STATUS = 8.
R09_TOBACCO_PRODUCT_LIST	A list of all the tobacco products the respondent currently uses. DISPLAY: For [TOBACCO PRODUCT LIST] embedded in the question text, display IQOS in all capital letters and display other product names in lowercase letters. If [TOBACCO PRODUCT LIST] has two products, connect the products with "and". If [TOBACCO PRODUCT LIST] has three or more products, connect the products with commas and include "and" before the final product in the list.	IF R09_CIG_USER_STATUS = 1, INCLUDE "cigarettes" IN THE LIST. IF R09_EPROD_USER_STATUS = 1, INCLUDE "electronic nicotine products" IN THE LIST. IF R09_IQOS_USER_STATUS = 1, INCLUDE "IQOS" IN THE LIST. IF R09_GTRAD_USER_STATUS = 1, INCLUDE "traditional cigars" IN THE LIST. IF R09_GRILLO_USER_STATUS = 1, INCLUDE "cigarillos" IN THE LIST. IF R09_GFILTR_USER_STATUS = 1, INCLUDE "filtered cigars" IN THE LIST. IF R09_PIPE_USER_STATUS = 1, INCLUDE "a pipe" IN THE LIST. IF R09_HOOK_USER_STATUS = 1, INCLUDE "hookah" IN THE LIST. IF R09_NICPOUCH_USER_STATUS = 1, INCLUDE "nicotine pouches" IN THE LIST. IF R09_SNUS_USER_STATUS = 1, INCLUDE "snus" IN THE LIST. IF R09_SMKLS_USER_STATUS = 1, INCLUDE "smokeless tobacco" IN THE LIST.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_CURRENT_PRODUCT_COUNT	Number of tobacco products for which the respondent is an every day or some day user.	R09_CURRENT_PRODUCT_COUNT = 0 IF R09_CIG_USER_STATUS = 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_EPROD_USER_STATUS = 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_IQOS_USER_STATUS = 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_GTRAD_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_GRILLO_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_GFILTR_USER_STATUS = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_PIPE_USER_STATUS = 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_HOOK_USER_STATUS = 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_NICPOUCH_USER_STATUS = 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1. IF R09_SNUS_USER_STATUS = 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; IF R09_SMKLS_USER_STATUS = 1, SET R09_CURRENT_PRODUCT_COUNT = R09_CURRENT_PRODUCT_COUNT + 1; Range 0 to 11.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_EVERY_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day.	R09_EVERY_DAY_PRODUCT_COUNT = 0 IF R09_AC1003 = 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AV1003 = 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AQ1003 = 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AG1003TC = 1 AND R09_12MBLUNT_ONLY_BTRAD != 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AG1003CG = 1 AND R09_12MBLUNT_ONLY_BRILLO != 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AG1003FC = 1 AND R09_12MBLUNT_ONLY_BFILTR != 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AP1003 = 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AH1003 = 1 OR R09_AH9003 = 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AU1003 = 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AS1003 = 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1; IF R09_AA1003NP = 1, SET R09_EVERY_DAY_PRODUCT_COUNT = R09_EVERY_DAY_PRODUCT_COUNT + 1. Range 0 to 11.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses and does not use every day.	R09_SOME_DAY_PRODUCT_COUNT = 0 IF R09_CIG_USER_STATUS = 1 AND R09_AC1003 != 1, SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_EPROD_USER_STATUS = 1 AND R09_AV1003 != 1, SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_IQOS_USER_STATUS = 1 AND R09_AQ1003 != 1, SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_GTRAD_USER_STATUS = 1 AND (R09_AG1003TC != 1 OR R09_12MBLUNT_ONLY_BTRAD = 1), SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_GRILLO_USER_STATUS = 1 AND (R09_AG1003CG != 1 OR R09_12MBLUNT_ONLY_BRILLO = 1), SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_GFILTR_USER_STATUS = 1 AND (R09_AG1003FC != 1 OR R09_12MBLUNT_ONLY_BFILTR = 1), SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_PIPE_USER_STATUS = 1 AND R09_AP1003 != 1, SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_HOOK_USER_STATUS = 1 AND R09_AH1003 != 1 AND R09_AH9003 != 1, SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_NICPOUCH_USER_STATUS = 1 AND R09_AA1003NP != 1, SET R09_SOME_DAY_PRODUCT_COUNT =

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		R09_SOME_DAY_PRODUCT_COUNT + 1. IF R09_SNUS_USER_STATUS = 1 AND R09_AU1003 != 1, SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; IF R09_SMKLS_USER_STATUS = 1 AND R09_AS1003 != 1, SET R09_SOME_DAY_PRODUCT_COUNT = R09_SOME_DAY_PRODUCT_COUNT + 1; Range 0 to 11.
R09_RECENT_FORMER_PRODUCT_COUNT	Number of tobacco products the respondent is a recent former user of.	R09_RECENT_FORMER_PRODUCT_COUNT = 0 IF R09_CIG_USER_STATUS = 4, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_EPROD_USER_STATUS = 4, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_IQOS_USER_STATUS = 4, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_GTRAD_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BTRAD != 1, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_GRILLO_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BRILLO != 1, SET R09_RECENT_FORMER_PRODUCT_COUNT =

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_GFILTR_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BFILTR != 1, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_PIPE_USER_STATUS = 4, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_HOOK_USER_STATUS = 4, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_NICPOUCH_USER_STATUS = 4, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1. IF R09_SNUS_USER_STATUS = 4, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; IF R09_SMKLS_USER_STATUS = 4, SET R09_RECENT_FORMER_PRODUCT_COUNT = R09_RECENT_FORMER_PRODUCT_COUNT + 1; Range 0 to 11.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_NDSKIP	Type of product use - poly-users or multiple product users R09_NDSKIP = 0 (Respondents who are current or recent former users of only one product. If R09_NDSKIP = 0, only the ENP ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.) R09_NDSKIP = 1 (Respondents who are current or recent former users of two or more products, where none of those products is/was ENPs. If R09_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.) R09_NDSKIP = 2 (Respondents who are current or recent former users of three or more products, where one of those products is/was ENPs. If R09_NDSKIP = 2, both ND modules will be asked, first the ENP ND module and second the tobacco ND module with fills tailored to their tobacco use overall. R09_NDSKIP = 3 (Respondents who are current or recent former users of two products, where one of those products is/was ENPs. If R09_NDSKIP = 3, both ND modules will be asked, first the ENP ND module and second the tobacco ND module with fills tailored to their other specific product.)	R09_NDSKIP: IF (R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R09_EPROD_USER_STATUS != 1, 4, THEN R09_NDSKIP = 1. ELSE, IF (R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R09_EPROD_USER_STATUS = 1, 4, THEN R09_NDSKIP = 2. ELSE, IF (R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT = 2) AND R09_EPROD_USER_STATUS = 1, 4, THEN R09_NDSKIP = 3. ELSE, IF R09_CURRENT_PRODUCT_COUNT + R09_RECENT_FORMER_PRODUCT_COUNT = 1, THEN R09_NDSKIP = 0.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_GROUP	Type of product use - single product users IF R09_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: R09_GROUP = NC (Cigarettes) R09_GROUP = NQ (IQOS) R09_GROUP = NG (Traditional cigars) R09_GROUP = NL (Cigarillos) R09_GROUP = NF (Filtered cigars) R09_GROUP = NP (Pipes) R09_GROUP = NH (Hookah) R09_GROUP = NN (Nicotine Pouches) R09_GROUP = NU (Snus) R09_GROUP = NS (Smokeless Tobacco)	IF R09_NDSKIP = 0, 3: IF R09_CIG_USER_STATUS = 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BFILTR = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND R09_HOOK_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NC. ELSE, IF R09_IQOS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BFILTR = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND R09_HOOK_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NQ. ELSE, IF (R09_GTRAD_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BTRAD != 1) AND R09_CIG_USER_STATUS != 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		R09_12MBLUNT_ONLY_BFILTER = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND R09_HOOK_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NG. ELSE, IF (R09_GRILLO_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1) AND R09_CIG_USER_STATUS != 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BFILTER = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND R09_HOOK_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NL. ELSE, IF (R09_GFILTR_USER_STATUS = 1, 4 AND R09_12MBLUNT_ONLY_BRILLO != 1) AND R09_CIG_USER_STATUS != 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND R09_HOOK_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NF. ELSE, IF R09_PIPE_USER_STATUS = 1, 4

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		AND R09_CIG_USER_STATUS != 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BFILTR = 1) AND R09_HOOK_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NP. ELSE, IF R09_HOOK_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS != 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BFILTR = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NH. ELSE, IF R09_NICPOUCH_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS != 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BFILTR = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
		R09_HOOK_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NN. ELSE, IF R09_SNUS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS != 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BFILTR = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND R09_HOOK_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SMKLS_USER_STATUS != 1, 4, THEN R09_GROUP = NU. ELSE, IF R09_SMKLS_USER_STATUS = 1, 4 AND R09_CIG_USER_STATUS != 1, 4 AND R09_IQOS_USER_STATUS != 1, 4 AND (R09_GTRAD_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BTRAD = 1) AND (R09_GRILLO_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BRILLO = 1) AND (R09_GFILTR_USER_STATUS != 1, 4 OR R09_12MBLUNT_ONLY_BFILTR = 1) AND R09_PIPE_USER_STATUS != 1, 4 AND R09_HOOK_USER_STATUS != 1, 4 AND R09_NICPOUCH_USER_STATUS != 1, 4 AND R09_SNUS_USER_STATUS != 1, 4, THEN R09_GROUP = NS.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_VALID_TIME_LASTUSED	Respondent is a recent former user of at least one product other than ENPs and answered R09_A*1009 with a valid response.	IF (R09_CIG_USER_STATUS = 4 AND R09_AC1009_NN > 0 AND R09_AC1009_UN != -8, -7) OR (R09_IQOS_USER_STATUS = 4 AND R09_AQ1009_NN > 0 AND R09_AQ1009_UN != -8, -7) OR (R09_GTRAD_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BTRAD != 1 AND R09_AG1009TC_NN > 0 AND R09_AG1009TC_UN != -8, -7) OR (R09_GRILLO_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BRILLO != 1 AND R09_AG1009CG_NN > 0 AND R09_AG1009CG_UN != -8, -7) OR (R09_GFILTR_USER_STATUS = 4 AND R09_12MBLUNT_ONLY_BFILTR != 1 AND R09_AG1009FC_NN > 0 AND R09_AG1009FC_UN != -8, -7) OR (R09_HOOK_USER_STATUS = 4 AND R09_AH1009_NN > 0 AND R09_AH1009_UN != -8, -7) OR (R09_PIPE_USER_STATUS = 4 AND R09_AP1009_NN > 0 AND R09_AP1009_UN != -8, -7) OR (R09_NICPOUCH_USER_STATUS = 4 AND R09_AA1009NP_NN > 0 AND R09_AA1009NP_UN != -8, -7) OR (R09_SNUS_USER_STATUS = 4 AND R09_AU1009_NN > 0 AND R09_AU1009_UN != -8, -7) OR (R09_SMKLS_USER_STATUS = 4 AND R09_AS1009_NN > 0 AND R09_AS1009_UN != -8, -7), THEN R09_VALID_TIME_LASTUSED = 1. ELSE, R09_VALID_TIME_LASTUSED = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
Twelve month quit status (ENPs) R09_TWELVEMONTHQUIT_STATUS_EPROD	(1) Past 12 month quitter or quit attempter = Adult respondents who have quit or attempted to quit ENPs in the past 12 months. (2) Past 12 month reducer = Adult respondents who have cut down their ENP use in the past 12 months, but have not tried to quit. (8) Unknown / missing = Unknown or missing	IF (R09_AN0105E = 1 OR R09_EPROD_USER_STATUS = 4) AND R09_EPROD_USE_LEVEL = 1, 2, THEN R09_TWELVEMONTHQUIT_STATUS_EPROD = 1. ELSE, IF R09_AN0334E = 1, THEN R09_TWELVEMONTHQUIT_STATUS_EPROD = 2. ELSE, R09_TWELVEMONTHQUIT_STATUS_EPROD = 8.
Twelve month quit status (non-electronic tobacco) R09_TWELVEMONTHQUIT_STATUS	(1) Past 12 month quitter or quit attempter = Adult respondents who have quit or attempted to quit non-electronic tobacco in the past 12 months. (2) Past 12 month reducer = Adult respondents who have cut down their non-electronic tobacco use in the past 12 months, but have not tried to quit. (8) Unknown / missing = Unknown or missing	IF (R09_AN0105 = 1 OR R09_TOBXEPROD_USER_STATUS = 4) AND R09_TOBXEPROD_USE_LEVEL = 1, 2, THEN R09_TWELVEMONTHQUIT_STATUS = 1. ELSE, IF R09_AN0334 = 1, THEN R09_TWELVEMONTHQUIT_STATUS = 2. ELSE, R09_TWELVEMONTHQUIT_STATUS = 8.
R09_MRTP_COUNT	Number of MRTPs the respondent has ever used.	R09_MRTP_COUNT = 0 IF R09_AR1002_VLN = 1, SET R09_MRTP_COUNT = R09_MRTP_COUNT + 1; IF R09_AR1002_GEN = 1, SET R09_MRTP_COUNT = R09_MRTP_COUNT + 1; IF R09_AR1002_COP = 1, SET R09_MRTP_COUNT = R09_MRTP_COUNT + 1. Range 0 to 3.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_ADULT_LUNGCOND	Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.	IF (R09_AX0119_NB_01 = 1 OR R09_AX0119_NB_02 = 1 OR R09_AX0119_NB_03 = 1 OR R09_AX0119_12M_01 = 1 OR R09_AX0119_12M_02 = 1 OR R09_AX0119_12M_03 = 1 OR R08_LUNGCOND = 1) AND R09_AX0740 != 6, THEN R09_ADULT_LUNGCOND = 1. ELSE, R09_ADULT_LUNGCOND = 2.
Adults with asthma R09_ADULT_ASTHMA	(1) Asthma = Adult respondents who have ever had asthma. (2) No asthma = Adult respondents who have never had asthma.	IF (R08_ASTHMA = 1 OR R09_AX0119_NB_04 = 1 OR R09_AX0119_12M_04 = 1) AND R09_AX0227 != 6, THEN R09_ADULT_ASTHMA = 1 ELSE, R09_ADULT_ASTHMA = 2.
R09_P30D_VAPE_MJ	Adult respondents who have vaped marijuana liquids or oils in an ENP in the past 30 days.	IF R09_AX0290_03 = 1, THEN R09_P30D_VAPE_MJ = 1. ELSE, R09_P30D_VAPE_MJ = 2.
R09_EVER_USER_ALC	Adult respondents who have ever used alcohol.	IF R09_AX0084_RS = 1 OR R09_AX0084_12M = 1 OR R08_EVER_USER_ALCOHOL = 1, THEN R09_EVER_USER_ALC = 1. ELSE, R09_EVER_USER_ALC = 2.
R09_EVER_USER_MJ	Adult respondents who have ever used marijuana.	IF R09_AG9105_RS = 1 OR R09_AG9107 = 1 OR R09_AX0085_RS = 1 OR R09_AX0085_12M = 1 OR R09_AW1002 = 1 OR R08_EVER_USER_MARIJUANA = 1 OR R08_EVER_VAPE_MARIJUANA = 1, THEN R09_EVER_USER_MJ = 1. ELSE, R09_EVER_USER_MJ = 2.
R09_EVER_USER_RIT	Adult respondents who have ever used Ritalin® or Adderall®.	IF R09_AX0089_01 = 1 OR R09_AX0089_12M_01 = 1 OR R08_EVER_USER_RITALIN = 1, THEN R09_EVER_USER_RIT = 1. ELSE, R09_EVER_USER_RIT = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_EVER_USER_PK	Adult respondents who have ever used painkillers.	IF R09_AX0089_02 = 1 OR R09_AX0089_12M_02 = 1 OR R08_EVER_USER_PAINKILLERS = 1, THEN R09_EVER_USER_PK = 1. ELSE, R09_EVER_USER_PK = 2.
R09_EVER_USER_SED	Adult respondents who have ever used sedatives or tranquilizers.	IF R09_AX0089_03 = 1 OR R09_AX0089_12M_03 = 1 OR R08_EVER_USER_SEDATIVES = 1, THEN R09_EVER_USER_SED = 1. ELSE, R09_EVER_USER_SED = 2.
R09_EVER_USER_COC	Adult respondents who have ever used cocaine or crack.	IF R09_AX0220_01 = 1 OR R09_AX0220_12M_01 = 1 OR R08_EVER_USER_COCAINE = 1, THEN R09_EVER_USER_COC = 1. ELSE, R09_EVER_USER_COC = 2.
R09_EVER_USER_STIM	Adult respondents who have ever used stimulants like methamphetamine or speed.	IF R09_AX0220_02 = 1 OR R09_AX0220_12M_02 = 1 OR R08_EVER_USER_STIMULANTS = 1, THEN R09_EVER_USER_STIM = 1. ELSE, R09_EVER_USER_STIM = 2.
R09_EVER_USER_INH	Adult respondents who have ever used inhalants or solvents.	IF R09_AX0220_04 = 1 OR R09_AX0220_12M_04 = 1 OR R08_EVER_USER_INHALANTS = 1, THEN R09_EVER_USER_INH = 1. ELSE, R09_EVER_USER_INH = 2.
R09_EVER_USER_HERO	Adult respondents who have ever used heroin.	IF R09_AX0220_03 = 1 OR R09_AX0220_12M_03 = 1 OR R08_EVER_USER_HEROIN = 1, THEN R09_EVER_USER_HERO = 1. ELSE, R09_EVER_USER_HERO = 2.
R09_EVER_USER_HALL	Adult respondents who have ever used hallucinogens.	IF R09_AX0220_05 = 1 OR R09_AX0220_12M_05 = 1 OR R08_EVER_USER_HALLUCINOGENS = 1, THEN R09_EVER_USER_HALL = 1. ELSE, R09_EVER_USER_HALL = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_SUBSTANCE_COUNT	Number of substances the respondent has ever used.	R09_SUBSTANCE_COUNT = 0; IF R09_EVER_USER_ALC = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_MJ = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_RIT = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_PK = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_SED = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_COC = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_STIM = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_HERO = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_INH = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1; IF R09_EVER_USER_HALL = 1, SET R09_SUBSTANCE_COUNT = R09_SUBSTANCE_COUNT + 1.
R09_PASTUSE_ALC	Adult respondents who have used alcohol in the past 12 months or had used alcohol in the past 12 months as of their last completed interview.	IF R08_12M_ALCOHOL = 1 OR R09_AX0084_12M = 1, THEN R09_PASTUSE_ALC = 1. ELSE, R09_PASTUSE_ALC = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_PASTUSE_MJ	Adult respondents who have used marijuana in the past 12 months or had used marijuana in the past 12 months as of their last completed interview.	IF R08_12M_MARIJUANA = 1 OR R09_AG9107 = 1 OR R09_AX0085_12M = 1, THEN R09_PASTUSE_MJ = 1. ELSE, R09_PASTUSE_MJ = 2.
R09_PASTUSE_RIT	Adult respondents who have used Ritalin® or Adderall® in the past 12 months or had used Ritalin® or Adderall® in the past 12 months as of their last completed interview.	IF R08_12M_RITALIN = 1 OR R09_AX0089_12M_01 = 1, THEN R09_PASTUSE_RIT = 1. ELSE, R09_PASTUSE_RIT = 2.
R09_PASTUSE_PK	Adult respondents who have used painkillers in the past 12 months or had used painkillers in the past 12 months as of their last completed interview.	IF R08_12M_PAINKILLERS = 1 OR R09_AX0089_12M_02 = 1, THEN R09_PASTUSE_PK = 1. ELSE, R09_PASTUSE_PK = 2.
R09_PASTUSE_SED	Adult respondents who have used sedatives or tranquilizers in the past 12 months or had used sedatives or tranquilizers in the past 12 months as of their last completed interview.	IF R08_12M_SEDATIVES = 1 OR R09_AX0089_12M_03 = 1, THEN R09_PASTUSE_SED = 1. ELSE, R09_PASTUSE_SED = 2.
R09_PASTUSE_COC	Adult respondents who have used cocaine or crack in the past 12 months or had used cocaine or crack in the past 12 months as of their last completed interview.	IF R08_12M_COCAINE = 1 OR R09_AX0220_12M_01 = 1, THEN R09_PASTUSE_COC = 1. ELSE, R09_PASTUSE_COC = 2.
R09_PASTUSE_STIM	Adult respondents who have used stimulants like methamphetamine or speed in the past 12 months or had used stimulants like methamphetamine or speed in the past 12 months as of their last completed interview.	IF R08_12M_STIMULANTS = 1 OR R09_AX0220_12M_02 = 1, THEN R09_PASTUSE_STIM = 1. ELSE, R09_PASTUSE_STIM = 2.
R09_PASTUSE_INH	Adult respondents who have used inhalants or solvents in the past 12 months or had used inhalants or solvents in the past 12 months as of their last completed interview.	IF R08_12M_INHALANTS = 1 OR R09_AX0220_12M_04 = 1, THEN R09_PASTUSE_INH = 1. ELSE, R09_PASTUSE_INH = 2.
R09_PASTUSE_HERO	Adult respondents who have used heroin in the past 12 months or had used heroin in the past 12 months as of their last completed interview.	IF R08_12M_HEROIN = 1 OR R09_AX0220_12M_03 = 1, THEN R09_PASTUSE_HERO = 1. ELSE, R09_PASTUSE_HERO = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_PASTUSE_HALL	Adult respondents who have used hallucinogens in the past 12 months or had used hallucinogens in the past 12 months as of their last completed interview.	IF R08_12M_HALLUCINOGENS = 1 OR R09_AX0220_12M_05 = 1, THEN R09_PASTUSE_HALL = 1. ELSE, R09_PASTUSE_HALL = 2.
R09_PASTUSE_COUNT	Number of substances the respondent has ever used.	R09_PASTUSE_COUNT = 0; IF R09_PASTUSE_ALC = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_MJ = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_RIT = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_PK = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_SED = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_COC = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_STIM = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_HERO = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_INH = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1; IF R09_PASTUSE_HALL = 1, SET R09_PASTUSE_COUNT = R09_PASTUSE_COUNT + 1.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_PASTUSE_CIGS	Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current or recent former cigarette smokers in Wave 8, or new baseline adult respondents who have ever smoked cigarettes.	IF (R09_AC1004 = 1 OR R09_AC1002_12M = 1 OR R09_AC1002 = 1 OR R08_CIG_USER_STATUS = 1, 4 OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_CIGS = 1)) AND R09_AC1010 != 3, THEN R09_PASTUSE_CIGS = 1. ELSE, R09_PASTUSE_CIGS = 2.
R09_PASTUSE_EPRODS	Continuing adult respondents who used ENPs in the past 30 days or past 12 months or were current or recent former ENP users in Wave 8, or new baseline adult respondents who have ever used ENPs.	IF ((R09_AV1004 = 1 OR R09_AV1002_12M = 1 OR R09_AV1002 = 1 OR R08_EPROD_USER_STATUS = 1, 4) OR (R09_EVER_NEVER_EPRODS = 1 AND R09_ADULTTYPE = 2, 3)) AND R09_AV1010 != 3, THEN R09_PASTUSE_EPRODS = 1. ELSE, R09_PASTUSE_EPRODS = 2.
R09_PASTUSE_GTRAD	Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current or recent former traditional cigar smokers in Wave 8, or new baseline adult respondents who have ever smoked traditional cigars.	IF (R09_AG9030 = 1 OR R09_AG9003_12M = 1 OR R09_AG9003 = 1 OR R08_GTRAD_USER_STATUS = 1, 4 OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_GTRAD = 1)) AND R09_AG1010TC != 3, THEN R09_PASTUSE_GTRAD = 1. ELSE, R09_PASTUSE_GTRAD = 2.
R09_PASTUSE_GRILLO	Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current or recent former cigarillo smokers in Wave 8, or new baseline adult respondents who have ever smoked cigarillos.	IF (R09_AG9049_01 = 1 OR R09_AG9049_03 = 1 OR R09_AG9051 = 1 OR R09_AG9053 = 1 OR R09_AG9009_12M_01 = 1 OR R09_AG9009_12M_03 = 1 OR R09_AG9009_01 = 1 OR R09_AG9009_03 = 1 OR (R08_GRILLO_USER_STATUS = 1, 4 AND R09_EVER_NEVER_GRILLO = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_GRILLO = 1)) AND R09_AG1010CG != 3, THEN R09_PASTUSE_GRILLO = 1. ELSE, R09_PASTUSE_GRILLO = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_PASTUSE_GFILTR	Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current or recent former filtered cigar smokers in Wave 8, or new baseline adult respondents who have ever smoked filtered cigars.	IF (R09_AG9049_02 = 1 OR R09_AG9052 = 1 OR R09_AG9009_12M_02 = 1 OR R09_AG9009_02 = 1 OR (R08_GFILTR_USER_STATUS = 1, 4 AND R09_EVER_NEVER_GFILTR = 1) OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_GFILTR = 1)) AND R09_AG1010FC != 3, THEN R09_PASTUSE_GFILTR = 1. ELSE, R09_PASTUSE_GFILTR = 2.
R09_PASTUSE_PIPE	Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current or recent former pipe smokers in Wave 8, or new baseline adult respondents who have ever smoked pipe tobacco.	IF (R09_AP1004 = 1 OR R09_AP1002_12M = 1 OR R09_AP1002 = 1 OR R08_PIPE_USER_STATUS = 1, 4 OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_PIPE = 1)) AND R09_AP1010 != 3, THEN R09_PASTUSE_PIPE = 1. ELSE, R09_PASTUSE_PIPE = 2.
R09_PASTUSE_HOOK	Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current or recent former hookah smokers in Wave 8, or new baseline adult respondents who have ever smoked hookah.	IF (R09_AH1004 = 1 OR R09_AH1002_12M = 1 OR R09_AH1002 = 1 OR R08_HOOK_USER_STATUS = 1, 4 OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_HOOK = 1)) AND R09_AH1010 != 3, THEN R09_PASTUSE_HOOK = 1. ELSE, R09_PASTUSE_HOOK = 2.
R09_PASTUSE_SNUS	Continuing adult respondents who used snus in the past 30 days or past 12 months or were current or recent former snus users in Wave 8, or new baseline adult respondents who have ever used snus.	IF (R09_AU1004 = 1 OR R09_AU1002_12M = 1 OR R09_AU1002 = 1 OR R08_SNUS_USER_STATUS = 1, 4 OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_SNUS = 1)) AND R09_AU1010 != 3, THEN R09_PASTUSE_SNUS = 1. ELSE, R09_PASTUSE_SNUS = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
R09_PASTUSE_SMKLS	Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current or recent former smokeless tobacco users in Wave 8, or new baseline adult respondents who have ever used smokeless tobacco.	IF (R09_AS1004 = 1 OR R09_AS1002_12M = 1 OR R09_AS1002 = 1 OR R08_SMKLS_USER_STATUS = 1, 4 OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_SMKLS = 1)) AND R09_AS1010 != 3, THEN R09_PASTUSE_SMKLS = 1. ELSE, R09_PASTUSE_SMKLS = 2.
R09_PASTUSE_NICPOUCH	Continuing adult respondents who used nicotine pouches in the past 30 days or past 12 months or were current or recent former nicotine pouch users in Wave 8, or new baseline adult respondents who have ever used nicotine pouches.	IF (R09_AA1004NP = 1 OR R09_AA1002NP_12M = 1 OR R09_AA1002NP = 1 OR R08_NICPOUCH_USER_STATUS = 1, 4 OR (R09_ADULTTYPE = 2, 3 AND R09_EVER_NEVER_NICPOUCH = 1)) AND R09_AA1010NP != 3, THEN R09_PASTUSE_NICPOUCH = 1. ELSE, R09_PASTUSE_NICPOUCH = 2.
R09_REGULAR_BRAND	Adult respondents who have a regular brand of any tobacco product.	IF R09_AC1047MC = 1 OR R09_AC1047RY = 1 OR R09_AV1047 = 1 OR R09_AG1047TC = 1 OR R09_AG1047CG = 1 OR R09_AG1047FC = 1 OR R09_AP1047 = 1 OR R09_AH1047 = 1 OR R09_AU1047 = 1 OR R09_AS1047 = 1 OR R09_AA1047NP = 1, THEN R09_REGULAR_BRAND = 1. ELSE, R09_REGULAR_BRAND = 2.
R09_NO_REGULAR_BRAND	Adult respondents who use a tobacco product and do not have a regular brand of that tobacco product.	IF (R09_AC1047MC = 2, -8, -7 OR R09_AC1047RY = 2, -8, -7 OR R09_AV1047 = 2, -8, -7 OR R09_AG1047TC = 2, -8, -7 OR R09_AG1047CG = 2, -8, -7 OR R09_AG1047FC = 2, -8, -7 OR R09_AP1047 = 2, -8, -7 OR R09_AH1047 = 2, -8, -7 OR R09_AU1047 = 2, -8, -7 OR R09_AS1047 = 2, -8, -7 OR R09_AA1047NP = 2, -8, -7), THEN R09_NO_REGULAR_BRAND = 1. ELSE, R09_NO_REGULAR_BRAND = 2.

**PATH Study Wave 9 Adult Questionnaire
(Final - Spanish)**

User Group Name	User Group Description	User Group Definition
DERIVED WRAPPER VARIABLES		
R09_ADULT_COMPLETE	Adult respondent has completed the adult questionnaire.	SET R09_ADULT_COMPLETE = 1 FOR Int812_PID AT R09_AL3000. ELSE, R09_ADULT_COMPLETE = 2.
CONTACTFLAG	W9 Adult respondents and W9 parent of one or more W9 sampled youth who completed CI section.	IF R09_AL3005 = 1 OR (R09_PL0034 = 1 AND PID = W9 ADULT SP), THEN CONTACTFLAG = 1. ELSE, CONTACTFLAG = 2.